Digitized by the Internet Archive
in 2026

https://archive.org/details/biochemical-and-biophysical-research-comms_1990_166-173_cumulative-index

BRC

ISSN 0006-291X

1990 Index Issue

Cumulative Indexes for
Volumes 166–173

BIOCHEMICAL AND BIOPHYSICAL Research Communications

EDITORS

John N. Abelson
Ernesto Carafoli
I.C. Gunsalus
Akira Ichihara

James D. Jamieson
Yasuo Kagawa
M. Daniel Lane
William J. Lennarz

Masami Muramatsu
Claude Paoletti
Bennett M. Shapiro
Martha Vaughan

UNIVERSITY OF HAWAII
MAR 20 1991
LIBRARIES

PERIODICAL
QH
301
.B358
U.H. LIBRARY

ACADEMIC PRESS, INC.
Harcourt Brace Jovanovich, Publishers
San Diego New York Boston
London Sydney Tokyo Toronto

BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS

Manuscripts should be sent to one of the following editors:

JOHN N. ABELSON
Division of Biology 147—75
California Institute of Technology
Pasadena, California 91125
FAX: (818) 796-7066

ERNESTO CARAFOLI
Laboratorium für Biochemie
ETH-Zentrum
CH-8092 Zurich, Switzerland
FAX: 41-1-252-6323

I. C. GUNSALUS
420 RAL, 1209 W. California
University of Illinois
Urbana, Illinois 61801
FAX: (217) 333-9684

AKIRA ICHIHARA
Institute for Enzyme Research
Tokushima University
Tokushima 770, Japan
FAX: 81-88-633-0771

JAMES D. JAMIESON
Department of Cell Biology
Yale University School of Medicine
333 Cedar Street
P.O. Box 333
New Haven, Connecticut 06510
FAX: (203) 785-7446

YASUO KAGAWA
Department of Biochemistry
Jichi Medical School
Minamikawachi-Machi Kawachi-gun
Tochigi-ken 329-04, Japan
FAX: 81-28-544-1827

M. DANIEL LANE
Department of Biological Chemistry
The Johns Hopkins University
725 No. Wolfe Street
Baltimore, Maryland 21205
FAX: (301) 955-5759

WILLIAM J. LENNARZ
Department of Biochemistry and
Cell Biology
State University of New York
Stony Brook, New York 11794-5215
FAX: (516) 632-8575

MASAMI MURAMATSU
Department of Biochemistry
The University of Tokyo
Faculty of Medicine
Hongo, Bunkyo-ku
Tokyo 113, Japan
FAX: 81-3-815-1490

CLAUDE PAOLETTI
Laboratoire de Biochimie
INSERM-CNRS
Institut Gustave-Roussy
Rue Camille Desmoulins
94805 Villejuif, France
FAX: 33-1-46-78-4120

BENNETT M. SHAPIRO
Merck Sharp and Dohme
Research Laboratories
RY80K
P.O. Box 2000
Rahway, New Jersey 07065-0900
FAX: (201) 594-6645

MARTHA VAUGHAN
Laboratory of Cellular Metabolism
National Heart, Lung, and Blood Institute
Building 10, Room 5N-307
National Institutes of Health
Bethesda, Maryland 20892

BIOCHEMICAL AND BIOPHYSICAL Research Communications

EDITORS

John N. Abelson
Ernesto Carafoli
I.C. Gunsalus
Akira Ichihara
James D. Jamieson
Yasuo Kagawa
M. Daniel Lane
William J. Lennarz
Masami Muramatsu
Claude Paoletti
Bennett M. Shapiro
Martha Vaughan

1990 Index Issue

Cumulative Indexes for
Volumes 166–173

ACADEMIC PRESS, INC.
Harcourt Brace Jovanovich, Publishers
San Diego New York Boston
London Sydney Tokyo Toronto

Copyright © 1990 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form, or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1990 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0006-291X/90 $1.50

MADE IN THE UNITED STATES OF AMERICA

This journal is printed on acid-free paper.

∞

BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS
(ISSN 0006-291X)

Published semimonthly by Academic Press, Inc., 1 East First Street, Duluth, MN 55802

1990: Volumes 166–173. Price: $756.00 U.S.A. and Canada; $934.00 all other countries

1991: Volumes 174–181. Price: $800.00 U.S.A. and Canada; $986.00 all other countries

All prices include postage and handling.

Information concerning personal subscription rates may be obtained by writing to the Publishers. All correspondence and subscription orders should be addressed to the office of the Publishers at 1 East First Street, Duluth, MN 55802. Send notices of change of address to the office of the Publishers at least 6 to 8 weeks in advance. Please include both old and new addresses. POSTMASTER: Send changes of address to *Biochemical and Biophysical Research Communications,* 1 East First Street, Duluth, MN 55802.

Second class postage paid at Duluth, MN, and at additional mailing offices.

Copyright © 1990 by Academic Press, Inc.

BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS

1990 Index Issue
Cumulative Indexes for Volumes 166–173

Volume Contents v
Author Indexes 1
Subject Index 43

CUMULATIVE TABLE OF CONTENTS
FOR VOLUMES 166–173

Volume 166, Number 1, January 15, 1990

Transcription of Human Endogenous Retroviral Long Terminal Repeat (LTR) Sequence in a Lung Cancer Cell Line
Naohiro Tomita, Akira Horii, Sadayuki Doi, Hideoki Yokouchi, Michio Ogawa, Takesada Mori, and Kenichi Matsubara 1

Binding of Low Mobility Group Protein from Rat Liver Chromatin with Histones Studied by Chemical Cross-Linking
Ewa Wiland, Barbara Siemieniako, and Wieslaw H. Trzeciak 11

Adrenergic and Calcium-Mediated Subcellular Redistribution of Protein Kinase C in Primary Neuronal Cultures
Christopher J. Kalberg and Colin Sumners 22

In Vivo Incorporation of the Intrinsic Photolabel 4-Thiouridine into *Escherichia coli* RNAs *Roberto Bezerra and Alain Favre* 29

The Preparation of an Enzyme Associated with Aflatoxin Biosynthesis by Affinity Chromatography *Anil A. Chuturgoon, Michael F. Dutton, and Ronald K. Berry* 38

Cloning of a *hsp70*-Related Gene Expressed in Mouse Spermatids
Midori Matsumoto and Hirokazu Fujimoto 43

Expression of Human Parathyroid Hormone in *Escherichia coli*
A. Høgset, O. R. Blingsmo, V. T. Gautvik, O. Sæther, P. B. Jacobsen, J. O. Gordeladze, P. Alestrøm, and K. M. Gautvik 50

Conserved Residues of Liquefying α-Amylases Are Concentrated in the Vicinity of Active Site *Mauno Vihinen and Pekka Mäntsälä* 61

Presence in Invertebrate Genomes of Sequences Characterized by the Repetition of the Triplet CCPurine
Norbert Bakalara, Joan Collet, Richard Planells, Yves Thouveny, and Michel Fontes 66

Modulators of the Multidrug-Transporter, P-Glycoprotein, Exist in the Human Plasma *Misako Ichikawa, Akihiko Yoshimura, Tatsuhiko Furukawa, Tomoyuki Sumizawa, and Shin-ichi Akiyama* 74

A Novel Peptide Which Stimulates Adenylate Cyclase: Molecular Cloning and Characterization of the Ovine and Human cDNAs
Chiharu Kimura, Shoichi Ohkubo, Kazuhiro Ogi, Masaki Hosoya, Yasuaki Itoh, Haruo Onda, Atsuro Miyata, Lun Jiang, Raymond R. Dahl, Henry H. Stibbs, Akira Arimura, and Masahiko Fujino 81

Expression of Epidermal Growth Factor Receptor Sequences as *Escherichia coli* Fusion Proteins: Applications in the Study of Tyrosine Kinase Function
John G. Koland, Karen Maddison O'Brien, and Richard A. Cerione 90

Copyright © 1990 by Academic Press, Inc.
All rights of reproduction in any form reserved.

Human Complex II (Succinate-Ubiquinone Oxidoreductase): cDNA Cloning of Iron Sulfur(Ip) Subunit of Liver Mitochondria
Kiyoshi Kita, Hiroshi Oya, Robert B. Gennis, Brian A. C. Ackrell, and Michihiro Kasahara 101

Identification by Sequence Analysis of a Second Rat Brain cDNA Encoding the Dopamine (D2) Receptor
Jeannette C. Miller, Yan Wang, and David Filer 109

Electrofusion of Oriented Schizosaccharomyces Pombe Cells through Apical Protoplast-Protuberances
V. Vondrejs, I. Pavliček, M. Kothera, and Z. Palková 113

IFN-γ-Activated Macrophages: Detection by Electron Paramagnetic Resonance of Complexes between L-Arginine-Derived Nitric Oxide and Non-heme Iron Proteins *Catherine Pellat, Yann Henry, and Jean-Claude Drapier* 119

Substrate Competition and Specificity at the Active Site of Amylopullulanase from *Clostridium thermohydrosulfuricum*
Saroj Mathupala, Badal C. Saha, and J. Gregory Zeikus 126

Differential Induction of Transcription for Glucocorticoid-Responsive Genes in Cultured Rat Hepatocytes
Vicki L. Nebes, Donald DeFranco, and Sidney M. Morris, Jr. 133

Internal Amino Acid Sequencing of Proteins by *in Situ* Cyanogen Bromide Cleavage in Polyacrylamide Gels
Willi Jahnen, Larry D. Ward, Gavin E. Reid, Robert L. Moritz, and Richard J. Simpson 139

Purification and Measurement of Calpromotin, the Cytoplasmic Protein Which Activates Calcium-Dependent Potassium Transport
R. B. Moore, G. A. Plishker, and S. K. Shriver 146

Expression of Biologically Active Human Platelet-Derived Growth Factor (PDGF) B-Receptor in *Xenopus laevis* Oocytes
M. Gassmann, M. Hosang, and J. Mous 154

Induction of Differentiation of Human and Mouse Myeloid Leukemia Cells by Camptothecin *Sawako Chou, Motohisa Kaneko, Kazuyasu Nakaya, and Yasuharu Nakamura* 160

Whole Mouse Nitroxide Free Radical Pharmacokinetics by Low Frequency Electron Paramagnetic Resonance
Marco Ferrari, Silvia Colacicchi, Giancaterino Gualtieri, Maria Teresa Santini, and Antonello Sotgiu 168

The Brain-Type Glucose Transporter mRNA Is Specifically Expressed at the Blood–Brain Barrier *Ruben J. Boado and William M. Pardridge* 174

Use of Recombinant P-Glycoprotein Fragments to Produce Antibodies to the Multidrug Transporter *Shigeo Tanaka, Stephen J. Currier, Edward P. Bruggemann, Kazumitsu Ueda, Ursula A. Germann, Ira Pastan, and Michael M. Gottesman* 180

NAP-1/IL-8 Induces Upregulation of CR1 Receptors in Human Neutrophil Leukocytes *J.-P. Paccaud, J. A. Schifferli, and M. Baggiolini* 187

Androgen Receptor Heterogeneity and Phosphorylation in Human LNCaP Cells
J. H. van Laar, J. Bolt-de Vries, N. D. Zegers, J. Trapman, and A. O. Brinkmann 193

The Use of Proteolysis and Direct N-Terminal Sequence Analysis to Study Human Interleukin-2/Receptor Interaction on Solid Support
Yu-Ching E. Pan, Feng Wang, May C. Miedel, David V. Weber, Pascal Bailon, Fazlur R. Khan, and Jeffrey D. Hulmes 201

The Effects of Recombinant Human Interleukin-1β on Cellular Proliferation and the Production of Prostaglandin E_2, Plasminogen Activator, Osteocalcin, and Alkaline Phosphatase by Osteoblast-like Cells Derived from Human Bone
D. B. Evans, R. A. D. Bunning, and R. G. G. Russell 208

Ca^{2+}-Channel Agonist BAY K8644 Mimics 1,25$(OH)_2$-Vitamin D_3 Rapid Enhancement of Ca^{2+} Transport in Chick Perfused Duodenum
Ana R. de Boland, Ilka Nemere, and Anthony W. Norman 217

Evidence that *Xenopus laevis* Contains Two Different Nonallelic Insulin-like Growth Factor-I Genes
Alan R. Shuldiner, Ajay Nirula, Laurie A. Scott, and Jesse Roth 223

Observation of Tissue Prokallikrein Activation by Some Serine Proteases, Arginine Esterases in Rat Submandibular Gland
Masafumi Kamada, Naoto Furuhata, Takamasa Yamaguchi, Masahiko Ikekita, Kazuyuki Kizuki, and Hiroshi Moriya 231

Identification of a Potentially Neurotoxic Pyridinium Metabolite of Haloperidol in Rats *Babu Subramanyam, Hans Rollema, Thomas Woolf, and Neal Castagnoli, Jr.* 238

S-(*N*-Methylcarbamoyl)glutathione: A Reactive S-Linked Metabolite of Methyl Isocyanate *Paul G. Pearson, J. Greg Slatter, Mohamed S. Rashed, Deog-Hwa Han, Mark P. Grillo, and Thomas A. Baillie* 245

Extracellular ATP Shows Synergistic Enhancement of DNA Synthesis when Combined with Agents That Are Active in Wound Healing or as Neurotransmitters *Dingji Wang, Ning-Na Huang, and Leon A. Heppel* 251

The α_1-Adrenergic Photoaffinity Probe $[^{125}I]$Arylazidoprazosin Binds to a Specific Peptide of P-Glycoprotein in Multidrug-Resistant Cells
Ahmad R. Safa, Michael Agresti, Ikumi Tamai, Nitin D. Mehta, and Soheila Vahabi 259

Regulation of Protein Kinase FA (a Transmembrane Signal and Insulin and Epidermal Growth Factor) in the Brain
Shiaw-Der Yang, Jau-Song Yu, and Hua-Chien Chen 267

The Metabolism of 3′-Azido-2′,3′-dideoxyguanosine in CEM Cells
Anna Karlsson, Peter Reichard, and Fritz Eckstein 273

Primary Structure, *in Vitro* Expression and Import into Mitochondria of a 29/21-KDA Subunit of Complex I from *Neurospora crassa*
Arnaldo Videira, Maximilian Tropschug, and Sigurd Werner 280

Receptor Binding of Cholecystokinin Analogues in Isolated Rat Pancreatic Acini
Ryuichiro Doi, Ryo Hosotani, Kazutomo Inoue, Nobutaka Fujii, Haruaki Yajima, Phillip L. Rayford, and Takayoshi Tobe 286

Structural Features Associated with α-Anomerie in Oligo-α-thymidylates
Jean-Remi Bertrand, Didier Bazile, Claude Malvy, and Jacques Paoletti 293

Solubilization and Characterization of Endothelin-1 Receptors in Rat Cardiac Tissue *Jianjun Liu, Janice Kelly, David J. Casley, Colin I. Johnston, and Winifred G. Nayler* 299

Tumor Necrosis Factor-α/Cachectin Activates the O_2^--Generating System of Human Neutrophils Independently of the Hydrolysis of Phosphoinositides and the Release of Arachidonic Acid *Carlo Laudanna, Shmuel Miron, Giorgio Berton, and Filippo Rossi* 308

Proteolytic Processing in a Non-lysosomal Compartment Is Required for Transcytosis of Protein-Polylysine Conjugates in Cultured Madin-Darby Canine Kidney Cells *Wei-Chiang Shen, Jiansheng Wan, and Daisy Shen* 316

Interleukin 1 Increases the Production of Endothelin by Cultured Endothelial Cells *Masao Yoshizumi, Hiroki Kurihara, Toshisuke Morita, Takahiro Yamashita, Yoshio Oh-hashi, Takao Sugiyama, Fumimaro Takaku, Masashi Yanagisawa, Tomoh Masaki, and Yoshio Yazaki* 324

Apocarboxypeptidase B–Sepharose: A Specific Adsorbent for Peptides *Toshimasa Yasuhara and Akira Ohashi* 330

Demonstration of a New Mouse Mammary Tumor Virus Locus in the Genome of the Mammary Tumor Prone Strain SHN Mouse *Akio Koizumi, Mikako Tsukada, Yasuhiko Wada, and Sigetosi Kamiyama* 336

Solubilization and Characterization of Leukotriene B_4 Receptor–GTP Binding Protein Complex from Porcine Spleen *Ichiro Miki, Tsuyoshi Watanabe, Motonao Nakamura, Yousuke Seyama, Michio Ui, Fumie Sato, and Takao Shimizu* 342

Phorbol Ester-Mediated Induction of HIV-1 from a Chronically Infected Promonocyte Clone: Blockade by Protein Kinase Inhibitors and Relationship to *tat*-Directed *trans*-Activation *Jeffrey Laurence, Santosh K. Sikder, Sanjiv Jhaveri, and Jane E. Salmon* 349

Expression of Rat Pancreatic Lipase Gene Is Modulated by a Lipid-Rich Diet at a Transcriptional Level *Catherine Wicker and Antoine Puigserver* 358

Structural Characterization of the Human Estrogen Synthetase (Aromatase) Gene *Nobuhiro Harada, Kazuyo Yamada, Kuniaki Saito, Naomi Kibe, Sumiko Dohmae, and Yasuyuki Takagi* 365

Angiotensin II and Bradykinin Stimulate Phosphoinositide Breakdown in Intact Rat Kidney Glomeruli but not in Proximal Tubules: Glomerular Response Modulated by Phorbol Ester *M. Chandra Sekar, Maria Yang, Elias Meezan, and Dennis J. Pillion* 373

Formation of Inositol Pentakisphosphate by Ovarian Follicles of *Xenopus laevis* from Metabolism of Inositol (1,4,5)-Trisphosphate and Inositol (1,3,4,5)-Tetrakisphosphate, and from Receptor Activation *Rosalind P. McIntosh and James E. A. McIntosh* 380

Purification to Homogeneity of GD3 Synthase and Partial Purification of GM3 Synthase from Rat Brain *Xin-Bin Gu, Tian-Jue Gu, and Robert K. Yu* 387

Cloning, Sequencing, and Expression of Human TSH Receptor *Micheline Misrahi, Hugues Loosfelt, Michel Atger, Sokhavuth Sar, Anne Guiochon-Mantel, and Edwin Milgrom* 394

Sugar Receptor-Mediated Drug Delivery to Macrophages in the Therapy of Experimental Visceral Leishmaniasis *Prasanta Chakraborty, Amar N. Bhaduri, and Pijush K. Das* 404

Augmentation of Forskolin-Induced cAMP Production by Ouabain in Rat Renal Papillary Collecting Tubule Cells in Culture *San-e Ishikawa and Toshikazu Saito* 411

Hydrogen Peroxide: A Potent Activator of Dioxygenase Activity of Soybean Lipoxygenase *Arun P. Kulkarni, Ashoke Mitra, Jayanta Chaudhuri, Janusz Z. Byczkowski, and Ira Richards* 417

Regulation and Energization of Nitrate Transport in a Halophilic *Pseudomonas stutzeri* *Fiona M. Dias, Roy M. Ventullo, and John J. Rowe* 424

Role of Minor Subunits in the Structural Asymmetry of the *Escherichia coli* F_1-ATPase *Philip D. Bragg and Cynthia Hou* 431

Pepsin, and Aspartic Protease, Converts Porcine Big Endothelin to 21-Residue Endothelin *Masanori Takaoka, Yoshifumi Takenobu, Yasushi Miyata, Ruriko Ikegawa, Yasuo Matsumura, and Shiro Morimoto* 436

Bovine Pancreatic DNase I Binds Very Tightly to DNA Fragments and May Be Mistaken for Putative Endogenous Nuclear Proteins Covalently Bound to DNA *Timothy W. Brotherton and David W. Zenk* 443

Inactivation of Bovine Kidney Cytosolic Protamine Kinase by the Catalytic Subunit of Protein Phosphatase 2A *Zahi Damuni* 449

Volume 166, Number 2, January 30, 1990

A Heparin-Binding Erythroid Cell Stimulating Factor from Fetal Bovine Serum Has the N-Terminal Sequence of Insulin-like Growth Factor II *Qinggang Li, Russell Blacher, Fred Esch, and L. Fernando Congote* 557

Hepatocyte Plasma Membrane Ecto-ATPase (pp120/HA4) Is a Substrate for Tyrosine Kinase Activity of the Insulin Receptor *Ronald N. Margolis, Michael J. Schell, Simeon I. Taylor, and Ann L. Hubbard* 562

A Versatile, Highly Reactive, Cross-Linking Reagent: 2,2′-Sulfonylbis[3-methoxy-(*E,E*)-2-Propenenitrile] *Ramachandra S. Hosmane and Craig M. Bertha* 567

Identification and Characterization of Functional D_1 Dopamine Receptors in a Human Neuroblastoma Cell Line *Anita Sidhu and Peter H. Fishman* 574

Angiotensin II and Noradrenaline Increase PDGF-BB Receptors and Potentiate PDGF-BB Stimulated DNA Synthesis in Vascular Smooth Muscle *A. Bobik, S. Grinpukel, P. J. Little, A. Grooms, and G. Jackman* 580

Temporally Defined Induction of c-*fos* in the Rat Pineal *David A. Carter* 589

The Inhibition of Human Neutrophil Elastase and Cathepsin G by Peptidyl 1,2-Dicarbonyl Derivatives *Shujaath Mehdi, Michael R. Angelastro, Joseph P. Burkhart, Jack R. Koehl, Norton P. Peet, and Philippe Bey* 595

Estrogen Receptor Gene Amplification Is Found in Some Estrogen Receptor-Positive Human Breast Tumors *Mónica Nembrot, Brenda Quintana, and José Mordoh* 601

Comparison of Biological Activities of Endothelin-1, -2, and -3 in Murine and Human Fibroblast Cell Lines *Ai Ohnishi-Suzaki, Ken Yamaguchi, Masatoshi Kusuhara, Isamu Adachi, Kaoru Abe, and Satoshi Kimura* 608

Epidermal Growth Factor and Transforming Growth Factor-α Induce Differential Processing of the Epidermal Growth Factor Receptor *Stuart J. Decker* 615

Expression of the Pregnancy-Specific β 1-Glycoprotein Genes in Human Testis *Jimo Borjigin, Le Ann Tease, William Barnes, and Wai-Yee Chan* 622

Nucleotide Sequence of the Raw-Starch-Digesting Amylase Gene from *Bacillus* sp. B1018 and Its Strong Homology to the Cyclodextrin Glucanotransferase Genes *Pichet Itkor, Norihiro Tsukagoshi, and Shigezo Udaka* 630

Evidence for Alternative RNA Splicing and Possible Alternative Promoters in the Human Muscle Phosphofructokinase Gene at the 5′ Untranslated Region *Hiromu Nakajima, Tomoyuki Yamasaki, Tamio Noguchi, Takehiko Tanaka, Norio Kono, and Seiichiro Tarui* 637

A Novel 40-kDa Protein Induced by Heat Shock and Other Stresses in Mammalian and Avian Cells *Kenzo Ohtsuka, Akira Masuda, Akira Nakai, and Kazuhiro Nagata* 642

The Homologous Restriction Factor Is Immunologically Related to Complement Components C8 and C9 and to Lymphocyte Pore-Forming Protein Perforin through Cysteine-Rich Domains *John Ding-E Young, Wendell F. Rosse, and Cynthia S. Hasselkus-Light* 648

Stabilization of Microtubules by GTP Analogues *Magdalena R. Mejillano, Janice S. Barton, and Richard H. Himes* 653

Similar Induction of the Hepatic EGF Receptor *in Vivo* by EGF and Partial Hepatectomy *Staffan Johansson and Göran Andersson* 661

A Single Amino Acid Substitution in Lactate Dehydrogenase Improves the Catalytic Efficiency with an Alternative Coenzyme *Raymond Feeney, Anthony R. Clarke, and J. John Holbrook* 667

The Chiral Synthesis and Biochemical Properties of Electron Rich Phenolic Sulfoxide Analogs of Sparsomycin *Gary A. Flynn and Ronald J. Ash* 673

Calmodulin-Binding Proteins of *Saccharomyces cerevisiae* *Yusen Liu, Yasuno Yamashita, Eiko Tsuchiya, and Tokichi Miyakawa* 681

Transforming Growth Factor β (TGF-β) Reverses Phorbol Diester Resistance of a Breast Adenocarcinoma (MCF-7) Subline *M. Guerrin, J. M. Darbon, N. Guilbaud, B. Monsarrat, and A. Valette* 687

Developmentally Regulated Lectin in Dark versus White Axolotl Embryos *G. N. Martha, Y. N. Frunchak, S. K. Frost, D. G. Thibaudeau, and N. C. Milos* 695

Nonspecific Cross-Reacting Antigen (NCA) Expressed by Human Granulocytes: Six Species with Different Peptide Sizes and Membrane Anchoring Forms *Motomu Kuroki, Yoshino Matsuo, Masahide Kuroki, and Yuji Matsuoka* 701

Parathyroid Hormone Causes a Transient Rise in Intracellular Ionized Calcium in Vascular Smooth Muscle Cells *Hiroyuki Kawashima* 709

Characterization of Phosphatidylinositol Phospholipase C Activity in Human Melanoma *Frank W. Perrella* 715

Protein Kinase C-γ Is Present in Adriamycin Resistant HL-60 Leukemia Cells *Angelo Aquino, Barbour S. Warren, James Omichinski, Kathleen D. Hartman, and Robert I. Glazer* 723

Isolation of a High Specific Activity Pink, Monomeric Nitrous Oxide Reductase from *Achromobacter cycloclastes* *C. L. Hulse and B. A. Averill* 729

Purification of a Glycoprotein Excreted by *Trypanosoma cruzi* to Increase the Permeability of the Host-Cell Membrane *Santiago Castanys, Francisco Gamarro, Luis M. Ruiz-Pérez, and Antonio Osuna* 736

Activation of Promutagenic Chemicals by *Streptomyces griseus* Containing Cytochrome $P450_{soy}$ *F. Sima Sariaslani and Ralph G. Stahl, Jr.* 743

Osteogenin Inhibits Proliferation and Stimulates Differentiation in Mouse Osteoblast-like Cells (MC3T3-E1) *Slobodan Vukicevic, Frank P. Luyten, and A. H. Reddi* 750

Autocrine Motility Factor Stimulates a Threefold Increase in Inositol Trisphosphate in Human Melanoma Cells *Elise C. Kohn, Lance A. Liotta, and Elliott Schiffmann* 757

A Phospho-Oligosaccharide Can Reproduce the Stimulatory Effect of Insulin on Glycolytic Flux in Human Fibroblasts *Paola Bruni, Elisabetta Meacci, Matias Avila, Valeria Vasta, Marta Farnararo, José M. Mato, and Isabel Varela* 765

Evidence for Complexation of P450 IIC6 by an Orphenadrine Metabolite *Gordon F. Reidy and Michael Murray* 772

Different Regulation of Hepatic Peroxisomal β-Oxidation Activity in Rats Treated with Clofibrate and Partially Hydrogenated Marine Oil *Shuichi Horie and Tetsuya Suga* 780

A Possible Role of cAMP Dependent Phosphorylation of Hepatic Microsomal Cytochrome P450: A Mechanism to Increase Lipid Peroxidation in Response to Hormone *Souren L. Mkrtchian and Kristoffer K. Andersson* 787

Immunoreactive Prohormone Atrial Natriuretic Peptides 1–30 and 31–67: Existence of a Single Circulating Amino-Terminal Peptide *Yu-Ming Chen, Peggy A. Whitson, and Nitza M. Cintrón* 794

Metyrapone Modulation of Tyrosine Aminotransferase Induction by Dexamethasone in Cultured Hepatocytes *Roberto Tongiani, Silvana Piazzolla, and Aldo Paolicchi* 801

Does 3,5,Dibromo-4-nitrosobenzene Sulfonate Spin Trap Superoxide Radicals? *N. B. Nazhat, G. Yang, R. E. Allen, D. R. Blake, and P. Jones* 807

Secretagogue-Induced Oscillations of Cytoplasmic Ca^{2+} in Single β and α-Cells Obtained from Pancreatic Islets by Fluorescence-Activated Cell Sorting *Jin-Lin Wang and Michael L. McDaniel* 813

Differences between Some Properties of Acetylated and Nonacetylated Forms of HMG1 Protein *Svetoslav I. Dimov, Evdokia A. Alexandrova, and Beltcho G. Beltchev* 819

Microtubule-Associated Protein 1A Is the Fibroblast HMW MAP Undergoing Mitogen-Stimulating Serine Phosphorylation *Alan K. Erickson, L. Bryan Ray, and Thomas W. Sturgill* 827

Characterization and Amino-Terminal Sequence of Apoliprotein AI frmo Plasma High Density Lipoproteins in the Preruminant Calf, *Bos* spp.
Sylvie Auboiron, Doris A. Sparrow, Laurence Beaubatie, Dominique Bauchart, James T. Sparrow, P. Michel Laplaud, and M. John Chapman 833

Production and Significance of TGF-β in AT-3 Metastatic Cell Line Established from the Dunning Rat Prostatic Adenocarcinoma
Yuhsi Matuo, Nozomu Nishi, Hirotoshi Takasuka, Yoshishige Masuda, Katsuzo Nishikawa, John T. Isaacs, Pamela S. Adams, Wallace L. McKeehan, and Gordon H. Sato 840

Leukotriene B4 Induced Hyperadhesiveness of Endothelial Cells for Neutrophils
Jan Palmblad, Peter Lindström, and Richard Lerner 848

Isolation and Characterization of Extracellular Myeloperoxidase Precursor in HL-60 Cell Cultures *Michiyuki Yamada, Sook-Jin Hur, and Hiroko Toda* 852

Phenytoin 4-Hydroxylation by Rabbit Liver P450IIC3 and Identification of Orthologs in Human Liver Microsomes
Christopher J. Doecke, Lloyd N. Sansom, and Michael E. McManus 860

Intramolecular Long-Range Electron Transfer in the Hemerythrin Monomer: A Pulse Radiolysis Study *M. Faraggi and Michael H. Klapper* 867

Determination of Four Apparent Mercury Interaction Sites in Photosystem II by Using a New Modification of the Stern-Volmer Analysis
Guy Samson, Jean-Claude Morissette, and Radovan Popovic 873

Fatty Acid Requirement of B Lymphocytes Activated *in Vitro*
Waldemar Lernhardt 879

Disparate Gene Expression of Chemotactic Cytokines by Human Mononuclear Phagocytes *R. M. Strieter, S. W. Chensue, T. J. Standiford, M. A. Basha, H. J. Showell, and S. L. Kunkel* 886

Cloning and Characterization of the Growth Hormone-Dependent Insulin-like Growth Factor Binding Protein (IGFBP-3) in the Rat
Anthony L. Albiston and Adrian C. Herington 892

Calsequestrin, an Intracellular Calcium-Binding Protein of Skeletal Muscle Sarcoplasmic Reticulum, Is Homologous to Aspartactin, a Putative Laminin-Binding Protein of the Extracellular Matrix *Paul J. Yazaki, Sergio Salvatori, Roger A. Sabbadini, and A. Stephen Dahms* 898

An Evidence for Involvement of Two Histidine Residues in the Reaction of Ampicillin Acylase *Deog Jung Kim and Si Myung Byun* 904

Aggregating Platelets Increase Intracellular Calcium in Endothelial Cells through Release of Adenine Nucleotides
Roger C. Ashmore, Richard F. O'Brien, Thomas J. Stelzner, Ira M. Dauber, Lawrence D. Horwitz, Ivan F. McMurtry, and Karyl M. VanBenthuysen 909

Growth-Inhibitory Effects of 1,25-Dihydroxyvitamin D_3 on Normal Human Keratinocytes Cultured in Serum-Free Medium
Kunio Matsumoto, Koji Hashimoto, Yuri Nishida, Makoto Hashiro, and Kunihiko Yoshikawa 916

A Possible Model of Hemoprotein–Fatty Acid Peroxide Complex Demonstrated by Electron Spin Resonance *K. Tajima, M. Shigamatsu, J. Jinno, Y. Kawano, K. Mikami, K. Ishizu, and H. Ohya-Nishiguchi* 924

The Mouse Glucocorticoid Receptor DNA-Binding Domain Is Not Phosphorylated *in Vivo* *Wieke S. van der Weijden Benjamin, William J. Hendry III, and Robert W. Harrison III* 931

Characterization of the Two Oligosaccharides Present in the Preferential Hormonogenic Domain of Human Thyroglobulin *Jean-Louis Franc, Nicole Venot, and Claudine Marriq* 937

Rabbit Nasal Cytochrome P450 NMa Has High Activity as a Nicotine Oxidase *David E. Williams, Xinxin Ding, and Minor J. Coon* 945

Human Cytomegalovirus Stimulates Arachidonic Acid Metabolism through Pathways That Are Affected by Inhibitors of Phospholipase A2 and Protein Kinase C *Sazaly AbuBaker, Istvan Boldogh, and Thomas Albrecht* 953

Glutathione Disulfide Enhances the Reduced Glutathione Inhibition of Lipid Peroxidation in Rat Liver Microsomes *Richard W. Scholz, Kenneth S. Graham, and C. Channa Reddy* 960

Attenuation of Inositol Trisphosphate Generation and Cytosolic Ca^{2+} Elevation in Dispersed Rat Parotid Acini Stimulated Simultaneously at Muscarinic and α_1-Adrenergic Receptors *Valerie J. Horn, Bruce J. Baum, and Indu S. Ambudkar* 967

Effect of Gastric Distention on RNA Synthesis in Neonatal Chick Liver *Tatsuzo Oka, Sang Ho Kweon, Michiko Ito, Joon Pyo Han, Takeru Fujii, and Yasuo Natori* 973

Isolation and Identification of a Polypeptide in the HSP 70 Family That Binds Substance P *Barry Oblas, Norman D. Boyd, Judith Luber-Narod, Victor E. Reyes, and Susan E. Leeman* 978

cDNA Cloning of a Novel Cell Adhesion Protein Expressed in Human Squamous Carcinoma Cells *Yuk-Chor Wong, Sai-Wah Tsao, Mika Kakefuda, and Samuel D. Bernal* 984

Plasminogen Activator Inhibitor 2 (PAI-2) Is Not Inactivated by Exposure to Oxidants Which Can Be Released from Activated Neutrophils *Mark S. Baker, Simon P. Green, Neil Goss, Michael Katrantzis, and William F. Doe* 993

Stimulation of Mono- and Diacylglycerol Lipase Activities by Bradykinin in Neural Cultures *A. A. Farooqui, D. K. Anderson, C. Flynn, E. Bradel, E. D. Means, and L. A. Horrocks* 1001

Molecular Cloning of *smg* p21B and Identification of *smg* p21 Purified from Bovine Brain and Human Platelets as *smg* p21B *Yasushi Matsui, Akira Kikuchi, Masahito Kawata, Jun Kondo, Yutaka Teranishi, and Yoshimi Takai* 1010

Detection of a Point Mutation in Sphingolipid Activator Protein-1 mRNA in Patients with a Variant Form of Metachromatic Leukodystrophy *Mohammad A. Rafi, Xun-Ling Zhang, Gregory DeGala, and David A. Wenger* 1017

Evidence for the Presence of an Endogenous Cytosolic Protein Inhibitor of Intestinal Fucosyltransferase Activities
A. Martin, D. Ruggiero-Lopez, M. C. Biol, and P. Louisot 1024

Structural Studies of Rat Cathepsin E: Amino-Terminal Structure and Carbohydrate Units of Mature Enzyme
Satoshi Yonezawa, Takayuki Takahashi, Masao Ichinose, Kazumasa Miki, Junji Tanaka, and Shinsei Gasa 1032

"Hydration Memory" of Lysozyme: A Misinterpretation
Peter C. Kahn, Marc Bassompierre, and Marcel Waks 1039

Evidence for a Platelet-Activating Factor Receptor on Human Lymphoblastoid B Cells: Activation of the Phosphatidylinositol Cycle and Induction of Calcium Mobilization *Peter G. Schulam, Girish Putcha, Janet Franklin-Johnson, and William T. Shearer* 1047

Galactosylceramide and Galactosylsphingosine Loading Studies in Cultured Skin Fibroblasts in Human and Murine Globoid Cell Leukodystrophy
H. Ida, K. Kusano, H. Suzuki, T. Tokoro, and Y. Eto 1053

ERRATUM

Volume 157, Number 2, December 15, 1989: Junji Nishimura, Michael Kolber, and Cornelis van Breemen, "Norepinephrine and GTP-γ-S Increase Myofilament Ca^{2+} Sensitivity in α-Toxin Permeabilized Arterial Smooth Muscle," pp. 677–683 1061

Volume 166, Number 3, February 14, 1990

Characterization of a cDNA Clone Encoding a New Species of the Nonspecific Cross-Reacting Antigen (NCA), a Member of the CEA Gene Family
Fumiko Arakawa, Motomu Kuroki, Yoshio Misumi, Shinzo Oikawa, Hiroshi Nakazato, and Yuji Matsuoka 1063

Induction of Rat Hepatic P450IIE1 (CYP 2E1) by Pyridine: Evidence for Enhanced Protein Synthesis in the Absence of Transcriptional Activation
Sang Geon Kim and Raymond F. Novak 1072

Characterization of Immunoreactive Brain Natriuretic Peptide in Human Cardiac Atrium *Hitone Tateyama, Jun Hino, Naoto Minamino, Kenji Kangawa, Toshio Ogihara, and Hisayuki Matsuo* 1080

Parathyroid Hormone-Related Protein Is a Possible Autocrine Growth Inhibitor for Lymphocytes
Naoto Adachi, Ken Yamaguchi, Yoshio Miyake, Satoshi Honda, Koichi Nagasaki, Yasuto Akiyama, Isamu Adachi, and Kaoru Abe 1088

Tumor Necrosis Factor Antagonizes Inhibitory Effect of Azidothymidine on Human Immunodeficiency Virus (HIV) Replication *in Vitro*
Masahiko Ito, Masanori Baba, Shuichi Mori, Kazuhiro Hirabayashi, Akihiko Sato, Shiro Shigeta, and Erik De Clercq 1095

A ^{1}H NMR Study of the Solution Conformation of the Neuropeptide Galanin
Anders B. A. Wennerberg, Robert M. Cooke, Mats Carlquist, Rudolf Rigler, and Iain D. Campbell 1102

Netropsin, Distamycin, and Berenil Interact Differentially with a High-Affinity Binding Site for the High Mobility Group Protein HMG-I
Michael Wegner and Friedrich Grummt 1110

Inhibition by Serum Components of the Expression of Lipoprotein Lipase Gene upon Stimulation by Growth Hormone
Anne Pradines-Figueres, Sylvie Barcellini-Couget, Christian Dani, Christian Baudoin, and Gérard Ailhaud 1118

Cytosolic-Nuclear Tumor Promoter-Specific Binding Protein (CN-TPBP) in Human Promyelocytic Leukemia Cells HL-60
Yuichi Hashimoto and Koichi Shudo 1126

The HIV Protein, gP120, Activates Nuclear Protein Kinase C in Nuclei from Lymphocytes and Brain *Nancy E. Zorn, Cheryl L. Weill, and Diane Haddock Russell* 1133

Linear Contour Length Dependence of Electrical Polarizability of Nucleosomal DNA Fragments: Implications for the Flexibility of DNA
Marie-Françoise Hacques and Christian Marion 1140

Iron-Regulated Outer Membrane Proteins in the Periodontopathic Bacterium, *Bacteroides gingivalis* *Thomas E. Bramanti and Stanley C. Holt* 1146

Regioselectivity and Stereoselectivity in the Metabolism of HMG-CoA Reductase Inhibitors *Kamlesh P. Vyas, Prasad H. Kari, and Steven M. Pitzenberger* 1155

Independent Induction of Interleukin 6 and Prostaglandin E_2 by Interleukin 1 in Human Articular Chondrocytes
R. A. D. Bunning, R. G. G. Russell, and J. Van Damme 1163

Somatostatin Analog (SMS 201-995) Inhibits the Basal and Angiotensin II-Stimulated [^{3}H]Thymidine Uptake by Rat Adrenal Glands
M. Pawlikowski, A. Lewiński, E. Sewerynek, M. Szkudliński, J. Kunert-Radek, and E. Wajs 1171

Lysosomal Acid Phosphatase Is Transported via Endosomes to Lysosomes
Yoshitaka Tanaka, Shinji Yano, Kazutaka Okada, Toyoko Ishikawa, Masaru Himeno, and Keitaro Kato 1176

Mechanism of Glucocorticoid Enhancement of the Responsiveness of Ovine Adrenocortical Cells to Adrenocorticotropin
Halima Darbeida and Philippe Durand 1183

Differential Splicing of Alzheimer's Disease Amyloid A4 Precursor RNA in Rat Tissues: PreA4$_{695}$ mRNA Is Predominantly Produced in Rat and Human Brain *Jie Kang and Benno Müller-Hill* 1192

Synthesis of Lysyl Oxidase in Experimental Hepatic Fibrosis
Hisao Wakasaki and Akira Ooshima 1201

Acidic and Basic Fibroblast Growth Factor mRNAs Are Expressed by Skeletal Muscle Satellite Cells *Jeanine Alterio, Yves Courtois, Jacques Robelin, Daniel Bechet, and Isabelle Martelly* 1205

Phorbol Ester Promotes a Sustained Down-Regulation of Endothelin Receptors and Cellular Responses to Endothelin in Human Vascular Smooth Muscle Cells *Thérèse J. Resink, Timothy Scott-Burden, Erika Weber, and Fritz R. Bühler* 1213

A Synthetic Peptide Substrate for Selective Assay of Protein Kinase C
Ichiro Yasuda, Akira Kishimoto, Shin-ichiro Tanaka, Masahiro Tominaga, Atsushi Sakurai, and Yasutomi Nichizuka 1220

Preparation and Characterization of Polyclonal and Monoclonal Antibodies against the Insecticide DDT
Daniel Bürgisser, Stefan Frey, Bernd Gutte, and Stephan Klauser 1228

Purification of a Novel eIF-2α Protein Kinase from Calf Brain
Alberto Alcázar, Enrique Méndez, M. Elena Martín, and Matilde Salinas 1237

Increase in the Catalytic Rate of β-Galactosidase by Selection in Chemostats at Changing Dilution Rates *Suh-Der Tsen* 1245

Detection of 2*H*-1,4-Thiazine-5,6-dihydro-3-carboxylic Acid (Aminoethylcysteine Ketimine) in the Bovine Brain
M. Nardini, R. M. Matarese, L. Pecci, A. Antonucci, G. Ricci, and D. Cavallini 1251

Thyroid Peroxidase Gene Promoter Confers TSH Responsiveness to Heterologous Reporter Genes in Transfection Experiments
Marc J. Abramowicz, Gilbert Vassart, and Daniel Christophe 1257

Expression of Human Pregnancy Specific β_1 Glycoprotein (PSG) Genes during Placental Development *Catherine Streydio and Gilbert Vassart* 1265

Presence of Endothelin-1-like Immunoreactivity in Human Cerebrospinal Fluid
Y. Hirata, T. Matsunaga, K. Ando, T. Furukawa, H. Tsukagoshi, and F. Marumo 1274

The Effect of Sulfhydryl Blocking Groups on the Thermal Unfolding of αα Tropomyosin-Coiled Coils
Marilyn Emerson Holtzer, Alfred Holtzer, and Dan L. Crimmins 1279

Interaction of DNAK with ATP: Binding, Hydrolysis, and Ca^{2+}-Stimulated Autophosphorylation *Barbara L. Dalie, Diane A. Skaleris, Kathrin Köhle, Herbert Weissbach, and Nathan Brot* 1284

The Effect of N-Linked Glycosylation on the Substrate Preferences of UDP Glucuronosyltransferases *Peter I. Mackenzie* 1293

Expression of Retinoic Acid Receptor Genes and the Ligand-Binding Selectivity of Retinoic Acid Receptors (RARs)
Yuichi Hashimoto, Hiroyuki Kagechika, and Koichi Shudo 1300

Hepatic Microsomal Oxygenation of Aldehydes to Carboxylic Acids
Kazuhito Watanabe, Shizuo Narimatsu, Ikuo Yamamoto, and Hidetoshi Yoshimura 1308

Tumor Necrosis Factor-α Enhances Inhibitory Effects of Interleukin-1β on Leydig Cell Steroidogenesis *J. H. Calkins, H. Guo, M. M. Sigel, and T. Lin* 1313

cis,cis-Cyclohexane 1,3,5-Triol Polyphosphates Release Calcium from *Neurospora crassa* via an Unspecific Ins 1,4,5-P_3 Receptor
C. Schultz, G. Gebauer, T. Metschies, L. Rensing, and B. Jastorff 1319

Dopachrome Conversion Factor Functions as an Isomerase
John M. Pawelek 1328

Two Sulphonated Dye Compounds Which Compete for Inositol 1,4,5-Trisphosphate Binding to Rat Liver Microsomes: Effects on 5′-Phosphatase Activity *Martin D. Bootman, Graham F. Pay, Caroline E. Rick, and Michael A. Tones* 1334

TPA Stimulates S6 Phosphorylation but not Protein Synthesis in Ehrlich Cells *Kathleen S. Montine and Edgar C. Henshaw* 1340

Na^+-Dependent Ca^{2+} Efflux Inhibits Stimulus-Induced Secretion in Bovine Chromaffin Cells *Yasumasa Goh and Atsushi Kurosawa* 1346

The Influence of pH on Ca^{2+} Exchange in Ferret Heart Mitochondria *C. H. Fry and J. A. S. McGuigan* 1352

Drug Resistance to *cis*-Diamminedichloroplatinum(II) in Chinese Hamster Ovary Cell Lines Transfected with Glutathione *S*-Transferase-π Gene *Miki Miyazaki, Kimitoshi Kohno, Yoshio Saburi, Ken-ichi Matsuo, Mayumi Ono, Michihiko Kuwano, Shigeki Tsuchida, Kiyomi Sato, Masaharu Sakai, and Masami Muramatsu* 1358

Characterization of a Reversible Denaturational Transition Occurring in the Case of an Irreversibly Denaturing Membrane Spanning Protein *Leonard Remo Maneri* 1365

Cytochrome P450-Catalyzed Formation of 20-Hydroxyecdysone in Larval Housefly Mitochondria *Jayanthi Srivatsan, Margaret Weirich, and Moises Agosin* 1372

Tyrosine Phosphorylation of Cytosolic Proteins in Human Erythrocytes *G. Clari, L. Dalla Libera, and V. Moret* 1378

Amino Acid Sequence of Ghilanten: Anticoagulant-Antimetastatic Principle of the South American Leech, *Haementeria ghilianii* *Dale T. Blankenship, Robert G. Brankamp, George D. Manley, and Alan D. Cardin* 1384

Defluorination of 1,1,1,2-Tetrafluoroethane (R-134a) by Rat Hepatocytes *Michael J. Olson, Charles A. Reidy, and John T. Johnson* 1390

Multiple Small Molecular Weight Guanine Nucleotide-Binding Proteins in Human Erythrocyte Membranes *Gianluca Damonte, Adina Sdraffa, Elena Zocchi, Lucrezia Guida, Carolina Polvani, Michela Tonetti, Umberto Benatti, Patrice Boquet, and Antonio De Flora* 1398

Inhibition of Human β-Factor XII_A by Squash Family Serine Proteinase Inhibitors *Richard Wynn and Michael Laskowski, Jr.* 1406

The Isolation and Properties of Collagenolytic Proteases from Crab Hepatopancreas *O. A. Klimova, S. I. Borukhov, N. I. Solovyeva, T. O. Balaevskaya, and A. Ya. Strongin* 1411

Trifluoperazine Inhibition of Contraction in Permeabilized Skeletal, Cardiac, and Smooth Muscles *Árvind Babu and Jagdish Gulati* 1421

Activation of Heme Oxygenase and Heat Shock Protein 70 Genes by Stress in Human Hepatoma Cells *Kinuko Mitani, Hiroyoshi Fujita, Shigeru Sassa, and Attallah Kappas* 1429

An Electron Paramagnetic Resonance Probe to Detect Local Z-DNA Conformations *Oliver K. Strobel, Robert S. Keyes, and Albert M. Bobst* 1435

Inhibition of *Trypanosoma cruzi* Growth and Sterol Biosynthesis by Lovastatin
M. Florin-Christensen, J. Florin-Christensen, C. Garin, E. Isola, R. R. Brenner, and L. Rasmussen 1441

Unusual Denaturation Properties of Vicilin from *Cajanus cajan*
Yogesh R. Mawal, Madhumalti R. Mawal, and P. K. Ranjekar 1446

Determination of Amyloid β Protein Precursors Harboring Active Form of Proteinase Inhibitor Domains in Cerebrospinal Fluid of Alzheimer's Disease Patients by Trypsin-Antibody Sandwich ELISA
Nobuya Kitaguchi, Yasuo Tokushima, Kiyomi Oishi, Yasuyuki Takahashi, Satoshi Shiojiri, Shigenobu Nakamura, Seigo Tanaka, Ryoji Kodaira, and Hirataka Ito 1453

Specific Inhibitory Conformation of Dipeptides for Chymotrypsin
Yasuyuki Shimohigashi, Tomohisa Ogawa, Hiroaki Kodama, Hiroshi Sakamoto, Haruko Yoshitomi, Michinori Waki, and Motonori Ohno 1460

Alanine:Glyoxylate Aminotransferase 1 Is Present in the Peroxisomes of Guinea Pig Kidney
Sueko Hayashi and Tomoo Noguchi 1467

Dual Action of Hydroxylated Diphenylethylene Estrogens on Protein Kinase C
Eric Bignon, Akira Kishimoto, Michel Pons, André Crastes de Paulet, Jacques Gilbert, Jean-François Miquel, and Yasutomi Nishizuka 1471

Activin A Stimulates Meiotic Maturation of the Rat Oocyte *in Vitro*
Masahiro Itoh, Masao Igarashi, Kiyohiko Yamada, Yoshihisa Hasegawa, Moritoshi Seki, Yuzuru Eto, and Hiroshiro Shibai 1479

Characterization of a Functional Domain of Human Calpastatin
Takashi Uemori, Tomoko Shimojo, Kiyozo Asada, Tadao Asano, Fusao Kimizuka, Ikunoshin Kato, Masatoshi Maki, Masakazu Hatanaka, Takashi Murachi, Hiroyuki Hanzawa, and Yoji Arata 1485

cDNA Cloning of the Hydroxysteroid Sulfotransferase STa Sharing a Strong Homology in Amino Acid Sequence with the Senescence Marker Protein SMP-2 in Rat Livers
Kenichiro Ogura, Jiro Kajita, Hiroyuki Narihata, Tadashi Watabe, Shogo Ozawa, Kiyoshi Nagata, Yasushi Yamazoe, and Ryuichi Kato 1494

Nucleotide Sequence Determination of Mouse, Chicken, and *Xenopus laevis rig* cDNAs: The *rig*-Encoded Protein Is Extremely Conserved during Vertebrate Evolution
Akira Sugawara, Koji Nata, Chiyoko Inoue, Shin Takasawa, Hiroshi Yamamoto, and Hiroshi Okamoto 1501

ERRATA

Volume 157, Number 2, December 15, 1988: Junji Nishimura, Michael Kolber, and Cornelis van Breemen, "Norepinephrine and GTP-γ-S Increase Myofilament Ca^{2+} Sensitivity in α-Toxin Permeabilized Arterial Smooth Muscle," pp. 677–683 1508

Volume 163, Number 2, September 15, 1989: Alexander E. Maccubbin, Lida Caballes, Girish B. Chheda, Robert F. Struck, and Hira L. Gurtoo, "Formation of a Phosphoramide Mustard-Nucleotide Adduct That Is Not by Alkylation at the N7 Position of Guanine," pp. 843–850 1508

Author Index for Volume 166 1509

Volume 167, Number 1, February 28, 1990

Quantitative Analysis of Human Immunodeficiency Virus Type-1 DNA in Asymptomatic Carriers Using the Polymerase Chain Reaction
Shinichi Oka, Kyoko Urayama, Yoshihiro Hirabayashi, Kiyokata Ohnishi, Hajime Goto, Keiji Mitamura, Satoshi Kimura, and Kaoru Shimada 1

Enzyme Coupling Method on Calibrated Nylon Spheres. Application to the Selective Trypsinization of Histones in Chromatin
Pascal Michalon, Roger Couturier, Marie-Françoise Hacques, Guy Favre-Bonvin, Albert Ville, and Christian Marion 9

The Amino-Terminal Sequence of Lobster Fibrinogen Reveals Common Ancestry with Vitellogenins *Russell F. Doolittle and Marcia Riley* 16

3′-Fluoro-3′-deoxy Analogs of 2-5A 5′-Monophosphate: Binding to 2-5A-Dependent Endoribonuclease and Susceptibility to (2′-5′)Phosphodiesterase Degradation *Elena N. Kalinichenko, Tatjana L. Podkopaeva, Merike Kelve, Mart Saarma, and Igor A. Mikhailopulo* 20

Latent Form of Transforming Growth Factor-β1 Acts as a Potent Growth Inhibitor on a Human Erythroleukemia Cell Line
Yun-Feng Piao, Hidenori Ichijo, Kiyoshi Miyagawa, Hideya Ohashi, Fumimaro Takaku, and Kohei Miyazono 27

Specific Immunodetection of Benzoate *para*-hydroxylase with Antibodies Raised against Synthetic Peptides *Koen Gerritse, Robert Van Gorcom, Marianne Fasbender, Jacqueline Lange, Marc Schellekens, Netty Zegers, Eric Claassen, and Wim Boersma* 33

Research on the Mechanism of Interaction between Actin and Membrane Lipids
Dominique St-Onge and Claude Gicquaud 40

Fast Kinetic Analysis of Drug Transport in Multidrug-Resistant Cells Using a Pulsed Quench-Flow Apparatus
D. F. Cano-Gauci, R. Busche, B. Tümmler, and J. R. Riordan 48

Developmental and Differential Expression of β-Amyloid Protein Precursor mRNAs in Mouse Brain *Yasumasa Ohyagi, Keikichi Takahashi, Masahiro Kamegai, and Takeshi Tabira* 54

Sodium Fluoride Unmasks the Accumulation of Lysophosphatidylcholine in Intact Pancreatic Islet Cells *Stewart A. Metz and Marjorie Dunlop* 61

Hepatocytes Mediate Coenzyme A Transfer to Specific Carbohydrate-Derivatized Surfaces *Ora A. Weisz and Ronald L. Schnaar* 67

Chemical Modification of the Recombinant Human αA- and β-Interferons
Sergey I. Borukhov and Alexander Ya. Strongin 74

Nonspecific Interaction of Proteoglycans with Surfaces and Matrices
Lucjan J. J. Hronowski and Tassos P. Anastassiades 81

Isolation, Preliminary Chemical Characterization, and Biological Activity of *Borrelia burgdorferi* Peptidoglycan
Gregory Beck, Jorge L. Benach, and Gail S. Habicht 89

Fibroblast Growth Factor Induces β-Amyloid Precursor mRNA in Glial but Not Neuronal Cultured Cells
Diana Quon, Rosanne Catalano, and Barbara Cordell 96

Interleukin-1β Analogues with Markedly Reduced Pyrogenic Activity Can Stimulate Secretion of Adrenocorticotropic Hormone in Rats
Yoshiyuki Naito, Junichi Fukata, Yoshihiro Masui, Yoshikatsu Hirai, Norihiko Murakami, Tomoko Tominaga, Yoshikatsu Nakai, Sunao Tamai, Kenjiro Mori, and Hiroo Imura 103

Partial Characterization of a Metalloendopeptidase Activity Produced by Cultured Endothelial Cells That Removes the COOH-Terminal Tripeptide from ^{125}I-Atrial Natriuretic Factor
Gibbes R. Johnson and Carolyn J. Foster 110

Simulation of the Inhibitory Cystatin Surface by a Synthetic Peptide
Thierry Moreau, Johan Hoebeke, Gilles Lalmanach, Maurice Hattab, and Francis Gauthier 117

Differential Effects of RO 20-1724 and Isobutylmethylxanthine on the Basal Force of Contraction and β-Adrenoceptor-Mediated Response in the Rat Ventricular Myocardium *Yumi Katano and Masao Endoh* 123

Rat Pancreatic Colipase mRNA: Nucleotide Sequence of a cDNA Clone and Nutritional Regulation by a Lipidic Diet
Catherine Wicker and Antoine Puigserver 130

14,15-Epoxyeicosatetraenoic Acid Promotes Endothelial Cell-Dependent Adhesion of Human Monocytic Tumor U937 Cells
K. A. Pritchard, Jr., R. R. Tota, M. B. Stemerman, and P. Y-K. Wong 137

Inhibition of Lysophospholipase by Cholesterol in Rabbit Aorta
Ryohei Miyake, Mitsuhiro Yokoyama, and Hisashi Fukuzaki 143

Control of Mitochondrial Matrix Calcium: Studies Using Fluo-3 as a Fluorescent Calcium Indicator *Alfredo Saavedra-Molina, Salvador Uribe, and Thomas M. Devlin* 148

Conserved N-Terminal Sequences in the Flagellins of Archaebacteria
M. L. Kalmokoff, T. M. Karnauchow, and K. F. Jarrell 154

Vasoactive Intestinal Contractor, a Novel Peptide, Shares a Common Receptor with Endothelin-1 and Stimulates Ca^{2+} Mobilization and DNA Synthesis in Swiss 3T3 Cells *Isabel Fabregat and Enrique Rozengurt* 161

Inhibition of Protein Kinase C by H-7 Potentiates the Release of Oleic, Linoleic, and Arachidonic Acids in A23187-Stimulated Human Neutrophils
Julie Conquer and Vhundi G. Mahadevappa 168

Isolation of Distantly Related Members in a Multigene Family Using the Polymerase Chain Reaction Technique
Zhao-Yang Zhao and Rolf H. Joho 174

Intracellular Calcium in the Control of Osteoclast Function. I. Voltage Insensitivity and Lack of Effects of Nifedipine, BAYK8644, and Diltiazem
Harish K. Datta, Iain MacIntyre, and Mone Zaidi 183

Identification of a Region of Calsequestrin That Binds to the Junctional Face Membrane of Sarcoplasmic Reticulum
John H. Collins, Adel Tarcsafalvi, and Noriaki Ikemoto 189

Involvement of Prostaglandin E_2 in the Inhibition of Osteocalcin Synthesis by Human Osteoblast-like Cells in Response to Cytokines and Systemic Hormones
Dean B. Evans, Maniccam Thavarajah, and John A. Kanis 194

Conversion of Porcine Big Endothelin to Endothelin by an Extract from the Porcine Aortic Endothelial Cells *Yasuo Matsumura, Ruriko Ikegawa, Masanori Takaoka, and Shiro Morimoto* 203

Guanine Nucleotides Regulate the Effect of Substance P on Striatal Adenylate Cyclase of the Rat *A. Moser* 211

Effects of Ethidium Bromide Treatment of Mouse Cells on Expression and Assembly of Nuclear-Coded Subunits of Complexes Involved in the Oxidative Phosphorylation *Jun-Ichi Hayashi, Masashi Tanaka, Wataru Sato, Takayuki Ozawa, Hiromichi Yonekawa, Yasuo Kagawa, and Shigeo Ohta* 216

Virosomes Reconstituted from Human Immunodeficiency Virus Proteins and Lipids *Bernard Cornet, Michel Vandenbranden, Jacqueline Cogniaux, Livia Giurgea, Daniel Dekegel, and Jean-Marie Ruysschaert* 222

Increase in Calcitonin mRNA Levels in Rats at High Risk of C Cell Tumours Is Genetically Determined *M. C. Delehaye, Z. Bouizar, S. Minvielle, E. Pidoux, N. Segond, F. Treilhou-Lahille, G. Milhaud, and M. S. Moukhtar* 232

Purification and Characterization of a Liposomal-Forming Tetraether Lipid Fraction *Shi-Lung Lo and E. L. Chang* 238

Endoribonucleolytic Cleavage of RNA. Oligodeoxynucleotide Hybrids by the Ribonuclease H Activity of HIV-1 Reverse Transcriptase *Lindsay R. Dudding, Alexis Harington, and Valerie Mizrahi* 244

Purification of an Endothelin Receptor from Human Placenta *Kenji Wada, Hisahiro Tabuchi, Reiko Ohba, Misako Satoh, Yukako Tachibana, Nobutake Akiyama, Osamu Hiraoka, Akira Asakura, Chikara Miyamoto, and Yasuhiro Furuichi* 251

Amplification of the Genes for Both Components of Ribonucleotide Reductase in Hydroxyurea-Resistant Mammalian Cells *Robert A. R. Hurta and Jim A. Wright* 258

ADP Ribosylation of the *rho/rac* Proteins Induces Growth Inhibition, Neurite Outgrowth, and Acetylcholine Esterase in Cultured PC-12 Cells *Teiichi Nishiki, Shuh Narumiya, Narito Morii, Masamitsu Yamamoto, Motohatsu Fujiwara, Yoichi Kamata, Genji Sakaguchi, and Shunji Kozaki* 265

A Molluscan Neuropeptide Related to the Crustacean Hormone, RPCH *Yoshihiro Kuroki, Tomoko Kanda, Ichiro Kubota, Yuko Fujisawa, Tetsuya Ikeda, Atsushi Miura, Yoshiharu Minamitake, and Yojiro Muneoka* 273

Native Form of Endothelin Receptor in Human Placental Membranes *Shigeo Nakajo, Masanori Sugiura, and Tadashi Inagami* 280

Involvement of Ca^{2+}-Induced Ca^{2+} Release in the Volume Regulation of Human Epithelial Cells Exposed to a Hypotonic Medium *Akihiro Hazama and Yasunobu Okada* 287

Characterization of Endothelin Secretion by Vascular Endothelial Cells *Terry D. Hexum, Carl Hoeger, Jean E. Rivier, Andrew Baird, and Marvin R. Brown* 294

Fission Yeast *cdc*25 Is a Cell-Cycle-Regulated Protein
Bernard Ducommun, Giulio Draetta, Paul Young, and David Beach 301

A Deeply Recessed Active Site in Angiotensin-Converting Enzyme Is Indicated from the Binding Characteristics of Biotin-Spacer-Inhibitor Reagents
Kenneth E. Bernstein, Stephen L. Welsh, and John K. Inman 310

The Hepatic Biosynthesis of Rat Thyroxine Binding Globulin (TBG): Demonstration, Ontogenesis, and Up-Regulation in Experimental Hypothyroidism *Roger Vranckx, Marielle Rouaze, Lia Savu, Emmanuel A. Nunez, Carole Beaumont, and Irwin L. Flink* 317

The Two mRNA Forms for the Type I_α Regulatory Subunit of cAMP-Dependent Protein Kinase from Human Testis Are Due to the Use of Different Polyadenylation Site Signals
Mårten Sandberg, Bjørn Skålhegg, and Tore Jahnsen 323

Specific Inactivation of Glutathione *S*-Transferases in Class Pi by SH Modifiers
Katsuto Tamai, Kimihiko Satoh, Shigeki Tsuchida, Ichiro Hatayama, Takako Maki, and Kiyomi Sato 331

N-Terminal Domain of Pepsin as a Model for Retroviral Dimeric Aspartyl Protease *M. Bianchi, R. A. Boigegrain, B. Castro, and M-A. Colletti-Previero* 339

Activity and Distribution of Protein Kinase C in Liver during the Acute-Phase Response *Roberta Piccoletti, Maria Giovanna Aletti, Paola Bendinelli, Danilo Arienti, and Aldo Bernelli-Zazzera* 345

Low-Density Lipoprotein Elevates Intracellular Calcium and pH in Vascular Smooth Muscle Cells and Fibroblasts without Mediation of LDL Receptor
Agapios Sachinidis, Rudolf Locher, Thomas Mengden, and Wilhelm Vetter 353

Synthetic Analogs of Growth Hormone-Releasing Factor with Antagonistic Activity *in Vitro* *Kazuki Sato, Mari Hotta, Jingo Kageyama, Hsiao-Yu Hu, Ming-Hui Dong, and Nicholas Ling* 360

Transport of Glutathione across the Mitochondrial Membranes
Kazuhei Kurosawa, Norio Hayashi, Nobuhiro Sato, Takenobu Kamada, and Kunio Tagawa 367

Isovalerylcarnitine Is a Specific Activator of the High Calcium Requiring Calpain Forms *S. Pontremoli, E. Melloni, P. L. Viotti, M. Michetti, F. Di Lisa, and N. Siliprandi* 373

ERRATA

Volume 165, Number 2, December 15, 1989: Bethel S. Stannard, Neil Gesundheit, N. Rao Thotakura, Peter W. Gyves, Catherine Ronin, and Bruce D. Weintraub, "Differential Effect of Inhibitors of Oligosaccharide Processing on the Secretion of Thyrotropin from Dispersed Rodent Pituitary Cells," pp. 788–794 381

Volume 166, Number 1, January 15, 1990: Jeffrey Laurence, Santosh K. Sikder, Sanjiv Jhaveri, and Jane E. Salmon, "Phorbol Ester-Mediated Induction of HIV-1 from a Chronically Infected Promonocyte Clone: Blockade by Protein Kinase Inhibitors and Relationship to *tat*-Directed *trans*-Activation," pp. 349–357 382

Volume 167, Number 2, March 16, 1990

The Dose-Dependent Effect of Cyclic AMP on Ribonucleotide Reductase in Mitogen Stimulated Mononuclear Cells
Daniel Albert, Janice Kowalski, Edwardine Nodzenski, Mark Micek, and Pearl Wu 383

Oxidation of 5β-Cholestane-3α,7α,12α-triol into 3α,7α,12α-Trihydroxy-5β-cholestanoic Acid by Cytochrome P450$_{26}$ from Rabbit Liver Mitochondria
Helena Dahlbäck and Ingrid Holmberg 391

Purification and Characterization of a Cytosolic Phosphoinositide–Phospholipase C (γ_2-Type) from Human Platelets
Yoshiko Banno, Aiming Yu, Toshihiko Nakashima, Yoshimi Homma, Tadaomi Takenawa, and Yoshinori Nozawa 396

Identification of Germination Gene of *Bacillus megaterium*
K. Tani, M. Kawanishi, J. Nishikawa, M. Sasaki, Y. Takubo, T. Nishihara, and M. Kondo 402

Effects of Replacement of Tryptophan-140 by Phenylalanine or Glycine on the Function of *Escherichia coli* Aspartate Aminotransferase
Hideyuki Hayashi, Yasushi Inoue, Seiki Kuramitsu, Yoshimasa Morino, and Hiroyuki Kagamiyama 407

Atrial Natriuretic Peptide Reduces the Basal Level of Cytosolic Free Ca^{2+} in Guinea Pig Cardiac Myocytes
Masahiko Tei, Minoru Horie, Toshinori Makita, Hiroshi Suzuki, Akihiro Hazama, Yasunobu Okada, and Chuichi Kawai 413

Detection and Quantitation of 8-Hydroxydeoxyguanosine 5′-Monophosphate in X-Irradiated Calf Thymus DNA by Fluorescence Postlabeling
M. Sharma, H. C. Box, and C. R. Paul 419

Rapid Detection of Influenza Virus H1 by the Polymerase Chain Reaction
Albéric Bressoud, Jeannette Whitcomb, Charareh Pourzand, Otto Haller, and Peter Cerutti 425

Suppression of Synthesis and Release of Glucagon by Glucagon-like Peptide-1 (7-36 Amide) without Affect on mRNA Level in Isolated Rat Islets
Eiji Yamato, Yoshihiko Noma, Yasuhiro Tahara, Hiroshi Ikegami, Yoshihiro Yamamoto, Tepyon Cha, Hiroko Yoneda, Toshio Ogihara, Chizuko Ohboshi, Meisei Hirota, and Kenji Shima 431

Apical Plasma Membrane Vesicles Formed from Organ Donor Colon Demonstrate Na^+ and H^+ Conductances and Na^+/H^+ Exchange
James M. Harig, Pradeep K. Dudeja, Strawn M. Knaup, Jihad Shoshara, Krishnamurthy Ramaswamy, and Thomas A. Brasitus 438

Interaction between Rat Serum Phosphorylcholine Binding Protein and Platelet Activating Factor
Edward Randell, Sailen Mookerjea, and Arun Nagpurkar 444

Spontaneous Oscillation of Artificial Membrane: Equivalence in Effects of Temperature and Volatile Anesthetic
N. Nakajo, K. Yoshikawa, M. Shoji, and I. Ueda 450

2-Chloroacetaldehyde and 2-Chloroacetal Are Potent Inhibitors of DNA Synthesis in Animal Cells *Jagannadha C. Kandala, John E. K. Mrema, Anthony DeAngelo, F. Bernard Daniel, and Ramareddy V. Guntaka* 457

Quantitative Immunofluorescence, Anti-*ras* p21 Antibody Specificity, and Cellular Oncoprotein Levels *P. L. Jones, C. M. O'Hare, R. A. Bass, J. Y. Rao, G. P. Hemstreet, and R. E. Hurst* 464

Subcellular Localization of Casein Kinase I *Nikodem Grankowski and Olaf-Georg Issinger* 471

Does Anthramycin Bind to Z-DNA as Well as to B-DNA? A Molecular Mechanics Study *Shashidar N. Rao* 477

Chemical Synthesis of Bovine Transforming Growth Factor-α: Synthesis, Characterization, and Biological Activity *Jacob S. Tou, Mike F. McGrath, Mark E. Zupec, John C. Byatt, Bernie N. Violand, Larry A. Kaempfe, and Billy D. Vineyard* 484

The Influence of Angiotensin II on Catecholamine Synthesis in Neuronal Cultures from Rat Brain *Margaret R. MacLean, Mohan K. Ralzada, and Colin Sumners* 492

Replacing the Carboxy-Terminal 28 Residues of Rabbit Liver P450 (Laurate (ω-1)-Hydroxylase) with Those of P450 (Testosterone 16α-Hydroxylase) Produces a New Stereospecific Hydroxylase Activity *Tomohide Uno, Hiroshi Yokota, and Yoshio Imai* 498

Polymerase Chain Reaction (PCR) Amplification with a Single Specific Primer *Miklos Kalman, Eva T. Kalman, and Michael Cashel* 504

The Putative Hormone Islet Amyloid Polypeptide (IAPP) Induces Impaired Glucose Tolerance in Cats *K. H. Johnson, T. D. O'Brien, K. Jordan, C. Betsholtz, and P. Westermark* 507

Niacin Prevents DNA Strand Breakage by Adenosine Deaminase Inhibitors *Alan B. Weitberg and Donna Corvese* 514

Lysosomal Tartrate Sensitive Acid Phosphatase Deficiency in Cells Which Contain Lysosomal "High Uptake Forms" *P. Hu, G. Parenti, J. Keulemans, and A. T. Hoogeveen* 520

Protein-Mediated Efflux of Heme from Isolated Rat Liver Mitochondria *H. H. Liem, J. A. Grasso, S. H. Vincent, and U. Muller-Eberhard* 528

Leukotrienes Are Active in the Rosette Inhibition Assay Mimicking the Action of "Early Pregnancy Factor" *Frank Clarke, Ian Cock, Anthony Perkins, and Carlos Orozco* 535

Presence of Pancreatic Trypsin Inhibitor in Adrenal Medullary Chromaffin Cells *Randolph V. Lewis, Purnima Ray, Rhonda Coguill, and William Kruggel* 543

Differential Effects of Recombinant Interleukin-1α and β on Leydig Cell Function *J. H. Calkins, H. Guo, M. M. Sigel, and T. Lin* 548

Substitutions at the P_2' Site of *gag* p17–p24 Affect Cleavage Efficiency by HIV-1 Protease *Nara Margolin, William Heath, Ed Osborne, Mei Lai, and Chris Vlahos* 554

Fluidity of the Phospholipid Bilayer of the Endometrium at the Time of Implantation of the Blastocyst: A Spin Label Study *Malini Laloraya* 561

Quinone-Mediated ATP Production in the Filarial Parasite *Setaria digitata* *K. R. Santhamma and R. Raj. Kaleysa* 568

Cloning and Sequencing of a cDNA Encoding the Rieske Iron–Sulfur Protein of Bovine Heart Mitochondrial Ubiquinol–Cytochrome *c* Reductase *Shigeyuki Usui, Linda Yu, and Chang-An Yu* 575

Mitochondrial Oxidation of Phytanic Acid in Human and Monkey Liver: Implication that Refsum's Disease Is Not a Peroxisomal Disorder *P. A. Watkins, S. J. Mihalik, and O. H. Skjeldal* 580

Regulation of Thyroid Hormone Binding to Its Cytosolic Binding Protein by L-α-Alanine *Kiyoto Ashizawa, Hirokazu Kato, Peter McPhie, and Sheue-yann Cheng* 587

Endothelin-1 Stimulates the Release of Preloaded D-[^{3}H]Aspartate from Cultured Cerebellar Granule Cells *Wan-Wan Lin, Chen Yuan Lee, and De-Maw Chuang* 593

Protection by Acidotic pH and Fructose against Lethal Injury to Rat Hepatocytes from Mitochondrial Inhibitors, Ionophores, and Oxidant Chemicals *Anna-Liisa Nieminen, Thomas L. Dawson, Gregory J. Gores, Toru Kawanishi, Brian Herman, and John J. Lemasters* 600

Dexamethasone Increases Neutral Sphingomyelinase Activity and Sphingosine Levels in 373-L1 Fibroblasts *Chittoor K. Ramachandran, Darrell K. Murray, and Don H. Nelson* 607

Stimulation of the Insulin-Sensitive cAMP Phosphodiesterase by an ATP-Dependent Soluble Factor from Insulin-Treated Rat Adipocytes *Hiroshi Shibata and Tetsuro Kono* 614

Characterization of a Bovine Brain Magnesium-Dependent Phosphotyrosine Protein Phosphatase That Is Inhibited by Micromolar Concentrations of Calcium *Toolsee J. Singh* 621

DNA Binding Properties of *Saccharomyces cerevisiae* Chromatin Associated *ras*-Related Protein Yp20 *C. Valansi and C. Shalitin* 628

Isolation of Immediate–Early Differentiation mRNAs by Enzymatic Amplification of Subtracted cDNA from Human Endothelial Cells *Timothy Hla and Thomas Maciag* 637

Identification of Mouse Endodermal Cytoskeletal Protein C (ENDOC) with Cytokeratin No. 19 *Yuki Ichinose, Masami Nozaki, Takashi Morita, and Aizo Matsushiro* 644

Regulation of Brain-Specific Transcription of the Mouse Myelin Basic Protein Gene: Function of the NFI-Binding Site in the Distal Promoter *Atsuo Aoyama, Taka-aki Tamura, and Katsuhiko Mikoshiba* 648

Inducible Gene Expression of Activin A/Erythroid Differentiation Factor in HL-60 Cells *Shunji Takahashi, Takayuki Yamashita, Yuzuru Eto, Hiroshiro Shibai, Kaoru Miyamoto, and Etsuro Ogata* 654

Changes in the Expression of Elastase and Cathepsin B with Differentiation of U937 Promonocytes by GMCSF *C. J. Ward, J. Crocker, S. J. Chan, R. A. Stockley, and D. Burnett* 659

Does Intracellular Histamine Mediate Mast Cell Histamine Release? *Lorne J. Brandes, Balram Sukhu, and R. Patricia Bogdanovic* 665

Stabilization and Activation of Recombinant Human Immunodeficiency Virus-1 Reverse Transcriptase-P66 *Gerald L. Rowley, Qi-Feng Ma, Ian C. Bathurst, Philip J. Barr, and George L. Kenyon* 673

Marked Decrease of Mitochondrial DNA with Multiple Deletions in a Patient with Familial Mitochondrial Myopathy
Meiko Otsuka, Kenji Niijima, Yoshikuni Mizuno, Mitsuo Yoshida, Yasuo Kagawa, and Shigeo Ohta 680

Electrospray Ionization Mass Spectrometric Peptide Mapping: A Rapid, Sensitive Technique for Protein Structure Analysis
S. K. Chowdhury, V. Katta, and B. T. Chait 686

Isolation and Identification of Human Brain Natriuretic Peptides in Cardiac Atrium *Jun Hino, Hitone Tateyama, Naoto Minamino, Kenji Kangawa, and Hisayuki Matsuo* 693

Characterization of a Putative Promoter Region of the Human Poly(ADP-Ribose) Polymerase Gene: Structural Similarity to That of the DNA Polymerase β Gene
Tsutomu Ogura, Hiroshi Nyunoya, Mitsuko Takahashi-Masutani, Masanao Miwa, Takashi Sugimura, and Hiroyasu Esumi 701

SecY Protein, a Membrane-Embedded Secretion Factor of *Escherichia coli*, Is Cleaved by the *ompT* Protease *in Vitro*
Yoshinori Akiyama and Koreaki Ito 711

Protease Specificity of Kunitz Inhibitor Domain of Alzheimer's Disease Amyloid Protein Precursor *Hiroshi Kido, Aiko Fukutomi, James Schilling, Yu Wang, Barbara Cordell, and Nobuhiko Katunuma* 716

Cleavage of Recombinant Enkephalin Precursor by Endoproteolytic Activity in Bovine Chromaffin Granules *Vivian Y. H. Hook, Diane Hegerle, and Hans-Urs Affolter* 722

Laminin Surface Binding Sites and Metastatic Potential of 3LL Tumor Cells Increased by Indomethacin *Salvador F. Aliño, Fernando J. Unda, and Gorka Pérez-Yarza* 731

L-N^G-Monomethyl Arginine Inhibits the Vasodilating Effects of Low Doses of Endothelin-3 on Rat Mesenteric Arteries *Noboru Fukuda, Yoichi Izumi, Masayoshi Soma, Yoshiyasu Watanabe, Masashi Watanabe, Michinobu Hatano, Ichiro Sakuma, and Hisakazu Yasuda* 739

Expression, Glycosylation, and Intracellular Distribution of Human β-Galactosidase in Recombinant Baculovirus-Infected *Spodoptera frugiperda* Cells *Kohji Itoh, Akihiro Oshima, Hitoshi Sakuraba, and Yoshiyuki Suzuki* 746

Binding Site of Omeprazole in Hog Gastric H^+,K^+-ATPase
Magotoshi Morii, Hideyuki Takata, and Noriaki Takeguchi 754

High-Resolution Solid-State Nuclear Magnetic Resonance Spectra of Dentin Collagen *R. Fujisawa and Y. Kuboki* 761

Involvement of Protein Kinase(s) in the Intracellular Signal Transduction Pathways for Activation and Adaptation of Adenylate Cyclase in *Dictyostelium discoideum* *Masakazu Oyama, Kou Kubota, and Koji Okamoto* 767

Codon Usage Pattern in the α2(I) Chain Domain of Chicken Type I Collagen and Its Implications for the Secondary Structure of the mRNA and the Synthesis Pauses of the Collagen *Mitsuo Zama* 772

A Novel Cardio-excitatory Peptide Isolated from the Atria of the African Giant Snail, *Achatina fulica*
Katsuyuki Fujimoto, Noriyuki Ohta, Masayuki Yoshida, Ichiro Kubota, Yojiro Muneoka, and Makoto Kobayashi 777

Expression of the Brown Fat Mitochondria Uncoupling Protein in *Xenopus* Oocytes and Import into Mitochondrial Membrane
Susanne Klaus, Louis Casteilla, Frederic Bouillaud, Serge Raimbault, and Daniel Ricquier 784

Properties of the NADPH Dehydrogenase Component of the Oxidase Complex from Rabbit Peritoneal Neutrophils: Reconstitution of an Oxidase Activity with the Dehydrogenase Component and a Membrane Extract
François Laporte, Jacques Doussiere, and Pierre V. Vignais 790

Subcellular Distribution of a Nitroxide Spin-Labeled Netropsin–Acridine Hybrid in Living KB Cells: Electron Spin Resonance Study
Christian Bailly and Jean-Pierre Hénichart 798

Intracellular Calcium in the Control of Osteoclast Function. II. Paradoxical Elevation of Cytosolic Free Calcium by Verapamil
Mone Zaidi, Iain MacIntyre, and Harish Datta 807

Activation of the Iron-Containing B2 Protein of Ribonucleotide Reductase by Hydrogen Peroxide *Margareta Sahlin, Britt-Marie Sjöberg, Gabriele Backes, Thomas Loehr, and Joann Sanders-Loehr* 813

Identification of a Novel Inositol Phosphate Recognition Site: Specific [^{3}H]Inositol Hexakisphosphate Binding to Brain Regions and Cerebellar Membranes *P. T. Hawkins, D. J. M. Reynolds, D. R. Poyner, and M. R. Hanley* 819

Inhibition of Human Neutrophil Activation by the Allergic Mediator Release Inhibitor, CI-949: Mechanism of Inhibitory Activity
C. D. Wright, P. J. Kuipers, M. D. Hoffman, D. O. Thueson, and M. C. Conroy 828

β-Adrenergic Regulation of Cyclic GMP in Rat Pinealocytes
David Sugden 835

The Interaction of Adenosine Diphosphoribosyltransferase (ADPRT) with a Cruciform DNA *Srinivas S. Sastry and Ernest Kun* 842

The Human Pregnancy-Specific Glycoprotein Genes Are Tightly Linked on the Long Arm of Chromosome 19 and Are Coordinately Expressed
John Thompson, Rosa Koumari, Klaus Wagner, Sabine Barnert, Cathrin Schleussner, Heinrich Schrewe, Wolfgang Zimmermann, Gaby Müller, Werner Schempp, Daniela Zaninetta, Domenico Ammaturo, and Norman Hardman 848

Evidence for Pepstatin-Sensitive Conversion of Porcine Big Endothelin-1 to Endothelin-1 by the Endothelial Cell Extract *Ruriko Ikegawa, Yasuo Matsumura, Masanori Takaoka, and Shiro Morimoto* 860

ERRATUM
Volume 166, Number 1, January 15, 1990 867

Volume 167, Number 3, March 30, 1990

Site-Directed Mutagenesis of Mouse Thymidylate Synthase: Alteration of ARG^{44} to VAL^{44} in a Conserved Loop Guarding the Active Site Has Striking Effects on Catalysis and Nucleotide Binding *Haichao Zhang, Ralph J. Cisneros, Wanleng Deng, Lee F. Johnson, and R. Bruce Dunlap* 869

Characterization of Glycyrrhizin-Binding Protein Kinase from the Crude Membrane Fraction of Rat Liver *Akira Ishikawa, Ryunosuke Kanamaru, Akira Wakui, Shin-ichiro Kanno, and Kenzo Ohtsuki* 876

Altered Glycosaminoglycan Composition in Reactive and Neoplastic Human Liver *Ilona Kovalszky, Gabor Pogany, Gabor Molnar, Andras Jeney, Karoly Lapis, Sandor Karacsonyi, Andor Szecseny, and Renato V. Iozzo* 883

Carbon Catabolite Regulation of Phenylacetyl-CoA Ligase from *Pseudomonas putida* *Honorina Martinez-Blanco, Angel Reglero, and José M. Luengo* 891

Tissue Inhibitor of Metalloproteases (TIMP) Is Matrix Associated in Aortic Tissue: Report of a Radioimmunoassay *Colleen M. Brophy, William H. Marks, Jeffrey M. Reilly, and M. David Tilson* 898

Identification of the Monocyte Chemotactic Protein from Human Osteosarcoma Cells and Monocytes: Detection of a Novel N-Terminally Processed Form *Benny Decock, René Conings, Jean-Pierre Lenaerts, Alfons Billiau, and Jo Van Damme* 904

A High-Affinity Bradykinin Receptor in Membranes from Rat Myometrium Is Coupled to Pertussis Toxin-Sensitive G-Proteins of the G_i Family *Claus Liebmann, Stefan Offermanns, Karsten Spicher, Klaus-Dieter Hinsch, Martin Schnittler, Jean L. Morgat, Siegmund Reissmann, Günter Schultz, and Walter Rosenthal* 910

Nuclear pp64 Is Phosphorylated in Both Serine/Threonine and Tyrosine through Complex Pathways Regulated by 12-*O*-Tetradecanoylphorbol-13-acetate and Platelet-Derived Growth Factor *Laura K. Shawver and Thomas F. Deuel* 918

Amyloid Protein in Familial Amyloidosis (Finnish Type) Is Homologous to Gelsolin, an Actin-Binding Protein *Matti Haltia, Frances Prelli, Jorge Ghiso, Sari Kiuru, Hannu Somer, Jorma Palo, and Blas Frangione* 927

Rapid Ca^{2+} Refilling System of Intracellular Store(s) in Human Vascular Endothelial Cells *Shoichiro Takata, Masaaki Fukase, Yasuyuki Takagi, Osamu Tokunaga, and Takuo Fujita* 933

Plasma Concentrations of Endothelin-1 in Spontaneously Hypertensive Rats and DOCA-Salt Hypertensive Rats *Nobuhiro Suzuki, Takashi Miyauchi, Yoko Tomobe, Hirokazu Matsumoto, Katsutoshi Goto, Tomoh Masaki, and Masahiko Fujino* 941

Structure and Expression of *cysX*, the Second Gene in the *Escherichia coli* K-12 *cysE* Locus *Hajime Tei, Kousaku Murata, and Akira Kimura* 948

Inhibition of Gastric Pepsin Secretion by Peripherally or Centrally Injected Interleukin-1 in Rats *Toshikatsu Okumura, Akira Uehara, Kiyoshi Okamura, Yuichi Takasugi, and Masayoshi Namiki* 956

Analysis of the *Escherichia coli* K-12 *cysB* Gene and Its Product Using the Method of Gene Fusion *Hajime Tei, Kunihiko Watanabe, Kousaku Murata, and Akira Kimura* 962

Altered O_2^-/H_2O_2 Production Ratio by *in Vitro* and *in Vivo* Primed Human Neutrophils *Per Follin and Claes Dahlgren* 970

Effect of 14,15-Epoxyeicosatrienoic Acid Infusion on Blood Pressure in Normal and Hypertensive Rats *Wei-Kuo Lin, J. R. Falck, and Patrick Y-K Wong* 977

Cyclic GMP Stimulates Inositol Phosphate Production in Cultured Pituitary Cells: Possible Implication to Signal Transduction *Zvi Naor* 982

Isolation, Purification, and Characterization of β-hCGRP from Human Spinal Cord *Sunil J. Wimalawansa, Howard R. Morris, Anthony Etienne, Ian Blench, Maria Panico, and Iain MacIntyre* 993

Effects of Temperature and Osmolality on the Release of Atrial Natriuretic Peptide *G. Agnoletti, A. Cornacchiari, R. Ferrari, and P. Harris* 1001

Characterization of Low Populated Peptide Helical Structures in Solution by Means of NMR Proton Conformational Shifts *Marta Bruix, Margarita Perello, José Herranz, Manuel Rico, and José L. Nieto* 1009

Voltage-Dependent Calcium Currents in Trigeminal Chick Neurons *Z. Gałdzicki, G. Puia, M. Sciancalepore, and O. Moran* 1015

Lipoxin A_4 Inhibits Phosphoinositide Hydrolysis in Human Neutrophils *Beatrice M. Grandordy, Helene Lacroix, Elie Mavoungou, Steven Krilis, Attilio E. G. Crea, Bernd W. Spur, and Tak H. Lee* 1022

Stimulation of Free Radical Generation in Human Leukocytes by Various Agents Including Tumor Necrosis Factor Is a Calmodulin Dependent Process *U. N. Das, M. Padma, P. Sangeetha Sagar, G. Ramesh, and R. Koratkar* 1030

Endothelial Cells Metabolize N^G-Monomethyl-L-Arginine to L-Citrulline and Subsequently to L-Arginine *Markus Hecker, Jane A. Mitchell, Hayley J. Harris, Minoru Katsura, Christoph Thiemermann, and John R. Vane* 1037

Drug Targeting: Anti-HSV-1 Activity of Mannosylated Polymer-Bound 9-(2-Phosphonylmethoxyethyl)adenine *Patrick Midoux, Eric Negre, Annie-Claude Roche, Roger Mayer, Michel Monsigny, Jan Balzarini, Erik De Clercq, Eugene Mayer, Abdul Ghaffar, and J. David Gangemi* 1044

Specific, High-Affinity Binding Sites for Human Luteinizing Hormone (hLH) and Human Chorionic Gonadotrophin (hCG) in *Candida* Species *Thomas A. Bramley, Garry S. Menzies, Robert J. Williams, David J. Adams, and Oonagh S. Kinsman* 1050

Cloning of *Clostridium thermocellum* Endoglucanase Genes in *Escherichia coli* *B. K. Bumazkin, G. A. Velikodvorskaya, K. Tuka, M. A. Mogutov, and A. Ya. Strongin* 1057

Detection of Transforming Growth Factor α in Human Urine and Plasma *Masakazu Katoh, Hirofumi Inagaki, Kayoko Kurosawa-Ohsawa, Mieko Katsuura, and Shigeaki Tanaka* 1065

Transfection of cDNA with G→T Point Mutation at the Cleavage Site of Insulin Receptors to COS 7 Cells *Masashi Kobayashi, Masaaki Sugibayashi, Toshiyasu Sasaoka, Katsuya Egawa, Yuikio Shigeta, Mikio Tamaki, Etsuo Nakamura, and Hiroshi Teraoka* 1073

Characterization and Regulation of a cDNA Clone for Rat Pancreastatin *M. E. Abood and J. H. Eberwine* 1079

UV Cross-Linking of Distinct Proteins to the PRDII Domain of the Interferon-β Promoter *Steven Xanthoudakis and John Hiscott* 1086

Detection of Soluble Forms of the β-Amyloid Precursor Protein in Human Plasma *Marcia B. Podlisny, Andrew L. Mammen, Michael G. Schlossmacher, Mark R. Palmert, Steven G. Younkin, and Dennis J. Selkoe* 1094

Islet Amyloid Polypeptide (IAPP; Amylin) Influences the Endocrine but Not the Exocrine Rat Pancreas *Hans-Christoph Fehmann, Volkmar Weber, Rudiger Göke, Burkhard Göke, Rolf Eissele, and Rudolf Arnold* 1102

Divergent Effects of Filamin and Tropomyosin on Actin Filaments Bundling *Enrico Grazi, Giorgio Trombetta, and Massimo Guidoboni* 1109

Chelation of Mercury by Ouabain-Sensitive and Ouabain-Resistant Renal Na,K-ATPase *B. M. Anner, M. Moosmayer, and E. Imesch* 1115

Isolation of Atherogenic Modified (Desialylated) Low Density Lipoprotein from Blood of Atherosclerotic Patients: Separation from Native Lipoprotein by Affinity Chromatography *Vladimir V. Tertov, Igor A. Sobenin, Alexander G. Tonevitsky, Alexander N. Orekhov, and Vladimir N. Smirnov* 1122

Genomic DNA 5′ to the Mouse and Human Angiotension-Converting Enzyme Genes Contains Two Distinct Regions of Conserved Sequence *Shaw-Yung Shai, Kimberly G. Langford, Brian M. Martin, and Kenneth E. Bernstein* 1128

Parathyroid Hormone Related Peptide Can Function as an Autocrine Growth Factor in Human Renal Cell Carcinoma *Paul B. J. Burton, Caje Moniz, and Derek E. Knight* 1134

Expression of HSV-1 Glycoproteins in Tunicamycin-Treated Monkey Kidney Cells *S. Chatterjee, S. Nishimuro, and R. J. Whitley* 1139

Evidence for Cooperative Binding of Chlorpromazine with Hemoglobin: Equilibrium Dialysis, Fluorescence Quenching, and Oxygen Release Study *Maitree Bhattacharyya, U. Chaudhuri, and R. K. Poddar* 1146

Ecdysteroids Increase the Yield of Recombinant Protein Produced in Baculovirus Insect Cell Expression System *Miklós Sárvári, György Csikós, Miklós Sass, Péter Gál, Verne N. Schumaker, and Péter Závodszky* 1154

Multiple Hormone Actions: The Rises in cAMP and Ca^{2+} in MDCK-Cells Treated with Glucagon and Prostaglandin E_1 Are Independent Processes *Nicol P. Kurstjens, Helmuth Heithier, Richard C. Cantrill, Matthias Hahn, and Fritz Boege* 1162

Chemotactic Activity for Human PMN Generated during Ethanol Metabolism by Rat Hepatocytes: Role of Glutathione and Glutathione Peroxidase *B. A. Neuschwander-Tetri and F. J. Roll* 1170

A Guanine Nucleotide-Sensitive, Glucagon-Stimulated Adenylyl Cyclase in *Candida albicans:* Effect of Glucagon on Cell Morphology *Cristina Paveto, Giorgia Egidy, Miguel A. Galvagno, and Susana Passeron* 1177

Cloning and Nucleotide Sequence Analysis of the Human β-Microseminoprotein Gene *Carla B. Green, Whi-Yu Liu, and Simon C. M. Kwok* 1184

Tissue Distribution and Half-Life of ^{125}I-Endothelin in the Rat; Importance of Pulmonary Clearance *Marja-Leena Sirviö, Kaj Metsärinne, Outi Saijonmaa, and Frej Fyhrquist* 1191

Bacteriophage T_4 Gene 32 Protein Shares Antigen Determinants with Reconstituted HeLa HNRNP Proteins in Western Blots *Johannes Schenkel and Bernd Hovemann* 1196

Effect of Angiotensin II and III on Inositol Polyphosphate Production in Differentiated NG108-15 Hybrid Cells *M. D. Carrithers, V. K. Raman, S. Masuda, and J. A. Weyhenmeyer* 1200

Interrelationship between Growth Factor-Induced Activation of the Na^+/H^+ Antiporter and Mobilization of Intracellular Ca^{2+} in NIH3T3-Fibroblasts *Karl Maly, Boris W. Hochleitner, and Hans Grunicke* 1206

Regulation of Phosphofructokinase at Physiological Concentration of Enzyme Studied by Stopped-Flow Measurements *Jörg Bär, Oscar H. Martínez-Costa, and Juan J. Aragón* 1214

Extremely High Levels of NADPH in Guinea Pig Lens: Correlation with ζ-Crystallin Concentration *P. Vasantha Rao and J. Samuel Zigler, Jr.* 1221

Insulin-Receptor Autophosphorylation and Kinase Activity Are Constitutively Increased in Fibroblasts Cultured from a Patient with Heritable Insulin Resistance *Nicola Longo, Robert C. Shuster, Lorri D. Griffin, and Louis J. Elsas* 1229

A Specific βγ-Subunit of Transducin Stimulates ADP-Ribosylation of the α-Subunit by Pertussis Toxin *Hiroshi Ohguro, Yoshitaka Fukada, Toru Yoshizawa, Tetsuya Saito, and Toyoaki Akino* 1235

IL1 Induces Proliferation and IL6 mRNA Expression in a Human Astrocytoma Cell Line: Positive and Negative Modulation by Chorela Toxin and cAMP *Tadashi Kasahara, Hitoshi Yagisawa, Keisuke Yamashita, Yuji Yamaguchi, and Yukio Akiyama* 1242

Smooth Muscle Myosin Light Chain Kinase: Rapid Purification by Anion Exchange High-Performance Liquid Chromatography *Luciano Dalla Libera, Palmina Cavallini, Michela Fasolo, Paolo Cavanni, Emiliangelo Ratti, and Giovanni Gaviraghi* 1249

Aminopeptidase in Human CSF Which Degrades δ-Sleep Inducing Peptide (DSIP) *Fred Nyberg, Madeleine Thörnwall, and Jerker Hetta* 1256

A Smaller Initial Dose Protects Mice against Several Lethal Doses of Ammonium Acetate *Mercedes Costell, José-Enrique O'Connor, and Santiago Grisolía* 1263

The Steroid Antagonist RU38486 Is Metabolized by the Liver Microsomal P450 Mono-oxygenases *Sylvette Chasserot-Golaz, Vera Ribeiro, Geneviève Genot, Maria Celeste Lechner, and Gisèle Beck* 1271

Transcriptional Regulation of Ferritin Heavy Chain Messenger RNA Expression by Thyroid Hormone *Yasushi Iwasa, Kaoru Aida, Norihiko Yokomori, Masaharu Inoue, and Toshimasa Onaya* 1279

Partial Nucleotide Sequence of the Parvalbumin from Chicken Thymus Designated "Avian Thymic Hormone" *William A. Palmisano and Michael T. Henzl* 1286

Decapitation-Induced Changes in Inositol Phosphates in Rat Brain *Teng-Nan Lin, Grace Y. Sun, Noel Premkumar, Ronald A. MacQuarrie, and Steven R. Carter* 1294

The Nonphorbol Ester Tumor Promoter Okadaic Acid Does Not Promote Morphological Transformation or Inhibit Junctional Communication in Hamster Embryo Cells *Edgar Rivedal, Svein-Ole Mikalsen, and Tore Sanner* 1302

Monoclonal Antibodies against Human Synovial Phospholipase A_2 *Kiyoshi Takayama, Ichiro Kudo, Shuntaro Hara, Makoto Murakami, Kunio Matsuta, Terumasa Miyamoto, and Keizo Inoue* 1309

Involvement of Protein Kinase C in the Regulation of Assembly–Disassembly of Neurofilaments *in Vitro* *Yasunori Gonda, Kimiko Nishizawa, Shoji Ando, Shinobu Kitamura, Yasushi Minoura, Yoshimi Nishi, and Masaki Inagaki* 1316

Functional Expression of Human Leukocyte Elastase (HLE)/Medullasin in Eukaryotic Cells *Kiyoshi Okano, Yosuke Aoki, Hirohiko Shimizu, and Masanobu Naruto* 1326

Characterization of the Platelet-Derived Growth Factor β-Receptor Kinase Activity by Use of Synthetic Peptides *Lars Rönnstrand, Andrey Sorokin, Ulla Engström, and Carl-Henrik Heldin* 1333

The DNA Polymerase from the Archaebacterium *Sulfolobus acidocaldarius*: A Thermophilic and Thermoresistant Enzyme Which Can Perform Automated Polymerase Chain Reaction *Samia Salhi, Christiane Elie, Olivier Jean-Jean, Michele Meunier-Rotival, Patrick Forterre, Jean-Michel Rossignol, and Anne-Marie de Recondo* 1341

Concanavalin A Affects β-Tubulin mRNA Expression during Neuritic Processes of Mouse Neuroblastoma N18TG2 Cells in a Different Manner from Colchicine *Noriko Katayama, Yukari Yamagata, Hirotaka Hashimoto, Hiroshi Kanazawa, Tomofusa Tsuchiya, and Masaaki Tsuda* 1348

Polymorphism of the Human Vitronectin Gene Causes Vitronectin Blood Type *Koyomi Kubota, Masao Hayashi, Nobue Oishi, and Yoshiyuki Sakaki* 1355

Characterisation of Atrial Natriuretic Peptide Receptors in Bovine Ventricular Sarcolemma *Shirley McCartney, James F. Aiton, and Gordon Cramb* 1361

Pertussis Toxin Inhibits EGF-, Phorbol Ester-, and Insulin-Stimulated DNA Synthesis in BALB/c3T3 Cells: Evidence for Postreceptor Activation of Gi_α *Michael F. Crouch, David A. Belford, Peter J. Milburn, and Ian A. Hendry* 1369

The Primary Structure of Rat Ribosomal Protein L35 *Katsuyuki Suzuki, Joe Olvera, and Ira G. Wool* 1377

Protein Ligand Interactions: Interaction of Nitrosamines with Nicotinic Acetylcholine Receptor *E. A. Kapp, S. Daya, and C. G. Whiteley* 1383

Purification of a Calcium Binding Protein (Rat SPARC) from Primary Sertoli Cell-Enriched Culture Medium *C. Yan Cheng* 1393
Identification of High and Low (GTP-Sensitive) Affinity [^{3}H]Glibenclamide Binding Sites in Cardiac Ventricular Membranes *J. F. French, L. C. Riera, and J. G. Sarmiento* 1400
Cytosolic Free Magnesium in Cardiac Myocytes: Identification of a Mg^{2+} Influx Pathway *Gary A. Quamme and Simon W. Rabkin* 1406
ERRATUM
Volume 161, Number 2, June 15, 1989: Juan F. Medina, Björn Odlander, Colin D. Funk, Ji-Yi Fu, Hans-Erik Claesson, and Olof Rådmark, "B-Lymphocytic Cell Line *Raji* Expresses the Leukotriene A_4 Hydrolase Gene but Not the 5-Lipoxygenase Gene," pp. 740–745 1413

Author Index for Volume 167 1414

Volume 168, Number 1, April 16, 1990

Molecular Cloning, Sequencing, and Expression of Human Interferon-γ-Inducible Indoleamine 2,3-Dioxygenase cDNA *Wei Dai and Sohan L. Gupta* 1
Characterization of DNA Pattern in the Site of Permanent Attachment to the Nuclear Matrix Located in the Vicinity of Replication Origin *A. G. Kalandadze, S. A. Bushara, Y. S. Vassetzky, Jr., and S. R. Razin* 9
Existence and Unique N-Terminal Sequence of αII (ω)Interferon in Natural Leukocyte Interferon Preparation *Hiroyuki Shirono, Keiko Kono, Junichi Koga, Sabura Hayashi, Akio Matsuo, and Hajime Hiratani* 16
Deficient Lysosomal Carboxypeptidase Activity in Galactosialidosis *Julie Tranchemontagne, Lorraine Michaud, and Michel Potier* 22
Identification of a Human Immunodeficiency Virus-1 Protease Cleavage Site within the 66,000-Da Subunit of Reverse Transcriptase *Mary C. Graves, May C. Meidel, Yu-Ching E. Pan, Michael Manneberg, Hans-Werner Lahm, and Fiona Grüninger-Leitch* 30
Effect of Atrial Natriuretic Peptide on Renin Release in Rat-Isolated Glomeruli *Shigeru Kageyama and John Brown* 37
A New Antileishmanial Compound, Phaseolinone *Rabindra Roy, Gautam Bhattacharya, Kazi A. I. Siddiqui, and Ranjan Bhadra* 43
Phaseolinone, a New Mycotoxin, Inhibits RNA Polymerase(s) Other than RNA Polymerase II *Gautam Bhattacharya, Amit K. Roy, Kazi A. I. Siddiqui, and Ranjan Bhadra* 51
Induction of DNA Damage by Dimethylarsine, a Metabolite of Inorganic Arsenics, Is the Major Part Likely Due to Its Peroxyl Radical *Kenzo Yamanaka, Mikio Hoshino, Mayumi Okamoto, Ryoji Sawamura, Akira Hasegawa, and Shoji Okada* 58

Staurosporine, a Protein Kinase Inhibitor, Up-Regulates the Stimulation of Human Neutrophil Respiratory Burst by *N*-Formyl Peptides and Platelet Activating Factor *Christophe Combadière, Jacques Hakim, Jean-Paul Giroud, and Axel Périanin* 65

Expression of Actin and Myosin Heavy Chain Genes in Skeletal, Cardiac, and Uterine Muscles of Young and Old Rats *Y. K. Jaiswal and M. S. Kanungo* 71

Characterization of Multiple Active Forms of the NADPH Dehydrogenase Component of the Oxidase Complex from Rabbit Peritoneal Neutrophils by Photolabeling with an Arylazido Derivative of $NADP^+$ *François Laporte, Jacques Doussiere, and Pierre V. Vignais* 78

A Quantitative Infrared Determination of Acyl Chain Conformation in Gramicidin/Dipalmitoylphosphatidylcholine Mixtures *Mark A. Davies, Joseph W. Brauner, Herbert F. Schuster, and Richard Mendelsohn* 85

A Unique mRNA Species for the α Subunit of G_s Is Present in Rat Haploid Germ Cells *Trine B. Haugen, Eyvind J. Paulssen, Jan O. Gordeladze, and Vidar Hansson* 91

Evidence for Complex Formation between GTP Binding Protein(Gs) and Membrane-Associated Nucleoside Diphosphate Kinase *Narimichi Kimura and Nobuko Shimada* 99

Divalent Cation-Dependent Structure in the Platelet Membrane Glycoprotein Ia-IIa (VLA-2) Complex *William D. Staatz, Karen J. Peters, and Samuel A. Santoro* 107

rho Gene Amplification and Malignant Transformation *Hava Avraham* 114

The Functional Site of Placental Anticoagulant Protein: Essential Histidine Residue of Placental Anticoagulant Protein *Takayuki Funakoshi, Mine Abe, Mitsuhiko Sakata, Shozo Shoji, and Yukiho Kubota* 125

Exposure to Camptothecin Breaks Leading and Lagging Strand Simian Virus 40 DNA Replication Forks *Cha-Gyun Shin and Robert M. Snapka* 135

Transcription of HIV1 Is Inhibited by DNA Methylation *K. Schulze-Forster, F. Götz, H. Wagner, H. Kröger, and D. Simon* 141

Receptors for Atrial Natriuretic Peptide (ANP) and Cyclic GMP Responses in HeLa Cells *Jens J. Kort and Gebhard Koch* 148

A Stage in Glycolysis Controls the Metabolic Adjustments of Vertebrate Rod Photoreceptors upon Illumination *Sanford E. Ostroy, Roberta A. Svoboda, and Meegan J. Wilson* 155

ζ-Related Protein Kinase C in Nuclei of Nerve Cells *Masatoshi Hagiwara, Chiharu Uchida, Nobuteru Usuda, Tetsuji Nagata, and Hiroyoshi Hidaka* 161

3-Hydroxycoumarins: First Direct Preparation from Coumarins Using a Cu^{2+}–Ascorbic Acid–O_2 System, and Their Potent Bioactivities *Kazuhiro Aihara, Tsunehiko Higuchi, and Masaaki Hirobe* 169

Mechanism of Synergistic Induction of Hepatic Heme Oxygenase by Glutethimide and Iron: Studies in Cultured Chick Embryo Liver Cells *E. Cable, Y. Greene, J. Healey, C-O Evans, H. Bonkovsky* 176

Complete Homology in Metallothionein from Two Genera of Ducks and Their Hybrids *Lih-Yuan Lin and P. C. Huang* 182

Maternal Transmission of Mitochondrial DNA in Ducks *Lih-Yuan Lin, I-Ping Cheng, C. S. Tzeng, and P. C. Huang* 188

Priming Effect of 2,3-Dibenzylbutane-1,4-diol (Mammalian Lignan) on Superoxide Production in Human Neutrophils *M. Morikawa, M. Abe, Y. Yamauchi, M. Inoue, and M. Tsuboi* 194

Inhibition of Human Immunodeficiency Virus Type 1 Replication and Cytopathicity by Synthetic Soluble Catecholamine Melanins *in Vitro* *David C. Montefiori, Ann Modliszewski, Darryn I. Shaff, and Jiying Zhou* 200

In Vitro Hydroxylation of Bentazon by Microsomes from Naphthalic Anhydride-Treated Corn Shoots *J. J. McFadden, J. W. Gronwald, and C. V. Eberlein* 206

Identification of a New Carcinoembryonic Antigen (CEA) Family Member in Human Fetal Liver—Cloning and Sequence Determination of Pregnancy-Specific Glycoprotein 7 *Wasif Noor Khan and Sten Hammarström* 214

Stoichiometry of Chargerin II (A6L) in the $[H^+]$-ATP Synthase of Rat Liver Mitochondria *Masahiro Muraguchi, Yutaka Yoshihara, Toshiya Tunemitu, Isamu Tani, and Tomihiko Higuti* 226

Particles of Photosystem 2 Contain Plantacyanin *Aram M. Nersissian and Robert M. Nalbandyan* 232

Generation of Daunomycin Radicals on the Outer Side of the Erythrocyte Membrane *Jens Z. Pedersen, Lucia Marcocci, Luisa Rossi, Irene Mavelli, and Giuseppe Rotilio* 240

Basic Fibroblast Growth Factor Inhibits Δ^5-3β-Hydroxysteroid Dehydrogenase—Isomerase Activity in Cultured Immature Leydig Cells *Eisuke P. Murono and Amie L. Washburn* 248

A DNA-Binding Homeodomain in Histone H1 *Riitta-Maaria Mannermaa and Jouko Oikarinen* 254

Separation of the Cytochromes P450 in Pig Kidney Mitochondria Catalyzing 1α-, 24-, and 26-Hydroxylations of 25-Hydroxyvitamin D_3 *Hans Postlind* 261

Fluorescence of Phosphotyrosine–Terbium(III) Complexes *D. P. Ringer, J. L. Etheredge, B. L. Dalrymple, and J. S. Niedbalski* 267

Chromophoric Peptide Substrates for the Spectrophotometric Assay of HIV-1 Protease *Thaddeus A. Tomaszek, Jr., Victoria W. Magaard, Heidi G. Bryan, Michael L. Moore, and Thomas D. Meek* 274

Studies on the Functional Activity of the Promoter for the Human Thyroid Peroxidase Gene *Daniela Foti, Jane Gestautas, and Basil Rapoport* 281

Oxygen-Resistant Strain of N_2-Fixing *Escherichia coli* *Hitoshi Iwahashi and Junichiro Someya* 288

Striated Scallop Muscle Relaxation: Fast Force Transients Produced by Photolysis of Diazo-2 *R. E. Palmer, I. P. Mulligan, C. Nunn, and C. C. Ashley* 295

Lysophosphatidylcholine: Essential Role in the Inhibition of Endothelium-Dependent Vasorelaxation by Oxidized Low Density Lipoprotein *Mitsuhiro Yokoyama, Ken-ichi Hirata, Ryohei Miyake, Hozuka Akita, Yuichi Ishikawa, and Hisashi Fukuzaki* 301

Inhibition of Osteoclast Proton Transport by Bafilomycin A_1 Abolishes Bone Resorption *Kai Sundquist, Päivi Lakkakorpi, Björn Wallmark, and Kalervo Väänänen* 309

Molecular Analysis of α-Ecdysone-Induced 16S Complexes in *Drosophila* Schneider's S3 Cells *Ch. Haass and P.-M. Kloetzel* 314

Phosphatidic Acid and Not Diacylglycerol Generated by Phospholipase D Is Functionally Linked to the Activation of the NADPH Oxidase by FMLP in Human Neutrophils *Filippo Rossi, Miroslawa Grzeskowiak, Vittorina Della Bianca, Federica Calzetti, and Giorgio Gandini* 320

Evidence for Coupling of Different Receptors for Gonadotropin-Releasing Hormone to Phospholipases C and A_2 in Cultured Rat Luteal Cells *Hiroshi Watanabe, Shoichi Tanaka, Toyoaki Akino, and Hiroko Hasegawa-Sasaki* 328

Developmental and Growth-Related Regulation of Expression of Serine Dehydratase mRNA in Rat Liver *Chiseko Noda, Miho Ohguri, and Akira Ichihara* 335

Expression Pattern of Acidic and Basic Fibroblast Growth Factor Genes in Adult Rat Eyes *Sumihare Noji, Toshihiko Matsuo, Eiki Koyama, Tomoichiro Yamaai, Tsutomu Nohno, Nobuhiko Matsuo, and Shigehiko Taniguchi* 343

Stimulation of Platelet-Derived Growth Factor-Induced DNA Synthesis by Angiotensin II in Rabbit Vascular Smooth Muscle Cells *Shun-ichi Araki, Yasuhiro Kawahara, Ken-ichi Kariya, Michitoshi Sunako, Terutaka Tsuda, Hisashi Fukuzaki, and Takai Yoshimi* 350

α-Glutamyl Transpeptidase (GGTP) and Na^+K^+-ATPase Activities in Different Subpopulations of Cloned Cerebral Endothelial Cells: Responses to Glial Stimulation *H. C. Bauer, U. Tontsch, A. Amberger, and H. Bauer* 358

Improved Resolution of the Initial Fast Phase of Heavy Sarcoplasmic Reticulum Ca^{2+} Uptake by Ca^{2+}:Antipyrylazo III Dual-Wavelength Spectroscopy *James S. C. Gilchrist, Sidney Katz, and Angelo N. Belcastro* 364

Aromatic Rings of Tyrosine Residues at Adenine Nucleotide Binding Sites of the β Subunits of F_1-ATPase Are Not Necessary for ATPase Activity *Masafumi Odaka, Hiromi Kobayashi, Eiro Muneyuki, and Masasuke Yoshida* 372

Inositol 1,4,5-Trisphosphate Affinity Chromatography *Masato Hirata, Yutaka Watanabe, Toyohiro Ishimatsu, Fumi Yanaga, Toshitaka Koga, and Shoichiro Ozaki* 379

ERRATA

Volume 164, Number 1, October 16, 1989: Ronald M. Shymko, Noe S. Gonzales, Jonathan M. Backer, Morris F. White, and Pierre De Meyts, "Binding Kinetics of Mutated Insulin Receptors in Transfected Cells Grown in Suspension Culture: Application to the Tyr→ Phe 960 Insulin Receptor Mutant," pp. 191–198 387

Volume 166, Number 3, February 14, 1990: Martin D. Bootman, Graham F. Pay, Caroline E. Rick, and Michael A. Tones, "Two Sulphonated Dye Compounds Which Compete for Inositol 1,4,5-Trisphosphate Binding to Rat Liver Microsomes: Effects on 5′-Phosphatase Activity," pp. 1334–1339 387

Volume 168, Number 2, April 30, 1990

Superoxide-Mediated Release of Iron from Ferritin by Some Flavoenzymes *Yoshimi Bando and Kenji Aki* 389

Immunoreactive Growth Hormone (GH) Secretion by Human Lymphocytes: Augmented Release by Exogenous GH *Naoki Hattori, Akira Shimatsu, Masahiko Sugita, Shunichi Kumagai, and Hiroo Imura* 396

cDNA Cloning and Characterization of *ret* Activated in a Human Papillary Thyroid Carcinoma Cell Line *Yukihito Ishizaka, Toshikazu Ushijima, Takashi Sugimura, and Minako Nagao* 402

Enhanced Binding Activity of an Apolipoprotein E Mutant, Apo E5, to LDL Receptors on Human Fibroblasts *Li-Ming Dong, Taku Yamamura, and Akira Yamamoto* 409

Isolation and Characterization of Two Novel Rat Ovarian Lactogen Receptor cDNA Species *Ran Zhang, Ellen Buczko, Chon-Hwa Tsai-Morris, Zhang-Zhi Hu, and Maria L. Dufau* 415

Isolation of Fatty Acid Amide as an Angiogenic Principle from Bovine Mesentery *Kaori Wakamatsu, Tsuneo Masaki, Fumio Itoh, Koichi Kondo, and Katsuichi Sudo* 423

Identification of Chicken Calbindin D_{28K} Pre-messenger RNA Sequences by Polymerase Chain Reaction *Stefano Ferrari and Renata Battini* 430

Purification of Inactivated Photoresponsive Nitrile Hydratase *Teruyuki Nagamune, Hideyuki Kurata, Makoto Hirata, Jun Honda, Hiroyuki Koike, Masahiko Ikeuchi, Yorinao Inoue, Akira Hirata, and Isao Endo* 437

Stretch-Activated Composite Ion Channels in *Bacillus subtilis* *Mario Zoratti, Valeria Petronilli, and Ildiko Szabo* 443

Simple and Rapid Purification of Brevin *Hiroo Kurokawa, Wataru Fujii, Kazuhiro Ohmi, Takashi Sakurai, and Yoshiaki Nonomura* 451

N^G-Amino-L-Arginine: A New Potent Antagonist of L-Arginine-Mediated Endothelium-Dependent Relaxation *Jon M. Fukuto, Keith S. Wood, Russell E. Byrns, and Louis J. Ignarro* 458

Protein Kinase C-Mediated Formation of Phosphatidylinositol 3,4-Bisphosphate in Human Platelets *Kyohei Yamamoto and Eduardo G. Lapetina* 466

Isolation and Characterization of a cDNA for Rat Liver Cysteine Dioxygenase *Yu Hosokawa, Akiyo Matsumoto, Jun Oka, Hiroshige Itakura, and Kenji Yamaguchi* 473

Collagen Degradation in I-Cells Is Normal
Robert S. Bienkowski, Catherine R. Ripley, Richard Gitzelmann, and Beat Steinmann 479

Endothelin-1 Stimulates Arachidonate 15-Lipoxygenase Activity and Oxygen Radical Formation in the Rat Distal Lung
Takahide Nagase, Yoshinosuke Fukuchi, Chuu Jo, Shinji Teramoto, Yasuhide Uejima, Kiyoshi Ishida, Takao Shimizu, and Hajime Orimo 485

Rapid Activation by Erythropoietin of Protein Kinase C in Nuclei of Erythroid Progenitor Cells *Meredith Mason-Garcia, Cheryl L. Weill, and Barbara S. Beckman* 490

Transcription Factor IIA of Wheat and Human Interacts Similarly with the Adenovirus-2 Major Late Promoter
Xu-Bo Yu, Christine Burke, Jimin Zhang, Louis J. Marchitelli, Elizabeth A. Davis, and Steven Ackerman 498

A New Approach to Determine the Stereospecificity in Lipase Catalyzed Hydrolysis Using Circular Dichroism (CD): Lipases Produce Optically Active Diglycerides from Achiral Triglycerides
Hirotaka Uzawa, Yoshihiro Nishida, Hiroshi Ohrui, and Hiroshi Meguro 506

Comparative Studies of Phosphoinositide Hydrolysis Induced by Endothelin-Related Peptides in Cultured Cerebellar Astrocytes, C_6-Glioma, and Cerebellar Granule Cells *Wan-Wan Lin, Chen Yuan Lee, and De-Maw Chuang* 512

Augmented Excretion of Procathepsin L of a *fos*-Transferred Highly Metastatic Rat Cell Line *Shun'ichiro Taniguchi, Yukio Nishimura, Takeshi Takahashi, Tsuneo Baba, and Keitaro Kato* 520

The Respective 27- and 28-kDa Protein Kinase C Substrates in Vascular Endothelial and MCF-7 Cells Are Most Probably Heat Shock Proteins
J. M. Darbon, M. Issandou, J. F. Tournier, and F. Bayard 527

Autocrine Effect of Endothelin on DNA Synthesis in Human Vascular Endothelial Cells *Yasuyuki Takagi, Masaaki Fukase, Shoichiro Takata, Hiroki Yoshimi, Osamu Tokunaga, and Takuo Fujita* 537

Retinoic Acid Receptor in the Chick Limb Buds in the Early Developmental Stages *Takashi Momoi, Hiromichi Kumagai, and Mariko Momoi* 544

Induction of γ-Glutamylcysteine Synthetase by Prostaglandin A_2 in L-1210 Cells
Kouji Ohno and Masaharu Hirata 551

FAD and GSH Participate in Macrophage Synthesis of Nitric Oxide
Dennis J. Stuehr, Nyoun Soo Kwon, and Carl F. Nathan 558

Vasopressin-Dependent Tyrosine Phosphorylation of a 38-kDa Protein in Human Platelets *Yosef Granot (Graziani), Vicki Van Putten, and Robert W. Schrier* 566

A Yeast Protein, Homologous to the Proteolipid of the Chromaffin Granule Proton-ATPase, Is Important for Cell Growth
Michelle Apperson, Robert E. Jensen, Kitaru Suda, Christine Witte, and Michael P. Yaffe 574

Nuclear Proteins from HeLa Cells Are Immunoreactive with Anti-yeast Yp20 *ras* Related Antibodies *Channa Shalitin and Valerie Stanik* 580

Calpain II-Dependent Solubilization of a Nuclear Protein Kinase at Micromolar Calcium Concentrations
Ronald L. Mellgren and Charmaine B. Rozanov 589

A ^{1}H-NMR Study of the Solution Conformation of *Icaria* Chemotactic Peptide and Its [Lys^7] Analog: Effects on the Physiological Activity of a Substitution of Proline to Lysine at Position 7
Ichio Shimada, Koichi Kato, Kazuki Saito, Chieko Kitada, Masahiko Fujino, Terumi Nakajima, and Yoji Arata 596

Primate's p53 Inhibits SV40 DNA Replication *in Vitro*
Norimasa Miyamoto, Eiji Kihara, Tetsuo Inada, Shinji Katsura, and Yasufumi Murakami 604

An Endogenous Inhibitor of Protein Kinase C in the Pseudopregnant Rat Ovary
Kathleen M. Eyster 609

Expression, Purification, and Characterization of a 41-kDa Insulin Receptor Tyrosine Kinase Domain *Roland G. Kallen, Joseph E. Smith, Zufang Sheng, and Lim Tung* 616

Immunolocalization of C$_1$-Tetrahydrofolate Synthase in the Rat Kidney
Dean R. Appling, Suzanne H. Ayo, and Jeffrey I. Kreisberg 625

The Amino Acid Sequence of Rat Liver Nonspecific Lipid Transfer Protein (Sterol Carrier Protein 2) Is Present in a High Molecular Weight Protein: Evidence from cDNA Analysis *Bernadette C. Ossendorp, G. Paul H. van Heusden, and Karel W. A. Wirtz* 631

Use of an Immobilized Enzyme and Specific Antibodies to Analyze the Accessibility and Role of Histone Tails in Chromatin Structure
Marie-Françoise Hacques, Sylviane Muller, Gilbert De Murcia, Marc H. V. Van Regenmortel, and Christian Marion 637

Phospholipid Synthesis by Extracellular Phospholipase A$_2$ in Organic Solvents
P. Pernas, J. L. Olivier, M. D. Legoy, and G. Bereziat 644

Effect of Acylphosphatase on Human Erythrocyte Membrane Ca^{2+}-ATPase
P. Nassi, C. Nediani, G. Liguri, N. Taddei, M. Ruggiero, and G. Ramponi 651

High Valent Iron Oxo Intermediates Might Be Involved during Activation of Ribonucleotide Reductase: Single Oxygen Atom Donors Generate the Tyrosyl Radical *Marc Fontecave, Catherine Gerez, Mohammed Atta, and André Jeunet* 659

Stage-Specific Phosphoinositides' Turnover Capacity of Human Intrathymic T Cells following CD2-Triggering
M. Djavad Mossalayi, Ali H. Dalloul, Jean-Marc Bertho, Georges Bismuth, Catherine Blanc, and Patricia Debré 665

A Missense Mutation Found in Human Lactate Dehydrogenase-B (H) Variant Gene *Kayoko Sudo, Masato Maekawa, Sachio Ikawa, Katsuhiko Machida, Motoshi Kitamura, and Steven S.-L. Li* 672

Molecular Characterization of Genetic Mutation in Human Lactate Dehydrogenase-A (M) Deficiency
Masato Maekawa, Kayoko Sudo, Takashi Kanno, and Steven S.-L. Li 677

The Structure and Expression of the Guinea Pig Fc Receptor for IgG1 and IgG2 ($Fc\gamma_1/\gamma_2R$) *Mari Tominaga, Atsuko Sakata, Takafumi Ohmura, Toshiyuki Yamashita, Jiro Koyama, and Kaoru Onoue* 683

Translocation of Protein Kinase C to Membranes Induced by TNF Does Not Cause the Inhibition of EGF Binding to Human WISH Cells *Takahiko Katoh, Yuji Karasaki, Hideyasu Hirano, Sadao Gotoh, and Ken Higashi* 690

The I-A_β^b Region (65–85) Is a Binding Site for the Superantigen, Staphylococcal Enterotoxin A *Jeffry K. Russell, Carol H. Pontzer, and Howard M. Johnson* 696

Isolation of Two Novel Adenosine Binding Proteins from Bovine Brain *M. E. Bembenek* 702

Impact of 5-Azacytidine on Insulin Binding and Insulin-Induced Receptor Formation in Tetrahymena *György Csaba and Péter Kovács* 709

Mode of Inhibition of Smooth Muscle Myosin Light Chain Kinase by Synthetic Peptide Analogs of the Regulatory Site *Mitsuo Ikebe* 714

Estrogen-Induced Expression of the c-*jun* Proto-oncogene in the Immature and Mature Rat Uterus *David K. Webb, Bruce C. Moulton, and Sohaib A. Khan* 721

Regional Distribution of EDRF/NO-Synthesizing Enzyme(s) in Rat Brain *Ulrich Förstermann, Lee D. Gorsky, Jennifer S. Pollock, Harald H. H. W. Schmidt, Michael Heller, and Ferid Murad* 727

Induction of Apolipoprotein E Gene Expression in Human and Experimental Atherosclerotic Lesions *Piero Crespo, Carmen González, Jose M. Ordovás, Jose M. Ortiz, Jose C. Rodriguez, and Javier León* 733

Pancreastatin Producing Cell Line from Human Pancreatic Islet Cell Tumor *Akihiro Funakoshi, Kayoko Tateishi, Michiyo Tsuru, Atsuo Jimi, Hideyuki Wakasugi, Yurika Ikeda, and Akira Kono* 741

Characterization of the 70-kDa Component of the Human Ku Autoantigen Expressed in Insect Cell Nuclei Using a Recombinant Baculovirus Vector *Graham P. Allaway, Alfred A. Vivino, Leonard D. Kohn, Abner Louis Notkins, and Bellur S. Prabhakar* 747

Chemical Nuclease Activity of 5-Phenyl-1,10-phenanthroline–Copper Ion Detects Intermediates in Transcription Initiation by *Escherichia coli* RNA Polymerase *Theodore Thederahn, Annick Spassky, Michio D. Kuwabara, and David S. Sigman* 756

Identification of Mitotic (CDC2) and Interphase Histone H1 Kinases by Nondenaturing Gel Electrophoresis and Peptide Assays *Philip Hohmann and Robert S. Greene* 763

Human Acid β-Glucosidase: Glycosylation Is Required for Catalytic Activity *Marie E. Grace and Gregory A. Grabowski* 771

The Role of Oligomerization in Regulation of Maize Phospho*enol*pyruvate Carboxylase Activity. Influence of Mg-PEP and Malate on the Oligomeric Equilibrium of PEP Carboxylase *Kenneth O. Willeford, Min-Xian Wu, Christopher R. Meyer, and Randolph T. Wedding* 778

Inhibition of Periarterial Nerve Stimulation-Induced Vasodilation of the Mesenteric Arterial Bed by CGRP (8–37) and CGRP Receptor Desensitization *Song-Ping Han, Linda Naes, and Thomas C. Westfall* 786

Purification and N-Terminal Amino Acid Sequence of the Tartrate-Resistant Acid Phosphatase from Human Osteoclastoma. Evidence for a Single Structure *J. J. Stepan, K. H. W. Lau, S. Mohan, F. R. Singer, and D. J. Baylink* 792

Cloning and Expression of Pectin Lyase Gene from *Erwinia carotovora* in *Escherichia coli* *Tamotsu Nishida, Toshihiko Suzuki, Kazutoshi Ito, Yoshiyuki Kamio, and Kazuo Izaki* 801

Identification, Sequence Determination, and Expression of the Flavodoxin Gene from *Desulfovibrio salexigens* *Larry R. Helms, Grigorios D. Krey, and Richard P. Swenson* 809

Cyanide-Resistant Respiration Is Involved in Temperature Rise in Ripening Mangoes *Sanjay Kumar, B. C. Patil, and S. K. Sinha* 818

Sphingosine Inhibition of Tyrosine Aminotransferase and Tryptophan Oxygenase Induction by Dexamethasone in Primary Culture of Rat Hepatocytes *Ramesh Sharma, Hiroshi Kido, and Nobuhiko Katunuma* 823

Interleukin 4 Induces CD4+/CD8- to CD8+/CD4- Transformation of Human Neonatal T Cells by Way of a Double-Positive Intermediate *Donald C. Reason, Motohiro Ebisawa, Hirohisa Saito, Toshikazu Nagakura, and Yoji Iikura* 830

The Mechanism of Antifungal Action of (*S*)-2-Amino-4-oxo-5-hydroxypentanoic Acid, RI-331: The Inhibition of Homoserine Dehydrogenase in *Saccharomyces cerevisiae* *H. Yamaki, M. Yamaguchi, H. Imamura, H. Suzuki, T. Nishimura, H. Saito, and H. Yamaguchi* 837

Role of Lysine Residue at 7th Position of Wasp Chemotactic Peptides *Ken Nagashima, Masamichi Koike, Kazuki Saito, Tadashi Yasuhara, Yoshio Tsukamoto, Masakazu Mori, Masahiko Fujino, and Terumi Nakajima* 844

Preferential Inhibition of Elastin Synthesis by Epidermal Growth Factor in Chick Aortic Smooth Muscle Cells *Tokimitsu Ichiro, Shingo Tajima, and Takeji Nishikawa* 850

Mononuclear Cells Enhance Prostaglandin E_2 Production of Polymorphonuclear Leukocytes via Tumor Necrosis Factor α *Hideto Akama, Yoichi Ichikawa, Yasutsugu Matsushita, Taeko Shinozawa, and Mitsuo Homma* 857

C-Type Natriuretic Peptide (CNP): A New Member of Natriuretic Peptide Family Identified in Porcine Brain *Tetsuji Sudoh, Naoto Minamino, Kenji Kangawa, and Hisayuki Matsuo* 863

Pertussis Toxin Does Not Inhibit α_1-Adrenergic Potentiation of β-Adrenergic Stimulation of Cyclic AMP Accumulation in Rat Pinealocytes *David Sugden* 871

Structural Evidence for Two Isozymic Forms and the Carbohydrate Attachment Site of Human Gastric Cathepsin E *S. B. P. Athauda, Osamu Matsuzaki, Takashi Kageyama, and Kenji Takahashi* 878

ERRATA

Volume 166, Number 2, January 30, 1990: Paola Bruni, Elisabetta Meacci, Matias Avila, Valeria Vasta, Marta Farnararo, José M. Mato, and Isabel Varela, "A Phospho-oligosaccharide Can Reproduce the Stimulatory Effect of Insulin on Glycolytic Flux in Human Fibroblasts," pp. 765–771 886

Volume 166, Number 2, January 30, 1990: K. Tajima, M. Shigamatsu, J. Jinno, Y. Kawano, K. Mikami, K. Ishizu, and H. Ohya-Nichiguchi, "A Possible Model of Hemoprotein–Fatty Acid Peroxide Complex Demonstrated by Electron Spin Resonance," pp. 924–930 886

Volume 167, Number 1, February 28, 1990: Zhao-Yang Zhao and Rolf H. Joho, "Isolation of Distantly-Related Members in a Multigene Family Using the Polymerase Chain Reaction Technique," pp. 174–182 887

Volume 168, Number 3, May 16, 1990

The Effect of 1,25-Dihydroxyvitamin D_3 on Human Osteoblast-like Osteosarcoma Cell: Modification of Response to PTH
Kazuto Ikeda, Yasuo Imai, Masaaki Fukase, and Takuo Fujita 889

A Novel Monoclonal Antibody Induces the Differentiation of Monocyte Leukemic Cells *Yoshikazu Koyama, Banri Yamanoha, and Takeshi Yoshida* 898

Epidermal Growth Factor Stimulates the Anchorage-Independent Growth of Human Squamous Cell Carcinomas Overexpressing Its Receptors
Kaechoong Lee, Mayumi Tanaka, Chohei Shigeno, Itsuo Yamamoto, Shuichi Ohta, Koichi Rikimaru, Masakazu Hatanaka, and Junji Konishi 905

Resolution of Racemic Carbovir and Selective Inhibition of Human Immunodeficiency Virus by the (−) Enantiomer
Robert Vince and Jay Brownell 912

Influence of Phospholipid Fatty Acyl Composition on Sarcolemmal and Sarcoplasmic Reticular Cation Transporters
Ramesh Vemuri and Kenneth D. Philipson 917

Characterization of Gonadotropin-Releasing Hormone (GnRH) Binding Sites in the Pituitary and Testis of the Frog, *Rana esculenta*
Silvia Fasano, Renato de Leeuw, Riccardo Pierantoni, Giovanni Chieffi, and P. G. W. J. van Oordt 923

The Amino Terminal Sequence of the Developmentally Regulated CH21 Protein Shows Homology with Amino Terminal Sequences of Low Molecular Weight Proteins Binding Hydrophobic Molecules
Fiorella Descalzi Cancedda, Daniela Asaro, Francesco Molina, Ranieri Cancedda, Carla Caruso, Laura Camardella, Armando Negri, and Severino Ronchi 933

Allopurinol Promotes and Butylated Hydroxy Toluene Prevents Sugar-Induced Cataractogenesis *Naseem H. Ansari and Satish K. Srivastava* 939

Complete Amino Acid Sequence of Yeast Thioltransferase (Glutaredoxin)
Zhong-Ru Gan, Mark A. Polokoff, John W. Jacobs, and Mohinder K. Sardana 944

proTRH Gene Expression by Fetal Pancreatic Islets in Culture *Sonia Aratan-Spire, Raphael Scharfmann, Ronald M. Lechan, and Armen H. Tashjian, Jr.* 952

Growth Inhibition Caused by Serum Depletion Induces Differentiation, Interleukin 1 Receptor Expression, and Interleukin 1 Responsiveness in the HL-60 Promyelocytic Leukemia Cell Line *Olli Silvennoinen and Mikko Hurme* 959

Specific Binding of Plasminogen to Vitronectin: Evidence for a Modulatory Role of Vitronectin on Fibrin(ogen)-Induced Plasmin Formation by Tissue Plasminogen Activator *Klaus T. Preissner* 966

ϕ80 Transcription Antitermination Complex: A 15-kDa Host-Coded Protein Interacts with the Gene N Transcription Antitermination Protein of Bacteriophage ϕ80 *Kohji Kanemoto, Tomoyuki Miyashita, and Aizo Matsushiro* 972

Characterization and Tissue Distribution of H_3 Histamine Receptors in Guinea Pigs by N^{α}-Methylhistamine *Alexandra Korte, Joyce Myers, Neng-Yang Shih, Robert W. Egan, and Mike A. Clark* 979

The Lamellar to Hexagonal Phase Transition in Phosphatidylethanolamine Liposomes: A Fluorescence Anisotropy Study *José-Luis Nieva, José Castresana, and Alicia Alonso* 987

Characterization of a 5′-Flanking Region of the Human Liver/Bone/Kidney Alkaline Phosphatase Gene: Two Kinds of mRNA from a Single Gene *Shinya Matsuura, Fumio Kishi, and Tadashi Kajii* 993

N,N′-Dicyclohexylcarbodiimide Is a Specific, Reversible Inhibitor of Proline-β-naphthylamidase *Takayuki Takahashi and Kenji Takahashi* 1001

Expression of Calmodulin Gene Is Down-Regulated in Diabetic BB Rats *Solomon S. Solomon, Marjorie R. Palazzolo, Stuart Green, and Rajendra Raghow* 1007

Heat Shock Induces the Transcriptional Activation of c-*fos* Protooncogene *F. Colotta, N. Polentarutti, M. Staffico, G. Fincato, and A. Mantovani* 1013

A Monoclonal Anti-peptide Antibody Recognizes the Adrenocorticotropic Receptor *B. L. Clarke and K. L. Bost* 1020

Demonstration of Specific Binding Sites for Pituitary Adenylate Cyclase Activating Polypeptide (PACAP) in Rat Astrocytes *Ichiro Tatsuno, Paul E. Gottschall, Katalin Köves, and Akira Arimura* 1027

Inducible Cytosolic Enzyme Activity for the Production of Nitrogen Oxides from L-Arginine in Hepatocytes *T. R. Billiar, R. D. Curran, D. J. Stuehr, J. Stadler, R. L. Simmons, and S. A. Murray* 1034

IP_3 Levels and Their Modulation FY Fusicoccin Measured by a Novel [^{3}H]IP_3 Binding Assay *Patrizia Aducci and Mauro Marra* 1041

The Effect of Platelet-Activating Factor on [^{14}C]Aminopyrine Uptake by Isolated Guinea Pig Parietal Cells *Makoto Nogami, Matsunobu Suko, and Terumasa Miyamoto* 1047

Possible Role of Rat Fatty Acid-Binding Proteins in the Intestine as Carriers of Phenol and Phthalate Derivatives *Tatsuo Kanda, Teruo Ono, Yoichi Matsubara, and Terukazu Muto* 1053

Structure of Gene Coding for Rat Group II Phospholipase A_2
Masayuki Komada, Ichiro Kudo, and Keizo Inoue 1059

Evidence for β-Turn Structure in Model Peptides Reproducing Pro-ocytocin/Neurophysin Proteolytic Processing Site
Mohamed Rholam, Paul Cohen, Nourredine Brakch, Livio Paolillo, Angelo Scatturin, and Carlo Di Bello 1066

Transcriptional Activation by TGFβ1 Mediated by the Dyad Symmetry Element (DSE) and the TPA Responsive Element (TRE)
Rolf P. de Groot and Wiebe Kruijer 1074

Human Placenta Contains an Epithelial Scatter Protein
Eliot M. Rosen, Leonid Meromsky, Roberto Romero, Eva Setter, and Itzhak Goldberg 1082

The Phorbol Ester TPA Induces a Translocation of the Insulin-Sensitive Glucose Carrier (GLUT4) in Fat Cells
Beate Vogt, Joanne Mushack, Eva Seffer, and H. U. Häring 1089

Evidence for Nonintercalative Complexes Formed from the Reversible Binding of Benzo[*a*]pyrene Metabolites to Closed-Circular, Single-Stranded M13mp19 DNA *Harry L. Price, Sharon M. Fetzer, and Pierre R. LeBreton* 1095

Synthesis and Use of a Novel *N*-Formyl Peptide Derivative to Isolate a Human *N*-Formyl Peptide Receptor cDNA *François Boulay, Marianne Tardif, Laurence Brouchon, and Pierre Vignais* 1103

Laminin and Fibronectin Increase the Steady-State Level of the 67-kDa High-Affinity Metastasis-Associated Laminin Receptor mRNA in Human Cancer Cells *Vincent Castronovo and Mark E. Sobel* 1110

Identification of the Mutation Responsible for a Case of Plasmatic Apolipoprotein CII Deficiency (APO CII-BARI)
Carmine Crecchio, Antonio Capurso, and Gabriella Pepe 1118

Identification and Characterization of Endothelin Converting Activity in Cultured Bovine Endothelial Cells
Keizo Ohnaka, Ryoichi Takayanagi, Teruaki Yamauchi, Hiroshi Okazaki, Masao Ohashi, Fumio Umeda, and Hajime Nawata 1128

ATP-Sensitive K^+ Channels Reveal the Effects of Intracellular Chloride Variations on Cytoplasmic ATP Concentrations and Mitochondrial Function
Jan R. de Weille and Michel Lazdunski 1137

Carrier-Independent Entry of 1-Methyl-4-phenylpyridinium (MPP^+) into Adrenal Chromaffin Cells as a Consequence of Charge Delocalization
John F. Reinhard, Jr., Alejandro J. Daniels, and George R. Painter 1143

Effect of Erythroid Differentiation Factor on Erythroid Differentiation and Proliferation of K-562 Cells *Yoshiyuki Miyamoto, Masaaki Kosaka, Yuzuru Eto, Hiroshiro Shibai, and Shiro Saito* 1149

Oligomeric Structure of H^+-Translocating Inorganic Pyrophosphatase of Plant Vacuoles *Masayoshi Maeshima* 1157

Soluble Factors Including Proteinases Released from Damaged Cells May Trigger the Wound Healing Process
Kazuhiko Tsuboi, Shoji Yamaoka, Masatoshi Maki, Gakuji Ohshio, Takayoshi Tobe, and Masakazu Hatanaka 1163

Osteopetroitic (Grey-Lethal) Bone Produces Collagenase and TIMP in Organ Culture: Regulation by Vitamin A
Joan K. Heath, John J. Reynolds, and Murray C. Meikle 1171

Decreases in Brain Protein Synthesis Elicited by Moderate Increases in Plasma Phenylalanine *Katharine M. Wall and William M. Pardridge* 1177

Increased Mitogenic Responsiveness of Swiss 3T3 Cells Expressing Constitutively Active $G_{s\alpha}$ *Ian Zachary, Susan B. Masters, and Henry R. Bourne* 1184

Apoptosis of Vascular Endothelial Cells by Fibroblast Growth Factor Deprivation
Satohiko Araki, Yoshiya Shimada, Kazuhiko Kaji, and Hiroshi Hayashi 1194

Insulin-like Growth Factor-II/Mannose 6-Phosphate Receptor Is Incapable of Activating GTP-Binding Proteins in Response to Mannose 6-Phosphate, but Capable in Response to Insulin-like Growth Factor-II
Takashi Okamoto, Ikuo Nishimoto, Yoshitake Murayama, Yoshihiro Ohkuni, and Etsuro Ogata 1201

Target of Serine Inhibition in *Escherichia coli*
Hiroko Hama, Yukiko Sumita, Yuri Kakutani, Masaaki Tsuda, and Tomofusa Tsuchiya 1211

Effect of Interleukin 1 (IL-1) on the Levels of Cytochrome P450 Involving IL-1 Receptor on the Isolated Hepatocytes of Rat
Kazufumi Sujita, Fumio Okuno, Yoshiya Tanaka, Yoshiaki Hirano, Yoshito Inamoto, Sumiya Eto, and Masao Arai 1217

Purification and Complete Amino Acid Sequence of Novel β_2-Microglobulin
Hiroko Odani, Rieko Oyama, Koiti Titani, Hiroshi Ogawa, and Akira Saito 1223

Purification and Characterization of Putative Endothelin Converting Enzyme in Bovine Adrenal Medulla: Evidence for a Cathepsin D-like Enzyme
Tatsuya Sawamura, Sadao Kimura, Osamu Shinmi, Yoshiki Sugita, Masashi Yanagisawa, Katsutoshi Goto, and Tomoh Masaki 1230

Okadaic Acid Stimulates the Activity of Microtubule-Associated Protein Kinase in PC-12 Pheochromocytoma Cells
Tadayo Miyasaka, Junko Miyasaka, and Alan R. Saltiel 1237

A Small GTP-Binding Protein (G Protein) Recognized by *smg* p25A GDP Dissociation Inhibitor (GDI) in Human Platelet Membranes and GDI for This Small G Protein in Human Platelet Cytosol
Hiroyuki Fujioka, Akira Kikuchi, Yasuhisa Yoshida, Shinya Kuroda, and Yoshimi Takai 1244

Retinoic Acid-Induced Differentiation-Specific, C-Kinase-Dependent Phosphorylation of Cytosolic 44- and 32-kDa Proteins in HL-60 Cells
Yasuharu Tanaka, Motokatsu Tsuyuki, Asako Itaya-Hironaka, Yoshiaki Inada, Koichiro Yoshihara, and Tomoya Kamiya 1253

A Macrophage LPS-Inducible Early Gene Encodes the Murine Homologue of IP-10 *Yoshihiro Ohmori and Thomas A. Hamilton* 1261

Differential Scanning Calorimetry Characterization of Oxidized Egg Phosphatidylcholine Liposomes
Fabio Tanfani, Annarina Ambrosini, and Enrico Bertoli 1268

Increase in Liver Glucose Transporter mRNA Levels during Rat Liver Regeneration *Yuichiro Yamada, Yutaka Seino, Jun Takeda, Hirofumi Fukumoto, Hideki Yano, Nobuya Inagaki, Yoshihiro Fukuda, Susumu Seino, and Hiroo Imura* 1274

Complementation of the *Asperigillus nidulans arq B1* Mutation by Ornithine Transcarbamylase cDNA from Rat Liver *Robyn van Heeswijck, Sika Ristevski, Michael Hynes, and Nicholas Hoogenraad* 1280

High-Level Expression in *Escherichia coli* of the Catalytically Active Flavin Domain of Corn Leaf NADH:Nitrate Reductase and Its Comparison to Human NADH:Cytochrome-b_5 Reductase *Gregory E. Hyde and Wilbur H. Campbell* 1285

Cooperativity between Platelet-Activating Factor and Collagen in Aggregation of Bovine Platelets II *Soichi Kojima, Fujio Sekiya, Yuji Inada, Toshiyasu Tsukada, and Yuji Saito* 1292

Cultured Vascular Smooth Muscle Cells from Porcine Coronary Artery Possess A1 and A2 Adenosine Receptor Activity *Ira Mills and Henry Gewirtz* 1297

Inducible Endothelin mRNA Expression and Peptide Secretion in Cultured Human Vascular Smooth Muscle Cells *Thérèse J. Resink, Alfred W. A. Hahn, Timothy Scott-Burden, Jerry Powell, Erika Weber, and Fritz R. Bühler* 1303

One-Electron Reduction of Chloroperoxidase by Radiolytically Generated Electrons *Diana Metodiewa and H. Brian Dunford* 1311

Stomatocytic or Discoidal Erythrocyte Ghosts Containing Only Spectrin *Makoto Nakao, Yuko Kojima, Shingo Sato, Yukichi Hara, and Kenjiro Wake* 1318

ERRATA

Volume 167, Number 3, March 30, 1990: B. K. Bumazkin, G. A. Velikodvorskaya, K. Tuka, M. A. Mogutov, and A. Ya. Strongin, "Cloning of *Clostridium thermocellum* Endoglucanase Genes in *Escherichia coli*," pp. 1057–1064 1325

Volume 167, Number 2, March 16, 1990: John Thompson, Rosa Koumari, Klaus Wagner, Sabine Barnert, Cathrin Schleussner, Heinrich Schrewe, Wolfgang Zimmermann, Gaby Müller, Werner Schempp, Daniela Zaninetta, Domenico Ammaturo, and Norman Hardman, "The Human Pregnancy-Specific Glycoprotein Genes Are Tightly Linked on the Long Arm of Chromosome 19 and Are Coordinately Expressed," pp. 848–859 1326

Author Index for Volume 168 1328

Volume 169, Number 1, May 31, 1990

Discovery of a Novel and Alternate Hydrogen Peroxide Generation Machinery in the Mammalian Thyroid Gland That Modulates Iodination of Tyrosine *Saguna Verma, Pradeep G. Kumar, Malini Laloraya, Aparna Singh, Manish Nivsarkar, and Sudhakar Bharti* 1

Xenotropic and Amphotropic Pseudotyped Recombinant Retrovirus to Transfer Genes into Cells from Various Species *Claude DeLouis, Denis Milan, René L'Haridon, Laurence Gianquinto, Claire Bonnerot, and Jean-François Nicolas* 8

Presence of an Endo-β-galactosidase Degrading the Linkage Region between the Chondroitin Sulfate Chain and Core Peptide of Proteoglycan *Keiichi Takagaki, Atsushi Kon, Hitoshi Kawasaki, Toshiya Nakamura, Shinri Tamura, and Masahiko Endo* 15

Unusual Hyperporphyrin Spectrum by Bis(glutathione Dimethyl Ester)–Hemin Complex, a Model of Cytochrome P450–Thiolate Complexes *Hiromu Sakurai, Koichiro Tsuchiya, Nobuko Sugasaki, and Masayuki Shibuya* 22

On the Detection of Paramagnetic Species in the Adriamycin-Perfused Rat Heart: A Reappraisal *B. Kalyanaraman and John E. Baker* 30

Alkaline Low Spin Form of Sulfite Reductase Hemeprotein Subunit *Lawrence J. Young and Lewis M. Siegel* 39

Study of the Alzheimer's A4 Precursor Gene Promoter Region by Genomic Sequencing Using Taq Polymerase *A. Milici, J. M. Salbaum, and K. Beyereuther* 46

Structures of Paralytic Acylpolyamines from the Spider *Agelenopsis aperta* *Gary B. Quistad, Somchai Suwanrumpha, Mary Ann Jarema, Michael J. Shapiro, Wayne S. Skinner, Gene C. Jamieson, Alfred Lui, and Emil W. Fu* 51

Detection of a Fast Isoform of C-Protein with an Antiserum Directed against the N-Terminal Portion of Dystrophin *Masahito Yamaguchi, Shoichi Ishiura, Hiromi Takano-Ohmuro, Toshifumi Tsukahara, Kiichi Arahata, Takashi Obinata, Toru Tamiya, Takahide Tsuchiya, and Hideo Sugita* 57

Influence of DNA Adenine Methylase on the Sensitivity of *Escherichia coli* to Near-Ultraviolet Radiation and Hydrogen Peroxide *P. Yallaly and A. Eisenstark* 64

Translocation of Chromosomes 16 and 18 in Oxygen Radical-Transformed Human Lung Fibroblasts *Alan B. Weitberg and Donna Corvese* 70

Identification of Hydroxyalkenals Formed from ω-3 Fatty Acids *Jeffrey K. Beckman, Marsha J. Howard, and Harry L. Greene* 75

High Concentration of Neutral Endopeptidase (Enkephalinase EC 3.4.24.11) in a Malignant Tumor: Rat Hepatoma 3924A *Peter A. Deddish, Tomislav Dragovic, Ervin G. Erdös, and George Weber* 81

Preferential Modification of Guanine Bases in DNA by Dimethyldioxirane and Its Application to DNA Sequencing *R. Jeremy H. Davies, Derek R. Boyd, Shiv Kumar, Narain D. Sharma, and Clarke Stevenson* 87

Complexes of Nuclear Matrix DNA with Proteins Tightly Bound to DNA Contain a Specific Small-Size RNA of a Novel Type *Victor V. Chernokhvostov and Georgii P. Georgiev* 95

Marked Rapid Alterations in Nocturnal Pineal Serotonin Metabolism in Mice and Rats Exposed to Weak Intermittent Magnetic Fields *A. Lerchl, K. O. Nonaka, K.-A. Stokkan, and R. J. Reiter* 102

Stable Transfection of the Estrogen Receptor cDNA into HeLa Cells Induces Estrogen Responsiveness of Endogenous Cathepsin D Gene but Not of Cell Growth *Isabelle Touitou, Marc Mathieu, and Henri Rochefort* 109

Lipid A Mutants of *Vibrio cholerae*: Isolation and Partial Characterization *Saptarshi Paul, Asish K. Sen, Nilima Banerjee, Anadi N. Chatterjee, and Jyotirmoy Das* 116

Evidence That the Blockade of Mitochondrial Respiration by the Neurotoxin 1-Methyl-4-phenylpyridinium (MPP$^+$) Involves Binding at the Same Site as the Respiratory Inhibitor Rotenone *Matthew J. Krueger, Thomas P. Singer, John E. Casida, and Rona R. Ramsay* 123

Effects of Sodium Nitrite on Ultraviolet Light-Induced Relaxation and Ultraviolet Light-Dependent Activation of Guanylate Cyclase in Bovine Mesenteric Arteries *I. M. Wigilius, K. L. Axelsson, R. G. G. Andersson, J. O. G. Karlsson, and S. Ödman* 129

cDNA Cloning and Sequencing for the Import Precursor of Subunit B in H$^+$-ATP Synthase from Rat Mitochondria *C. Tsurumi, Y. Yoshihara, F. Osaka, F. Yamada, I. Tani, T. Higuti, M. Shimizu, K. Oeda, H. Ohkawa, H. Toda, T. Kakuno, F. Sakiyama, A. Kumatori, K. Tanaka, and A. Ichihara* 136

A Novel Variant of Transthyretin (Tyr^{114} to Cys) Deduced from the Nucleotide Sequences of Gene Fragments from Familial Amyloidotic Polyneuropathy in Japanese Sibling Cases *Satoshi Ueno, Tomoyuki Uemichi, Shiro Yorifuji, and Seiichiro Tarui* 143

Inhibition of Influenza Virus A/WSN Replication by a Trypsin Inhibitor, 6-Amidino-2-naphthyl *p*-Guanidinobenzoate *Akira Someya, Nobuo Tanaka, and Akira Okuyama* 148

Cerebral Oxygen Utilization Analyzed by the Use of Oxygen-17 and Its Nuclear Magnetic Resonance *Toshiyuki Arai, Shin-ichi Nakao, Kenjiro Mori, Koichiro Ishimori, Isao Morishima, Tomoaki Miyazawa, and Bernhard Fritz-Zieroth* 153

The Effect of Phytochrome Action on the Activity of Cytosolic Cholinesterase in Oat Cells *Hak Yong Kim, Tae In Kim, Hyae Kyeong Kim, and Quae Chae* 159

Induction of Haptotactic Migration of Melanoma Cells by Neutrophil Activating Protein/Interleukin-8 *Ji Ming Wang, Giulia Taraboletti, Kouji Matsushima, Jo Van Damme, and Alberto Mantovani* 165

Synthetic Peptide Antigens Elicit Monoclonal and Polyclonal Antibodies to Cytochrome P450 IA2 *Michael J. Myers, Gao Liu, Haruko Miller, Harry V. Gelboin, Richard C. Robinson, and Fred K. Friedman* 171

Decreased Thrombin Affinity of Cell-Surface Thrombomodulin following Treatment of Cultured Endothelial Cells with β-D-Xyloside *John F. Parkinson, Joe G. N. Garcia, and Nils U. Bang* 177

Autocrine Regulation of Terminal Differentiation by Interleukin-6 in the Pluripotent KU812 Cell Line *Sébastien Navarro, Fawzia Louache, Najet Debili, William Vainchenker, and Janine Doly* 184

Gangliosides Depleted in Plasma Membrane Are Directed to Internal Membranes of Rat Hepatomas: Evidence for a Glycolipid Sorting Defect in Hepatocarcinogenesis *D. James Morré, Francis E. Wilkinson, and Thomas W. Keenan* 192

A Protein of Neutrophil Granules Interferes with Activation of NADPH Oxidase in a Cell-Free System *Irit Aviram and Anat Faber* 198

Carcinoembryonic Antigen Gene Family Members in Submandibular Salivary Gland: Demonstration of Pregnancy-Specific Glycoproteins by cDNA Cloning *Fairouz Zoubir, Wasif Noor Khan, and Sten Hammarström* 203

Raised Plasma Endothelin-I Concentration following Cold Pressor Test *Frej Fyhrquist, Outi Saijonmaa, Kaj Metsärinne, Ilkka Tikkanen, Katarina Rosenlöf, and Tuula Tikkanen* 217

Detection of IAP Related Transcripts in Normal and Transformed Rat Cells *I. Djaffar, L. Dianoux, S. Leibovich, L. Kaplan, R. Emanoil-Ravier, and J. Peries* 222

Persistent Effect of TGF-β_1 on Extracellular Matrix Gene Expression in Human Dermal Fibroblasts *Osamu Ishikawa, Akio Yamakage, E. C. LeRoy, and Maria Trojanowska* 232

Carrier-Immobilized Derivatized Lysoganglioside GM_1 Is a Ligand for Specific Binding Sites in Various Human Tumor Cell Types and Peripheral Blood Lymphocytes and Monocytes *Sigrun Gabius, Klaus Kayser, Klaus P. Hellman, Thomas Ciesiolka, Andrea Trittin, and Hans-J. Gabius* 239

Molecular Cloning and Expressin of cDNAs Encoding Rat Aldosterone Synthase: Variants of Cytochrome $P450_{11\beta}$ *Naomichi Matsukawa, Yasuki Nonaka, Zhao Ying, Jitsuo Higaki, Toshio Ogihara, and Mitsuhiro Okamoto* 245

Correlation of Protein Kinase C Translocation, P-Glycoprotein Phosphorylation, and Reduced Drug Accumulation in Multidrug Resistant Human KB Cells *Timothy C. Chambers, Ira Chalikonda, and Gabriel Eilon* 253

Isolation and Sequencing of Rat Liver Bilirubin UDP-Glucuronosyltransferase cDNA: Possible Alternate Splicing of a Common Primary Transcript *Hiroshi Sato, Osamu Koiwai, Kazushi Tanabe, and Shigeo Kashiwamata* 260

A Novel Mechanism for Oxidative Cleavage of Prolyl Peptides Induced by the Hydroxyl Radical *Koji Uchida, Yoji Kato, and Shunro Kawakishi* 265

Evidence of High and Low Affinity Binding Sites for Basic Fibroblast Growth Factor in Mouse Placenta *Hubert Hondermarck, Jose Courty, Dominique Ledoux, Vincent Blanckaert, Denis Barritault, and Benoni Boilly* 272

The Intrinsic Fluorescence of the Recombinant Human Leukocyte Interferon-αA and Fibroblast Interferon-β1 *S. I. Borukhov and A. Ya. Strongin* 282

Interleukin 1 Induces Ferritin Heavy Chain in Human Muscle Cells *Yan Wei, Steven C. Miller, Yoshiaki Tsuji, Suzy V. Torti, and Frank M. Torti* 289

Bacillus amyloliquefaciens α-Amylase Signal Sequence Fused in Frame with Human Proinsulin Is Properly Processed by *Bacillus subtilis* Cells
A. A. Novikov, S. I. Borukhov, and A. Ya. Strongin 297

Homologous Pairing *in Vitro* Initiated by DNA Synthesis
Thomas Kodadek and Mei Lie Wong 302

Substitution of Proline with Pipecolic Acid at the Scissile Bond Converts a Peptide Substrate of HIV Proteinase into a Selective Inhibitor
Terry D. Copeland, Ewald M. Wondrak, Jozsef Tozser, Michael M. Roberts, and Stephen Oroszlan 310

Effects of Ruthenium Red on Activation of Ca^{2+}-Dependent Cyclic Nucleotide Phosphodiesterase *Hiroshi Masuoka, Masaaki Ito, Takeshi Nakano, Michiko Naka, and Toshio Tanaka* 315

ERRATA

Volume 166, Number 1, January 15, 1990: Fiona M. Dias, Roy M. Ventullo, and John J. Rowe, “Regulation and Energization of Nitrate Transport in a Halophilic *Pseudomonas stutzeri*,” pp. 424–430 323

Volume 168, Number 2, April 30, 1990: Kathleen M. Eyster, “An Endogenous Inhibitor of Protein Kinase C in the Pseudopregnant Rat Ovary,” pp. 609–615 323

Volume 169, Number 2, June 15, 1990

Tissue and Species Distribution of Liver Type and Tumor Type Nuclear Poly(A) Polymerases *Jamie A. Hengst-Zhang and Samson T. Jacob* 325

Characterization of the Chirality of the Monohydroxyeicosatetraenoic Acids Produced by Rat Basophilic Leukemia Cells
Alan N. Baer, Patrick B. Costello, and Floyd A. Green 332

Characterization of a Low Molecular Weight Protein of the ATP Synthetase Complex from Beef Heart and Rat Liver Mitochondria with a High Affinity Monoclonal Antibody *Gebre Woldegiorgis, Lorenzo Contreras, and Earl Shrago* 339

Structure of Human Monocyte Chemotactic Protein Gene and Its Regulation by TPA *Yeun-Jund Shyy, Yi-Shuan Li, and P. E. Kolattukudy* 346

Tumor Hypersensitive DNA Is Enriched in c-*myc* Sequences and Reacts Differentially with Normal and Malignant Genomic DNA
Manuel Rieber and Mary S. Rieber 352

Purification of a Na^+/K^+ ATPase Inhibitor from Borderline Hypertensives' Plasma *Stefano Boschi, Claudio Borghi, Alessandra Munarini, Francesco Vittorio Costa, Lu Zhuoren, Danielle deVries, and Ettore Ambrosioni* 360

Yeast Acetyl-CoA Carboxylase: *In Vitro* Phosphorylation by Mammalian and Yeast Protein Kinases *Lee A. Witters and Thomas D. Watts* 369

Insulin Alters the Target Size of the Peripheral Cyclic AMP Phosphodiesterase but Not the Integral Cyclic GMP-Stimulated Cyclic AMP Phosphodiesterase in Liver Plasma Membranes
Alan V. Wallace, B. Richard Martin, and Miles D. Houslay 377

Information from Combined ^{1}H and ^{31}P NMR Studies of Cell Extracts: Differences in Metabolism between Drug-Sensitive and Drug-Resistant MCF-7 Human Breast Cancer Cells
Ofer Kaplan, Peter C. M. van Zijl, and Jack S. Cohen 383

Mitochondrial Import of the Human Chaperonin (HSP60) Protein
Bhag Singh, Hasmukh V. Patel, Robert G. Ridley, Karl B. Freeman, and Radhey S. Gupta 391

Glucose Starvation and Glycosylation Inhibitors Reduce Insulin Receptor Gene Expression: Characterization and Potential Mechanism in Human Cells
Paola Briata, Laura Briata, and Roberto Gherzi 397

Multihormonal Regulation of 6-Phosphofructo-2-kinase/Fructose-2, 6-bisphosphatase Gene Expression in Primary Cultures of Rat Hepatocytes
L. Kummel and S. J. Pilkis 406

Cytochrome Oxidase from Thermophilic Bacterium PS3 Contains a Fourth Protein Subunit *Wen-Zhi Gai, Shu-Man Sun, Nobuhito Sone, and Samuel H. P. Chan* 414

Leukotrienes Do Not Regulate Interleukin 1 Production by Activated Macrophages *Bashir A. Parkar, Margaret E. McCormick, and Stephen J. Foster* 422

Ascorbic Acid Metabolism in Protection against Free Radicals: A Radiation Model *Richard C. Rose* 430

Inhibition of Thrombin's Clotting Activity by Synthetic Peptide Segments of Its Inhibitors and Substrates *Glen L. Hortin and Barbara M. Benutto* 437

Glutathionylcobalamin as an Intermediate in the Formation of Cobalamin Coenzymes *Ewa Pezacka, Ralph Green, and Donald W. Jacobsen* 443

The Effect of Amylin and Calcitonin Gene-Related Peptide on Insulin-Stimulated Glucose Transport in the Diaphragm
John S. Hothersall, Roslyn P. Muirhead, and Sunil Wimalawanasa 451

Inhibitory Effect of Gossypol on Steroidogenic Pathways in Cultured Bovine Luteal Cells *Y. Gu, Y. C. Lin, and Y. Rikihisa* 455

Production of Endothelin-1 by Rat Cultured Mesangial Cells
Hisato Sakamoto, Sei Sasaki, Yukio Hirata, Taihei Imai, Kenji Ando, Takashi Ida, Takeshi Sakurai, Masashi Yanagisawa, Tomoh Masaki, and Fumiaki Marumo 462

Protein Kinase Inhibitor H-7 Blocks Accumulation of Unspliced mRNA of Human T-Cell Leukemia Virus Type I (HTLV-I)
Yoshifumi Adachi, Tetsuya Nosaka, and Masakazu Hatanaka 469

Induction of Glutathione-*S*-transferase Isoenzymes by Protein A in Rat Liver
Prem P. Dwivedi, Ashwani Kumar, Arun K. Prasad, Kumud P. Pandya, and Prasanta K. Ray 476

Application of Automated Image Analysis to Demonstrate the Correlation between *ras* P21 Expression and Severity of Gliomas
Michael Salgaller, Lawrence Agius, Allan Yates, Dennis Pearl, William Roberts, and Ralph Stephens 482

Identification of a Periplasmic *c*-Type Cytochrome as Electron Donor to the Plasma Membrane-Bound Cytochrome Oxidase of the Cyanobacterium *Nostoc* Mac *Christian Obinger, Jean-Claude Knepper, Ulrike Zimmermann, and Günter A. Peschek* 492

Canine IAPP cDNA Sequence Provides Important Clues Regarding Diabetogenesis and Amyloidogenesis in Type 2 Diabetes *K. Jordan, M. P. Murtaugh, T. D. O'Brien, P. Westermark, C. Betsholtz, and K. H. Johnson* 502

The Promoter of the Proliferating Cell Nuclear Antigen (PCNA) Gene Is Active in Serum-Deprived Cells *Luigi Ottavio, Chung-Der Chang, Maria Giulia Rizzo, Salvatore Petralia, Salvatore Travali, and Renato Baserga* 509

Selective Deuteration of 4-*N*-Methylcytosines *Jarosław Spychała and Krzysztof Golankiewicz* 517

Peptidylglycine α-Amidating Reaction: Evidence for a Two-Step Mechanism Involving a Stable Intermediate at Neutral pH *Kenichi Takahashi, Hiroshi Okamoto, Hiroshi Seino, and Masato Noguchi* 524

Expression of Estrogen Synthetase (P450 Aromatase) during Adipose Differentiation of 3T3-L1 Cells *Kazuyo Yamada and Nobuhiro Harada* 531

Lack of Response of (Ca^{2+} + Mg^{2+}) ATPase to Atrial Natriuretic Peptide in Basolateral Membranes from Kidney Cortex of Chronic Diabetic Rats *Animesh Sahai and Pallab K. Ganguly* 537

Experimental Considerations on the Measurement of Prostaglandins during Long-Time Incubations of Neonatal Mouse Calvaria *Hans Jörg Leis, Ernst Malle, Oskar Hoffmann, Klaus Klaushofer, Nadja Fratzl-Zelman, Kristian Koller, and Meinrad Peterlik* 545

Human Peptidylglycine α-Amidating Monooxygenase: cDNA, Cloning, and Functional Expression of a Truncated Form in COS Cells *Jan Glauder, Hermann Ragg, Jürgen Rauch, and Joachim W. Engels* 551

Interaction of the Catalytic Subunits of Protein Phosphatase-1 and -2A with Inhibitor-1 and -2: A Fluorescent Study with Sulfhydryl-Specific Pyrene Maleimide *Csilla Csortos, János Matkó, Ferenc Erdődi, and Pál Gergely* 559

Identification of Dystrophin in Cardiac Sarcolemmal Vesicles *Marek Michalak and Elizabeth Zubrzycka-Gaarn* 565

Amino Acid Sequence from Degu Islet Amyloid-Derived Insulin Shows Unique Sequence Characteristics *Ulf Hellman, Christer Wernstedt, Per Westermark, Timothy D. O'Brien, and Kenneth H. Johnson* 571

Cytokine-Induced Release of Endothelin-1 from Porcine Renal Epithelial Cell Line *Kazuki Ohta, Yukio Hirata, Taihei Imai, Kazuo Kanno, Toshiaki Emori, Masayoshi Shichiri, and Fumiaki Marumo* 578

Interleukin 1 and Tumor Necrosis Factor Potentiate Angiotensin II- and Calcium Ionophore-Stimulated Prostaglandin E2 Synthesis in Rat Renal Mesangial Cells *Josef Pfeilschifter and Heiko Mühl* 585

Synthesis of a Nitric Oxide-like Factor from L-Arginine by Rat Serosal Mast Cells: Stimulation of Guanylate Cyclase and Inhibition of Platelet Aggregation *Daniela Salvemini, Emanuela Masini, Erik Anggard, Pier Francesco Mannaioni, and John Vane* 596

Binding and Internalization of Ricin Labeled with Fluorescein Isothiocyanate *A. Bellelli, R. Ippoliti, M. Brunori, Z. Kam, M. Benveniste, F. Emmanuel, E. Turpin, A. Alfsen, and J. P. Frénoy* 602

Inhibition of 3-Hydroxy-3-methylglutaryl Coenzyme A Synthase by Antibiotic 1233A and Other β-Lactones *Ruth J. Mayer, Pearl Louis-Flamberg, John D. Elliott, Mark Fisher, and Jack Leber* 610

New Features of the δ Opioid Receptor: Conformational Properties of Deltorphin I Analogues *G. Balboni, M. Marastoni, D. Picone, S. Salvadori, T. Tancredi, P. A. Temussi, and R. Tomatis* 617

Acute Effects of Interleukin 1α and 6 on Intermediary Metabolism in Freshly Isolated Rat Hepatocytes *W. J. Vaartjes, C. G. M. de Haas, and M. Houweling* 623

Affinity of 22-Oxa-1,25$(OH)_2D_3$ for 1,25-Dihydroxyvitamin D Receptor and Its Effects on the Synthesis of Osteocalcin in Human Osteosarcoma Cells *Teija Valaja, Anitta Mahonen, Asta Pirskanen, and Pekka H. Mäenpää* 629

Sarmesin Is a Partial Agonist of Angiotensin-II Receptors in Rabbit, but Not in Rat Aortic Rings *Leoluca Criscione, Helene Thomann, Steven Whitebread. Marc de Gasparo, and Bruno Kamber* 636

Specific Inhibition of Human Immunodeficiency Virus Type 1 Replication by RNA Transcribed in Sense and Antisense Orientation from the 5′-Leader/*gag* Region *Georg Sczakiel, Michael Pawlita, and Andreas Kleinheinz* 643

Partial Purification and Characterization of GDP Dissociation Stimulator (GDS) for the *rho* Proteins from Bovine Brain Cytosol *Mitsuo Isomura, Kozo Kaibuchi, Takeshi Yamamoto, Shiro Kawamura, Masaya Katayama, and Yoshimi Takai* 652

Calcium-Ion Binding by the Potential Calcium-Ion-Binding Protein, p9Ka *Roger Barraclough, Fiona Gibbs, John A. Smith, Gwynneth A. Haynes, and Philip S. Rudland* 660

Cloning of *Clostridium cellulovorans* Endo-1,4-β-glucanase Genes *Oded Shoseyov, Tetsuo Hamamoto, Frances Foong, and Roy H. Doi* 667

Effects of Various Lysosphingolipids on Cell Growth, Morphology, and Lipid Composition in Three Neuroblastoma Cell Lines *Eiko Sugiyama, Kei-ichi Uemura, Atsushi Hara, and Tamotsu Taketomi* 673

The Complete Amino Acid Sequence of the Shorter Form of Human Basic Fibroblast Growth Factor Receptor Deduced from Its cDNA *Nobuyuki Itoh, Toru Terachi, Mitsuhiro Ohta, and Misuzu Kurokawa Seo* 680

Detection of 300-kDa Membrane Protein in Adriamycin-Resistant Human Tumor Cells by a Monoclonal Antibody MRK18 *Yoshikazu Sugimoto, Etsuko Okochi, Hirofumi Hamada, Tomoko Oh-hara, and Takashi Tsuruo* 686

A Model of Nitrogen Flow by Malonamate in *Rhizobium japonicum*–Soybean Symbiosis *Yu Sam Kim and Ho Zoon Chae* 692

Magnesium Ions Accelerate the Formation of the Phosphoenzyme of the (Ca^{2+} + Mg^{2+})-Activated ATPase from Plasma Membranes by Acting on the Phosphorylation Reaction *Hugo P. Adamo, Alcides F. Rega, and Patricio J. Garrahan* 700

Disassembly of Chromatin into ≅ 50-kb Units by Detergent *G. Szabó, Jr., F. Boldog, and N. Wikonkál* 706

Islet Amyloid Polypeptide, a Novel Pancreatic Peptide, Is a Circulating Hormone Secreted under Glucose Stimulation *Masamitsu Nakazato, Mikiya Miyazato, Junko Asai, Tomohiro Mitsukawa, Kenji Kangawa, Hisayuki Matsuo, and Shigeru Matsukura* 713

Production of Granulocyte/Macrophage Colony-Stimulating Factor by Cultured Astrocytes *Kazushige Ohno, Akio Suzumura, Makoto Sawada, and Tohru Marunouchi* 719

Bifunctional Effects of Transforming Growth Factor-β on Migration of Cultured Rat Aortic Smooth Muscle Cells *Noriyuki Koyama, Tomoko Koshikawa, Nobuhiro Morisaki, Yasushi Saito, and Sho Yoshida* 725

Sequences of Three VSG mRNAs Expressed in a Mixed Population of *Trypanosoma brucei rhodesiense* *Lekkala V. Reddy, Ted Hall, and John E. Donelson* 730

Pituitary Site of Action of Endothelin: Selective Inhibition of Prolactin Release *in Vitro* *Willis K. Samson, Karl D. Skala, Blake D. Alexander, and F.-L. Steven Huang* 737

Effect of Phosphorylation on 68-kDa Neurofilament Subunit Protein Assembly by the Cyclic AMP-Dependent Protein Kinase *in Vitro* *Yu Nakamura, Masatoshi Takeda, Kimon J. Angelides, Toshihisa Tanaka, Kunitoshi Tada, and Tsuyoshi Nishimura* 744

Action of Endo-α-*N*-acetylgalactosaminidase from *Alcaligenes* sp. on Amino Acid-*O*-glycans: Comparison with the Enzyme from *Diplococcus pneumoniae* *Jian-Qiang Fan, Kenji Yamamoto, Yukie Matsumoto, Yoshio Hirabayashi, Hidehiko Kumagai, and Tatsurokuro Tochikura* 751

4′-Alkylated Analogs of 1-Methyl-4-phenylpyridinium Ion Are Potent Inhibitors of Mitochondrial Respiration *Stephen K. Youngster, Martin R. Gluck, Richard E. Heikkila, and William J. Nicklas* 758

δ-Endotoxins Form Cation-Selection Channels in Planar Lipid Bilayers *Stephen L. Slatin, Charles K. Abrams, and Leigh English* 765

Arachidonic Acid Stimulates Phosphoinositide Metabolism and Catecholamine Release from Bovine Adrenal Chromaffin Cells *Manabu Negishi, Seiji Ito, and Osamu Hayaishi* 773

Post-Transcriptional Regulation of Thymidine Kinase Gene Expression during Monocytic Differentiation of HL60 Promyelocytes *Zee-Fen Chang* 780

Regional Distribution and Molecular Forms of Rat Islet Amyloid Polypeptide *Junko Asai, Masamitsu Nakazato, Mikiya Miyazato, Kenji Kangawa, Hisayuki Matsuo, and Shigeru Matsukura* 788

*MDR*1/P-Glycoprotein Gene Segments Analyzed from Various Human Leukemic Cell Lines Exhibiting Different Multidrug Resistance Profiles *Volker Gekeler, Stefan Weger, and Hans Probst* 796

Relative Positioning of the T Cell and B Cell Determinants on an Immunogenic Peptide: Its Influence on Antibody Response
Satoshi Hachimura, Atsushi Enomoto, and Shuichi Kaminogawa 803

Endothelin-3 Concentrations in Human Plasma: The Increased Concentrations in Patients Undergoing Hemodialysis
Nobuhiro Suzuki, Hirokazu Matsumoto, Takashi Miyauchi, Katsutoshi Goto, Tomoh Masaki, Masao Tsuda, and Masahiko Fujino 809

Purification and Characterization of a Novel GTP-Binding Protein with a M_r Value of 24,000 from Rat Liver *Toshihiko Ohmori, Yoshifumi Takeyama, Takashi Ueda, Motoki Hiroyoshi, Hiroyuki Nakanishi, Harumasa Ohyanagi, Yoichi Saitoh, and Yoshimi Takai* 816

Volume 169, Number 3, June 29, 1990

[^{3}H]PN200-110 Binding in a Fibroblast Cell Line Transformed with the α_1 Subunit of the Skeletal Muscle L-Type Ca^{2+} Channel
D. Rampe, H. S. Kim, A. E. Lacerda, L. Birnbaumer, and A. M. Brown 825

Expression of a Human Insulin-like Growth Factor II cDNA in NIH-3T3 Cells
Daniel M. Buergisser, Birgit V. Roth, Christine Luethi, Hans Peter Gerber, Annemarie Honegger, and René E. Humbel 832

An Unusually Stable DNA Binding Protein Can Locate Its Specific Binding Site in the Presence of High Concentrations of Urea *Robert S. Jack* 840

A Dual Effect of Calcitonin Gene-Related Peptide on Plasma Calcium Levels in the Chick *Peter J. R. Bevis, Mone Zaidi, and Iain MacIntyre* 846

Antioxidant Effects of Ubiquinones in Microsomes and Mitochondria Are Mediated by Tocopherol Recycling
Valerian Kagan, Elena Serbinova, and Lester Packer 851

Regional and Subcellular Distribution of Cytochrome P450-Dependent Drug Metabolism in Monkey Brain: The Olfactory Bulb and the Mitochondrial Fraction Have High Levels of Activity
M. Iscan, K. Reuhl, B. Weiss, and M. D. Maines 858

Concanavalin A Stimulates the Rolipram-Sensitive Isoforms of Cyclic Nucleotide Phosphodiesterase in Rat Thymic Lymphocytes
Laurence Valette, Annie F. Prigent, Georges Némoz, Geneviève Anker, Olga Macovschi, and Michel Lagarde 864

Influence of N^G-Monomethyl-L-Arginine on Endothelium-Dependent Relaxations in the Perfused Mesenteric Vascular Bed of the Rat
Anthony B. Ebeigbe, Floriane Cressier, Matthew K. Konneh, Tri D. Luu, and Leoluca Criscione 873

Preparation and Partial Characterization of Polyclonal Antibodies Raised against a Preselected Sequence of Calcium Dependent Lectins
O. Blanck, V. Thibault, C. Granier, J. Van Rietschoten, J. Courageot, and R. Miquelis 880

Identification of DNA Ligase I-Related Polypeptides in Three Different Human Cells *C. Prigent, S. Aoufouchi, and M. Philippe* 888

Ca^{2+}-Calmodulin-Dependent Protein Kinase II Phosphorylates Various Types of Non-epithelial Intermediate Filament Proteins *Toshiya Tokui, Takashi Yamauchi, Takeo Yano, Yoshimi Nishi, Minoru Kusagawa, Ryuichi Yatani, and Masaki Inagaki* 896

Human Tumor Cell Lines Express Low Levels of Oncomodulin *S. Huber, M. Leuthold, E. W. Sommer, and C. W. Heizmann* 905

Up-Regulation of the Intestinal 1,25-Dihydroxyvitamin D Receptor during Hypervitaminosis D: A Comparison between Vitamin D_2 and Vitamin D_3 *M. J. Beckman, R. L. Horst, T. A. Reinhardt, and D. C. Bietz* 910

Chicken Hypotensive Peptide: Purification and Characterization *G. F. Barbato and R. F. Wideman* 916

Cyclic AMP Induces Activity Increase of Kinase FA (a Transmembrane Signal of Insulin) during NG108-15 Hybrid Cell Differentiation *S.-D. Yang, L.-S. Kao, H.-C. Chen, Y.-H. Chou, and D.-S. Chen* 921

Vitamin K- and Phosphate-Mediated Enhancement of Brain Sulfotransferase Activity *K. Soma Sundaram and Meir Lev* 927

Arachidonic Acid and Related Methyl Ester Mediate Protein Kinase C Activation in Intact Platelets through the Arachidonate Metabolism Pathways *Xiaotang Fan, Xupei Huang, Corinne Da Silva, and Monique Castagna* 933

Induction of a 70-kDa Protein Associated with the Selective Cytotoxicity of β-Carotene in Human Epidermal Carcinoma *Joel L. Schwartz, Rajesh P. Singh, Beverly Teicher, Joel E. Wright, Dorothy H. Trites, and Gerald Shklar* 941

Thyrotropin Receptor Processing and Interaction with Thyrotropin *Takashi Akamizu, Shinji Kosugi, and Leonard D. Kohn* 947

The Myelin-Associated Glycoprotein Is Phosphorylated in the Peripheral Nervous System *Harish C. Agrawal, Antonio B. Noronha, Daya Agrawal, and Richard H. Quarles* 953

Growth Inhibition of Human Fibroblasts by Epidermal Growth Factor in the Presence of Arachidonic Acid *Takamitsu Hori, Yoichi Yamanaka, Makio Hayakawa, Sayumi Shibamoto, Naoto Oku, and Fumiaki Ito* 959

Insulin Provokes Apparent Increases in Rat Adipocyte M-Kinase *Tatsuo Ishizuka, Denise R. Cooper, and Robert V. Farese* 966

Evidence for Endothelin-1 Release from Resistance Vessels of Rats in Response to Hypoxia *Hiromi Rakugi, Yoshikatsu Tabuchi, Mitsuaki Nakamaru, Masahiro Nagano, Koichi Higashimori, Hiroshi Mikami, Toshio Ogihara, and Nobuhiro Suzuki* 973

Loss of Insulin Binding and Insulin Receptor mRNA in a Transformed Human Fetal Fibroblast Cell Line *Kathleen G. Mountjoy, David E. Moller, Jeffrey S. Flier, and Ian M. Holdaway* 978

Cross-Resistance to Anti-HIV Nucleoside Analogs in Multidrug-Resistant Human Cells *Keisuke Yusa, Tomoko Oh-hara, Akiko Yamazaki, Satomi Tsukahara, Wakao Satoh, and Takashi Tsuruo* 986

Spatial and Temporal Expression of Cellular Retinoic Acid Binding Protein (CRABP) along the Anteroposterior Axis in the Central Nervous System of Mouse Embryos *Takashi Momoi, Kazunori Hanaoka, and Mariko Momoi* 991

Discrimination of Two Angiotensin II Receptor Subtypes with a Selective Agonist Analogue of Angiotensin II, *p*-Aminophenylalanine Angiotensin II *Robert C. Speth and Kwan Hee Kim* 997

Different Copy Numbers of Apparently Identically Deleted Mitochondrial DNA in Tissues from a Patient with Kearns-Sayre Syndrome Detected by PCR *B. Obermaier-Kusser, J. Müller-Höcker, I. Nelson, P. Lestienne, Ch. Enter, Th. Riedele, and K.-D. Gerbitz* 1007

Identification of 2Fe–2S Cysteine Ligands in Putidaredoxin *Nancy C. Gerber, Tadao Horiuchi, Hideo Koga, and Stephen G. Sligar* 1016

Cloning and Characterization of the Proximal Promoter Region of the Rat Insulin-like Growth Factor I (IGF-I) Receptor Gene *Haim Werner, Bethel Stannard, Mark A. Bach, Derek LeRoith, and Charles T. Roberts, Jr.* 1021

Influence of pH on the MI–MII Equilibrium of Rhodopsin in Recombinant Membranes *Nicholas J. Gibson and Michael F. Brown* 1028

The *Glu* Residue in the Conserved *Asn-Glu-Pro* Sequence of Two Highly Divergent Endo-β-1,4-glucanases Is Essential for Enzymatic Activity *S. D. Baird, M. A. Hefford, D. A. Johnson, W. L. Sung, M. Yaguchi, and V. L. Seligy* 1035

Differential Inhibition of Protein Kinase C Subtypes *Jean-Marc Pelosin, Michelle Keramidas, Claude Souvignet, and Edmond M. Chambaz* 1040

Purification and Characterization of Salicylate Hydroxylase from *Pseudomonas putida* PpG7 *I.-S. You, R. I. Murray, D. Jollie, and I. C. Gunsalus* 1049

Cloning and Expression of *Clostridium thermocellum* Genes Coding for Thermostable Exoglucanases (Cellobiohydrolases) in *Escherichia coli* Cells *K. Tuka, V. V. Zverlov, B. K. Bumazkin, G. A. Velikodvorskaya, and A. Ya. Strongin* 1055

Reconstruction of an Epitope Capable of Binding Murine Monoclonal Antibodies NK2 within the Sequence of Human Leukocyte Interferon-αF by Site-Directed Mutagenesis *Andrey P. Alexenko, Lara S. Izotova, and Alexander Ya. Strongin* 1061

Dynamic Structure of Bacterial Ribosomal 5 S RNA: Helices II and III of *Bacillus megaterium 5 S RNA* *Jong Hwa Kim and Alan G. Marshall* 1068

Glutathione Depletion and Formation of Glutathione-Protein Mixed Disulfide following Exposure of Brain Mitochondria to Oxidative Stress *Vijayalakshmi Ravindranath and Donald J. Reed* 1075

Quaternary Structure of Vaccinia Virus Thymidine Kinase *Margaret E. Black and Dennis E. Hruby* 1080

Rat Liver NAD(P)H:Quinone Oxidoreductase: cDNA Expression and Site-Directed Mutagenesis *Gerald L. Forrest, Jin Qian, Jian-Xing Ma, William D. Kaplan, Steve Akman, James Doroshow, and Shiuan Chen* 1087

Synthesis and Properties of Vinyl Carbamate Epoxide, a Possible Ultimate Electrophilic and Carcinogenic Metabolite of Vinyl Carbamate and Ethyl Carbamate *Kwang-Kyun Park, Young-Joon Surh, Bradley C. Stewart, and James A. Miller* 1094

Interleukin (IL)-8-Induced *in Vitro* Human Lymphocyte Migration Is Inhibited by Cholera and Pertussis Toxins and Inhibitors of Protein Kinase C *K. B. Bacon and R. D. R. Camp* 1099

Preliminary Studies on the Crystallization of Beef Heart Cytochrome C Oxidase by Vapor Diffusion *I. Zamudio, J. Kornblatt, P. Nicholls, Y. Li, and M. Cygler* 1105

Selective Phosphinate Transition-State Analogue Inhibitors of the Protease of Human Immunodeficiency Virus *Damian Grobelny, Ewald M. Wondrak, Richard E. Galardy, and Stephen Oroszlan* 1111

Two Novel Variants of Transthyretin Identified in Japanese Cases with Familial Amyloidotic Polyneuropathy: Transthyretin (Glu^{42} to Gly) and Transthyretin (Ser^{50} to Arg) *Satoshi Ueno, Tomoyuki Uemichi, Nobuyuki Takahashi, Fumihisa Soga, Shiro Yorifuji, and Seiichiro Tarui* 1117

A Nitrogen-Fixation Gene (*nifC*) in *Clostridium pasteurianum* with Sequence Similarity to *chlJ* of *Escherichia coli* *Shu-Zhen Wang, Jiann-Shin Chen, and John L. Johnson* 1122

Expression of Simian Virus 40 Large T Antigen in *Escherichia coli* Using Vectors Based on the Regulatable *rac* Promoter *J. M. Pistillo and J. K. Vishwanatha* 1129

Characterization of Endothelin Converting Enzyme Activities in Soluble Fraction of Bovine Cultured Endothelial Cells *Tatsuya Sawamura, Sadao Kimura, Osamu Shinmi, Yoshiki Sugita, Mieko Kobayashi, Youji Mitsui, Masashi Yanagisawa, Katsutoshi Goto, and Tomoh Masaki* 1138

Purification from *Cephalosporium acremonium* of the Initial Enzyme Unique to the Biosynthesis of Penicillins and Cephalosporins *Jinyou Zhang and Arnold L. Demain* 1145

A Spectrophotometric Method for Detection of 5′-Fluorouracil in Plasma *A. Madan Kumar and R. Nayak* 1153

Reaction of Autoxidation Products of Penicillamine with Myeloperoxidase *Leah A. Marquez and H. Brian Dunford* 1158

Isolation of NPY-25 (Neuropeptide Y[12-36]), a Potent Inhibitor of Calmodulin, from Porcine Brain *Kazuo Kitamura, Kenji Kangawa, Kenjiro Tanaka, and Hisayuki Matsuo* 1164

Inhibition of both Etoposide-Induced DNA Fragmentation and Activation of Poly(ADP-Ribose) Synthesis by Zinc Ion *Tsunehiro Shimizu, Masaru Kubota, Akihiko Tanizawa, Hirohiko Sano, Yasufumi Kasai, Hisako Hashimoto, Yuichi Akiyama, and Haruki Mikawa* 1172

Drosophila Cell Extracts Contain a TGF-β-like Activity *Omar Benzakour, Guy Echalier, and David A. Lawrence* 1178

Intracellular Protein Phosphorylation in Oat (*Avena sativa* L.) Protoplasts by Phytochrome Action: Involvement of Protein Kinase C *Moon-Hwan Park and Quae Chae* 1185

Protein Kinase C Phosphorylates both the Light Chains and the Head Portion of the Heavy Chains of Brain Myosin *Noribumi Ikeda, Seiji Yasuda, Michio Muguruma, and Sueo Matsumura* 1191

2′,5′A Synthetase: Allosteric Activation by Fructose 1,6-Bisphosphate *Robert J. Suhadolnik, Shi Wu Li, Robert W. Sobol, and James M. Varnum* 1198

Alamethicin-Evoked Catecholamine Release from Cat Adrenal Glands *A. R. Artalejo, C. Montiel, P. Sánchez-García, G. Uceda, J. M. Guantes, and A. G. García* 1204

Evidence for One-Electron Oxidation of Benzylpenicillin G by Lactoperoxidase Compounds I and II *Diana Metodiewa and H. Brian Dunford* 1211

Cytosol-Type Electrolyte Medium Suitable for Long-Term Growth of Human Cells with Very Low Membrane Potential *Yasuo Kagawa, Toshiko Takaoka, Toshiro Hamamoto, and Toshiko Ohta* 1217

"Clamping" Actin in Polymerized Form in Electropermeabilized Neutrophils Inhibits Oxidase Activation *F. A. Al-Mohanna and M. B. Hallett* 1222

Platelet-Derived Growth Factor Inhibits 5 α-Reductase and $\Delta^5$3β-Hydroxysteroid Dehydrogenase Activities in Cultured Immature Leydig Cells *Eisuke P. Murono and Amie L. Washburn* 1229

EPR Spectra of Ferric Cytochromes *c′* from Five Strains of *Achromobacter xylosoxidans* at Low Temperature and Their Temperature Dependence *Tetsuhiko Yoshimura, Shinnichiro Suzuki, Takamitsu Kohzuma, Hidekazu Iwasaki, and Sohsuke Shidara* 1235

Neutrophil Chemotactic Activity of N-Terminal Peptides from the Calpain Small Subunit *Mitoshi Kunimatsu, Xiao Jing Ma, Joh Nishimura, Shunkichi Baba, Yasumasa Hamada, Takayuki Shioiri, and Makoto Sasaki* 1242

ERRATUM
Volume 168, Number 3, May 16, 1990: Satohiko Araki, Yoshiya Shimada, Kazuhiko Kaji, and Hiroshi Hayashi, "Apoptosis of Vascular Endothelial Cells by Fibroblast Growth Factor Deprivation," pp. 1194–1200 1248

Author Index for Volume 169 1249

Volume 170, Number 1, July 16, 1990

Temperature Dependence of Transcriptional Activity of Yeast 3-Phosphoglycerokinase Promoter in *Escherichia coli* *Alok K. Mondal and Tamal K. Roy* 1

Murine T-Cell Differentiation Antigen CD8 Is a Direct Substrate of Protein Kinase C *Masatoshi Tagawa and Leslie C. Griffith* 10

Calcium-Activated Protein Kinase from Soluble and Membrane Fractions of Maize Coleoptiles *N. H. Battey* 17

Identification and Biological Activity of Dihydroleukotriene B_4: A Prominent Metabolite of Leukotriene B_4 in the Human Lung
M. Kumlin, J. R. Falck, J. Raud, Y. Harada, S.-E. Dahlén, and E. Granström 23

Evidence for Pro-dermorphin Processing Products in Rat Tissues
A. Mor, P. Pradelles, A. Delfour, J. J. Montagne, F. L. Quintero, M. Conrath, and P. Nicolas 30

Isolation of Genes Highly Expressed in Early and Late Stages of Friend Virus-Induced Erythroleukemia in Mice
Yukiko Misawa, Arinobu Tojo, and Masabumi Shibuya 39

Differential Down-Regulation of β_1- and β_2-Adrenergic Receptor mRNA in C_6 Glioma Cells *Christopher Hough and De-Maw Chuang* 46

Distinct Vascular and Intestinal Smooth Muscle Myosin Heavy Chain mRNAs Are Encoded by a Single-Copy Gene in the Chicken
Yoshio Hamada, Masashi Yanagisawa, Yoshinari Katsuragawa, John R. Coleman, Shuichi Nagata, Genji Matsuda, and Tomoh Masaki 53

Superoxide Radical as Electron Donor for Oxidative Phosphorylation of ADP
Kathleen Mailer 59

Developmental Changes in Rat Kidney 1,25-Dihydroxyvitamin D Receptor
N. J. Koszewski, T. A. Reinhardt, D. C. Beitz, and R. L. Horst 65

Induction of Resistance to TNF Cytotoxicity and Mitochondrial Superoxide Dismutase on U-937 Cells by 1,25-Dihydroxyvitamin D_3
Sanju Iwamoto, Ken Takeda, Ryutaro Kamijo, and Kunio Konno 73

Vascular Smooth Muscle-Derived Relaxing Factor (MDRF) and Its Close Similarity to Nitric Oxide *Keith S. Wood, Georgette M. Buga, Russell E. Byrns, and Louis J. Ignarro* 80

Inhibition of BC3H-1 Cell Growth by Heparin Is Related to Decreased Mitogenic Signalling *Simonetta Vannucchi, Franca Pasquali, Vincenzo P. Chiarugi, and Marco Ruggiero* 89

Macrophage and Endothelial Cell Nitric Oxide Synthesis: Cell-Type Selective Inhibition by N^G-Aminoarginine, N^G-Nitroarginine, and N^G-Methylarginine
Steven S. Gross, Dennis J. Stuehr, Kazuo Aisaka, Eric A. Jaffe, Roberto Levi, and Owen W. Griffith 96

Synthesis of a New Herical Protein: The Effect of Secondary Structure Rearrangement on Structure Formation
Toshiaki Tanaka, Yasuhiko Shiratori, Shin Saitoh, Yoshio Yamamoto, Atuko Kohara, Haruki Nakamura, Toshiki Tanaka, Masakazu Kikuchi, and Morio Ikehara 104

Mode of Stimulatory Action of Deoxycholate in Signal Transduction System of Isolated Rat Pancreatic Acini
Hiroyuki Nakanishi, Yoshifumi Takeyama, Harumasa Ohyanagi, Yoichi Saitoh, and Yoshimi Takai 111

Involvement of the Phosphoinositol (PI) System in the Mechanism of Hormonal Imprinting *Péter Kovács and György Csaba* 119

Multiple Tyrosine Protein Kinases Structurally Related to $p56^{lck}$ Are Down-Regulated following Mitogenic Stimulation of Human T Lymphocytes
Belinda S. Hall, A. Victor Hoffbrand, and R. Gitendra Wickremasinghe 127

The Replication Timing of the Amplified Dihydrofolate Reductase Genes in the Chinese Hamster Ovary Cell Line CHOC 400
Mark S. Caddle and Nicholas H. Heintz 134

Transcription Factor Levels in Medullary Thyroid Carcinoma Cells Differentiated by Harvy *ras* Onogene: C-JUN Is Increased
Barry D. Nelkin, Michael Borges, Mack Mabry, and Stephen B. Baylin 140

Induction of F9 Cell Differentiation by Transient Exposure to Retinoic Acid
Jing-Ming Dong, Feng Li, and Jen-Fu Chiu 147

Human Platelet Glycoprotein V: A Surface Leucine-Rich Glycoprotein Related to Adhesion *Gerald J. Roth, Todd A. Church, Brad A. McMullen, and Stuart A. Williams* 153

Activation of Keratinization of Keratinocytes from Fetal Rat Skin with N-(O-linoleoyl)ω-Hydroxy Fatty Acyl Sphingosyl Glucose (Lipokeratinogenoside) as a Marker of Epidermis
Yoshikazu Uchida, Masao Iwamori, and Yoshitaka Nagai 162

Production of Shorter mRNA for Protein Phosphatase 2Aβ by Alternative Poly(A) Addition *Kazunori Sasaki, Yoshinori Kitagawa, Hiroshi Shima, Shozo Irino, Takashi Sugimura, and Minako Nagao* 169

Deduced Primary Structure of Rat Tryptophan-2,3-Dioxygenase
Katsumi Maezono, Kosuke Tashiro, and Toshikazu Nakamura 176

The Isolation of Biologically Active Mating Pheromone, a-Factor, from the Yeast, *Saccharomyces cerevisiae* *Gerald Proteau, Robert Gelaznikas, and Frank Merante* 182

Primary Structure of the Nontranscribed Spacer Region and Flanking Sequences of the Ribosomal DNA of *Neurospora crassa* and Comparison with Other Organisms *S. K. Dutta and Mukesh Verma* 187

Mg.ATP Primes Superoxide-Generating Responses in Electropermeabilized Neutrophils *Perry J. Hartfield and John M. Robinson* 194

Novel Natriuretic Peptide, CNP, Potently Stimulates Cyclic GMP Production in Rat Cultured Vascular Smooth Muscle Cells
Mayumi Furuya, Maki Takehisa, Yoshiharu Minamitake, Yasuo Kitajima, Yujiro Hayashi, Norio Ohnuma, Takafumi Ishihara, Naoto Minamino, Kenji Kangawa, and Hisayuki Matsuo 201

Recombinant Gene Expression in Human Umbilical Vein Endothelial Cells Transduced by Retroviral Vectors
James A. Zwiebel, Scott M. Freeman, Kenneth Cornetta, Reza Forough, Thomas Maciag, and W. French Anderson 209

Cyclic AMP Response to Recombinant Human Relaxin by Cultured Human Endometrial Cells—A Specific and High Throughput *in Vitro* Bioassay
David T. W. Fei, Mary C. Gross, Julie L. Lofgren, Marina Mora-Worms, and Anthony B. Chen 214

Over-Expression of Facilitative Glucose Transporter Genes in Human Cancer
Taizo Yamamoto, Yutaka Seino, Hirofumi Fukumoto, Gyohan Koh, Hideki Yano, Nobuya Inagaki, Yuichiro Yamada, Kazutomo Inoue, Tadao Manabe, and Hiroo Imura 223

Molecular Cloning of Two Species of cDNAs for Human α-N-Acetylgalactosaminidase and Expression in Mammalian Cells
Toyoaki Yamauchi, Masao Hiraiwa, Hisashi Kobayashi, Yutaka Uda, Tadashi Miyatake, and Shoji Tsuji 231

Effect of Genistein, a Tyrosine Kinase Inhibitor, on U46619-Induced Phosphoinositide Phosphorylation in Human Platelets
Douglas C. Gaudette and Bruce J. Holub 238

Biotinylation of Double Stranded DNA after Transamination
Carlo Avignolo, Piera Valente, Silla Cai, Riccarda Roner, Anna Fulle, Giuseppe Pizzorno, and Franco A. Bignone 243

Evidence *in Vitro* for an Enzymatic Synthesis of Phosphocitrate
Luigi Moro, Nicola Stagni, Elena Luxich, John D. Sallis, and Benedetto de Bernard 251

Protein-Tyrosine Phosphorylation and Aggregation of Intact Human Platelets by Vanadate with H_2O_2
Tetsuya Inazu, Takanobu Taniguchi, Shigeru Yanagi, and Hirohei Yamamura 259

Chlorate Inhibits Tyrosine Sulfation of Human Type III Procollagen without Affecting Its Secretion or Processing
Arja Jukkola, Juha Risteli, and Leila Risteli 264

Time-Resolved Fluorescence of DAPI in Solution and Bound to Polydeoxynucleotides
M. L. Barcellona, G. Cardiel, and E. Gratton 270

Shear Stress Increases Inositol Trisphosphate Levels in Human Endothelial Cells
M. U. Nollert, S. G. Eskin, and L. V. McIntire 281

Stimulated Platelets Release Amyloid β-Protein Precursor
Gregory M. Cole, Douglas Galasko, I. Paul Shapiro, and Tsunao Saitoh 288

Partial Deletion of Human α-Galactosidase A Gene in Fabry Disease: Direct Repeat Sequences as a Possible Cause of Slipped Mispairing
Yukio Fukuhara, Hitoshi Sakuraba, Akihiro Oshima, Michie Shimmoto, Yoshiro Nagao, Yoko Nadaoka, Tadashi Suzuki, and Yoshiyuki Suzuki 296

Expression of a Normal and Variant Alzheimer's β-Protein Gene in Amyloid of Hereditary Cerebral Hemorrhage, Dutch Type: DNA and Protein Diagnostic Assays
Frances Prelli, Efrat Levy, Sjoerd G. van Duinen, Gerard Th. A. M. Bots, Willem Luyendijk, and Blas Frangione 301

Possible Role of Nitric Oxide in Transmitting Information from Vasodilator Nerve to Cerebroarterial Muscle
Noboru Toda and Tomio Okamura 308

Insulin Enhancer Binding Protein Has Helix-Loop-Helix Structure
Yoshikazu Shibasaki, Hiroshi Sakura, Fumimaro Takaku, and Masato Kasuga 314

Glomerular Basement Membrane: Evidence for Collagenous Domain of the α3 and α4 Chains of Collagen IV
William R. Fagg, Joaquin Timoneda, Charles E. Schwartz, Jan P. M. Langeveld, Milton E. Noelken, and Billy G. Hudson 322

Dipalmitoylphosphatidylcholine (L-α-Lecithin) Stimulates Phospholipase A_2 Activity in Human Amnion
Teruo Ohtsuka, Hui Chan Lee, Masato Mibe, Hisae Nabekura, Masatochi Yamaguchi, and Norimasa Mori 328

Establishment and Characterization of 12S Adenoviral E1A Immortalized Rat Submandibular Gland Epithelial Cells
Xinjun He, Daniel P. Frank, and Lawrence A. Tabak 336

Tissue and Cell Specific Expression of a Renin Promoter–Reporter Gene Construct in Transgenic Mice *Curt D. Sigmund, Craig A. Jones, John R. Fabian, John J. Mullins, and Kenneth W. Gross* 344

A Microsequencing Approach to Identify Proteins Which Appear to Interact with Thyrotropin in Rat FRTL-5 Thyroid Cells
Takashi Akamizu, Motoyasu Saji, and Leonard D. Kohn 351

Role of Voltage-Sensitive Calcium Channels in $[Ca^{2+}]_i$ and Secretory Responses to Activators of Protein Kinase C in Pituitary Gonadotrophs
Shun-ichiro Izumi, Stanko S. Stojilković, Toshihiko Iida, Lazar Z. Krsmanović, Robert J. Omeljaniuk, and Kevin J. Catt 359

Xylan Degradation by the Thermophile *Clostridium stercorarium*: Cloning and Expression of Xylanase, β-D-Xylosidase, and α-L-Arabinofuranosidase Genes in *Escherichia coli*
Wolfgang H. Schwarz, Helmuth Adelsberger, Sigrid Jauris, Christian Hertel, Barbara Funk, and Walter L. Staudenbauer 368

Cysteine-108 Is an Acylation Site in Myelin Proteolipid Protein
Oscar A. Bizzózero, Louise K. Good, and James E. Evans 375

Expression of Human Lysosomal β-Hexosaminidase in Yeast Vacuoles
Toni R. Prezant 383

Carcinoembryonic Antigen Binding to Kupffer Cells Is via a Peptide Located at the Junction of the N-Terminal and First Loop Domains
Peter Thomas and Carol A. Toth 391

Identity of a Tumor Cytotoxic Factor from Human Fibroblasts and Hepatocyte Growth Factor
Kanji Higashio, Nobuyuki Shima, Masaaki Goto, Yasuharu Itagaki, Masaya Nagao, Hisataka Yasuda, and Tomonori Morinaga 397

ERRATUM
Volume 164, Number 1, October 16, 1989: David M. Mueller, "Site Directed Mutagenesis of the β-Subunit of the Yeast Mitochondrial ATPase," pp. 381–386 405

Volume 170, Number 2, July 31, 1990

The Nucleotide Sequence of the *luxA* and *luxB* Genes of *Xenorhabdus luminescens* HM and a Comparison of the Amino Acid Sequences of Luciferases from Four Species of Bioluminescent Bacteria
Timothy C. Johnston, Edmund B. Rucker, Leanne Cochrum, Kathleen S. Hruska, and Vaughn Vandergrift 407

Rapid Mapping of Deletion and Duplication Mutations by the Polymerase Chain Reaction *Russell D. Anderson, Martina L. Veigl, and W. David Sedwick* 416

Regulation of Protein Disulfide Isomerase Gene Expression in Brain and Liver during Rat Development *Emilia Mira and José G. Castaño* 421

Acivicin: A Highly Active Potential Chemotherapeutic Agent against Visceral Leishmaniasis *Tanmoy Mukherjee, Krishnendu Roy, and Amar Bhaduri* 426

Differences in Composition and Fluidity of Intestinal Microvillus Membrane Vesicles Prepared by Different Methods *David J. Bjorkman and Earl J. Brigham* 433

Cytochrome P-450-Dependent Monooxygenases in Neuronal and Glial Cells: Inducibility and Specificity *Alok Dhawan, Devendra Parmar, Mukul Das, and Prahlad K. Seth* 441

Cholinergic Vasodilatory Effect of an Imidazoindole on the Nephrosclerosis of Hypertensive Rats *Parimal K. Adhikary, Sisir K. Sen, and Mohammed A. Maleque* 448

Lack of Regio- and Stereospecificity in Oxidation of (+) Camphor by *Streptomyces griseus* Enriched in Cytochrome P-450_{soy} *F. Sima Sariaslani, Lawrence R. McGee, Michael K. Trower, and Fulton G. Kitson* 456

Binding and Pharmacologic Properties of Peptides Derived from Human and Rat Angiotensin II (AII) mRNA *Sally A. Wiest, Paul D. Gesellchen, Karen Zimmerman, and Mitchell I. Steinberg* 462

Strain-Specific Lethal Effect of the Adenovirus Ela Protein on *Saccharomyces cerevisiae* *Tadashi Wada, Yasuhisa Nogi, Hiroshi Handa, and Toshio Fukasawa* 470

Cytosolic Free Magnesium, ATP, and Blebbing during Chemical Hypoxia in Cultured Rat Hepatocytes *Andrew W. Harman, Anna-Liisa Nieminen, John J. Lemasters, and Brian Herman* 477

Translocation of Phospholipase A_2 from Cytosol to Membranes in Rat Brain Induced by Calcium Ions *Yoshihiro Yoshihara and Yasuyoshi Watanabe* 484

Stereochemical Nature of the Products of Linoleic Acid Oxidation Catalyzed by Lipoxygenases from Potato and Soybean *Vladimir Nikolaev, Pallu Reddanna, Jay Whelan, George Hildenbrandt, and C. Channa Reddy* 491

Distribution and Molecular Form of Immunoreactive Big Endothelin-1 in Porcine Tissue *Kazuo Kitamura, Tomoko Yukawa, Shuichiro Morita, Yoshinari Ichiki, Tanenao Eto, and Kenjiro Tanaka* 497

Regulatory System of Guinea Pig Complement C3b: Two Factor I-Cofactor Proteins on Guinea Pig Peritoneal Granulocytes *Tsukasa Seya, Michiyo Okada, Kaoru Hazeki, and Shigeharu Nagasawa* 504

Quantitation of Endogenous Liver Apolipoprotein B mRNA Editing *J. W. Backus, M. J. Eagleton, S. G. Harris, C. E. Sparks, J. D. Sparks, and H. C. Smith* 513

Lipoprotein Binding of Crosslinked Type III Collagen Aminopropeptide and Fractions of Its Antigen in Blood *J. Michael Bowness and Alan H. Tarr* 519

Increased Tyrosine Phosphorylation in *ras* Transformed Fibroblasts Occurs prior to Manifestation of the Transformed Phenotype *Antonio Cuadrado* 526

Cell-Free Stimulation of the Insulin-Sensitive cAMP Phosphodiesterase by the Joint Actions of ATP and the Soluble Fraction from Insulin-Treated Rat Liver
Hiroshi Shibata and Tetsuro Kono 533

Activation of Phospholipase D in Normodense Human Eosinophils
Michael Minnicozzi, John C. Anthes, Marvin I. Siegel, M. Motasim Billah, and Robert W. Egan 540

Transformed Tomato Plants Express a Satellite RNA of Cucumber Mosaic Virus and Produce Lethal Necrosis upon Infection with Viral RNA
P. B. McGarvey, J. M. Kaper, M. J. Avila-Rincon, L. Peña, and J. R. Diaz-Ruiz 548

Studies on the Mechanism of Platelet-Activating Factor Production in GM-CSF-Primed Neutrophils: Involvement of Protein Synthesis and Phospholipase A_2 Activation
Urs Wirthmueller, Alain L. de Weck, and Clemens A. Dahinden 556

Role of Ca^{2+} in Sorbitol Release from Rat Inner Medullary Collecting Duct (IMCD) Cells under Hypoosmotic Stress
Christopher Bevan, Christiane Theiss, and Rolf K. H. Kinne 563

Survey of Oncogene and Growth Factor/Receptor Gene Expression in Cancer Cells by Intron-Differential RNA/PCR
Hongjun Ji, Qingqing Zhang, and Benjamin S. Leung 569

Effects of Helodermin on Fetal Rat Bone Metabolism *in Vitro*
J. Pfeilschifter, A. Naumann, M. Oechsner, and R. Ziegler 576

Interferon-γ Induces in Human Neutrophils and Macrophages Expression of the mRNA for the High-Affinity Receptor for Monomeric IgG (FCγR-I or CD64)
Marco A. Cassatella, Rebecca M. Flynn, Miguel Aste Amezaga, Flavia Bazzoni, Federica Vicentini, and Giorgio Trinchieri 582

Peptide Mapping of the Four Subunits of the Mouse DNA Polymerase α-Primase Complex
Ritsuko Takada-Takayama, Shusuke Tada, Fumio Hanaoka, and Michio Ui 589

Attenuated Glomerular Responses to Atrial Natriuretic Factor in Low-Sodium Rats Is Prevented by Theophylline
S. Angielski, G. Kuchta, M. Redlak, and M. Szczepanska-Konkel 596

Stimulation of Intestinal Basolateral Membrane Calcium-Pump Activity by Recombinant Synthetic Calbindin-D_{9k} and Specific Mutants
Julian R. F. Walters, Alison Howard, Maud V. Charpin, Kathy C. Gniecko, Peter Brodin, Eva Thulin, and Sture Forsén 603

Certain N-Terminal Peptides Inhibit Uptake of Mature Aspartate Aminotransferase by Isolated Mitochondria
Maria Barile, Sergio Giannattasio, Ersilia Marra, Salvatore Passarella, Piero Pucci, Giovanni Sannia, and Ernesto Quagliariello 609

Amplification of the Hypervariable Region Close to the Apolipoprotein B Gene: Application to Forensic Problems
Alpo F. Vuorio, Antti Sajantila, Tiina Hämäläinen, Ann-Christine Syvänen, Christian Ehnholm, and Leena Peltonen 616

Effect of Aging and Acetyl-L-Carnitine on the Lipid Composition of Rat Plasma and Erythrocytes
Francesca Maria Ruggiero, Filomena Cafagna, Maria Nicola Gadaleta, and Ernesto Quagliariello 621

Three Cytoplasmic DNA Polymerases That Utilize Poly(rA)·Oligo(dT) *Mehran Goulian and Susan L. Grimm* 627

Phosphorylation of *src*-Phosphopeptides by Casein Kinases-1 and -2. Favourable Effect of Phosphotyrosine *E. A. Kitas, F. Meggio, R. M. Valerio, J. W. Perich, R. B. Johns, and L. A. Pinna* 635

Isolation of a Neuropeptide Corresponding to the N-Terminal 27 Residues of the Pituitary Adenylate Cyclase Activating Polypeptide with 38 Residues (PACAP38) *Atsuro Miyata, Lun Jiang, Raymond D. Dahl, Chieko Kitada, Kazuki Kubo, Masahiko Fujino, Naoto Minamino, and Akira Arimura* 643

Rapid Release of Endothelin and ATP from Isolated Aortic Endothelial Cells Exposed to Increased Flow *Pamela Milner, Philippe Bodin, Andrew Loesch, and Geoffrey Burnstock* 649

Myristoylated *src*-Oncogene Products Are Potently Detected by the Monoclonal Antibody to the NH_2-Terminal Myristoyl-Gly-Ser-Ser-Lys *src*-Peptide *Shozo Shoji, Yoko Kida, Osamu Takenaka, Takashi Yoshinaga, Takayuki Funakoshi, and Yukiho Kubota* 657

Purification and Characterization of *Bacillus thuringiensis* var. *tenebrionis* Insecticidal Proteins Produced in *Escherichia Coli* *S. C. MacIntosh, S. L. McPherson, F. J. Perlak, P. G. Marrone, and R. L. Fuchs* 665

Identification of a Major GTP-Binding Protein in Bovine Aortic Smooth Muscle Cytosol as the *rho*A Gene Product *Yasuhiro Kawahara, Masahito Kawata, Michitoshi Sunako, Shun-ichi Araki, Masanobu Koide, Terutaka Tsuda, Hisashi Fukuzaki, and Yoshimi Takai* 673

Solution Synthesis of Charybdotoxin (ChTX), A K^+ Channel Blocker *Paul Lambert, Hisaya Kuroda, Naoyoshi Chino, Takushi X. Watanabe, Terutoshi Kimura, and Shumpei Sakakibara* 684

PCR Cloning and Sequence of Gastrin mRNA from Carcinoma Cell Lines *Graham S. Baldwin, Anne Casey, Theo Mantamadiotis, Kate McBride, Andrew M. Sizeland, and Cassandra M. Thumwood* 691

Molecular Basis of HbE-β-Thalassemia and the Origin of HbE in Northeast Thailand: Identification of One Novel Mutation Using Amplified DNA from Buffy Coat Specimens *Goonnapa Fucharoen, Supan Fucharoen, Arunee Jetsrisuparb, and Yasuyuki Fukumaki* 698

Expression of a Catalytically Active Polypeptide of Calmodulin-Dependent Protein Kinase II α Subunit in *Escherichia coli* *Shunji Ohsako, Atsuko Watanabe, Shun-ichi Sekihara, Atsushi Ikai, and Takashi Yamauchi* 705

Isolation and Characterization of New Crosslinking Amino Acid “Allodesmosine” from Hydrolysate of Elastin *Kyozo Suyama and Fumihiko Nakamura* 713

Detection of Novel Guanine Nucleotide Binding Proteins in Bovine Retinal Rod Outer Segments *A. Morelli, I. Panfoli, and I. Pepe* 719

HEP-G2 Cells and Primary Rat Hepatocytes Differ in Their Response to Inhibitors of HMG-COA Reductase
Mary Kay Shaw, Roger S. Newton, Drago R. Sliskovic, Bruce D. Roth, Erika Ferguson, and Brian R. Krause 726

Evidence for an Alternate Splicing in the Thyroperoxidase Messenger from patients with Graves' Disease *Eric Zanelli, Mireille Henry, Bernadette Charvet, and Yves Malthièry* 735

Calcium Uptake Kinetics into Brush-Border Membrane Vesicles: Higher V_{max} in the Spontaneously Hypertensive Rat than in Normotensive Control
U. Hennessen, T. Drüeke, L. Comte, M. C. Steuf, D. A. McCarron, and B. Lacour 742

Solubilization of the Plasmin Receptor from Human Carcinoma Cells
P. Burtin and M. C. Fondaneche 748

A Competition Binding Assay for Determination of the Inositol (1,4,5)-Trisphosphate Content of Human Leucocytes *Peter H. Nibbering, Timo P. L. Zomerdijk, Peter J. M. van Haastert, and Ralph van Furth* 755

Structure and Partial Amino Acid Sequence of Calf Thymus DNA Topoisomerase II: Comparison with Other Type II Enzymes
Caroline A. Austin, Heather A. Barot, Edward E. C. Margerrison, Gerardo Turcatti, Paul Wingfield, Michael V. Hayes, and L. Mark Fisher 763

Copurification of Proteases with Basic Fibroblast Growth Factor (FGF)
Paulo L. Ho, Michael R. Carpenter, Lawrence B. Smillie, and Angelo G. Gambarini 769

Reversible Inhibition of *Eco*RI with Elevated Pressure
Robert B. Macgregor, Jr. 775

Mastoparan, A Wasp Venom, Activates Platelets via Pertussis Toxin-Sensitive GTP-Binding Proteins *Yukio Ozaki, Yuki Matsumoto, Yutaka Yatomi, Masaaki Higashihara, Toshitsugu Kariya, and Shoji Kume* 779

Purification and Identification of a Growth Factor Produced by *Paramecium tetraurelia* *Hiroyuki Tanabe, Nozomu Nishi, Yoshiomi Takagi, Fumio Wada, Isao Akamatsu, and Kazuhiko Kaji* 786

Selective Suppression of Human Papilloma Virus Type 18 mRNA Level in HeLa Cells by Interferon *Akihiro Nawa, Yukihiro Nishiyama, Naohiko Yamamoto, Koichiro Maeno, Setsuko Goto, and Yutaka Tomoda* 793

Phospholipid Metabolism Modulates Cyclic Nucleotide Phosphodiesterase Activity in Rat Heart Microsomes *Madeleine Dubois, Georges Némoz, Michel Lagarde, and Annie-France Prigent* 800

Alteration of Lipid Methylation by Oleic Acid in Rat Heart Sarcolemma
Roland Vetter, Jian Dai, Vincenzo Panagia, and Naranjan S. Dhalla 810

2′,3′ Cyclic Nucleotide-3′-Phosphodiesterase in Peripheral Nerve Myelin Is Phosphorylated by a Phorbol Ester-Sensitive Protein Kinase
Harish C. Agrawal, Terry Joe Sprinkle, and Daya Agrawal 817

Interleukin 6 Enhances the Production of Tissue Inhibitor of Metalloproteinases (TIMP) but Not That of Matrix Metalloproteinases by Human Fibroblasts
Takashi Sato, Akira Ito, and Yo Mori 824

Multiple Mitochondrial DNA Deletions Exist in Cardiomyocytes of Patients with Hypertrophic or Dilated Cardiomyopathy
Takayuki Ozawa, Masashi Tanaka, Satoru Sugiyama, Kazuki Hattori, Takayuki Ito, Kinji Ohno, Akira Takahashi, Wataru Sato, Goro Takada, Bunji Mayumi, Kiichiro Yamamoto, Kyo Adachi, Yoshinori Koga, and Hironori Toshima 830

Evidence for a Different Mechanism of Lactoferrin and Transferrin Translocation on HT 29-D4 Cells *Danielle Roiron-Lagroux and Catherine Figarella* 837

Nitric Oxide and Cyclic GMP Formation upon Electrical Field Stimulation Cause Relaxation of Corpus Cavernosum Smooth Muscle
Louis J. Ignarro, Peggy A. Bush, Georgette M. Buga, Keith S. Wood, Jon M. Fukuto, and Jacob Rajfer 843

Phenotypic Reversion of Cisplatin Resistance in Human Cells Accompanies Reduced Host Cell Reactivation of Damaged Plasmid
Chuck C.-K. Chao, Y.-L. Lee, and Sue Lin-Chao 851

Regulation of cGMP Production by Intracellular Alkalinization in Cultured Rat Inner Medullary Collecting Duct Cells
Mark S. Siskind, Edward A. Alexander, and John H. Schwartz 860

Specific Inhibition of Endothelial Cell Proliferation by Thrombospondin
P. Bagavandoss and J. W. Wilks 867

Kinetic Studies of Chromaffin Granule H^+-ATPase and Effects of Bafilomycin A_1
Hironori Hanada, Yoshinori Moriyama, Masatomo Maeda, and Masamitsu Futai 873

A Common Peptide Stretch among Enzymes Localized to the Golgi Apparatus: Structural Similarity of Golgi-Associated Glycosyltransferases
Brad Bendiak 879

Amino Acid Sequence and Relative Biological Activity of a Natriuretic Peptide Isolated from Eel Brain *Y. Takei, A. Takahashi, T. X. Watanabe, K. Nakajima, S. Sakakibara, T. Takao, and T. Shimonishi* 883

Regulation of the Expression of the Serine Dehydratase Gene in the Kidney and Liver of the Rat *Yeu Su, Ryuhei Kanamoto, Duncan A. Miller, Hirofumi Ogawa, and Henry C. Pitot* 892

ADP-Ribosylation of Nuclear Proteins in Rat Ventral Prostate during Aging
Piera Quesada, M. Rosaria Faraone-Mennella, Roy Jones, Maria Malanga, and Benedetta Farina 900

Enhanced Expression of a 27-kDa Protein during Diethylnitrosamine-Induced Hepatocarcinogenesis in Rats *N. Mairesse, M. Delhaye, and P. Galand* 908

Isolation and Characterization of a cDNA Clone for a Novel Serine-Rich Neutrophil Protein *P. Bellavite, F. Bazzoni, M. A. Cassatella, K. J. Hunter, and J. V. Bannister* 915

Lysis of Trypanosomes by Peptidyl Fluoromethyl Ketones
Frank Ashall, Herbert Angliker, and Elliott Shaw 923

An Aprotinin Binding Site Localized in the Hormone Binding Domain of the Estrogen Receptor from Calf Uterus
Vincenzo Nigro, Nicola Medici, Ciro Abbondanza, Saverio Minucci, Bruno Moncharmont, Anna Maria Molinari, and Giovanni Alfredo Puca 930

N-Terminus Determination: FAD and NADP Binding Domain Mapping of Hog Liver Flavin-Containing Monooxygenase by Tandem Mass Spectrometry
Shenheng Guan, Arnold M. Falick, and John R. Cashman 937

Rap1-b Is Phosphorylated by Protein Kinase A in Intact Human Platelets
Wolfgang Siess, Deborah A. Winegar, and Eduardo G. Lapetina 944

Isolation and Analysis of the Human *MEKA* Gene Encoding a Retina-Specific Protein *Yoshifumi Watanabe, Kazuo Kawasaki, Naomasa Miki, and Che-Hui Kuo* 951

Purification and Characterization of *Tetrahymena* Profilin
Masaki Edamatsu, Masafumi Hirono, and Yoshio Watanabe 957

A Very Small Frame-Shifting Deletion within Exon 19 of the Duchenne Muscular Dystrophy Gene *Masafumi Matsuo, Takehiro Masumura, Toshihiro Nakajima, Yoshihiko Kitoh, Toru Takumi, Hisahide Nishio, Junichi Koga, and Hajime Nakamura* 963

The Rate of Increase Not the Amplitude of Cytosolic Ca^{2+} Regulates the Degree of Prolactin Secretion Induced by Depolarizing K^+ or Hyposmolarity in GH_4C_1 Cells *Noriyuki Sato, Xiangbing Wang, and Monte A. Greer* 968

N-Terminally Extended Form of C-Type Natriuretic Peptide (CNP-53) Identified in Porcine Brain *Naoto Minamino, Kenji Kangawa, and Hisayuki Matsuo* 973

ERRATUM
Volume 163, Number 2, September 15, 1989: Ingela Kindås-Mügge, "Human Autoantibodies against a Nucleolar Protein," pp. 1119–1127 980

Volume 170, Number 3, August 16, 1990

A Monoclonal Antibody Directed to Tn Antigen
Yoshito Numata, Hiroshi Nakada, Shigeyuki Fukui, Hiroshi Kitagawa, Keiichi Ozaki, Mizue Inoue, Toshisuke Kawasaki, Ikuo Funakoshi, and Ikuo Yamashina 981

Negative Regulator of Pluripotent Hematopoietic Stem Cell Proliferation in Human White Blood Cells and Plasma as Analyzed by Enzyme Immunoassay *Philippe Pradelles, Yveline Frobert, Christophe Créminon, Eric Liozon, Aline Massé, and Emilia Frindel* 986

Rapid Shift in Genotype of Human Mitochondrial DNA in a Family with Leber's Heriditary Optic Neuropathy *P. A. Bolhuis, E. M. Bleeker-Wagemakers, N. J. Ponne, M. J. Van Schooneveld, A. Westerveld, C. Van den Bogert, and H. F. Tabak* 994

The Effects of the Endothelin Family Peptides on Cultured Osteoblastic Cells from Rat Calvariae *You Takuwa, Tomoh Masaki, and Kamejiro Yamashita* 998

Comparative and Quantitative Study of L-DOPA Decarboxylase mRNA in Rat Neuronal and Nonneuronal Tissues *Francis Coge, Monique Krieger-Poullet, François Gros, and Jean Thibault* 1006 α1-Antitrypsin $W_{bethesda}$: Molecular Basis of an Unusual α1-Antitrypsin Deficiency Variant *M. D. Holmes, M. L. Brantly, G. A. Fells, and R. G. Crystal* 1013

There Are Two Major Types of Hepatitis C Virus in Japan *Nobuyuki Enomoto, Akira Takada, Toshifumi Nakao, and Takayasu Date* 1021

Activation of Iodine into a Free-Radical Intermediate by Superoxide: A Physiologically Significant Step in the Iodination of Tyrosine *Saguna Verma, Pradeep Kumar G., Malina Laloraya, and Aparna Singh* 1026

Phytohemagglutinin Rapidly Lyses S49 T-Lymphoma Cells and the Cytotoxicity Is Not Mediated by Generation of cAMP or Increase in Cytosolic Calcium *Ajay Gupta, Keith A. Hruska, and H. James Wedner* 1035

Increase of Deleted Mitochondrial DNA in the Striatum in Parkinson's Disease and Senescence *Shin-ichiro Ikebe, Masashi Tanaka, Kinji Ohno, Wataru Sato, Kazuki Hattori, Tomoyoshi Kondo, Yoshikuni Mizuno, and Takayuki Ozawa* 1044

1-Methyl-4-phenylpyridinium (MPP^+) Induces NADH-Dependent Superoxide Formation and Enhances NADH-Dependent Lipid Peroxidation in Bovine Heart Submitochondrial Particles *Eiji Hasegawa, Koichiro Takeshige, Tomonari Oishi, Yoshiyuki Murai, and Shigeki Minakami* 1049

Sequence Diversity in the 5′ Untranslated Region of Rabbit Muscle Phosphofructokinase mRNA *Jauyi Li, Zhuo Chen, Ling Lu, Malcolm Byrnes, and Simon H. Chang* 1056

Characterization of an Internally Initiated Integrase Protein of HIV-1 Produced in *Escherichia coli* *Peter Zervos, Tom Hassell, Richard Van Frank, and Mei T. Lai* 1061

Transport of Acid Phosphatase to Lysosomes Does Not Involve Passage through the Cell Surface *Yoshitaka Tanaka, Shinji Yano, Koji Furuno, Toyoko Ishikawa, Masaru Himeno, and Keitaro Kato* 1067

Alternative Splicing of Mouse Brain 2′,3′-Cyclic-Nucleotide 3′-Phosphodiesterase mRNA *Tadashi Kurihara, Katsumi Monoh, Kenji Sakimura, and Yasuo Takahashi* 1074

Translational Regulation of Chloroplast Gene Expression during the Light–Dark Cell Cycle of Chlamydomonas: Evidence for Control by ATP/Energy Supply *Allan Michaels and David L. Herrin* 1082

Amino Acid Sequence of Chicken Calsequestrin Deduced from cDNA: Comparison of Calsequestrin and Aspartactin *Paul J. Yazaki, Sergio Salvatori, and A. Stephen Dahms* 1089

Covalent Cross-linking Analysis of Angiotensin Receptors on Differentiated NG108-15 Cells *M. D. Carrithers, K. A. Koide, V. K. Raman, S. Masuda, and J. A. Weyhenmeyer* 1096

Magnesium Deficiency-Induced Cardiomyopathy: Protection by Vitamin E *Anthony M. Freedman, Aisar H. Atrakchi, Marie M. Cassidy, and William B. Weglicki* 1102

Evidence for a Relationship between Protein Glycation and Red Blood Cell Membrane Fluidity *Inès Birlouez-Aragon, Pamela Scalbert-Menanteau, Marek Morawiec, and Majid Shafiezadeh* 1107

Production of Myeloid Cell Cytosols Functionally and Immunochemically Deficient in the 47- or 67-kDa NADPH Oxidase Cytosolic Factors
Rachel Levy, Harry L. Malech, and Daniel Rotrosen 1114

Effect of Platelet Release Products on Cytosolic Calcium in Cardiac Myocytes
Walter W. Chien, Rajendra Mohabir, David Newman, Lawrence L. K. Leung, and William T. Clusin 1121

Expression of the Erythropoietin Receptor on a Human Myeloma Cell Line
Yoshiaki Okuno, Takayuki Takahashi, Akira Suzuki, Shigemoto Ichiba, Kishiko Nakamura, Kiyotaka Hitomi, Ryuzo Sasaki, and Hiroo Imura 1128

Latency of the Peroxisomal Enzyme Acyl-CoA:dihydroxyacetonephosphate Acyltransferase in Digitonin-Permeabilized Fibroblasts: The Effect of ATP and ATPase Inhibitors
E. J. Wolvetang, J. M. Tager, and R. J. A. Wanders 1135

Saliva from Cystic Fibrosis Patients Contains an Unusual Form of Epidermal Growth Factor
Brigitte Aubert, Claude Cochet, Claude Souvignet, and Edmond M. Chambaz 1144

Induction of Differentiation of HL-60 Cells by Protein Kinase C Inhibitor, K252a
Teruhisa Taoka, Masaaki Tokuda, Taizo Tasaka, Osamu Hatase, Shozo Irino, and Anthony W. Norman 1151

Circulating Levels of Insulin-like Growth Factors Increase and Molecular Forms of Their Serum Binding Proteins Change with Human Pregnancy
S. E. Gargosky, K. J. Moyse, P. E. Walton, J. A. Owens, J. C. Wallace, J. S. Robinson, and P. C. Owens 1157

Direct Demonstration of the Active Salvage of Preformed Purines by Murine Tumors
Dana L. Johnson, Robert J. Mullin, David S. Duch, and Stephen J. Benkovic 1164

Enzymatic Sulfation of Gastrin in Rat Gastric Mucosa
Lee J. Chen and G. L. Rosenquist 1170

Receptor-Mediated Generation of an EDRF-like Intermediate in a Neuronal Cell Line Detected by Spin Trapping Techniques
Carmen M. Arroyo, Carlos Forray, Esam E. El-Fakahany, and Gerald M. Rosen 1177

Multifactorial Control of Insulin Receptor Gene Expression in Human Cell Lines
Paola Briata and Roberto Gherzi 1184

Staurosporine Inhibits a Tyrosine Protein Kinase in Human Hepatoma Cell Membranes
Robert J. Fallon 1191

Phorbol 12-Myristate 13-Acetate Activation of Phospholipase D in Human Neutrophils Leads to the Production of Phosphatides and Diglycerides
Theodore J. Mullmann, Marvin I. Siegel, Robert W. Egan, and M. Motasim Billah 1197

High Levels of Transcription Driven by a 400-bp Segment of the Human G6PD Promoter
Matilde Valeria Ursini, Lorenzo Scalera, and Giuseppe Martini 1203

Transformation of Glucocorticoid–Receptor Complexes Is Accompanied by Dissociation of Oligomers in Intact Cells
Gian Paola Rossini and Claudia Malaguti 1210

Quantification of Biomineralization: An *in Vitro* Tissue Culture System and Microanalysis of Calcium, Phosphorus, and Trace Elements by Total-Reflection X-Ray Fluorescence *A. Niemann, A. von Bohlen, R. Klockenkämper, and E. Keck* 1216

Islet Amyloid Polypeptide (IAPP) Does Not Inhibit Glucose-Stimulated Insulin Secretion from Isolated Perfused Rat Pancreas *Timothy D. O'Brien, Per Westermark, and Kenneth H. Johnson* 1223

Molecular Cloning of Guinea Pig Aromatic-L-Amino Acid Decarboxylase cDNA *Masato Taketoshi, Yoshiyuki Horio, Ikuo Imamura, Tatsuya Tanaka, Hiroyuki Fukui, and Hiroshi Wada* 1229

Streptavidin Contains an RYD Sequence Which Mimics the RGD Receptor Domain of Fibronectin *Ronen Alon, Edward A. Bayer, and Meir Wilchek* 1236

Reduction of N-myc Expression by Antisense RNA Is Amplified by Interferon: Possible Involvement of the 2-5A System *K. Schilbach, P. Pollwein, M. Schwab, R. Handgretinger, J. Treuner, D. Niethammer, and G. Bruchelt* 1242

Differences in Mitogenic Responses to Angiotensin II, Calf Serum, and Phorbol Ester in Vascular Smooth Muscle Cells from Two Strains of Genetically Hypertensive Rat *Eugenie L. Harris, Murray R. Grigor, and J. Alasdair Millar* 1249

Ascorbate as a Source of Reducing Equivalents for the Synthesis of Aldosterone *Kazutoshi Yanagibashi, Yoshiharu Kobayashi, and Peter F. Hall* 1256

Prosomatostatin II Processing Is Initiated in the Trans-Golgi Network of Anglerfish Pancreatic Cells *Julie Bourdais, Ginette Devilliers, Robert Girard, Alain Morel, Lucio Benedetti, and Paul Cohen* 1263

Role for the Mitochondrial Inner Membrane in the Maturation of the Precursor to Ornithine Carbamyltransferase *Claude Côté, J. Poirier, and D. Boulet* 1273

Importance of Spontaneous α-Ketoacid Decarboxylation in Experiments Involving Peroxide *Angelo A. Vlessis, Dagmar Bartos, and Donald Trunkey* 1281

Normal Molecular Size of the Na^+-Phosphate Cotransporter and Normal Na^+-Dependent Binding of Phosphonoformic Acid in Renal Brush Border Membranes of X-Linked *Hyp* Mice *Harriet S. Tenenhouse, John Lee, Nathalie Harvey, Michel Potier, Marc Jette, and Richard Beliveau* 1288

Site-Specific Mutagenesis of PRD1 DNA Polymerase: Mutations in Highly Conserved Regions of the Family B DNA Polymerase *Guhung Jung, Mark C. Leavitt, Michelle Schultz, and Junetsu Ito* 1294

Enhanced MYCN Oncogene Expression in Human Neuroblastoma Cells Results in Increased Susceptibility to Growth Inhibition by TNF α *Lothar Schweigerer, Peter Scheurich, and Theodore Fotsis* 1301

Functional Galactosyl Receptors on Isolated Rat Hepatocytes Are Hetero-oligomers *Janet A. Oka, Maryanne C. S. Herzig, and Paul H. Weigel* 1308

Laminin "A" Chain Fragment of M_r 43 kDa Contains PC12 Cell Attachment Promoting Site *C. N. Rao and Nicholas A. Kefalides* 1314

Thyroid Hormone Binding Protein Contains Glycosylation Site Binding Protein Activity
Hitomi Kimura, Robert Noiva, Takemitsu Mizunaga, Kiyoshi Yamauchi, Ryuya Horiuchi, Sheue-Yann Cheng, and William J. Lennarz 1319

Natural Regulatory Mechanisms of Insulin Degradation by Insulin-Degrading Enzyme *Hiroyuki Akiyama, Koichi Yokono, Kozui Shii, Wataru Ogawa, Hiroshi Taniguchi, Shigeaki Baba, and Masato Kasuga* 1325

Multiple Protein Forms of the Human Breast Tumor-Associated Epithelial Membrane Antigen (EMA) Are Generated by Alternative Splicing and Induced by Hormonal Stimulation
C. J. Williams, D. H. Wreschner, A. Tanaka, I. Tsarfaty, I. Keydar, and A. S. Dion 1331

Solubilization and Functional Reconstitution of the DCCD-Sensitive Na^+/H^+-Antiporter from *Halobacterium halobium*
Tetsuya Konishi and Naoyuki Murakami 1339

Total Deficiency of Plasma Cholesteryl Ester Transfer Protein in Subjects Homozygous and Heterozygous for the Intron 14 Splicing Defect
Shizuya Yamashita, David Y. Hui, Dennis L. Sprecher, Yuji Matsuzawa, Naohiko Sakai, Seiichiro Tarui, David Kaplan, John R. Wetterau, and Judith A. K. Harmony 1346

F_0F_1-ATPase of Plant Mitochondria: Isolation and Polypeptide Composition
Beston Hamasur and Elzbieta Glaser 1352

Photoaffinity Labeling of Protein Phosphatase 2A, the Receptor for a Tumor Promoter Okadaic Acid, by [27-^{3}H]Methyl 7-*O*-(4-Azidobenzoyl)okadaate
Shinji Nishiwaki, Hirota Fujiki, Masami Suganuma, Makoto Ojika, Kiyoyuki Yamada, and Takashi Sugimura 1359

Mycoplasma Can Enhance HIV Replication *in Vitro:* A Possible Cofactor Responsible for the Progression of AIDS
Md. Iqbal Hossain Chowdhury, Tetsuo Munakata, Yoshio Koyanagi, Susumu Kobayashi, Sumio Arai, and Naoki Yamamoto 1365

Phosphorylation by Protein Kinase C Inactivates an Inositol 1,4,5-Trisphosphate 3-Kinase Purified from Human Platelets
An-Ning Lin, Stephen Barnes, and Robert W. Wallace 1371

ERRATUM
Volume 168, Number 1, April 16, 1990: Riitta-Maaria Mannermaa and Jouko Oikarinen, "A DNA-Binding Homeodomain in Histone H1," pp. 254–260 1377

Author Index for Volume 170 1378

Volume 171, Number 1, August 31, 1990

TGFα-anti-Tac(Fv)-PE40: A Bifunctional Toxin Cytotoxic for Cells with EGF or IL2 Receptors *Janendra K. Batra, Vijay K. Chaudhary, David FitzGerald, and Ira Pastan* 1

The Gene for Human Acidic Fibroblast Growth Factor Encodes Two Upstream Exons Alternatively Spliced to the First Coding Exon
Gregg Crumley, Craig A. Dionne, and Michael Jaye 7

Increased Intracellular Glycerophosphoinositol Is a Biochemical Marker for Transformation by Membrane-Associated and Cytoplasmic Oncogenes
Teresa Alonso and Eugenio Santos 14

Inhibition of Basic Calcium Phosphate Crystal-Induced Mitogenesis by Phosphocitrate *Herman S. Cheung, John D. Sallis, Peter G. Mitchell, and Janine A. Struve* 20

The Chicken Oviduct and Embryonic Red Blood Cell Transferrin Receptors Are Distinct Molecules *Indravathamma Poola, Anne B. Mason, and John J. Lucas* 26

Site-Specific Mutants of β-Galactosidase Show That Tyr-503 Is Unimportant in Mg^{2+} Binding but That Glu-461 Is Very Important and May Be a Ligand to Mg^{2+} *Robert A. Edwards, Claire G. Cupples, and Reuben E. Huber* 33

Type C Niemann-Pick Disease: Documentation of Abnormal LDL Processing in Lymphocytes *Charles E. Argoff, Christine R. Kaneski, E. Joan Blanchette-Mackie, Marcella Comly, Nancy K. Dwyer, Anthony Brown, Roscoe O. Brady, and Peter G. Pentchev* 38

The Effect of Chronic Fatty Acid Treatment on Lipolysis in 3T3-L1 Adipocytes
Jim C. Fong 46

Modulation of Guanine Nucleotide Effects on the Insulin Receptor by $MgCl_2$
H. W. Davis and J. M. McDonald 53

Affinity Purification of HIV-1 and HIV-2 Proteases from Recombinant *Escherichia coli* Strains Using Pepstatin–Agarose
Judith Rittenhouse, Mary C. Turon, Rosalind J. Helfrich, Kathryn S. Albrecht, Debra Weigl, Robert L. Simmer, Federico Mordini, John Ericson, and William E. Kohlbrenner 60

Human Lactate Dehydrogenase-B Processed Pseudogene: Nucleotide Sequence Analysis and Assignment to the X-Chromosome
Kayoko Sudo, Masato Maekawa, Mary M. Luedemann, Larry L. Deaven, and Steven S.-L. Li 67

Activation of a Manganese-Dependent Membrane Protein Kinase by Serine and Tyrosine Phosphorylation *Toolsee J. Singh* 75

Identification and Partial Purification of a Chromatin Bound Calmodulin Activated Histone 3 Kinase from Calf Thymus
Bassam T. Wakim, Maria M. Picken, and Robert J. DeLange 84

Effects of Phorbol Ester on Cell Growth Inhibition by Transforming Growth Factor β_1 in Human Hepatoma Cell Lines
Kenji Takaishi, Sumio Kawata, Nobuyuki Ito, Shinji Tamura, Yasuhiro Shirai, and Seiichiro Tarui 91

The Role of Electron Donors and Acceptors in Base Stacking in DNA and RNA
E. C. M. Chen, E. S. D. Chen, and W. E. Wentworth 97

The Effects of pH and Temperature on Fluorescent Calcium Indicators as Determined with Chelex-100 and EDTA Buffer Systems
Frank A. Lattanzio, Jr. 102

Intracelluar Ionized Calcium Mobilization of CD 9 Monoclonal Antibody-Activated Human Platelets *Yutaka Yatomi, Masaaki Higashihara, Yukio Ozaki, Shoji Kume, and Kiyoshi Kurokawa* 109

Production, Purification, and Characterization of Biologically Active Recombinant Human Nerve Growth Factor *Makoto Iwane, Yumiko Kitamura, Yoshihiko Kaisho, Koji Yoshimura, Asae Shintani, Reiko Sasada, Shizue Nakagawa, Kenji Kawahara, Kazuo Nakahama, and Atsushi Kakinuma* 116

Oxidized LDL Increase Free Cholesterol and Fail to Stimulate Cholesterol Esterification in Murine Macrophages *Paola Roma, Alberico L. Catapano, Stefano M. Bertulli, Luca Varesi, Remo Fumagalli, and Franco Bernini* 123

Sialyltransferase Activities in Cultured Rat Hepatocytes *Marko Mesarić and Karl Decker* 132

In Vivo Expression of Rat Liver *c-erb A* β Thyroid Hormone Receptor in Yeast (*Saccharomyces cerevisiae*) *Chao Lu, Yong-Fan Yang, Hiroyuki Ohashi, and Paul G. Walfish* 138

Mechanosensitive Adenylate Cyclase Activity in Coronary Vascular Smooth Muscle Cells *Ira Mills, George Letsou, Joseph Rabban, Bauer Sumpio, and Henry Gewirtz* 143

K252a Is a Potent and Selective Inhibitor of Phosphorylase Kinase *Lucy H. Elliott, Sandra E. Wilkinson, Anthony D. Sedgwick, Christopher H. Hill, Geoffrey Lawton, Peter D. Davis, and John S. Nixon* 148

Purification and Characterization of Dinitrophenylglutathione ATPase of Human Erythrocytes and Its Expression in Other Tissues *Rajendra Sharma, Sanjiv Gupta, Shivendra V. Singh, Rheem D. Medh, Hassan Ahmad, Edward F. LaBelle, and Yogesh C. Awasthi* 155

DNaseI Hypersensitive Sites at the 3′ End of the Human Apolipoprotein B Gene *Beatriz Levy-Wilson* 162

Bioluminescent Immunoassay Using a Fusion Protein of Protein A and the Photoprotein Aequorin *Shuhei Zenno and Satoshi Inouye* 169

Membrane Topology of Microsomal Cytochrome P450: Saturation Transfer EPR and Freeze-Fracture Electron Microscopy Studies *D. Schwarz, J. Pirrwitz, H. W. Meyer, M. J. Coon, and K. Ruckpaul* 175

Increased Glucose Transporter (GLUT4) Protein Expression in Hyperthyroidism *Azucena Casla, Adela Rovira, James A. Wells, and G. Lynis Dohm* 182

Characterization of Specific Binding Sites for [^{3}H]Staurosporine on Various Protein Kinases *J. M. Herbert, E. Seban, and J. P. Maffrand* 189

Transient Expression of a p58 Protein Kinase cDNA Enhances Mammalian Glycosyltransferase Activity *Bruce A. Bunnell, Donald E. Adams, and Vincent J. Kidd* 196

Neural Differentiation Increases Expression of Alzheimer Amyloid Protein Precursor Gene in Murine Embryonal Carcinoma Cells *Kazuaki Yoshikawa, Takako Aizawa, and Kei Maruyama* 204

Stabilization of Glucose Transporter mRNA by Insulin/IGF-1 and Glucose Deprivation *Frances Maher and Leonard C. Harrison* 210

Molecular Evolution and Zinc Ion Binding Motif of Leukotriene A_4 Hydrolase *Hiroyuki Toh, Michiko Minami, and Takao Shimizu* 216

Microfilaments Regulate the Rate of Exocytosis in Rat Basophilic Leukemia Cells *Vikram Narasimhan, David Holowka, and Barbara Baird* 222

Protein Phosphatases Possibly Involved in Rat Spermatogenesis *Yoshinori Kitagawa, Kazunori Sasaki, Hiroshi Shima, Masabumi Shibuya, Takashi Sugimura, and Minako Nagao* 230

Intracellular Processing of Complement Pro-C3 and Proalbumin Is Inhibited by Rat α_1-Protease Inhibitor Variant (Met $^{352} \rightarrow$Arg) in Transfected Cells *Yoshio Misumi, Kumiko Ohkubo, Miwa Sohda, Noboru Takami, Kimimitsu Oda, and Yukio Ikehara* 236

Tissue-Specific Expression of Rat Pyruvate Kinase L/Chloramphenicol Acetyltransferase Fusion Gene in Transgenic Mice and Its Regulation by Diet and Insulin *Kazuya Yamada, Tamio Noguchi, Jun-ichi Miyazaki, Tamiko Matsuda, Masaru Takenaka, Ken-ichi Yamamura, and Takehiko Tanaka* 243

mRNA of Bovine Tissue Inhibitor of Metalloproteinase. Sequence and Expression in Bovine Ovarian Tissue *J. Freudenstein, S. Wagner, R. M. Luck, R. Einspanier, and K. H. Scheit* 250

Crystallization and Preliminary X-Ray Diffraction Studies of the Engrailed Homeodomain and of an Engrailed Homeodomain/DNA Complex *Beishan Liu, Charles R. Kissinger, Carl O. Pabo, Enrique Martin-Blanco, and Thomas B. Kornberg* 257

The Collagenous Protein with Elastin Crosslinks from Descemet's Membrane Is Not Related to Type VIII Collagen *Paul F. Davis, Patricia A. Ryan, Reinhold Kittelberger, and Nicholas S. Greenhill* 260

Polymeric Analogues of *N*-Formyl Peptides Are Potent Activators of Degranulation and Superoxide Production by Human Neutrophils *Pascale Ravel, Jean-Louis Kraus, and Florence Lederer* 266

Purification and Characterization of a 7Fe-Ferredoxin from *Rhodobacter capsulatus* *Yves Jouanneau, Christine Meyer, Jacques Gaillard, and Paulette M. Vignais* 273

Cooperative Mechanosensitive Ion Channels in *Escherichia coli* *Ildiko Szabo', Valeria Petronilli, Leonardo Guerra, and Mario Zoratti* 280

Activation of "Immediate–Early" Genes by Estrogen Is Not Sufficient to Achieve Stimulation of DNA Synthesis in Rat Uterus *Eliana Persico, Marilina Scalona, Luigi Cicatiello, Vincenzo Sica, Francesco Bresciani, and Alessandro Weisz* 287

Specific Antisense RNA Inhibition of Growth Hormone Production in Differentiated Rat Pituitary Tumor Cells *Ruth H. Paulssen, Eyvind J. Paulssen, Peter Aleström, Jan O. Gordeladze, and Kaare M. Gautvik* 293

The Effect of Extracellular Calcium on the Contractile Action of Endothelin *Robert Marsault, Paul Vigne, and Christian Frelin* 301

Quaternary Structure and the Geminate Recombination of Carp Hemoglobin with Methylisocyanide *Debkumar Bandyopadhyay, Kevin N. Walda, Douglas Magde, Teddy G. Traylor, and Vijay S. Sharma* 306

Purification and Characterization of Two Proteins with Inorganic Pyrophosphatase Activity from *Desulfovibrio vulgaris:* Rubrerythrin and a New, Highly Active, Enzyme *Ming-Y. Liu and Jean Le Gall* 313

Properties of the Exchange Rate of Guanine Nucleotides to the Novel rap-2B Protein *Luis Molina y Vedia, Carol-Ann Ohmstede, and Eduardo G. Lapetina* 319

Voltage Gating of Ca^{2+}-Activated Potassium Channels in Human Lymphocytes *László Mátyus, Carlo Pieri, Rina Recchioni, Fausto Moroni, László Bene, Lajos Trón, and Sándor Damjanovich* 325

Identification of a Novel 65-kDa Cell Surface Receptor Common to Pancreatic Polypeptide, Neuropeptide Y, and Peptide YY *Koji Nata, Hideto Yonekura, Hiroshi Yamamoto, and Hiroshi Okamoto* 330

Phosphorylation and Nuclear Processing of the Androgen Receptor *Elizabeth J. Golsteyn, H. Joseph Goren, Jean-Guy Lehoux, and Yvonne A. Lefebvre* 336

The Metaphase-Specific Phosphorylation of HMG I *Terje Lund and Søren G. Laland* 342

A Blocking Monoclonal Antibody to Endothelial–Leukocyte Adhesion Molecule-1 (ELAM1) *Christopher Benjamin, Irene Dougas, Gloria Chi-Rosso, Stefan Luhowskyj, Margaret Rosa, Barbara Newman, Laurelee Osborn, Cornelia Vassallo, Catherine Hession, Susan Goelz, Kathy McCarthy, and Roy Lobb* 348

The Respiration of Cells and Mitochondria of Porin-Deficient Yeast Mutants Is Coupled *Jan Michejda, Xiao Jun Guo, and Guy J.-M. Lauquin* 354

Effect of NaF on Type-1 Phosphatase Aggregation *R. Pesi and E. Villa-Moruzzi* 362

Direct Inhibition of Smooth Muscle Myosin Light Chain Kinase by Arachidonic Acid in a Purified System *Toshikazu Kigoshi, Kenzo Uchida, Mihoko Kaneko, Ryoji Iwasaki, Shigeru Nakano, Sadahide Azukizawa, and Shinpei Morimoto* 369

The Purification and Characterization of Recombinant Human Renin Expressed in the Human Kidney Cell Line 293 *Chris J. Vlahos, Jenna D. Walls, David T. Berg, and Brian W. Grinnell* 375

Interferon Induced Inhibition of Queuine Uptake in Cultured Human Fibroblasts *Mark S. Elliott and Debra L. Crane* 384

Protein Kinase C Modulation of Queuine Uptake in Cultured Human Fibroblasts *Mark S. Elliott and Debra L. Crane* 393

Carbohydrate Composition and Presence of a Fucose–Protein Linkage in Recombinant Human Pro-urokinase *Elzbieta J. Kentzer, Alexander Buko, Gopi Menon, and Virender K. Sarin* 401

Molecular Cloning of cDNAs Derived from a Novel Human Intestinal Mucin Gene *James R. Gum, James W. Hicks, Dallas M. Swallow, Robert L. Lagace, James C. Byrd, Derek T. A. Lamport, Bader Siddiki, and Young S. Kim* 407

Organization of the Gene for *iso*-rANP, a Rat B-Type Natriuretic Peptide *Rabindra N. Roy and T. Geoffrey Flynn* 416

Evidence for a Role of Microfilaments in Insulin Release from Purified β-Cells *Jin-Lin Wang, Richard A. Easom, Jonathan H. Hughes, and Michael L. McDaniel* 424

Coordinated Induction of Two Unrelated Glucose-Regulated Protein Genes by a Calcium Ionophore: Human BiP/GRP78 and GAPDH *Chuck C.-K. Chao, W.-C. Yam, and Sue Lin-Chao* 431

Hydrolysis of Synthetic Chromogenic Substrates by HIV-1 and HIV-2 Proteinases *Lowri H. Phylip, Anthony D. Richards, John Kay, Jan Konvalinka, Peter Strop, Ivo Blaha, Jiri Velek, Vladimir Kostka, Alison J. Ritchie, Anne V. Broadhurst, William G. Farmerie, Paula E. Scarborough, and Ben M. Dunn* 439

The Detection of Proline Isomerase Activity in FK506-Binding Protein by Two-Dimensional ^{1}H NMR Exchange Spectroscopy *R. M. Justice, Jr., A. D. Kline, J. P. Sluka, W. D. Roeder, G. H. Rodgers, N. Roehm, and J. S. Mynderse* 445

Lipid Conjugates of Antiretroviral Agents. I. Azidothymidine-monophosphate diglyceride: Anti-HIV Activity, Physical Properties, and Interaction with Plasma Proteins *Joseph M. Steim, Catherine Camaioni Neto, Prem S. Sarin, Daisy K. Sun, Raj K. Sehgal, and Joseph G. Turcotte* 451

Lipid Conjugates of Antiretroviral Agents. II. Disodium Palmityl Phosphonoformate: Anti-HIV Activity, Physical Properties, and Interaction with Plasma Proteins *Catherine Camaioni Neto, Joseph M. Steim, Prem S. Sarin, Daisy K. Sun, Nandkumar N. Bhongle, Rao K. Piratla, and Joseph G. Turcotte* 458

The Enzymatic and Chemical Reduction of Extended Biliverdins *Rosalía B. Frydman, Sara Bari, María L. Tomaro, and Benjamín Frydman* 465

Nitric Oxide-Generating Vasodilators Inhibit Mitogenesis and Proliferation of BALD/c 3T3 Fibroblasts by a Cyclic GMP-Independent Mechanism *Uttam C. Garg and Aviv Hassid* 474

[^{35}S]Lanthionine Ketimine Binding to Bovine Brain Membranes *M. Fontana, G. Ricci, S. P. Solinas, A. Antonucci, I. Serao, S. Duprè, and D. Cavallini* 480

Counter-Regulatory Effects of Phosphatidic Acid on Protein Kinase C Activity in the Presence of Calcium and Diolein *Richard M. Epand and Alan R. Stafford* 487

Stimulation and Priming of Human Neutrophils by Granulocyte Colony-Stimulating Factor and Granulocyte–Macrophage Colony-Stimulating Factor: Qualitative and Quantitative Differences *Akira Yuo, Seiichi Kitagawa, Akimichi Ohsaka, Masaki Saito, and Fumimaro Takaku* 491

Identification of a Common Mutation in Patients with Medium-Chain Acyl-CoA Dehydrogenase Deficiency *Yoichi Matsubara, Kuniaki Narisawa, Shigeaki Miyabayashi, Keiya Tada, Paul M. Coates, Claude Bachmann, Louis J. Elsas II, Rodney J. Pollitt, William J. Rhead, and Charles R. Roe* 498

Hemoglobin Causes Release of Inositol Trisphosphate from Vascular Smooth Muscle *Bozena Vollrath, Bryce K. A. Weir, and David A. Cook* 506

Identification of Immunogenic Regions in Human Thyrotropin Receptor for Immunoglobulin G of Patients with Graves' Disease
Masami Murakami and Masatomo Mori 512

Volume 171, Number 2, September 14, 1990

The Primary Structure of Rat Ribosomal Protein S13
Katsuyuki Suzuki, Joe Olvera, and Ira G. Wool 519

Induction of the Lutropin/Choriogonadotropin Receptor in Rat Ovary during Luteinization *Michael J. Hansbury, Patrick J. McIlroy, and Michael J. Goldenthal* 525

Disparate Regulation of Interleukin-8 Gene Expression from Blood Monocytes, Endothelial Cells, and Fibroblasts by Interleukin 4
T. J. Standiford, R. M. Strieter, K. Kasahara, and S. L. Kunkel 531

Regiospecificity in the Hydroxylation of Lauric Acid by Rainbow Trout Hepatic Cytochrome P450 Isozymes *C. L. Miranda, J.-L. Wang, M. C. Henderson, D. E. Williams, and D. R. Buhler* 537

Actin Critical Concentration Optimizes at Intermediate [Cytochalasin B]/[Actin] Ratios *Fei Wang, B. Jose Luis Arauz-Lara, and Bennie R. Ware* 543

PAF-Acether Transfer Activity in HL-60 Cells Is Induced during Differentiation
R. H. Lumb, M. Record, G. Ribbes, G. L. Pool, F. Terce, and H. Chap 548

Enzymatic Properties of Active Form of Human Apolipoprotein (a)
T. M. Chulkova 555

Incubation with Endotoxin Activates the *L*-Arginine Pathway in Vascular Tissue
Ingrid Fleming, Gillian A. Gray, Géraldine Julou-Schaeffer, James R. Parratt, and Jean-Claude Stoclet 562

Identification of an Endogenous Activator of Calpain in Rat Skeletal Muscle
S. Pontremoli, P. L. Viotti, M. Michetti, B. Sparatore, F. Salamino, and E. Melloni 569

Thyroid Hormone and DNA Binding Properties of a Mutant c-erbAβ Receptor Associated with Generalized Thyroid Hormone Resistance
Stephen J. Usala, Fredric E. Wondisford, Tracey L. Watson, Jay B. Menke, and Bruce D. Weintraub 575

Structure and Fluctuations of Bacteriophage T4 Glutaredoxin Modelled by Molecular Dynamics *O. Nilsson, O. Tapia, and W. F. van Gunsteren* 581

Characterization of the Human Immunodeficiency Virus Type-1 Reverse Transcriptase Enzyme Produced in Yeast
Ian C. Bathurst, Laura K. Moen, Marc A. Lujan, Helen L. Gibson, Paul H. Feucht, Sergio Pichuantes, Charles S. Craik, Daniel V. Santi, and Philip J. Barr 589

Conformational Study of the Threonine-Rich C-Terminal Pentapeptide of Peptide T *Nicole Cotelle, Michèle Lohez, Philippe Cotelle, and Jean-Pierre Hénichart* 596

A Retinoic Acid Responsive Gene, MK, Produces a Secreted Protein with Heparin Binding Activity *Mineko Tomomura, Kenji Kadomatsu, Masaru Nakamoto, Hisako Muramatsu, Hisato Kondoh, Ken-ichi Imagawa, and Takashi Muramatsu* 603

Induction and Stimulation of 92-kDa Gelatinase/Type IV Collagenase Production in Osteosarcoma and Fibrosarcoma Cell Lines by Tumor Necrosis Factor α *Yasunori Okada, Hiroyuki Tsuchiya, Hirokazu Shimizu, Katsuro Tomita, Isao Nakanishi, Hiroshi Sato, Motoharu Seiki, Kyoko Yamashita, and Taro Hayakawa* 610

Contrasting Effects of Phorbol Dibutyrate and Phorbol Myristate Acetate in Rabbit Aorta *Rafael Villalobos-Molina, Víctor Ransanz, M. Eugenia Torres-Márquez, Enrique Hong, and J. Adolfo García-Sáinz* 618

Binding Sites for Calcium-Activated Neutral Protease on Erythrocyte Membranes Are Not Membrane Phospholipids *Mitsushi Inomata, Yumiko Saito, Kazuo Kon, and Seiichi Kawashima* 625

A Carcinoembryonic Antigen (CEA) Binding Protein from Ascites Influences CEA Uptake by Macrophages *Carol Ann Toth, Glenn Steele, Jr., and Peter Thomas* 633

Human Urate Oxidase Gene: Cloning and Partial Sequence Analysis Reveal a Stop Codon within the Fifth Exon *Anjana V. Yeldandi, Xuedong Wang, Keith Alvares, Sujata Kumar, M. Sambasiva Rao, and Janardan K. Reddy* 641

Transforming Growth Factor-β (TGF-β) Inhibits Albumin Synthesis in Normal Human Hepatocytes and in Hepatoma HepG2 Cells *Nathalie Busso, Christophe Chesne, François Delers, Fabrice Morel, and André Guillouzo* 647

Isolation of an Enzyme Catalyzing Nitrosamine Formation in *Pseudomonas aeruginosa* and *Neisseria mucosae* *S. Calmels, N. Dalla Venezia, and H. Bartsch* 655

Primary Structure of Vitamin K-Dependent Human Protein Z *Hiroshi Sejima, Tatsuya Hayashi, Yoshihiro Deyashiki, Junji Nishioka, and Koji Suzuki* 661

Phosphoramidon, a Metalloproteinase Inhibitor, Suppresses the Secretion of Endothelin-1 from Cultured Endothelial Cells by Inhibiting a Big Endothelin-1 Converting Enzyme *Ruriko Ikegawa, Yasuo Matsumura, Yaeko Tsukahara, Masanori Takaoka, and Shiro Morimoto* 669

cDNA Cloning and Sequencing of Component C8 of Proteasomes from Rat Hepatoma Cells *Keiji Tanaka, Hiroomi Kanayama, Tomohiro Tamura, Do Hee Lee, Atsushi Kumatori, Tsutomu Fujiwara, Akira Ichihara, Fuminori Tokunaga, Rie Aruga, and Sadaaki Iwanaga* 676

Chemo-Enzymatic Synthesis of Optically Pure *l*-Leucovorin, an Augmentor of 5-Fluorouracil Cytotoxicity against Cancer *Takayuki Uwajima, Takashi Oshiro, Tamotsu Eguchi, Yukihiro Kuge, Akira Horiguchi, Akiko Igarashi, Kenichi Mochida, and Masanori Iwakura* 684

Basic Fibroblast Growth Factor in Alzheimer's Disease
Edward G. Stopa, Ana-Maria Gonzalez, Regina Chorsky, Robert J. Corona, Jaime Alvarez, Edward D. Bird, and Andrew Baird 690

Molecular Cloning of Androgen Receptors from Divergent Species with a Polymerase Chain Reaction Technique: Complete cDNA Sequence of the Mouse Androgen Receptor and Isolation of Androgen Receptor cDNA Probes from Dog, Guinea Pig, and Clawed Frog
Wei Wu He, Leslie M. Fischer, Siquan Sun, David L. Bilhartz, Xiaoping Zhu, Charles Y-F. Young, Darcy B. Kelley, and Donald J. Tindall 697

Several Mammalian Ubiquitin Carrier Proteins, but Not $E2_{20K}$, Are Related to the 20-kDa Yeast E2, RAD6 *Erica S. Berleth and Cecile M. Pickart* 705

A Comparison between the Binding Modes of a Substrate and Inhibitor to Papain as Observed in Complex Crystal Structures
Daisuke Yamamoto, Toshimasa Ishida, and Masatoshi Inoue 711

HRF20, a Membrane Inhibitor of Complement Attack, Does Not Protect Cells from the Cytotoxic Reaction by Lymphokine-Activated Killer Cells
Hidechika Okada, Noriko Okada, and Teru Hideshima 717

Expression of Proenkephalin A mRNA and Enkephalin-Containing Peptides in Cultured Fibroblasts *H. Rosen, R. D. Polakiewicz, and R. Simantov* 722

Presence and Function of Chondroitin-4-Sulfate on Recombinant Human Soluble Thrombomodulin *Katsuhiko Nawa, Katsu-ichi Sakano, Hiroyuki Fujiwara, Yoshinari Sato, Norifumi Sugiyama, Toshiyuki Teruuchi, Masahiro Iwamoto, and Yasumasa Marumoto* 729

Elevation of cAMP, but not cGMP, Inhibits Thrombin-Stimulated Tyrosine Phosphorylation in Human Platelets
Kevin M. Pumiglia, Chi-Kuang Huang, and Maurice B. Feinstein 738

Disulfide Isoforms of Recombinant Glia Maturation Factor β
Asgar Zaheer and Ramon Lim 746

Addition of Serum to Electroporated Cells Enhances Survival and Transfection Efficiency *Alfred B. Bahnson and Sallie S. Boggs* 752

A Rat Brain Cytosolic *N*-Methyltransferase(s) Activity Converting Phosphorylethanolamine into Phosphorylcholine
Christian Andriamampandry, Raphael Massarelli, Louis Freysz, and Julian N. Kanfer 758

5-Series Peptido-Leukotriene Synthesis in Mouse Peritoneal Macrophages: Modulation by Dietary n-3 Fatty Acids
Robert S. Chapkin, Neil E. Hubbard, and Kent L. Erickson 764

Coupling of Adenosine A_1 Receptors to a G-Protein in Coated Vesicles Isolated from Bovine Brain: Presence of Pertussis- and Cholera-Toxin Substrates
Manuel Ros, Gloria Gonzalez-Calero, Mairena Martín, and Ana Cubero 770

Mode of Action and Substrate Specificity of a Purified Exo-1,4-β-D-Glucosidase Cloned from the Cellulolytic Bacterium *Ruminococcus albus* AR67
Cheryl E. Ware, Anil H. Lachke, and Keith Gregg 777

Retroviral-Mediated Gene Transfer of the Leukocyte Integrin CD18 Subunit
Anthony L. Back, William W. Kwok, Mohammed Adam, Steven J. Collins, and Dennis D. Hickstein 787

Isolation and Functional Expression of the Human Atrial Natriuretic Peptide Clearance Receptor cDNA *J. Gordon Porter, Ann Arfsten, Forrest Fuller, Judith A. Miller, Lisa C. Gregory, and John A. Lewicki* 796

Isoprenylation of the Low Molecular Mass GTP-Binding Proteins *RAC* 1 and *RAC* 2: Possible Role in Membrane Localization *John R. Didsbury, Ronald J. Uhing, and Ralph Snyderman* 804

Two Angiotensin II Binding Sites in Rat Brain Revealed Using [^{125}I]Sar^1, Ile^8-Angiotensin II, and Selective Nonpeptide Antagonists *Raymond S. L. Chang, Victor J. Lotti, Tsing B. Chen, and Kristie A. Faust* 813

Amino Acid Sequence of a Peptide with Both Molt-Inhibiting and Hyperglycemic Activities in the Lobster, *Homarus americanus* *Ernest S. Chang, Glenn D. Prestwich, and Marilyn J. Bruce* 818

12-*O*-Tetradecanoylphorbol 13-Acetate Potentiates the Action of cAMP in Inducing DNA Cleavage in Thymocytes *Kazuko Suzuki, Harutoshi Kizaki, Takushi Tadakuma, and Yuzuru Ishimura* 827

Convulsants Induce Interleukin-1β Messenger RNA in Rat Brain *Masabumi Minami, Yasushi Kuraishi, Takashi Yamaguchi, Satoru Nakai, Yoshikatsu Hirai, and Masamichi Satoh* 832

Molecular Identification of Receptor for Pituitary Adenylate Cyclase Activating Polypeptide *Tetsuya Ohtaki, Takuya Watanabe, Yoshihiro Ishibashi, Chieko Kitada, Masao Tsuda, Paul E. Gottschall, Akira Arimura, and Masahiko Fujino* 838

Activation of Rat Glutathione Transferases in Class Mu by Active Oxygen Species *Tetsuo Murata, Ichiro Hatayama, Kimihiko Satoh, Shigeki Tsuchida, and Kiyomi Sato* 845

Elevated Gelsolin and and α-Actin Expression in a Flat Revertant R1 of Ha-*ras* Oncogene-Transformed NIH/3T3 Cells *Leonhard Müllauer, Hisakazu Fujita, Hiroaki Suzuki, Motoo Katabami, Yoshiaki Hitomi, Yoshifumi Ogiso, and Noboru Kuzumaki* 852

Sialic Acid-Dependent Cell Adhesion to Collagen IV Correlates with *in Vivo* Tumorigenicity of the Human Colon Carcinoma Sublines HCT116, HCT116a, and HCT116b *J. Morgenthaler, W. Kemmner, and R. Brossmer* 860

In Vitro and *in Vivo* Effects of Protein Phosphatase Inhibitors, Microcystins and Nodularin, on Mouse Skin and Fibroblasts *Rie Matsushima, Shigeru Yoshizawa, Mariyo F. Watanabe, Ken-ichi Harada, Mitsuru Furusawa, Wayne W. Carmichael, and Hirota Fujiki* 867

Characterization of Binding Sites for [^{3}H]DTG, a Selective σ Receptor Ligand, in the Sheep Pineal Gland *Pedro Abreu and David Sugden* 875

Antibody-Induced Activation of the Epidermal Growth Factor Receptor Tyrosine Kinase Requires the Presence of Detergent *Marcel Spaargaren, Libert H. K. Defize, Siegfried W. de Laat, and Johannes Boonstra* 882

Transforming Growth Factor-β Bound to Soluble Derivatives of the β Amyloid Precursor Protein of Alzheimer's Disease
Stefan Bodmer, Marcia Berman Podlisny, Dennis J. Selkoe, Irma Heid, and Adriano Fontana 890

Role of Protein Kinase C in the Regulation of Glucagon Gene Expression by Arginine *Eiji Yamato, Hiroshi Ikegami, Yasuhiro Tahara, Tepyon Cha, Hiroko Yoneda, Yoshihiko Noma, Kenji Shima, and Toshio Ogihara* 898

Protein Factor Obtained from Rat Adipose Tissue Specifically Permits the Proliferation of the 3T3-L1 and OB1771 Cell Lines
Naohito Aoki, Teruo Kawada, Taeko Umeyama, and Etsuro Sugimoto 905

Volume 171, Number 3, September 28, 1990

Expression of Functional Thrombin Receptors in *Xenopus* Oocytes Injected with Human Endothelial Cell mRNA
Eva Pipili-Synetos, Marvin C. Gershengorn, and Eric A. Jaffe 913

Purification of a Stilbene-Sensitive Chloride Channel and Reconstitution of Chloride Conductivity into Phospholipid Vesicles
Harry C. Blair and Paul H. Schlesinger 920

The 108-kDa Peptidylglycine α-Amidating Monooxygenase Precursor Contains Two Separable Enzymatic Activities Involved in Peptide Amidation
Susan N. Perkins, E. Jean Husten, and Betty A. Eipper 926

Modulation of Smooth Muscle Calponin by Protein Kinase C and Calmodulin
Michiko Naka, Yasuko Kureishi, Yohko Muroga, Katsuhito Takahashi, Masaaki Ito, and Toshio Tanaka 933

Antagonistic Effect of Human α-CGRP [8-37] on the *in Vivo* Regional Hemodynamic Actions of Human α-CGRP
S. M. Gardiner, A. M. Compton, P. A. Kemp, T. Bennett, C. Bose, R. Foulkes, and B. Hughes 938

Receptor-Mediated Action of Hepoxilin A_3 Releases Diacylglycerol and Arachidonic Acid from Human Neutrophils
Santosh Nigam, Sim Nodes, Gunter Cichon, Elias J. Corey, and Cecil R. Pace-Asciak 944

Endothelin/Sarafotoxin Receptor-Induced Phosphoinositide Turnover: Effects of Pertussis and Cholera Toxins and of Phorbol Ester
Ronit Galron, Avner Bdolah, Yoel Kloog, and Mordechai Sokolovsky 949

Evidence for Protein Kinase C-Independent Activation of Phospholipase D by Phorbol Esters in Lymphocytes
Yu-Zhang Cao, C. Channa Reddy, and Andrea M. Mastro 955

High-Level Production of Human Acidic Fibroblast Growth Factor in *Escherichia coli* Cells: Inhibition of DNA Synthesis in Rat Mammary Fibroblasts at High Concentrations of Growth Factor
Youqiang Ke, David G. Fernig, John A. Smith, Mark C. Wilkinson, Shanez Y. Anandappa, Philip S. Rudland, and Roger Barraclough 963

Estradiol Increases the Secretion by MCF7 Cells of Several Lysosomal Proenzymes *F. Capony, C. Rougeot, V. Cavailles, and H. Rochefort* 972

Activation of Latent Human Neutrophil Collagenase by Reactive Oxygen Species and Serine Proteases *Herkko Saari, Kimmo Suomalainen, Otso Lindy, Yrjö T. Konttinen, and Timo Sorsa* 979

Isolation and Sequencing of Mouse Angiogenin DNA *Michael D. Bond and Bert L. Vallee* 988

Tyrosinate Fluorescence Lifetimes for Oxytocin and Vasopressin in Receptor-Simulating Environments: Relationship to Biological Activity and ^{1}H NMR Data *Raymond J. Turner, John M. Matsoukas, and Graham J. Moore* 996

Human Immunodeficiency Virus I-Induced Expression of P-Glycoprotein *Sastry Gollapudi and Sudhir Gupta* 1002

Formation of the Lignan, (-)Secoisolariciresinol, by Cell Free Extracts of *Forsythia intermedia* *Toshiaki Umezawa, Laurence B. Davin, and Norman G. Lewis* 1008

Glycosylation of the Amyloid Peptide Precursor Containing the Kunitz Protease Inhibitor Domain Improves the Inhibition of Trypsin *Edmond Godfroid and Jean-Noël Octave* 1015

Ca^{2+} Channel Blockers Inhibit Secretory Cl^- Channels in Intestinal Epithelial Cells *Guy Champigny, Bernard Verrier, and Michel Lazdunski* 1022

Electroporation of Rat Pituitary (GH) Cell Lines—Optimal Parameters and Effects on Endogenous Hormone Production *Ruth H. Paulssen, Eyvind J. Paulssen, Peter Aleström, and Kaare M. Gautvik* 1029

Relationship between Poly(ADP-ribose) Polymerase Activity and DNA Synthesis in Cultured Hepatocytes *C. F. Cesarone, L. Scarabelli, P. Giannoni, G. Gallo, and M. Orunesu* 1037

Stable Expression of the Human TSH Receptor in CHO Cells and Characterization of Differentially Expressing Clones *Jason Perret, Marian Ludgate, Frédérick Libert, Catherine Gerard, Jacques E. Dumont, Gilbert Vassart, and Marc Parmentier* 1044

The Ca-MOv18 Molecule, a Cell-Surface Marker of Human Ovarian Carcinomas, Is Anchored to the Cell Membrane by Phosphatidylinositol *Saverio Alberti, Silvia Miotti, Mara Fornaro, Liliana Mantovani, Sabine Walter, Silvana Canevari, Sylvie Menard, and Maria Ines Colnaghi* 1051

1,25-$(OH)_2D_3$ and Calcipotriol (MC903) Have Similar Effects on the Induction of Osteoclast-like Cell Formation in Human Bone Marrow Cultures *M. Thavarajah, D. B. Evans, L. Binderup, and J. A. Kanis* 1056

Effects of Sequence-Selective Drugs on the Gel Mobility of a Bent DNA Fragment *Benjamin M. G. Cons and Keith R. Fox* 1064

Protein Kinase C Subspecies in Estrogen Receptor-Positive and -Negative Human Breast Cancer Cell Lines *Eric Bignon, Kouji Ogita, Akira Kishimoto, and Yasutomi Nishizuka* 1071

cDNA Cloning and Sequencing for the Import Precursor of Coupling Factor 6 in H^+-ATP Synthase from Rat Liver Mitochondria
T. Higuti, F. Osaka, Y. Yoshihara, C. Tsurumi, Y. Kawamura, I. Tani, H. Toda, T. Kakuno, F. Sakiyama, K. Tanaka, and A. Ichihara 1079

The Effect of New Potent Selective Inhibitors of Protein Kinase C on the Neutrophil Respiratory Burst *B. Twomey, R. E. Muid, J. S. Nixon, A. D. Sedgwick, S. E. Wilkinson, and M. M. Dale* 1087

Possible Contribution of Protein Kinase C Activation to Priming for DNA Synthesis Induced by Epidermal Growth Factor with Insulin and Its Inhibition by Plasma Membrane in Primary Cultured Rat Hepatocytes
Keiichi Hirata and Kenji Fujiwara 1093

Effects of Metoclopramide on Rat Spleen Lymphocyte Proliferation
G. Zerek-Melen, K. Winczyk, J. Kunert-Radek, and M. Pawlikowski 1099

Parathyroid Hormone Fragment [3–34] Stimulates Protein Kinase C (PKC) Activity in Rat Osteosarcoma and Murine T-Lymphoma Cells
Balu R. Chakravarthy, Jon P. Durkin, Raymond H. Rixon, and James F. Whitfield 1105

Predicted Structure of Rabbit N-Terminal, Calcitonin, and Katacalcin Peptides
K. Martial, S. Minvielle, A. Jullienne, N. Segond, G. Milhaud, and F. Lasmoles 1111

Tauroursodeoxycholic Acid Inhibits the Cytosolic Ca^{2+} Increase in Human Neutrophils Stimulated by Formyl-Methionyl-Leucyl-Phenylalanine
U. Beuers, M. Thiel, H. Bardenheuer, and G. Paumgartner 1115

Modulation of Hepatic Lipocyte Proteoglycan Synthesis and Proliferation by Kupffer Cell-Derived Transforming Growth Factors Type β1 and Type α
Dieter H. Meyer, Max G. Bachem, and Axel M. Gressner 1122

Translation of Hepatitis B Virus DNA Polymerase from the Internal AUG Codon, Not from the Upstream AUG Codon for the Core Protein
Shoko Kawamoto, Shuji Yamamoto, Keiji Ueda, Takemitsu Nagahata, Osamu Chisaka, and Kenichi Matsubara 1130

Regulation of Ion Uptake in Membrane Vesicles from Rat Brain by Thiamine Compounds *Lucien Bettendorff, Pierre Wins, and Ernest Schoffeniels* 1137

Sequence Analysis of the Promoter Region of the Glioblastoma-Derived T-Cell-Suppressor Factor/Transforming Growth Factor (TGF)-β2 Gene Reveals Striking Differences to the TGF-β1 and -β3 Genes
Ursula Malipiero, Michael Höller, Ursula Werner, and Adriano Fontana 1145

A Synthetic Peptide Corresponding to Residues 137 to 157 of $p60^{v\text{-}src}$ Inhibits Tyrosine-Specific Protein Kinases
Ken-ichi Sato, Shigehisa Miki, Hideki Tachibana, Fumio Hayashi, Tetsu Akiyama, and Yasuo Fukami 1152

A Molecular Model for the Eyzme Cytochrome $P450_{17\alpha}$, a Major Target for the Chemotherapy of Prostatic Cancer *C. A. Laughton, S. Neidle, M. J. J. M. Zvelebil, and M. J. E. Sternberg* 1160

Primary Structure and Expression of a Nuclear-Coded Subunit of Complex I Homologous to Proteins Specified by the Chloroplast Genome
Arnaldo Videira, Maximilian Tropschug, and Sigurd Werner 1168

Penicillin Binding Proteins of *Vibrio cholerae*
Tapas K. Sengupta, Anadi N. Chatterjee, and Jyotirmoy Das 1175

Inhibition of Myosin Light Chain Phosphorylation in Cultured Smooth Muscle Cells by HA1077, a New Type of Vasodilator
Yasuo Sasaki and Yasuharu Sasaki 1182

Activation of G_{D3} Synthase by Sex Steroid Hormones in Cultured Rat Hepatocytes
Marko Mesarić and Karl Decker 1188

Conversion of Big Endothelin-1 by Membrane-Bound Metalloendopeptidase in Cultured Bovine Endothelial Cells *Kenji Okada, Yumiko Miyazaki, Junji Takada, Kenji Matsuyama, Tokuo Yamaki, and Mitsuo Yano* 1192

Stimulatory Actions of Bioflavonoids on Tyrosine Uptake into Cultured Bovine Adrenal Chromaffin Cells *Kyoji Morita, Shuichi Hamano, Motoo Oka, and Kazuhiko Teraoka* 1199

An Endogenous Ca^{2+} Channel Agonist, Endothelin-1, Does Not Directly Activate Partially Purified Dihydropyridine-Sensitive Ca^{2+} Channel from Cardiac Muscle in a Reconstituted System
Toshihiko Naitoh, Teruhiko Toyo-Oka, and Tsuneaki Sugimoto 1205

Theoretical Variation of the H_α Chemical Shift in Acetyl-glycyl-*N*-methylamide and Oligoglycines with Molecular Conformation and Environment
Nohad Gresh and C. Giessner-Prettre 1211

Direct Interactions between Talin and Actin
Michio Muguruma, Sueo Matsumura, and Toshiyuki Fukazawa 1217

Catalase HPI Influences Membrane Permeability in *Escherichia coli* following Near-UV Stress *Sara Levén, Amy Heimberger, and Abraham Eisenstark* 1224

Involvement of Pertussis Toxin-Sensitive GTP-Binding Protein in Prostaglandin $F_{2\alpha}$-Induced Phosphoinositide Hydrolysis in Osteoblast-like Cells
Masaichi Miwa, Haruhiko Tokuda, Kazuyo Tsushita, Jun Kotoyori, Yoshiyuki Takahashi, Nobuaki Ozaki, Osamu Kozawa, and Yutaka Oiso 1229

Neuron-Specific Protein F1/GAP-43 Shows Substrate Specificity for the β Subtype of Protein Kinase C *Fwu-Shan Sheu, Richard M. Marais, Peter J. Parker, Nicolas G. Bazan, and Aryeh Routtenberg* 1236

Monoclonal Antibody αIR-3 Inhibits the Ability of Insulin-like Growth Factor II to Stimulate a Signal from the Type I Receptor without Inhibiting Its Binding
George Steele-Perkins and Richard A. Roth 1244

The Monoclonal Antibody AG-1, a Potent Stimulator of Human Platelets, Interacts with a Low Molecular Weight GTP-Binding Protein
Michael H. Kroll, Rebecca E. Claure, and Jonathan L. Miller 1252

The $\alpha_1\beta_1$ Heterodimer of ATP Synthase *Shigeo Ohta, Mitsuo Harada, Yuji Ito, Yoko Kobayashi, Naomi Sone, and Yasuo Kagawa* 1258

Induction of Angiogenesis in Chick Yolk-Sac Membrane by Polyamines and Its Inhibition by Tissue Inhibitors of Metalloproteinases (TIMP and TIMP-2)
Masaharu Takigawa, Yukimitsu Nishida, Fujio Suzuki, Jun-ichi Kishi, Kyoko Yamashita, and Taro Hayakawa 1264

The Mast Cell as an Effector of Connective Tissue Degradation: A Study of Matrix Susceptibility to Human Mast Cells
B. L. Gruber and L. B. Schwartz 1272

Binding of Human Sex Hormone-Binding Globulin-Androgen Complexes to the Placental Syncytiotrophoblast Membrane
Natalja I. Krupenko, George V. Avvakumov, and Oleg A. Strel'chyonok 1279

A Novel Peptide from Amyloid P Component Supports Cell Attachment
Subhash Dhawan, Raymond L. Fields, and Frank A. Robey 1284

Characterization of Endothelin Converting Enzyme in Rat Lung
Jinshyun R. Wu-Wong, Gerald P. Budzik, Edward M. Devine, and Terry J. Opgenorth 1291

Inhibitors of IMP Dehydrogenase Stimulate the Phosphorylation of the Antiviral Nucleoside 2′,3′-Dideoxyguanosine
Gurpreet Ahluwalia, David A. Cooney, Laureano L. Bondoc, Jr., Michael J. Currens, Harry Ford, David G. Johns, Hiroaki Mitsuya, and Arnold Fridland 1297

The Complete Nucleotide Sequence of the Gene Coding for Botulinum Type C_1 Toxin in the c-st Phage Genome
K. Kimura, N. Fujii, K. Tsuzuki, T. Murakami, T. Indoh, N. Yokosawa, K. Takeshi, B. Syuto, and K. Oguma 1304

Allosteric Control of Quaternary States in *Escherichia coli* Aspartate Transcarbamylase *Raymond C. Stevens and William N. Lipscomb* 1312

Sequence Similarities between Tryptophan Synthase β Subunit and Other Pyridoxal-Phosphate-Dependent Enzymes
Peer Bork and Klaus Rohde 1319

Tissue-Plasminogen Activator Stimulates Endothelial Cell Migration in Wound Assays *A. L. Inyang and G. Tobelem* 1326

Isolation and Characterization of a Distantly Related Member of the β−γ Crystallin Super Gene Family from *Xenopus*
Barkur S. Shastry and Venkat N. Reddy 1333

The Structure and Expression of a Distantly Related Member of the β−γ Crystallin Super Gene Family from *Xenopus*
Barkur S. Shastry and V. N. Reddy 1338

Enhanced Leukotriene C_4 Synthase Activity in Thioglycollate-Elicited Peritoneal Macrophages *Masayoshi Abe, Naohiko Hara, Hisakazu Muranishi, Tougo Ikeda, Nobuhiko Nagata, and Nobuaki Shigematsu* 1344

Inactivation of Hepatocyte Protein Kinase C by Carbon Tetrachloride: Involvement of Drug's Metabolic Activation and Prooxidant Effect
M. A. Pronzato, C. Domenicotti, F. Biasi, E. Chiarpotto, D. Cottalasso, P. Viotti, E. Melloni, U. M. Marinari, and G. Poli 1353

Shaker K^+ Channel Subunits Form Heteromultimeric Channels with Novel Functional Properties *K. McCormack, J. W. Lin, L. E. Iverson, and B. Rudy* 1361

Iron Inhibits D-1 Dopamine Receptor Coupled Adenylate Cyclase via G-Proteins in the Caudate Nucleus of the Rat *Andreas Moser and Oliver Schuster* 1372

Stimulation of Mn-Superoxide Dismutase Expression by Tumor Necrosis Factor-α: Quantitative Determination of Mn-SOD Protein Levels in the TNF-Resistant and Sensitive Cells by Elisa
Tetsuo Kawaguchi, Akira Takeyasu, Keiji Matsunobu, Taizo Uda, Minoru Ishizawa, Keiichiro Suzuki, Tetsuo Nishiura, Mutsuo Ishikawa, and Naoyuki Taniguchi 1378

Polyethylene Glycol Modification of the Monoclonal Antibody A7 Enhances Its Tumor Localization
Kazuya Kitamura, Toshio Takahashi, Ken-ichiro Takashina, Toshiharu Yamaguchi, Akinori Noguchi, Hiroshi Tsurumi, Tatsushi Toyokuni, and Sen-itiroh Hakomori 1387

Changes in the Coding Sequence of the H-$2D^k$ Gene of Metastatic Cells That Might Account for Immunogenic Abnormality of Its Encoded Antigen
Mordechai Aboud, Myriam Askenazi-Rydel, Iris Har-Vardi, Yacob Weinstein, Jacob Gopas, and Shraga Segal 1395

Altered Methylation of Versican Proteoglycan Gene in Human Colon Carcinoma
Roza Adany and Renato V. Iozzo 1402

ERRATUM

Volume 170, Number 2, July 31, 1990: E. A. Kitas, F. Meggio, R. M. Valerio, J. W. Perich, R. B. Johns, and L. A. Pinna, "Phosphorylation of *src*-Phosphopeptides by Casein Kinases-1 and -2: Favourable Effect of Phosphotyrosine," pp. 635–642 1414

Author Index for Volume 171 1415

Volume 172, Number 1, October 15, 1990

Decreased Heat Shock Response upon Adipose Differentiation of 3T3-L1 Cells
Alice Y.-C. Liu, Hueng-Sik Choi, and Myong Suk Bae-Lee 1

Diacylglycerol and Phosphatidate Production and the Exocytosis of the Sperm Acrosome *E. R. S. Roldan and R. A. P. Harrison* 8

N-Glycosylated and Unglycosylated Forms of Caprine Trophoblast Protein-1 Are Secreted by Preimplantation Goat Conceptuses
George A. Baumbach, Robert T. Duby, and James D. Godkin 16

Solubilization and Partial Purification of $GABA_B$ Receptor from Bovine Brain
Yoshiyuki Ohmori and Kinya Kuriyama 22

Estrous Cycle-Dependent Regulation of Peptidylarginine Deiminase Transcripts in Female Rat Pituitary *Kazutada Watanabe, Kiyoko Hikichi, Saburo Nagata, and Tatsuo Senshu* 28

The Primary Structure of Rat Ribosomal Protein L12
Katsuyuki Suzuki, Joe Olvera, and Ira G. Wool 35

Four Disulfide Bonds' Allocation of Na^+, K^+-ATPase Inhibitor (SPAI)
K. Araki, M. Kuwada, O. Ito, J. Kuroki, and S. Tachibana 42

Changes in Intracellular Calcium of Porcine Sperm during *in Vitro* Incubation with Seminal Plasma and a Capacitating Medium
R. Zhou, B. Shi, K. C. K. Chou, M. D. Oswalt, and A. Haug 47

Insulin-like Growth Factor 1 Supports Embryonic Nerve Cell Survival
Dragana Svrzic and David Schubert 54

Overexpression of the *CDC25* Gene, an Upstream Element of the RAS/Adenylyl Cyclase Pathway in *Saccharomyces cerevisiae*, Allows Immunological Identification and Characterization of Its Gene Product
Marco Vanoni, Monica Vavassori, Gianni Frascotti, Enzo Martegani, and Lilia Alberghina 61

Extracellular Depolymerization of Hyaluronic Acid in Cultured Human Skin Fibroblasts *Toshiya Nakamura, Keiichi Takagaki, Kohmei Kubo, Akiko Morikawa, Shinri Tamura, and Masahiko Endo* 70

A Role of Lysophosphatidyl Choline in GM3-Dependent Inhibition of Epidermal Growth Factor Receptor Autophosphorylation in A431 Plasma Membranes
Yasuyuki Igarashi, Kazuya Kitamura, Qinghong Zhou, and Sen-itiroh Hakomori 77

The Strong Hepatocarcinogenicity of the Electrophilic and Mutagenic Metabolite 6-Sulfooxymethylbenzo[*a*]pyrene and Its Formation of Benzylic DNA Adducts in the Livers of Infant Male B6C3F$_1$ Mice
Young-Joon Surh, Amy Liem, Elizabeth C. Miller, and James A. Miller 85

Protein Oxidation and Myelinolysis Occur in Brain following Rapid Correction of Hyponatremia *Hubert S. Mickel, Cynthia N. Oliver, and Pamela E. Starke-Reed* 92

Oxidative C4-Demethylation of 24-Methylene Cycloartanol by a Cyanide-Sensitive Enzymatic System from Higher Plant Microsomes
Sophie Pascal, Maryse Taton, and Alain Rahier 98

Effect of Heparin on the Binding Affinity of Acidic FGF for the Cloned Human FGF Receptors, flg and bek *June M. Kaplow, Françoise Bellot, Gregg Crumley, Craig A. Dionne, and Michael Jaye* 107

Plasma Lipoproteins Mediate Platelet Adhesion
M. A. Kowalska, G. P. Tuszynski, and D. M. Capuzzi 113

Heat-Induced Preferential Synthesis and Redistribution of HSP 70 and 28 Families in Chinese Hamster Ovary Cells
Yong J. Lee, LindaLi Curetty, and Peter M. Corry 119

Receptor Kinetics Differ for Endothelin-1 and Endothelin-2 Binding to Swiss 3T3 Fibroblasts *Pierre Devesly, Penny E. Phillips, Anthony Johns, Gabor Rubanyi, and Lynne H. Parker-Botelho* 126

Expression of Constitutive and Inducible HSP70 and HSP47 Is Enhanced in Cells Persistently Spread on OPN or Collagen
John J. Sauk, Craig L. Van Kampen, Kathleen Norris, Ruth Foster, and Martha J. Somerman 135

L-Glutamine Inhibits the Release of Endothelium-Derived Relaxing Factor from the Rabbit Aorta *Tomasz A. Swierkosz, Jane A. Mitchell, William C. Sessa, Markus Hecker, and John R. Vane* 143

Antiretroviral Activity of Synthetic Hypericin and Related Analogs
George A. Kraus, Dan Pratt, John Tossberg, and Susan Carpenter 149

Human Colony Stimulating Factor-1 Receptor Activates the C-*raf*-1 Proto-Oncogene Kinase *Goutam Ghosh Choudhury, Victor L. Sylvia, Andrea Pfeifer, Ling-Mei Wang, Elizabeth Anne Smith, and Alan Y. Sakaguchi* 154

Chromosomal Assignment of the Human Homologue Encoding SGP-2
Kevin Slawin, Ihor S. Sawczuk, Carl A. Olsson, and Ralph Buttyan 160

Special Considerations in the Purification of the GM_3 Ganglioside-Forming Enzyme, CMP-Sialic Acid:Lactosylceramide α2-3 Sialyltransferase (SAT-1): Solubilization of SAT-1 with Lauryldimethylamine Oxide
L. J. Melkerson-Watson and C. C. Sweeley 165

Interaction between Corticosteroid Binding Globulin and Activated Leukocytes *in Vitro* *Geoffrey L. Hammand, Carolyn L. Smith, Caroline M. Underhill, and Vi T. T. Nguyen* 172

Endogenous Digitalis-like Factor as a Stimulator of Endothelin Secretion from Endothelial Cells
Kaoru Yamada, Atsuo Goto, Chen Hui, and Tsuneaki Sugimoto 178

Possible Role of Ca^{2+}-Independent Protein Kinase C Isozyme, nPKCε, in Thyrotropin-Releasing Hormone-Stimulated Signal Transduction: Differential Down-Regulation of nPKCε in GH_4C_1 Cells
Yoshiko Akita, Shigeo Ohno, Yukiko Yajima, and Koichi Suzuki 184

Phosphoserine in Peptide Substrates Can Specify Casein Kinase II Action
T. W. Hrubey and P. J. Roach 190

Two Enzymes Concerned in Peptide Hormone α-Amidation Are Synthesized from a Single mRNA *Ichiro Kato, Hideto Yonekura, Masahiro Tajima, Mitsuo Yanagi, Hiroshi Yamamoto, and Hiroshi Okamoto* 197

Thylakoid-Bound Chloroplast DNA from Spinach Is Enriched for Replication Forks *Alwyn G. C. Lindbeck and Raymond J. Rose* 204

Cloning and Sequencing of the Structural Gene for the Small Subunit of Methylamine Dehydrogenase from *Methylobacterium extorquens* AM1: Evidence for Two Tryptophan Residues Involved in the Active Center
Andrei Y. Christoserdov, Yuri D. Tsygankov, and Mary E. Lidstrom 211

Direct Visualization of Affected Collagen Molecules Synthesized by Cultured Fibroblasts from an Osteogenesis Imperfecta Patient
Kunihiko Kobayashi, Ryu-ichiro Hata, Shin-ya Nagai, Jun-ichi Niwa, and Takeshi Hoshino 217

Two Distinct Types of Fc Receptor for IgG on Guinea Pig Macrophages Activate the NADPH Oxidase through Different Signal-Transduction Pathways
Tomozumi Imamichi and Jiro Koyama 223

The Effect of myo-Inositol 1,4,5-Trisphosphorothioate on Cl^- Current Pattern and Intracellular Ca^{2+} in the *Xenopus laevis* Oocyte
James E. Ferguson, Barry Potter, and Richard Nuccitelli 229

Message Amplification Phenotyping of an Inherited δ-Aminolevulinate Dehydratase Deficiency in a Family with Acute Hepatic Porphyria
Nobuhiro Ishida, Hiroyoshi Fujita, Teruhisa Noguchi, Manfred Doss, Attallah Kappas, and Shigeru Sassa 237

Regulation by Induction of Branched-Chain 2-Oxo Acid Dehydrogenase Complex in Clofibrate-Fed Rat Liver *Kazuo Ono, Hiroshi Shioya, Masatoshi Hakozaki, Kazuyuki Honda, Tsutomu Mori, and Hideo Kochi* 243

Isolation of Three Types of G_i from Bovine Spleen
Rika Morishita, Tamio Kobayashi, Kanefusa Kato, and Tomiko Asano 249

Enhancement of GTP γ S-Binding Activity by cAMP-Dependent Phosphorylation of a Filamin-like 250-kDa Membrane Protein in Human Platelets
Yukihiro Yada, Yukio Okano, and Yoshinori Nazawa 256

Efflux of bis-Carboxyethyl-carboxyfluorescein (BCECF) by a Novel ATP-Dependent Transport Mechanism in Epithelial Cells
C. N. Allen, E. S. Harpur, T. J. B. Gray, N. L. Simmons, and B. H. Hirst 262

Galanin: Structural Requirements for Binding and Signal Transduction in RINm5F Insulinoma Cells
B. Gallwitz, W. E. Schmidt, R. Schwarzhoff, and W. Creutzfeldt 268

Somatostatin Pretreatment Facilitates GRF-Induced GH Release and Increase in Free Calcium in Pituitary Cells
Hideaki Soya, Mitsuo Suzuki, and Masakatsu Kato 276

Electropermeabilization of Cell Membranes: Effect of the Resting Membrane Potential *Ephrem Tekle, R. Dean Astumian, and P. Boon Chock* 282

Inhibition of Human Immunodeficiency Virus Type 1 Replication by Phosphonoformate Esters of 3′-Azido-3′-deoxythymidine
Andre Rosowsky, Jayanta Saha, Fatemeh Fazely, John Koch, and Ruth M. Ruprecht 288

The Nonosteogenic Mouse Pluripotent Cell Line, C3H10T1/2, Is Induced to Differentiate into Osteoblastic Cells by Recombinant Human Bone Morphogenetic Protein-2
Takenobu Katagiri, Akira Yamaguchi, Tohru Ikeda, Shusaku Yoshiki, John M. Wozney, Vicki Rosen, Elizabeth A. Wang, Haruo Tanaka, Satoshi Omura, and Tatsuo Suda 295

Novel Effect of Azide on Sodium Channel of *Xenopus* Oocytes
Hiroshi Ando 300

Increased Levels of c-fos and c-myc mRNA in ATP-Stimulated Endothelial Cells
O. Boutherin-Falson, S. Reuse, J. E. Dumont, and J. M. Boeynaems 306

Identification of Mammalian and Invertebrate Analogues of the Avian Calcium-Dependent Cell Adhesion Protein N-Cadherin with Synthetic-Peptide-Directed Antibodies against a Conserved Cytoplasmic Domain
Laura A. Lagunowich, Larry A. Donoso, and Gerald B. Grunwald 313

Isolation and Expression of cDNA for Different Forms of Hepatocyte Growth Factor from Human Leukocyte
Tatsuya Seki, Izumi Ihara, Atsushi Sugimura, Manabu Shimonishi, Tsutomu Nishizawa, Osamu Asami, Michio Hagiya, Toshikazu Nakamura, and Shin Shimizu 321

Regulation of Muscle Phosphofructokinase by Physiological Concentrations of Bisphosphorylated Hexoses: Effect of Alkalinization
Vicente Andrés, José Carreras, and Roser Cussó 328

Metabolic Correction of Fucosidosis Lymphoid Cells by Galaptin-α-L-Fucosidase Conjugates
Howard J. Allen, Hafiz Ahmed, and Richard A. DiCioccio 335

Release of T-Antigen, a Carcinoma Marker from Native Human Cells, by Endo-α-*N*-Acetylgalactosaminidase of *Alcaligenes* sp.
Jian-Qiang Fan, Kazushi Kanatani, Nobushi Andoh, Kenji Yamamoto, Hidehiko Kumagai, and Tatsurokuro Tochikura 341

The Interaction of a *c*-Jun/Fos-Related Protein Factor with the U3 Sequences of the Mouse Mammary Tumor Virus LTR
Habibur R. Siddique and Nurul H. Sarkar 348

An Active Site of Growth Hormone for Eliciting the Differentiation of Preadipose 3T3-F442A Cells to Adipose Cells
Eriko Uchida, Seitaro Shimokawa, Yoshitaka Nishida, Hisashi Takasu, Morio Ikehara, Seiichi Uesugi, Ken-ichi Tomita, Akira Tanaka, Minoru Morikawa, Takao Hayakawa, and Satoshi Nishikawa 357

Peroxisomal Disorders: Complementation Analysis Using β-Oxidation of Very Long Chain Fatty Acids
M. C. McGuinness, A. B. Moser, H. W. Moser, and P. A. Watkins 364

Volume 172, Number 2, October 30, 1990

The Difference in Murine CDC2 Kinase Activity between Cytoplasmic and Nuclear Fractions during the Cell Cycle
Hideyo Yasuda, Masayuki Kamijo, Reiko Honda, Miho Nagahara, and Yoshiki Ohba 371

Striking Similarity of the Distribution Patterns of the Poly(ADP-ribose) Polymerase and DNA Polymerase β among Various Mouse Organs
Tsutomu Ogura, Nobuko Takenouchi, Masamitsu Yamaguchi, Akio Matsukage, Takashi Sugimura, and Hiroyasu Esumi 377

Antioxidant Activity of 6-Phosphatidyl-L-ascorbic Acid
Akihiko Nagao and Junji Terao 385

Inhibition of Biological Actions of Big Endothelin-1 by Phosphoramidon
Takahiro Fukuroda, Kazuhito Noguchi, Sonoko Tsuchida, Masaru Nishikibe, Fumihiko Ikemoto, Kenji Okada, and Mitsuo Yano 390

Occurrence of Transketolase Abnormalities in Extracts of Foreskin Fibroblasts from Patients with Alzheimer's Disease
Francesco Paoletti, Alessandra Mocali, Marco Marchi, Sandro Sorbi, and Silvia Piacentini 396

Induction of an Altered DNA Conformation by an Inversion Rearrangement in the 5′-Flanking DNA of a U1 RNA Gene
Kenneth A. Roebuck and William E. Stumph 402

Protein Kinase C Activation Selectively Increases mRNA Levels for One of the Regulatory Subunits (RIα) of cAMP-Dependent Protein Kinases in HT-29 Cells
Kjetil Taskén, Dag Kvale, Vidar Hansson, and Tore Jahnsen 409

Synthesis of 3-(4-Azido-5-iodosalicylamido)-4-hydroxycoumarin: Photoaffinity Labeling of Rat Liver Dicoumarol-Sensitive NAD(P)H:Quinone Reductase
David G. Myszka and Richard P. Swenson 415

Sequential Mechanism of Atrial Natriuretic Peptide Secretion in Isolated Perfused Rabbit Atria
Kyung Woo Cho, Kyung Hwan Seul, Suhn Hee Kim, Gou Young Koh, Kyung Mee Seul, and Yun Ha Hwang 423

The Binding of ATP and AMP to *Escherichia coli* Adenylate Kinase Investigated by ^{1}H and ^{15}N NMR Spectroscopy *John Glushka, Octavian Bârzu, Robert S. Sarfati, Vinod K. Kansal, and David Cowburn* 432

Isolation and Characterization of a Unique Kidney Antigen of Relevance in Human Renal Disease *Reinhold Kittelberger and T. James Neale* 439

TPA Inhibits Insulin Stimulated PIP Hydrolysis in Fat Cell Membranes: Evidence for Modulation of Insulin Dependent Phospholipase C by Protein Kinase C *M. Kellerer, E. Seffer, J. Mushack, B. Obermaier-Kusser, and H. U. Häring* 446

Purification of the Pyocin S2 Complex from *Pseudomonas aeruginosa* PAO1: Analysis of DNase Activity *Younghoon Seo and D. R. Galloway* 455

Characterization and Behavior of 15-Lipoxygenase during Peanut Cotyledonary Senescence *T. Rajendra Prakash, P. M. Swamy, P. Suguna, and P. Reddanna* 462

Inhibition of TGFα Induced Second Messengers by Anti-EGF Receptor Antibody-425 *U. Murthy, D. J. Rieman, and U. Rodeck* 471

Removal of 12 C-Terminal Amino Acids from Firefly Luciferase Abolishes Activity *Graciela Sala-Newby, Noor Kalsheker, and Anthony K. Campbell* 477

Quantitative Determination of Deleted Mitochondrial DNA Relative to Normal DNA in Parkinsonian Striatum by a Kinetic PCR Analysis *Takayuki Ozawa, Masashi Tanaka, Shin-ichiro Ikebe, Kinji Ohno, Tomoyoshi Kondo, and Yoshikuni Mizuno* 483

Identification of Pristanoyl-CoA Oxidase Activity in Human Liver and Its Deficiency in the Zellweger Syndrome *R. J. A. Wanders, H. J. ten Brink, C. W. T. van Roermund, R. B. H. Schutgens, J. M. Tager, and C. Jakobs* 490

Autoantibodies Specific for the 20-kDa Ribosomal Large Subunit Protein L12 *Takehiro Sato, Toshio Uchiumi, Ryo Kominami, and Masaaki Arakawa* 496

Isolation of Anti-endothelin Receptor Monoclonal Antibodies for Use in Receptor Characterization *Motohiro Kondoh, Hitoshi Miyazaki, Hirotoshi Watanabe, Takeshi Shibata, Masashi Yanagisawa, Tomoh Masaki, and Kazuo Murakami* 503

A Structural Protein of Hepatitis C Virus Expressed in *Escherichia coli* Facilitates Accurate Detection of Hepatitis C Virus *Kanae Muraiso, Makoto Hijikata, Showgo Ohkoshi, Myung-Je Cho, Masayoshi Kikuchi, Nobuyuki Kato, and Kunitada Shimotohno* 511

An ATP, Calcium, and Voltage Sensitive Potassium Channel in Porcine Coronary Artery Smooth Muscle Cells *Shai D. Silberberg and Cornelis van Breemen* 517

Isolation of Three Allergenic Fractions of the Major Allergen from *Olea europea* Pollen and N-Terminal Amino Acid Sequence *Mayte Villalba, Carlos López-Otín, Elena Martín-Orozco, Rafael I. Monsalve, Pilar Palomino, Carlos Lahoz, and Rosalía Rodríguez* 523

Possible Binding Site of Thyrotropin Binding Inhibitor Immunoglobulin (TBII) on the Thyrotropin (TSH) Receptor, Which Is Different from TSH Binding Site *Thavatchai Piraphatdist, Hideo Sugawa, Daisuke Inoue, Tetsuya Enomoto, Toru Mori, and Hiroo Imura* 529

Sugar Modified Oligonucleotides. III (1). Synthesis, Nuclease Resistance, and Base Pairing Properties of α- and β-L-Octathymidylates *François Morvan, Corinne Génu, Bernard Rayner, Gilles Gosselin, and Jean-Louis Imbach* 537

Isolation and Characterization of a Metalloproteinase Secreted by Rat Glioma Cells in Serum-Free Culture *Garry J. Rucklidge, Morten Lund-Johansen, George Milne, and Rolf Bjerkvig* 544

Phosphorylation of Calcineurin: Effect on Calmodulin Binding *Mihail B. Calalb, Randall L. Kincaid, and Thomas R. Soderling* 551

Modulation of the Constitutive Gene Expression of the 55-kDa Tumor Necrosis Factor Receptor in Hematopoietic Cells *Lena Lindvall, Mikael Lantz, Urban Gullberg, and Inge Olsson* 557

Cultured Astrocytoma Cells Inhibit Platelet Aggregation by Releasing a Nitric Oxide-like Factor *Vincenzo Mollace, Daniela Salvemini, Erik Änggård, and John Vane* 564

Expression of the Murine Interleukin-5 Receptor on *Xenopus laevis* Oocytes *Rene Devos, Jan Tavernier, Geert Plaetinck, Jose Van der Heyden, Antonius Rolink, and Walter Fiers* 570

Solubilization of Endothelin Receptors from Bovine Lung Plasma Membranes in a Nonaggregated State and Estimation of Their Minimal Functional Sizes *Hiromi Hagiwara, Masamichi Kozuka, Satoru Eguchi, Sadami Shibabe, Teizo Ito, and Shigehisa Hirose* 576

Calcitonin Gene-Related Peptide Stimulates Adenylate Cyclase Activity in Trout Gill Cell Membranes *M. Fouchereau-Peron, Y. Arlot-Bonnemains, G. Milhaud, and M. S. Moukhtar* 582

Trehalose, the Insect Blood Sugar, Inhibits Loading of Diacylglycerol by Lipophorin from the Fat Body in Locusts *Pek Yee Lum and Haruo Chino* 588

Platelet Factor 4 Blocks the Binding of Basic Fibroblast Growth Factor to the Receptor and Inhibits the Spontaneous Migration of Vascular Endothelial Cells *Yasufumi Sato, Mayumi Abe, and Ryosaburo Takaki* 595

Superoxide Anion Radical Induces Lipid Phase Transitions That Mimic Temperature-Induced Phase-Transition Phenomenon of Membrane Lipids *Pradeep Kumar G., Neela Tillo, Malini Laloraya, Manish Nivsarkar, Saguna Verma, and Aparna Singh* 601

Purification of a Cytochrome P450 Isozyme Belonging to a Subfamily of P450 IIB from Liver Microsomes of Guinea Pigs *Shizuo Narimatsu, Yuko Akutsu, Tamihide Matsunaga, Kazuhito Watanabe, Ikuo Yamamoto, and Hidetoshi Yoshimura* 607

Activation of Soluble Guanylate Cyclase by Nitrovasodilators Is Inhibited by Oxidized Low-Density Lipoprotein *Kurt Schmidt, Wolfgang F. Graier, Gerhard M. Kostner, Bernd Mayer, and Walter R. Kukovetz* 614

Neutral Endopeptidase (EC 3.4.24.11) Is Highly Expressed on Osteoblastic Cells and Other Marrow Stromal Cell Types
Fred E. Indig, Daphna Benayahu, Adina Fried, Shlomo Wientroub, and Shmaryahu Blumberg 620

Gene and Precursor Structure of Porcine C-Type Natriuretic Peptide
Yasunori Tawaragi, Kayoko Fuchimura, Hiroshi Nakazato, Shoji Tanaka, Naoto Minamino, Kenji Kangawa, and Hisayuki Matsuo 627

Development-Dependent Expression of Low Molecular Weight GTP-Binding Proteins in Embryonic Chicken Brain *Fran-Josef Klinz* 633

Cell Adhesion Regulates Melanoma Specific Differentiation and Interactions with the 3′ Region of the Tyrosinase Gene
María I. Morasso, Mary S. Rieber, Francisco Gil, and Manuel Rieber 638

A T-to-A Substitution in the $E_1\alpha$ Subunit Gene of the Branched-Chain α-Ketoacid Dehydrogenase Complex in Two Cell Lines Derived from Menonite Maple Syrup Urine Disease Patients
Ichiro Matsuda, Yoshitaka Nobukuni, Hiroshi Mitsubuchi, Yasuhiro Indo, Fumio Endo, Junichiro Asaka, and Atsuko Harada 646

Application of a Thermally Reversible Polymer–Antibody Conjugate in a Novel Membrane-Based Immunoassay
Nobuo Monji, Carol-Ann Cole, Milton Tam, Lynn Goldstein, Robert C. Nowinski, and Allan S. Hoffman 652

Insulin-like Growth Factor-I Stimulates Endothelin-3 Secretion from Rat Anterior Pituitary Cells in Primary Culture
Hirokazu Matsumoto, Nobuhiro Suzuki, Kunio Shiota, Kinji Inoue, Masao Tsuda, and Masahiko Fujino 661

Glutathione *S*-Transferase in Yeast: Induction of mRNA, cDNA Cloning, and Expression in *Escherichia coli* *Hisanori Tamaki, Hidehiko Kumagai, and Tatsurokuro Tochikura* 669

Alterations in Insulin Receptor Kinase Activity during Differentiation of HL-60 Cells *Ilana Bushkin and Yehiel Zick* 676

Protein Kinase C and Platelet Inhibition by D-Erythrosphingosine: Comparison with *N,N*-Dimethylsphingosine and Commercial Preparation
Wasiuddin A. Khan, Rick Dobrowsky, Samia El Touny, and Yusuf A. Hannun 683

Specific Interaction of a Partially Purified *Xenopus* Transcription Factor IIIC (TFIIIC) with Frog tRNA Gene
Zheng G. Zhang and Barkur S. Shastry 692

Equivalent Molecular Mass of Cytosolic and Nuclear Forms of Ah Receptor from Hepa-1 Cells Determined by Photoaffinity Labeling with 2,3,7,8-[^{3}H]Tetrachlorodibenzo-*p*-dioxin
Rebecca D. Prokipcak and Allan B. Okey 698

Stabilizing Factor(s) of Nitric Oxide (NO) Synthetase
Kunihiko Kosuga, Yoshiki Yui, Ryuichi Hattori, Hirosi Eizawa, Kazuaki Hiki, and Chuichi Kawai 705

Solubilization of Receptor for Pituitary Adenylate Cyclase Activating Polypeptide from Bovine Brain *Yasushi Masuda, Tetsuya Ohtaki, Chieko Kitada, Masao Tsuda, Akira Arimura, and Masahiko Fujino* 709

Spermine-like Functions of N^1, N^{12}-Bis(ethyl)spermine: Stimulation of Protein Synthesis and Cell Growth and Inhibition of Gastric Ulceration *Kazuei Igarashi, Keiko Kashiwagi, Jun-ichi Fukuchi, Yoshihiko Isobe, Susumu Otomo, and Akira Shirahata* 715

Isolation and Identification of the Gene of Cholesterol Oxidase from *Brevibacterium sterolicum* ATCC 21387, a Widely Used Enzyme in Clinical Analysis *Kinya Fujishiro, Toshio Ota, Mamoru Hasegawa, Kazuo Yamaguchi, Toru Mizukami, and Takayuki Uwajima* 721

Recruitment of GLUT-4 Glucose Transporters by Insulin in Diabetic Rat Skeletal Muscle *A. Klip, T. Ramlal, P. J. Bilan, G. D. Cartee, E. A. Gulve, and J. O. Holloszy* 728

Constitutive and Inducible Expression of Human Cytochrome P450IA1 in Yeast *Saccharomyces cerevisiae:* An Alternative Enzyme Source for *in Vitro* Studies *Hans-Pietro Eugster, Christian Sengstag, Urs A. Meyer, Albert Hinnen, and Friedrich E. Würgler* 737

Endothelin-1 and U46619 Potentiate Selectively the Venous Responses to Nerve Stimulation within the Perfused Superior Mesenteric Vascular Bed of the Rat *Timothy D. Warner, Pedro D'Orleans-Juste, and John R. Vane* 745

A Combined Nondenaturing and Denaturing Gel Electrophoretic Analysis of the Subunit Composition of a Membrane Protein: The Skeletal Muscle L-Type Calcium Channel *Chan Fong Chang and M. Marlene Hosey* 751

Interaction of Insulin and Phorbol Esters on the Regulation of DNA Synthesis in Rat Hepatoma Cells *Joseph L. Messina and Jeffrey A. McCann* 759

Evidence for Increased Translational Efficiency in the Induction of P450IIE1 by Solvents: Analysis of P450IIE1 mRNA Polyribosomal Distribution *Sang Geon Kim, Stacey E. Shehin, J. Christopher States, and Raymond F. Novak* 767

Developmental Regulation of Insulin-like Growth Factor-II/Mannose 6-Phosphate Receptor mRNA in the Rat *Mercedes Ballesteros, Carolyn D. Scott, and Robert C. Baxter* 775

Angiotensin II Stimulates Phosphoinositide Turnover and Phosphorylase through AII-1 Receptors in Isolated Rat Hepatocytes *J. Adolfo García-Sáinz and Marina Macías-Silva* 780

Regulation of LH/HCG Receptor by Gonadotropins in Rat Ovary *Kazuto Nakamura, Takashi Minegishi, Yumi Takakura, Kaoru Miyamoto, Yoshihisa Hasegawa, Yoshito Ibuki, and Masao Igarashi* 786

Atrial Natriuretic Peptide Regulation of Endothelial Permeability Is Mediated by cGMP *Catherine E. Lofton, Walter H. Newman, and Mark G. Currie* 793

Amide H/D Exchange in the Thermal Transition of Bovine Pancreatic Ribonuclease A *S. Talluri and H. A. Scheraga* 800

Functional Interactions between Phage T4 and *Escherichia coli* DNA-Binding Proteins during the Presynapsis Phase of Homologous Recombination *Thomas Kodadek* 804

Inositol Trisphosphate and Thapsigargin Discriminate Endoplasmic Reticulum Stores of Calcium in Rat Brain *Ajay Verma, David J. Hirsch, Michael R. Hanley, Ole Thastrup, S. Brogger Christensen, and Solomon H. Snyder* 811

In Vitro Amplification by Polymerase Chain Reaction of a Partial Gene Encoding the Third Subtype of α-2 Adrenergic Receptor in Human
Alice Chien Chang, Tsing-Fen Ho, and Nan-Chi Chang 817

Expression of Dystrophin mRNA and the Protein in the Developing Rat Heart
Hikaru Tanaka and Eijiro Ozawa 824

High Concentrations of Guanidine Chloride Activate Lactate Dehydrogenase in Low Water Media *Georgina Garza-Ramos, Alberto Darszon, M. Tuena de Gómez-Puyou, and A. Gómez-Puyou* 830

Structural Differences among Guinea Pig $Fc_{\gamma1/\gamma2}$ Receptors on Macrophages, Polymorphonuclear Cells, and Lymphocytes
Atsuko Sakata, Mari Tominaga, Takafumi Ohmura, and Kaoru Onoue 835

Increased *mdr* Gene Expression and Decreased Drug Accumulation in a Human Colonic Cancer Cell Line Resistant to Hydrophobic Drugs
Chuck C.-K. Chao, C. M. Ma, P.-W. Cheng, and Sue Lin-Chao 842

Heparin-Binding Neurotrophic Factor (HBNF) and MK, Members of a New Family of Homologous, Developmentally Regulated Proteins
Imre Kovesdi, Jeanette L. Fairhurst, Peter J. Kretschmer, and Peter Böhlen 850

Identification of a Naturally Occurring Methyl Ester of Phosphate: Methylphosphorylcholine [Methyl-2-(*N,N,N*-trimethylamino)ethyl Phosphate], in the Eggs of the Sea Urchin *S. purpuratus*
Benjamin S. Szwergold, Francis Kappler, Leonard H. Cohen, Dipali Nanavati, and Truman R. Brown 855

Conformation of Proline Residues in Bacteriorhodopsin
Charles M. Deber, Barbara J. Sorrell, and Guang-Yi Xu 862

Active and Pro-plasminogen Activator on the Surface of Human Bladder Cancer Cells Derived from a High Grade Invasive Tumor
A. J. Grant, P. J. Russell, and D. Raghavan 870

Retinoic Acid Inhibits the Myristoylation of a Membrane Protein in HL-60 Cells
M. Almagor and J. Bar-Tana 877

Analysis of Big Endothelin-1 Digestion by Cathepsin D
Tatsuya Sawamura, Osamu Shinmi, Naoya Kishi, Yoshiki Sugita, Masashi Yanagisawa, Katsutoshi Goto, Tomoh Masaki, and Sadao Kimura 883

The Triterpene Celastrol as a Very Potent Inhibitor of Lipid Peroxidation in Mitochondria *Hironori Sassa, Yoshihisa Takaishi, and Hiroshi Terada* 890

Identification of a Novel Platelet-Derived Neutrophil-Chemotactic Polypeptide with Structural Homology to Platelet-Factor 4
Jens-M. Schröder, Michael Sticherling, Niek-L. M. Persoon, and Enno Christophers 898

Myristoylation of Heparan Sulfate Proteoglycan and Proteins Occurs Post-translationally in Human Colon Carcinoma Cells
Renato V. Iozzo and Nina Hacobian 905

Priming Effect of Hyperosmotic Stress on TRH-Induced Activation of Na^+/H^+ Exchange in GH_4C_1 Rat Pituitary Cells *Kid Törnquist and Pia Stewen* 913

Vanadate Promotes Photooxidative Cleavage and Inactivation of Muscle Phosphofructokinase *Marco Signorini and Carlo M. Bergamini* 919

Purification of *Trypanosoma cruzi* Surface Proteins Involved in Adhesion to Host Cells *Fernando Villalta, Maria F. Lima, and Lin Zhou* 925

High Concentration of Inositol 1,4,5-Trisphosphate in Sea Urchin Sperm *Kuni H. Iwasa, Gerald Ehrenstein, Louis J. DeFelice, and James T. Russell* 932

Effect of ATP Depletion and Phenanthroline on the Spermidine-Mediated Decay of Ornithine Decarboxylase in Erythroleukemia Cells *Flavio Flamigni, Sandra Marmiroli, Carlo Guarnieri, and Claudio M. Caldarera* 939

Transforming Growth Factor β Regulates Cystatin C in Serum-Free Mouse Embryo (SFME) Cells *Michele Solem, Cathleen Rawson, Katherine Lindburg, and David Barnes* 945

Interaction of Human Immunodeficiency Virus (HIV-1) Fusion Peptides with Artificial Lipid Membranes *V. A. Slepushkin, G. B. Melikyan, M. S. Sidorova, V. M. Chumakov, S. M. Andreev, R. A. Manulyan, and E. V. Karamov* 952

Casein Kinase II Activities Related to Hyper-phosphorylation of Human Papillomavirus Type 16-E7 Oncoprotein in Epidermal Keratinocytes *Takashi Hashida and Shigeru Yasumoto* 958

Volume 172, Number 3, November 15, 1990

Leukotriene A_4 Hydrolase: A Zinc Metalloenzyme *Jesper Z. Haeggström, Anders Wetterholm, Robert Shapiro, Bert L. Vallee, and Bengt Samuelsson* 965

Importance of Hydrophobic Residues in α-Human Atrial Natriuretic Peptide (α-hANP) for Vasorelaxant Activity *Yoshiharu Minamitake, Yasuo Kitajima, Mayumi Furuya, Maki Yoshida, and Shoji Tanaka* 971

Evidence for Coenzyme Q Function in Transplasma Membrane Electron Transport *I. L. Sun, E. E. Sun, F. L. Crane, and D. J. Morré* 979

Positional Specificity of a *Lupinus albus* Lipoxygenase in Relation to Enzyme Concentration and Effect of a Double Dioxygenation Product of Arachidonic Acid *Rivo Hery Andrianarison, Marie Tixier, and Jean Louis Beneytout* 985

Chelerythrine Is a Potent and Specific Inhibitor of Protein Kinase C *J. M. Herbert, J. M. Augereau, J. Gleye, and J. P. Maffrand* 993

Molecular Oxygen as Electron Acceptor in the NADH–Nitrate Reductase System *Peter Ruoff and Catherine Lillo* 1000

Identification of a Protein Kinase C Activating Factor from Murine Erythroleukemia Cells: Characterization of the Activation Kinetics *Bianca Sparatore, Mauro Patrone, Edon Melloni, and Sandro Pontremoli* 1006

Enzyme Induction in Recovering Dauer Larvae of the Nematode *Caenorhabditis elegans* in Response to Increasing Concentrations of Food Source in the Recovery Medium *Theresa J. Reape and Ann. M. Burnell* 1013

Effect of Tumor Necrosis Factor/Cachectin on the Activity of the Low Density Lipoprotein Receptor on Human Skin Fibroblasts *Kenji Harada, Hitoshi Shimano, Masanobu Kawakami, Shun Ishibashi, Takanari Gotoda, Natsuko Mori, Fumimaro Takaku, and Nobuhiro Yamada* 1022

A Point Mutation in *norA* Gene Is Responsible for Quinolone Resistance in *Staphylococcus aureus* *Yoshiro Ohshita, Keiichi Hiramatsu, and Takeshi Yokota* 1028

Interleukin-4 as a Potent Inhibitor of Bone Resorption *Kenichi Watanabe, Yoshiya Tanaka, Isao Morimoto, Katsuya Yahata, Kazuya Zeki, Takashi Fujihira, Uki Yamashita, and Sumiya Eto* 1035

Anti-inflammatory Glucocorticoids Inhibit the Induction by Endotoxin of Nitric Oxide Synthase in the Lung, Liver, and Aorta of the Rat *R. G. Knowles, M. Salter, S. L. Brooks, and S. Moncada* 1042

Cloning and Sequencing of Human LH/hCG Receptor cDNA *Takashi Minegish, Kazuto Nakamura, Yumi Takakura, Kaoru Miyamoto, Yoshihisa Hasegawa, Yoshito Ibuki, and Masao Igarashi* 1049

Hydrolytic Properties of the (Na^+ + K^+)-ATPase Isozymes for β-(2-furyl)acryloyl Phosphate, a Pseudosubstrate for the Sodium Pump *Jeffrey L. Brodsky and Guido Giudotti* 1055

7-Substituted Pterins: Formation during Phenylalanine Hydroxylation in the Absence of Dehydratase *Hans-Christoph Curtius, Carmen Adler, Igor Rebrin, Claus Heizmann, and Sandro Ghisla* 1060

Identification and Purification of Calpactins from Cardiac Muscle and Their Effect on Na^+/Ca^{2+} Exchange Activity *A. Sobota, F. Cusinato, and S. Luciani* 1067

Cautionary Note for DMPO Spin Trapping in the Presence of Iron Ion *Keisuke Makino, Takuya Hagiwara, Akifumi Hagi, Masatoshi Nishi, and Akira Murakami* 1073

Role of Protein Kinase C in the Inhibition by Fibroblast Growth Factor of Apoptosis in Serum-Depleted Endothelial Cells *Satohiko Araki, Yoshiya Simada, Kazuhiko Kaji, and Hiroshi Hayashi* 1081

Hydrocortisone-Induced Enhancement of Expression and Changes in Methylation of Pepsinogen Genes in Stomach Mucosa of the Developing Rat *Masao Ichinose, Kazumasa Miki, Masae Tatematsu, Chie Furihata, Masashi Matsushima, Yoshikazu Ichihara, Masao Tanji, Toshiro Konishi, Masanobu Obara, Hideshi Inoue, Kiyoshi Kurokawa, Takayuki Takahashi, Takashi Kageyama, and Kenji Takahashi* 1086

Heterogeneity in Chemotaxis of Neutrophils with Different Densities *Hidefumi Miyagawa, Chiharu Okada, Haruhito Sugiyama, Russell J. Hopp, Againdra K. Bewtra, and Robert G. Townley* 1094

Dual Effects of Dopamine in Rat Adrenal Glomerulosa Cells *Nicole Gallo-Payet, Lucie Chouinard, Marie-Noelle Balestre, and Gilles Guillon* 1100

Expression of the Chloramphenicol Acetyltransferase (CAT) Reporter Gene by the Murine *Cyp1a-2* (Cytochrome P_3450) Promoter in Hepatoma Cell Cultures *Roland A. Owens and Daniel W. Nebert* 1109

Exclusion of an Exon in Monocyte α-1-Antitrypsin mRNA after Stimulation of U937 Cells by Interleukin-6 *N. Kalsheker and T. Swanson* 1116

Soybean Lipoxygenases-1, -2a, -2b, and -2c Do Not Contain PQQ *I. Michaud-Soret, R. Daniel, C. Chopard, D. Mansuy, C. Cucurou, V. Ullrich, and J. C. Chottard* 1122

The Transition of the Higher-Order Structure of Rat Liver Chromatin Takes Place at About 85% Neutralization of DNA Charges *Fumiyuki Watanabe* 1129

Reversal of Endotoxin-Mediated Shock by N^G-Methyl-L-arginine, an Inhibitor of Nitric Oxide Synthesis *Robert G. Kilbourn, Amal Jubran, Steven S. Gross, Owen W. Griffith, Roberto Levi, James Adams, and Robert F. Lodato* 1132

Amino Acid Sequence of Human Protein Z, a Vitamin K-Dependent Plasma Glycoprotein *Akitada Ichinose, Hiroyuki Takeya, Eric Espling, Sadaaki Iwanaga, Walter Kisiel, and Earl W. Davie* 1139

Multiple mRNAs Encoding Human Calmodulin *Joyce C. Pegues and Felix Friedberg* 1145

Effect of Thyroid Hormone on Hepatic Cholesterol 7α Hydroxylase, LDL Receptor, HMG-CoA Reductase, Farnesyl Pyrophosphate Synthetase, and Apolipoprotein A-I mRNA Levels in Hypophysectomized Rats *Gene C. Ness, Laura C. Pendleton, Yan Chun Li,and John Y. L. Chiang* 1150

Protein Conformational "Annealing": Binding to Cytochrome C Refolds the Active Site Region of Recombinant Cytochrome C Peroxidase *R. Hake, G. McLendon, and A. F. Corin* 1157

Modulation of Resting Membrane Potential of Human and Rat Hepatocytes by Sex Steroids *S. M. Motzkin, J. Feinstein, and C. Tiribelli* 1163

Isolation and Characterization of a Novel Peptide Amide from Porcine Brain *Ken Takamatsu and Kazuhiko Tatemoto* 1167

Galactosialidosis: Simultaneous Deficiency of Esterase, Carboxy-Terminal Deamidase, and Acid Carboxypeptidase Activities *Ryoichi Kase, Kohji Itoh, Nobuaki Takiyama, Akihiro Oshima, Hitoshi Sakuraba, and Yoshiyuki Suzuki* 1175

Arachidonic Acid Metabolism by Dioxin-Induced Cytochrome P450: A New Hypothesis on the Role of P450 in Dioxin Toxicity *Arleen B. Rifkind, Maureen Gannon, and Steven S. Gross* 1180

Angiotensin II Can Regulate Gene Expression by the AP-1 Binding Sequence via a Protein Kinase C-Dependent Pathway *Kazuhisa Takeuchi, Norifumi Nakamura, Nigel S. Cook, Richard E. Pratt, and Victor J. Dzau* 1189

$[^3H]$DuP 753, a Highly Potent and Specific Radioligand for the Angiotensin II-1 Receptor Subtype *Andrew T. Chiu, Dale E. McCall, Paul E. Aldrich, and Pieter B. M. W. M. Timmermans* 1195

Exudation Induces Clustering of CR1 Receptors at the Surface of Human Polymorphonuclear Leukocytes *J.-P. Paccaud, J.-L. Carpentier, and J. A. Schifferli* 1203

Selective Synthesis and Secretion of a 23-kDa Protein by Neutrophils following Stimulation with Granulocyte–Macrophage Colony-Stimulating Factor and Tumor Necrosis Factor-α
Shaun R. McColl, Robert Paquin, and André D. Beaulieu 1209

Quantitative Renaturation from a Guanidine-Denatured State of the SecA Dimer, a 200-kDa Protein Involved in Protein Secretion in *Escherichia coli*
Akeo Shinkai, Mitsuru Akita, Shin-ichi Matsuyama, and Shoji Mizushima 1217

Comparison of the Lectin-like Activity of Pertussis Toxin with Two Plant Lectins That Have Differential Specificities for α(2-6) and α(2-3)-Linked Sialic Acid
Louis D. Heerze and Glen D. Armstrong 1224

Molecular Cloning and Expression of Human Arachidonate 12-Lipoxygenase
Tanihiro Yoshimoto, Yasuchika Yamamoto, Toshiya Arakawa, Hiroshi Suzuki, Shozo Yamamoto, Chieko Yokoyama, Tadashi Tanabe, and Hiroyuki Toh 1230

Movement of Vesicles in Cytoplasmic Streaming in Plasmodium
Hajime Honda, Tohru Sakuma, Nobuo Saeki, Koichi Takamatsu, and Koichiro Matsuno 1236

The Regulation of *N*-Acetylglutamate Synthetase in Rat Liver by Protein Intake
J. P. Colombo, Ursula Pfister, and Heidi Cervantes 1239

Glucocorticoids Inhibit the Induction of Nitric Oxide Synthase in Macrophages
M. Di Rosa, M. Radomski, R. Carnuccio, and S. Moncada 1246

Specific Protein–Protein Interactions of Calsequestrin with Junctional Sarcoplasmic Reticulum of Skeletal Muscle
Ernesto Damiani and Alfredo Margreth 1253

Modulation of *N*-Acetylglucosaminyltransferase III, IV, and V Activities and Alteration of the Surface Oligosaccharide Structure of a Myeloma Cell Line by Interleukin 6 *Hirohisa Nakao, Atsushi Nishikawa, Takahiro Karasuno, Tetsuo Nishiura, Masato Iida, Yoshio Kanayama, Takeshi Yonezawa, Seiichiro Tarui, and Naoyuki Taniguchi* 1260

Anti-influenza Virus Activity of Synthetically Polymerized Phenylpropenoids
Hiroshi Sakagami, Kyosuke Nagata, Akira Ishihama, Toshinari Oh-hara, and Yutaka Kawazoe 1267

Protein Kinase C Inhibitors Block the Enhanced Expression of Intercellular Adhesion Molecule-1 on Endothelial Cells Activated by Interleukin-1, Lipopolyscharide, and Tumor Necrosis Factor
Thomas A. Lane, Geraldine E. Lamkin, and Edward V. Wancewicz 1273

Identification of Transcription Promoter Regions from Rat mtDNA That Are Utilized *in Vivo* by the Bacterial RNA Polymerase
Jeffrey M. Staub and Frank J. Castora 1282

Desensitization and Muscarinic Resensitization of Force and Myosin Light Chain Phosphorylation to Cytoplasmic Ca^{2+} in Smooth Muscle
Toshio Kitazawa and Andrew P. Somlyo 1291

Aurin Tricarboxylic Acid, the Anti-AIDS Compound, Prevents the Binding of Interferon-α to Its Receptor *Yuxiang Gan, James L. Weaver, P. Scott Pine, Kathryn C. Zoon, and Adorjan Aszalos* 1298

Induction in the Expression of an Unusual Proline-Rich Protein by Pig Tracheal Surface Epithelial Cells Maintained in Primary Culture
Johannes Tesfaigzi, Gang An, Reen Wu, and Don M. Carlson 1304

Total *in Vitro* Maturation of the *Saccharomyces cerevisiae* **a**-Factor Lipopeptide Mating Pheromone *Stevan Marcus, Guy A. Caldwell, Chu-Biao Xue, Fred Naider, and Jeffrey M. Becker* 1310

A *p*-Nitrophenyl Phosphorylcholine Phosphodiesterase from Mouse Brain
Dai-Eun Sok and Mee Ree Kim 1317

The *CDC4* Gene Product Is Associated with the Yeast Nuclear Skeleton
Won-Ja Choi, Michael W. Clark, John X. Chen, and Ambrose Y. Jong 1324

Expression of Rabbit Cytochrome P450IIE2 in Yeast and Stabilization of the Enzyme by 4-Methylpyrazole
Steven J. Pernecky, Todd D. Porter, and Minor J. Coon 1331

A New Class of Powerful Inhibitors of Monoamine Oxidase A
Yuan-Zhen Jin, Rona R. Ramsay, Stephen K. Youngster, and Thomas P. Singer 1338

In Vivo ESR Measurement of Free Radicals in Whole Mice
Hideo Utsumi, Emiko Muto, Sadao Masuda, and Akira Hamada 1342

Requirement for Sialic Acid on Neutrophils in a GMP-140 (PADGEM) Mediated Adhesive Interaction with Activated Platelets
Laura Corral, Mark S. Singer, Bruce A. Macher, and Steven D. Rosen 1349

Translational Efficiency: Iridovirus Early mRNAs Outcompete Tobacco Mosaic Virus Message *in Vitro* *V. Gregory Chinchar and Wei Yu* 1357

All Fifteen Possible Arrangements of Three Disulfide Bridges in Proteins Are Known *Nicholas W. Warne and Michael Laskowski, Jr.* 1364

Characterization of Soluble vs Membrane-Bound Human Placental 5′-Nucleotidase *Mary R. Klemens, William R. Sherman, Nels J. Holmberg, Julie M. Ruedi, Martin G. Low, and Linda F. Thompson* 1371

Demonstration of Evolutionary Differences between Conserved Antigenic Epitopes in the Minor Nucleocapsid Protein of Human Papillomavirus Types 6b, 16, and 18 *Matti Lehtinen, Päivi Parkkonen, Jutta Niemelä, and Jorma Paavonen* 1378

C-Terminal KDEL-Modified Cystatin C Is Retained in Transfected CHO Cells
Teit Eliot Johansen, Charlotte K. Vogel, and Thue W. Schwartz 1384

Purification of N-Terminal Hexapeptide of Big Gastrin from Human Urine
Yoshifumi Higashimoto, Yasuhisa Shinomura, Kazuhiro Nagao, Yuichi Yasunaga, Toshiaki Tamura, and Seiichiro Tarui 1392

Essential Role of Nitric Oxide in Descending Inhibition in the Rat Proximal Colon
Fumiaki Hata, Toshiaki Ishii, Atsunori Kanada, Naoyuki Yamano, Toshiya Kataoka, Tadayoshi Takeuchi, and Osamu Yagasaki 1400

ERRATUM
Volume 170, Number 2, July 31, 1990: Hogjun Ji, Qingqing Zhang, and Benjamin S. Leung, "Survey of Oncogene and Growth Factor/Receptor Gene Expression in Cancer Cells by Intron-Differential RNA/PCR," pp. 569–575 1407

Author Index for Volume 172 1408

Volume 173, Number 1, November 30, 1990

Production of an Arginine-Derived Relaxing Factor Induced by IFN-γ Plus Endotoxin in Murine Adenocarcinoma EMT 6 Cells
J. F. Petit, C. Schott, M. Lepoivre, and J. C. Stoclet 1

Purification and Partial Characterization of Iodothyronine 5′-Deiodinase from Rat Liver Microsomes *Ajit Goswami and Isadore N. Rosenberg* 6

Photolabeling of the α-Neuraminidase/β-galactosidase Complex from Human Placenta with a Photoreactive Neuraminidase Inhibitor
Thomas G. Warner, Andrea Louie, and Michel Potier 13

Specific Organization of Genes in Relation to the Sperm Nuclear Matrix
W. Steven Ward and Donald S. Coffey 20

The Measurement of the Rotenone-Sensitive NADH Cytochrome *c* Reductase Activity in Mitochondria Isolated from Minute Amount of Human Skeletal Muscle *Dominique Chretien, Thomas Bourgeron, Agnes Rötig, Arnold Munnich, and Pierre Rustin* 26

Evidence for the Involvement of Singlet Oxygen in the Photodestruction by Chloroaluminum Phthalocyanine Tetrasulfonate
Rajesh Agarwal, Mohammad Athar, David R. Bickers, and Hasan Mukhtar 34

Expression of Hepatocyte Growth Factor Gene in Endothelial and Kupffer Cells of Damaged Rat Livers, as Revealed by *in Situ* Hybridization
Sumihare Noji, Kosuke Tashiro, Eiki Koyama, Tsutomu Nohno, Kazuhiko Ohyama, Shigehiko Taniguchi, and Toshikazu Nakamura 42

Cross-Linking of G-Proteins to the Prolactin Receptor in Rat NB2 Lymphoma Cells *Catherine K. L. Too, Robert P. C. Shiu, and Henry G. Friesen* 48

Primary Structure and Expression of the Ssc-Protein of *Salmonella typhimurium*
Laura Hirvas, Pertti Koski, and Martti Vaara 53

Inhibition and Substrate Specificity of Yeast Δ^{22}-Desaturase
José-Luis Giner and Carl Djerassi 60

Erythrocyte/HepG2-Type Glucose Transporter Is Concentrated in Cells of Blood–Tissue Barriers *Kuniaki Takata, Toshiko Kasahara, Michihiro Kasahara, Osamu Ezaki, and Hiroshi Hirano* 67

Apolipoprotein B Messenger RNA Editing Is Developmentally Regulated in Pig Small Intestine: Nucleotide Comparison of Apolipoprotein B Editing Regions in Five Species *BaBie Teng, Dennis D. Black, and Nicholas O. Davidson* 74

Procollagen Type I C-Proteinase Enhancer Is a Naturally Occurring Connective Tissue Glycoprotein *Efrat Kessler, A. Paul Mould, and David J. S. Hulmes* 81

Induction of Adipose Fatty Acid Binding Protein (a-FABP) by Insulin-like Growth Factor-1 (IGF-1) in 3T3-L1 Preadipocytes
William L. Blake and Steven D. Clarke 87

A Novel Epidermal Cell Differentiation Inhibitor (EDIN): Purification and Characterization from *Staphylococcus aureus*
M. Sugai, T. Enomoto, K. Hashimoto, K. Matsumoto, Y. Matsuo, H. Ohgai, Y.-M. Hong, S. Inoue, K. Yoshikawa, and H. Suginaka 92

The α-2 Isomer of the Sodium Pump Is Inhibited by Calcium at Physiological Levels *Julie E. M. McGeoch* 99

Modulation of Autonomic Neuroeffector Transmission by Nitric Oxide in Guinea Pig Ileum *Lars E. Gustafsson, Claes U. Wiklund, N. Peter Wiklund, Magnus G. Persson, and Salvador Moncada* 106

Acetaldehyde-Collagen Adducts in CCl_4-Induced Liver Injury in Rats *U. J. Behrens, X-L. Ma, S. Bychenok, E. Baraona, and C. S. Lieber* 111

Localization of a New α-Actinin Binding Site in the COOH-Terminal Part of Actin Sequence *M-C. Lebart, C. Méjean, M. Boyer, C. Roustan, and Y. Benyamin* 120

Indomethacin Inhibits Endocytosis and Degradation of Insulin *Jillian R. Christensen, Bruce J. Hammond, and Geoffrey D. Smith* 127

Assembly of Clathrin Molecules on Liposome Membranes: A Possible Event Necessary for Induction of Membrane Fusion *Shigenori Maezawa and Tetsuro Yoshimura* 134

Molecular Cloning of Mouse Acid β-Galactosidase cDNA: Sequence, Expression of Catalytic Activity, and Comparison with the Human Enzyme *Eiji Nanba and Kunihiko Suzuki* 141

Calcium-Free Inositol (1,4,5)-Trisphosphate Stimulates Protein Kinase C Dependent Protein Phosphorylation in Nuclei Isolated from Mitogen-Treated Swiss 3T3 Cells *Alberto M. Martelli, R. Stewart Gilmour, Francesco Antonio Manzoli, and Lucio Cocco* 149

A Vincristine-Resistant Murine Erythroleukemia Cell Line Secretes a Differentiation Enhancing Factor *B. Sparatore, M. Patrone, F. Salamino, M. Passalacqua, E. Melloni, and S. Pontremoli* 156

Stretch Activates Myosin Light Chain Kinase in Arterial Smooth Muscle *Kate Bárány, Aniko Rokolya, and Michael Bárány* 164

Thyrotropin Receptor Gene Expression in Oncogene-Transfected Rat Thyroid Cells: Correlation between Transformation, Loss of Thyrotropin-Dependent Growth, and Loss of Thyrotropin Receptor Gene Expression *Maria Teresa Berlingieri, Takashi Akamizu, Alfredo Fusco, Michele Grieco, Giulia Colletta, Anna Maria Cirafici, Shoichiro Ikuyama, Leonard D. Kohn, and Giancarlo Vecchio* 172

Glyoxylic Acid Prevents NAD^+ and NADH Depletion in K562 Cells Cultured at Limiting Dilution *Elena Zocchi, Carolina Polvani, and Lucrezia Guida* 179

Antiproliferative Effect of Interleukin 1 (IL-1) on Tumor Cells: G_0-G_1 Arrest of a Human Melanoma Cell Line by IL-1 *Yoshihiro Morinaga, Hidetoshi Hayashi, Akihiko Takeuchi, and Kikuo Onozaki* 186

Activin/EDF as an Inhibitor of Neural Differentiation *Makoto Hashimoto, Shigeru Kondo, Takashi Sakurai, Yuzuru Etoh, Hiroshiro Shibai, and Masami Muramatsu* 193

Anomeric Preference of Glucose Utilization in Human Erythrocytes Loaded with Glucokinase *Ichitomo Miwa, Hideo Fukatsu, Yukiyasu Toyoda, and Jun Okuda* 201

Inhibition of EGF-Induced Phospholipase C Activation in A431 Cells by Erbstatin, a Tyrosine Kinase Inhibitor
Masaya Imoto, Naomi Shimura, Hideaki Ui, and Kazuo Umezawa 208

Palmitoyl-L-carnitine, a Metabolic Intermediate of the Fatty Acid Incorporation Pathway in Erythrocyte Membrane Phospholipids
Arduino Arduini, Giovanna Mancinelli, and Rona R. Ramsay 212

Differential Expression of the Murine and Rat Renin Genes in Peripheral Subcutaneous Tissue *Curt D. Sigmund and Kenneth W. Gross* 218

Effect of Vasopressin on Na^+ Kinetics in Cultured Rat Vascular Smooth Muscle Cells *Koji Okada, San-e Ishikawa, and Toshikazu Saito* 224

Expression of DNA Sequences Containing Neuron Specific Enolase Gene in *Escherichia coli* *S. K. Dutta, Nandan Bhattacharyya, R. Parui, and Mukesh Verma* 231

Acrosin Biosynthesis in Meiotic and Postmeiotic Spermatogenic Cells
Shin-ichi Kashiwabara, Yuji Arai, Kunihiko Kodaira, and Tadashi Baba 240

Isolation of Mouse and Human cDNA Clones Encoding a Protein Expressed Specifically in Osteoblasts and Brain Tissues
Ken-ichi Tezuka, Sunao Takeshita, Yoshiyuki Hakeda, Masayoshi Kumegawa, Reiko Kikuno, and Tamotsu Hashimoto-Gotoh 246

Adrenal Phenochromocytoma PC12H Cells Respond to Pituitary Adenylate Cyclase Activating Polypeptide *Takuya Watanabe, Tetsuya Ohtaki, Chieko Kitada, Masao Tsuda, and Masahiko Fujino* 252

Stable [^{57}Co]-Bleomycin Complex with a Very High Specific Radioactivity for Use at Very Low Concentrations
Bruno Poddevin, Jean Belehradek, Jr., and Lluis M. Mir 259

In Vivo Metabolism of Brain Natriuretic Peptide in the Rat Involves Endopeptidase 24.11 and Angiotensin Converting Enzyme
Yves Vanneste, Stanislas Pauwels, Luc Lambotte, and Monique Deschodt-Lanckman 265

A New Guanine-Specific Reaction for Chemical DNA Sequencing Using m-Chloroperoxybenzoic Acid
André Rosenthal, Brian S. Sproat, and Daniel M. Brown 272

Effects of Herbimycin A and Various SH-Reagents on p60$^{v\text{-}src}$ Kinase Activity *in Vitro* *Hidesuke Fukazawa, Satoshi Mizuno, and Yoshimasa Uehara* 276

Calcium Ion-Regulated Phospholipase C Activity in Bovine Rod Outer Segments
I. Panfoli, A. Morelli, and I. Pepe 283

Anti-phosphotyrosine Immunoprecipitation of Phosphatidylinositol 3′ Kinase Activity in Different Cell Types after Exposure to Epidermal Growth Factor
Erik S. Miller and Mario Ascoli 289

Soybean Trypsin Inhibitor and β-Amylase Stimulate Macrophages
Misao Miwa, Zwe-Ling Kong, Kazuki Shinohara, and Michiko Watanabe 296

Superoxide Dismutase as a Regulatory Switch in Mammalian Testicular Steroidogenesis *Pradeep Kumar G., Neeta Seerwani, Malini Laloraya, Manish Nivsarkar, Saguna Verma, and Aparna Singh* 302

Cloning and Expression of a cDNA for Human Cytochrome $P450_{aldo}$ as Related to Primary Aldosteronism *Takeshi Kawamoto, Yasuhiro Mitsuuchi, Taira Ohnishi, Yoshiyuki Ichikawa, Yuichi Yokoyama, Hidetoshi Sumimoto, Katsumi Toda, Kaoru Miyahara, Isao Kuribayashi, Kazuwa Nakao, Kiminori Hosoda, Yasutake Yamamoto, Hiroo Imura, and Yutaka Shizuta* 309

Evidence for Involvement of Arginyl Residue at the Catalytic Site of Penicillin Acylase from *Escherichia coli* *Asmitha A. Prabhune and Hephzibah Sivaraman* 317

Dual Promoters and Tissue-Specific Expression of Rat Transthyretin Gene *Kiyoto Motojima and Sataro Goto* 323

Transcriptional Control of *CYP2E1* in the Perivenous Liver Region and during Starvation *Inger Johansson, Kai O. Lindros, Hans Eriksson, and Magnus Ingelman-Sundberg* 331

Retinoic Acid and Synthetic Analogs Differentially Activate Retinoic Acid Receptor Dependent Transcription *Anders Åström, Ulrika Pettersson, Andree Krust, Pierre Chambon, and John J. Voorhees* 339

Regulation of Creatine Phosphokinase B Activity by Protein Kinase C *Kazuhiro Chida, Makoto Tsunenaga, Kohji Kasahara, Yohko Kohno, and Toshio Kuroki* 346

Purification and Identification of Creatine Phosphokinase B as a Substrate of Protein Kinase C in Mouse Skin *in Vivo* *Kazuhiro Chida, Kohji Kasahara, Makoto Tsunenaga, Yohko Kohno, Shuhei Yamada, Shinobu Ohmi, and Toshio Kuroki* 351

Glycolysis and Entner–Doudoroff Pathways in *Halobacterium halobium:* Some New Observations Based on ^{13}C NMR Spectroscopy *Haripalsingh M. Sonawat, Sudha Srivastava, S. Swaminathan, and Girjesh Govil* 358

Differential Accessibility of the Tail Domain of Nuclear Lamin A in Interphase and Mitotic Cells *Jean-François Collard, Jean-Luc Senécal, and Yves Raymond* 363

A Cytochrome That Can Pump Sodium Ion *Bassey J. S. Efiok and Dale A. Webster* 370

Two Cytosolic Components of the Neutrophil NADPH Oxidase, P47-*phox* and P67-*phox*, Are Not Flavoproteins *Tsukasa Chiba, Mizuho Kaneda, Hirotada Fujii, Robert A. Clark, William M. Nauseef, and Katsuko Kakinuma* 376

Low-Molecular-Weight Peptides in Bone Extracts That Stimulate Osteoblast Mitogenesis *Roger S. Birnbaum and Dennis L. Andress* 382

GTP-Binding Proteins Are Restricted to Signal Transduction Sites *Daria Mochly-Rosen and Adrienne S. Gordon* 388

Phorbol 12-myristate 13-acetate (TPA) Blocks CD3-Mediated Ca^{2+} Mobilization in Jurkat T Cells Independently of Protein Kinase C Activation *Tommy Nordström, Anders Ståhls, Tiina Pessa-Morikawa, Tomas Mustelin, and Leif C. Andersson* 396

Rat Follistatin: Gonadal and Extragonadal Expression and Evidence for Alternative Splicing *U. Michel, A. Albiston, and J. K. Findlay* 401

Insulin-like Growth Factor-Binding Protein-1 Inhibits Binding of IGF-I on Fetal Skin Fibroblasts but Stimulates Their DNA Synthesis *R. Koistinen, O. Itkonen, P. Selenius, and M. Seppälä* 408

Identification and Characterization of Angiotensin II Receptor Subtypes in Rabbit Ventricular Myocardium *Harald Rogg, Andres Schmid, and Marc de Gasparo* 416

Phosphorylation of the Human Cell Proliferation-Associated Nucleolar Protein P120 *Benigno C. Valdez, Rose K. Busch, and Harris Busch* 423

Leukotriene A_4 Hydrolase: An Epoxide Hydrolase with Peptidase Activity *Jesper Z. Haeggström, Anders Wetterholm, Bert L. Vallee, and Bengt Samuelsson* 431

Evidence for Generation of a Large Amount of Nitric Oxide-like Vascular Smooth Muscle Relaxant by Cholesterol-Rich Neutrophils *J. L. Mehta, D. L. Lawson, F. A. Nicolini, D. A. Cain, P. Mehta, and H. Schreier* 438

H^+-ATPase, a Primary Pump for Accumulation of Neurotransmitters, Is a Major Constituent of Brain Synaptic Vesicles *Yoshinori Moriyama and Masamitsu Futai* 443

Human Neuraminidase Is a 60 kDa-Processing Product of Prosaposin *Michel Potier, Sonia Lamontagne, Lorraine Michaud, and Julie Tranchemontagne* 449

Evidence for Direct Arrhythmogenic Action of Endothelin *Ryosuke Yorikane, Hiroshi Shiga, Shigeki Miyake, and Hiroyuki Koike* 457

Developmental and Tissue-Specific Expression of the Rod Photoreceptor cGMP-Gated Ion Channel Gene *Iqbal Ahmad, Lori J. Redmond, and Colin J. Barnstable* 463

Comparison of Two Phosphoproteins in Chicken Bone and Their Similarities to the Mammalian Bone Proteins, Osteopontin and Bone Sialoprotein II *Yozo Gotoh, Michael D. Pierschbacher, John J. Grzesiak, Louis Gerstenfeld, and Melvin J. Glimcher* 471

ERRATA

Volume 168, Number 1, April 16, 1990: Rabindra Roy, Gautam Bhattacharya, Kazi A. I. Siddiqui, and Ranjan Bhadra, "A New Antileishmanial Compound, Phaseolinone," pp. 43–50 480

Volume 170, Number 2, July 31, 1990: J. W. Backus, M. J. Eagleton, S. G. Harris, C. E. Sparks, J. D. Sparks, and H. C. Smith, "Quantitation of Endogenous Liver Apolipoprotein B mRNA Editing," pp. 513–518 480

Volume 171, Number 3, September 28, 1990: Gurpreet Ahluwalia, David A. Cooney, Laureano L. Bondoc, Jr., Michael J. Currens, Harry Ford, David G. Johns, Hiroaki Mitsuya, and Arnold Fridland, "Inhibitors of IMP Dehydrogenase Stimulate the Phosphorylation of the Antiviral Nucleoside 2′,3′-Dideoxyguanosine," pp. 1297–1303 481

Volume 171, Number 3, September 28, 1990: Barkur S. Shastry and V. N. Reddy, "The Structure of Expression of a Distantly Related Member of the β-γ Crystallin Super Gene Family from *Xenopus*," pp. 1338–1343 481

Volume 173, Number 2, December 14, 1990

The High Affinity Receptor for ω-Conotoxin Represents Calcium Channels Different from Those Sensitive to Dihydropyridines in Mammalian Brain
Naohiko Hayakawa, Takao Morita, Toru Yamaguchi, Hiromi Mitsui, Kazuhiro J. Mori, Hideo Saisu, and Teruo Abe 483

Bovine β-Mannosidase Deficiency *Lorraine Bryan, Sheila Schmutz, Stephen D. Hodges, and Floyd F. Snyder* 491

Endothelin-1 Enhances Superoxide Generation of Human Neutrophils Stimulated by the Chemotactic Peptide *N*-Formyl-methionyl-leucyl-phenylalanine
Kiyoshi Ishida, Koichiro Takeshige, and Shigeki Minakami 496

Insulin Activates Guanosine 5′-[γ-thio]Triphosphate (GTPγS) Binding to a Novel GTP-Binding Protein, G_{IR}, from Human Placenta
Satish K. Srivastava and Ugra S. Singh 501

Purification and Crystallization of 15-Lipoxygenase from Rabbit Reticulocytes
David L. Sloane, Michelle F. Browner, Zbigniew Dauter, Keith Wilson, Robert J. Fletterick, and Elliott Sigal 507

Atrial Natriuretic Peptide, Nitroglycerine, and Nitroprusside Reduce Basal and Stimulated Endothelin Production from Cultured Endothelial Cells
Outi Saijonmaa, Ari Ristimäki, and Frej Fyhrquist 514

Examination of the Conformational Meaning of "δ-Address" in the Dermenkephalin Sequence
Gregory V. Nikiforovich and Victor J. Hruby 521

Transformation by *ras* Oncogene Induces Nuclear Shift of Protein Kinase C
Vincenzo Chiarugi, Lucia Magnelli, Franca Pasquali, Simonetta Vannucchi, Paola Bruni, Alessandro Quattrone, Gabriele Basi, Sergio Capaccioli, and Marco Ruggiero 528

A Mutation in the Ligand Binding Domain of the Androgen Receptor of Human LNCaP Cells Affects Steroid Binding Characteristics and Response to Antiandrogens *J. Veldscholte, C. Ris-Stalpers, G. G. J. M. Kuiper, G. Jenster, C. Berrevoets, E. Claassen, H. C. J. van Rooij, J. Trapman, A. O. Brinkmann, and E. Mulder* 534

Dexamethasone Prevents the Induction by Endotoxin of a Nitric Oxide Synthase and the Associated Effects on Vascular Tone: An Insight into Endotoxin Shock *D. D. Rees, S. Cellek, R. M. J. Palmer, and S. Moncada* 541

The Effect of Bovine Lactoferrin on Muscle Growth *in Vivo* and *in Vitro*
J. C. Byatt, J. J. Schmuke, P. G. Comens, D. A. Johnson, and R. J. Collier 548

Fractionation of the Ribosome Inactivating Protein Preparations with Triazine Dyes *Saturnino M. Muñoz, Maristella Caldera, Silvana Canevari, Emanuela Tosi, Tiziana Cogliati, Maria I. Colnaghi, and Francisco P. Conde* 554

Identification of Point Mutations by Mispairing PCR as Exemplified in Merrf Disease *Peter Seibel, Françoise Degoul, Norma Romero, Cécile Marsac, and Bernhard Kadenbach* 561 n-3 Polyunsaturated Fatty Acids Enhance Cholesterol Efflux from Human Fibroblasts in Culture *Sebely Pal and Philip J. Davis* 566

Ca^{2+}-Independent Secretory Mechanism of Thyrotropin-Releasing Hormone (TRH) Involves Protein Kinase C in Rat Pituitary Cells *Yukiko Yajima, Yoshiko Akita, Atumi Yamaguchi, and Toshikazu Saito* 571

Expression and Characterization of the α-Subunit of Ca^{2+}/Calmodulin-Dependent Protein Kinase II Using the Baculovirus Expression System *Debra A. Brickey, Roger J. Colbran, Yiu-Lian Fong, and Thomas R. Soderling* 578

Interleukin-1: A Cytokine That Has Potent Antisecretory and Antiulcer Actions via the Central Nervous System *Akira Uehara, Toshikatsu Okumura, Shigeru Kitamori, Yuichi Takasugi, and Masayoshi Namiki* 585

Isolation and Sequence Determination of Frog C-Type Natriuretic Peptide *Akiko Yoshihara, Hitoo Kozawa, Naoto Minamino, Kenji Kangawa, and Hisayuki Matsuo* 591

Biological Characterization of Human Brain Natriuretic Peptide (BNP) and Rat BNP: Species-Specific Actions of BNP *Yoshikazu Kambayashi, Kazuwa Nakao, Hiromi Kimura, Tomoji Kawabata, Masuhisa Nakamura, Ken Inouye, Nobuo Yoshida, and Hiroo Imura* 599

Mercury Chloride as a Possible Phospholipase C Activator: Effect on Angiotensin II-Induced $[Ca^{2+}]_i$ Transient in the Rat Early Proximal Tubule *Kyu Yong Jung and Hitoshi Endou* 606

4,6-Diamino-5-formamidopyrimidine, 8-Hydroxyguanine, and 8-Hydroxyadenine in DNA from Neoplastic Liver of English Sole Exposed to Carcinogens *Donald C. Malins and Russom Haimanot* 614

Leukotriene A_4 Hydrolase Is a Zinc-Containing Aminopeptidase *Michiko Minami, Nobuya Ohishi, Hiroyuki Mutoh, Takashi Izumi, Haruhiko Bito, Hiroo Wada, Yousuke Seyama, Hiroyuki Toh, and Takao Shimizu* 620

The Complete Amino Acid Sequence of the Mature Form of Rat Sepiapterin Reductase *Rieko Oyama, Setsuko Katoh, Terumi Sueoka, Masami Suzuki, Hiroshi Ichinose, Toshiharu Nagatsu, and Koiti Titani* 627

Increased Plasma Brain Natriuretic Peptide Levels in DOCA–Salt Hypertensive Rats: Relation to Blood Pressure and Cardiac Concentration *Naoto Yokota, Masahito Aburaya, Yoshitaka Yamamoto, Johji Kato, Kazuo Kitamura, Osamu Kida, Tanenao Eto, Naoto Minamino, Kenji Kangawa, Hisayuki Matsuo, and Kenjiro Tanaka* 632

Rapid Confirmation and Revision of the Primary Structure of Bovine Serum Albumin by ESIMS and Frit-FAB LC/MS *Kazuo Hirayama, Satoko Akashi, Mami Furuya, and Ken-ichi Fukuhara* 639

A Selective Assay for Endooligopeptidase A Based on the Cleavage of Fluorogenic Substrate Structurally Related to Enkephalin *Luiz Juliano, Jair R. Chagas, Isaura Y. Hirata, Eurídice Carmona, Mauro Sucupira, Elisabeth S. Oliveira, Eduardo B. Oliveira, and Antonio C. M. Camargo* 647

Characterization of the cDNA Encoding Proopiomelanocortin in the Frog *Rana ridibunda* *Eric Hilario, Isabelle Lihrmann, and Hubert Vaudry* 653

Cloned Murine T Lymphocytes Synthesize a Molecule with the Biological Characteristics of Nitric Oxide *S. J. Kirk, M. C. Regan, and A. Barbul* 660

Muscarinic Acetylcholine Receptor Subtypes Which Selectively Couple to Phospholipase C: Pharmacological and Biochemical Properties *Melissa A. Buck and Claire M. Fraser* 666

Site-Specific Phosphorylation of a Synthetic Peptide Derived from Ribosomal Protein S6 by Human Placenta Protein Kinases *Patrick B. Dennis, Stanley D. Brandon, and Ruthann A. Masaracchia* 673

Replica Filter Assay of Human β-Adrenergic Receptors Expressed in *Escherichia coli* *Gabriella Galli, Raffaele Matteoni, Emma Bianchi, Luana Testa, Daniela Marazziti, Nicoletta Rossi, and Glauco Tocchini-Valentini* 680

Role of Mg^{2+} in the Mithramycin–DNA Interaction: Evidence for Two Types of Mithramycin–Mg^{2+} Complex *Palok Aich and Dipak Dasgupta* 689

Point Mutation of the *p53* Gene Resulting in Splicing Inhibition in Small Cell Lung Carcinoma *Yuichi Sameshima, Tetsu Akiyama, Naoki Mori, Hideaki Mizoguchi, Kumao Toyoshima, Takashi Sugimura, Masaaki Terada, and Jun Yokota* 697

Mutagenic Properties of a Unique Abasic Site in Mammalian Cells *A. Gentil, G. Renault, C. Madzak, A. Margot, J. B. Cabral-Neto, J. J. Vasseur, B. Rayner, J. L. Imbach, and A. Sarasin* 704

High Level Expression of Porcine Growth Hormone in *Escherichia coli* from an Expression Vector Containing Bacteriophage λ P_L and *N* Gene Untranslated Region *Lih-Hwa Hwang, Huei-Feng Tsi, and Shih-Tung Liu* 711

Effect of the Tyrosine Kinase Inhibitor, Genistein, on Interleukin-1-Stimulated PGE_2 Production in Mesangial Cells *Daniel W. Coyne and Aubrey R. Morrison* 718

Human Neutrophils Exhibit Disparate Chemotactic Factor Gene Expression *R. M. Strieter, K. Kasahara, R. Allen, H. J. Showell, T. J. Standiford, and S. L. Kunkel* 725

Glycosidic Bond Cleavage of 5-Fluoro-2′-deoxyuridine and 5-Fluorouridine by Amino Acyl-tRNA Synthetases *A. Madan Kumar and R. Nayak* 731

Phosphorus-31 Nuclear Magnetic Resonance Spectroscopy Reveals Two Conformational Forms of Chloroacetol Phosphate-Bound Triosephosphate Isomerase *Klaus D. Schnackerz, T. K. Kuan, Warren J. Goux, and Robert W. Gracy* 736

Expression and Secretion of Goat α-Lactalbumin as an Active Protein in *Saccharomyces cerevisiae* *Shigeki Takeda, Eisuke Tamaki, Kin-ichiro Miura, and Izumi Kumagai* 741

Molecular Cloning and Sequence Analysis of cDNA Encoding Human Ferrochelatase *Yoshitsugu Nakahashi, Shigeru Taketani, Masahiro Okuda, Kyoichi Inoue, and Rikio Tokunaga* 748

Role of Tryptophan 248 in the Active Site of Tryptophanase from *Escherichia coli* *Yasushi Kawata, Nobuhara Tsujimoto, Shunsuke Tani, Tomohiro Mizobata, and Masanobu Tokushige* 756

ERRATUM

Volume 170, Number 3, August 16, 1990: Paul J. Yazaki, Sergio Salvatori, and A. Stephen Dahms, "Amino Acid Sequence of Chicken Calsequestrin Deduced from cDNA: Comparison of Calsequestrin and Aspartactin," pp. 1089–1095 763

Volume 173, Number 3, December 31, 1990

Regulation of Sucrase-Isomaltase Gene Expression along the Crypt–Villus Axis of Rat Small Intestine *Peter G. Traber* 765

Ethanol-Induced Increases in $[\mathrm{CA}^{2+}]_i$ and Inositol 1,4,5-Triphosphate in Rat Hepatocytes *Leslie Reinlib, Emmanuel Akinshola, James J. Potter, and Esteban Mezey* 774

9-β-D-Arabinofuranosyladenine 5′-Monophosphate (araAMP) Is Converted Directly to Its Antivirally Active 5′-Triphosphate Form by 5-Phosphoribosyl-1-pyrophosphate (PRPP) Synthetase *Jan Balzarini and Erik De Clercq* 781

Expression of the Calcitonin Gene during Migration of the Pacific Salmon, *Oncorhynchus gorbuscha* *L. Maubras, M. Cressent, S. Minvielle, J. Taboulet, A. Jullienne, G. Milhaud, and M. S. Moukhtar* 788

Affinity Enhancement of Bispecific Antibody against Two Different Epitopes in the Same Antigen *Hong Seok Cheong, Jin Soo Chang, Jong Myun Park, and Si Myung Byun* 795

One of the Two Genomic Copies of the Glycine Decarboxylase cDNA Has Been Deleted at a 5′ Region in a Patient with Nonketotic Hyperglycinemia *Toshihiro Sakakibara, Hirohisa Koyata, Yoshihisa Ishiguro, Shigeo Kure, Akihiro Kume, Keiya Tada, and Koichi Hiraga* 801

Endothelin Releasing Activity in Calf Serum and Porcine Follicular Fluid *Marvin R. Brown, Joan Vaughan, Jon Walsh, Leticia Jimenez, Terry D. Hexum, Andrew Baird, and Wylie Vale* 807

A Point Mutation in the Mitochondrial $\mathrm{tRNA}^{\mathrm{Leu}}$(UUR) Gene in MELAS (Mitochondrial Myopathy, Encephalopathy, Lactic Acidosis, and Stroke-like Episodes) *Yoko Kobayashi, Mariko Y. Momoi, Kaoru Tominaga, Takashi Momoi, Kenji Nihei, Masayoshi Yanagisawa, Yasuo Kagawa, and Shigeo Ohta* 816

Camel Lens Crystallins Glycosylation and High Molecular Weight Aggregate Formation in the Presence of Ferrous Ions and Glucose *Ali S. Duhaiman, Nayyar Rabbani, and Edward Cotlier* 823

Glucose-Stimulated Insulin Secretion Is Not Dependent on Activation of Protein Kinase A *Shanta J. Persaud, Peter M. Jones, and Simon L. Howell* 833

Diacylglycerol Production Induced by Growth Hormone in OB1771 Preadipocytes Arises from Phosphatidylcholine Breakdown
Rose-Marie Catalioto, Gérard Ailhaud, and Raymond Negrel 840

Isoprenoid Metabolism in *Plasmodium falciparum* during the Intraerythrocytic Phase of Malaria *Bonaventure Mbaya, Daniel Rigomier, G. Gbessinou Edorh, Francis Karst, and Joseph Schrevel* 849

Differential Proto-oncogene mRNA Induction from Rats Treated with Peroxisome Proliferators *Mustapha Cherkaoui Malki, Yu Chun Lone, Marisol Corral-Debrinski, and Norbert Latruffe* 855

DNA Binding Activity of Casein Kinase II
Odile Filhol, Claude Cochet, and Edmond M. Chambaz 862

Molecular Cloning and Chromosomal Localization of a Sarco/Endoplasmic Reticulum-Type Ca^{2+}-ATPase of *Drosophila melanogaster*
Attila Magyar and András Váradi 872

Further Characterization of Mitochondrial Contact Sites: Effect of Short-Chain Alcohols on Membrane Fluidity and Activity
Dominique Ardail, Fabienne Lermé, and Pierre Louisot 878

Human Adrenal Tumor Cell SW-13 Contains a Natriuretic Peptide Receptor System That Responds Preferentially to ANP among Various Natriuretic Peptides *Takeshi Mizuno, Takeshi Katafuchi, Hiromi Hagiwara, Teizo Ito, Kenji Kangawa, Hisayuki Matsuo, and Shigehisa Hirose* 886

Human Cellular *src* Gene Product: Identification of the Myristoylated pp60^{c-src} and Blockage of Its Myristoyl Acylation with *N*-Fatty Acyl Compounds Resulted in the Suppression of Colony Formation
Shozo Shoji, Tatsuo Kurosawa, Hiroshi Inoue, Takayuki Funakoshi, and Yukiho Kubota 894

Identification of Prö-epidermal Growth Factor and High Molecular Weight Epidermal Growth Factors in Adult Mouse Urine
J. Lakshmanan, E. C. Salido, R. Lam, L. Barajas, and D. A. Fisher 902

Microsomal Lipid Peroxidation and Oxy-radicals Formation Are Induced by Insoluble Iron-Containing Minerals
Marc Fontecave, Maryse Jaouen, Daniel Mansuy, Dominique Costa, Roger Zalma, and Henri Pezerat 912

Mechanisms of 4-Hydroxytamoxifen Anti-Growth Factor Activity in Breast Cancer Cells: Alterations of Growth Factor Receptor Binding Sites and Tyrosine Kinase Activity
Gilles Freiss, Henri Rochefort, and Françoise Vignon 919

Analysis of Mixtures of Closely Related Forms of Bovine Trypsin by Electrospray Ionization Mass Spectrometry: Use of Charge State Distributions to Resolve Ions of the Different Forms *S. K. Chowdhury and B. T. Chait* 927

Free Radical Generation by Early Glycation Products: A Mechanism for Accelerated Atherogenesis in Diabetes
Cathleen J. Mullarkey, Diane Edelstein, and Michael Brownlee 932

Substrate-Dependent Regulation of Intracellular Amino Acid Concentrations in Cultured Bovine Aortic Endothelial Cells *Anwar R. Baydoun, Peter W. Emery, Jeremy D. Pearson, and Giovanni E. Mann* 940

Hepoxilin A_3 Blocks the Release of Norepinephrine from Rat Hippocampal Slices
Cecil R. Pace-Asciak, Lydia Wong, and Elias J. Corey 949

Modulation by External Ca^{2+} and Nicardipine of Ca^{2+} Influx and Cytosolic Concentration in Human Erythrocytes
M. David-Dufilho, C. Astarie, M. G. Pernollet, L. Bergougnan, A. Comte, C. Dubray, and M. A. Devynck 954

Transcortin Does Not Restrict the Transmembrane Transfer of Cortisol
Elena P. Kisseleva, Irene I. Vashkevich, George V. Avvakumov, and Oleg A. Strel'chyonok 961

Nucleotide Sequence of the Complementary DNA for Turkey Growth Hormone
Douglas N. Foster, Sung U. Kim, John J. Enyeart, and Linda K. Foster 967

Effect of K252a, a Protein Kinase Inhibitor, on the Proliferation of Vascular Smooth Muscle Cells *Kazuhiro Ohmi, Shigeru Yamashita, and Yoshiaki Nonomura* 976

Superactive Insulins *G. Thompson Burke, Shi Quan Hu, Noriya Ohta, Gerald P. Schwartz, Lin Zong, and Panayotis G. Katsoyannis* 982

Interleukin 1 Potentiates Agonist-Induced Secretion of β-Endorphin in Anterior Pituitary Cells *Mirela O. Făgărăsan, Julius Axelrod, and Kevin J. Catt* 988

Characterization of a New Lignin Peroxidase Gene (*GLG6*) from *Phanerochaete chrysosporium* *Padmavathy S. Naidu, Yi Zheng Zhang, and C. Adinarayana Reddy* 994

17β-Hydroxysteroid UDP-Glucuronosyl Transferase Is Expressed in Bile Ductular Epithelial Cells under Physiological Conditions
Kari L. Franson, Brian Burchell, and Georg A. Mathis 1001

The Mechanism of Potassium Movement across the Liposomal Membrane
Chris E. Cooper, John M. Wrigglesworth, and Peter Nicholls 1008

Definition of the Transcription Initiation Site of Human Plasminogen Gene in Liver and Nonhepatic Cell Lines *Nicoletta Malgaretti, Ludovica Bruno, Marco Pontoglio, Giulia Candiani, Germana Meroni, Sergio Ottolenghi, and Roberto Taramelli* 1013

Structure and Expression of the Human Polymorphic Epithelial Mucin Gene: An Expressed VNTR Unit
Carole A. Lancaster, Nigel Peat, Trevor Duhig, David Wilson, Joyce Taylor-Papadimitriou, and Sandra J. Gendler 1019

The N-Terminus, C-Terminus, and Vessel Dilator of the ANF Prohormone Are Present in the Urine and Increase with Ventricular Fibrillation
Richard P. Wyeth, Bruce H. Ackerman, and David L. Vesely 1030

Stretch May Enhance the Release of Endothelium-Derived Relaxing Factor in Rabbit Aorta *Minoru Ohno, Masahiko Ochiai, Junichi Taguchi, Kazuhiro Hara, Nobuharu Akatsuka, and Kiyoshi Kurokawa* 1038

Molecular Analysis of an Acatalasemic Mouse Mutant
Jacquelin B. Shaffer and Karen E. Preston 1043

Significance of Transglutaminase-Catalyzed Reactions in Growth and Development of Filarial Parasite, *Brugia malayi*
Kapil Mehta, Undaru R. Rao, Ann C. Vickery, and Paul J. Birckbichler 1051

An Amino-Terminal Fragment of Urokinase Isolated from a Prostate Cancer Cell Line (PC-3) Is Mitogenic for Osteoblast-like Cells
Shafaat A. Rabbani, Johanne Desjardins, Alexander W. Bell, Denis Banville, Andrew Mazar, Jack Henkin, and David Goltzman 1058

Expression of a Silkworm Eclosion Hormone Gene in Yeast
Hideaki Hayashi, Mutsuko Nakano, Yasuhiko Shibanaka, and Norihisa Fujita 1065

Characterization of High Molecular Weight Glycosylated Forms of Murine Tumor Necrosis Factor
Barbara Sherry, Dae-Myung Jue, Alejandro Zentella, and Anthony Cerami 1072

Isolation and Characterization of a Galactose-Specific Carbohydrate Binding Protein from Human Lymphoblastic Cells
Linda G. Baum and Peter Cresswell 1079

Biotransformations of R-(+)-Pulegone and Menthofuran *in Vitro:* Chemical Basis for Toxicity
K. M. Madyastha and C. Paul Raj 1086

Isolation of a Urinary Digitalis-like Factor Indistinguishable from Digoxin
A. Goto, T. Ishiguro, K. Yamada, M. Ishii, M. Yoshioka, C. Eguchi, M. Shimora, and T. Sugimoto 1093

Interleukin-5 and Interleukin-3 Induce Serine and Tyrosine Phosphorylations of Several Cellular Proteins in an Interleukin-5-Dependent Cell Line
Yoshiyuki Murata, Naoto Yamaguchi, Yasumichi Hitoshi, Akira Tominaga, and Kiyoshi Takatsu 1102

Structural Relationship between the Enzymatic and Streptococcal Binding Sites of Human Salivary α-Amylase
F. A. Scannapieco, K. Bhandary, N. Ramasubbu, and M. J. Levine 1109

Calcium Protects Pituitary Basic Fibroblast Growth Factors from Limited Proteolysis by Copurifying Proteases
Bradley W. Doble, Robert R. Fandrich, Lei Liu, Raymond R. Padua, and Elissavet Kardami 1116

LAMP-1 in CHO Cells Is a Primary Carrier of Poly-*N*-acetyllactosamine Chains and Is Bound Preferentially by a Mammalian S-Type Lectin
Ki-Young Do, David F. Smith, and Richard D. Cummings 1123

In Vitro Transcription and Translation of the Human 1,25-Dihydroxyvitamin D_3 Receptor cDNA
Christopher M. Terpening and Mark R. Haussler 1129

Aortic Smooth Muscle Cells Are Able to Convert Angiotensin I to Angiotensin II
Philippe Andre, Christa Schott, Herrade Nehlig, and Jean-Claude Stoclet 1137

Identification of Type I Iodothyronine 5′-Deiodinase as a Selenoenzyme
Dietrich Behne, Antonios Kyriakopoulos, Harald Meinhold, and Josef Köhrle 1143

Extracellular Domain Chimeras of the TSH and LH/CG Receptors Reveal the Midregion (Amino Acids 171–260) to Play a Vital Role in High Affinity TSH Binding
Yuji Nagayama, Diego Russo, Gregorio D. Chazenbalk, Harry L. Wadsworth, and Basil Rapoport 1150

Pancreastatin: Characterization of Biological Activity
Tao Zhang, Tohru Mochizuki, Masafumi Kogire, Jin Ishizuka, Noboru Yanaihara, James C. Thompson, and George H. Greeley, Jr. 1157

Granulins, a Novel Class of Peptide from Leukocytes
Andrew Bateman, Daniel Belcourt, Hugh Bennett, Claude Lazure, and Samuel Solomon 1161

RDC8 Codes for an Adenosine A2 Receptor with Physiological Constitutive Activity *Carine Maenhaut, Jacqueline Van Sande, Frédérick Libert, Marc Abramowicz, Marc Parmentier, Jean-Jacques Vanderhaegen, Jacques E. Dumont, Gilbert Vassart, and Serge Schiffmann* 1169

Identification and Partial Characterization of Receptor Binding Sites for HGF on Rat Hepatocytes *Reza Zarnegar, Marie C. DeFrances, Letealia Oliver, and George Michalopoulos* 1179

The Cu,Zn Superoxide Dismutase Isoenzymes of *Xenopus laevis:* Purification, Identification of a Heterodimer, and Differential Heat Sensitivity
Concetta R. Capo, Fabio Polticelli, Lilia Calabrese, M. Eugenia Schinina', Maria Teresa Carri', and Giuseppe Rotilio 1186

Introduction of a Nonnative Disulfide Bridge to Human Lysozyme by Cysteine Scanning Mutagenesis *Eiko Kanaya, Shigenori Kanaya, and Masakazu Kikuchi* 1194

Cloning and Sequence Analysis of Mink Growth Hormone cDNA
Yasuhiro Harada, Hiroki Tatsumi, Eiichi Nakano, and Motoaki Umezu 1200

Catalytically Active Monoamine Oxidase Type A from Human Liver Expressed in *Saccharomyces cerevisiae* Contains Covalent FAD
Walter Weyler, Christian C. Titlow, and James I. Salach 1205

Cloning of cDNA and Amino Acid Sequence of One of Chicken Cone Visual Pigments *Fumio Tokunaga, Tatsuo Iwasa, Makoto Miyagishi, and Seiya Kayada* 1212

Proteolytic Processing of Porcine Big Endothelin-1 Catalyzed by Cathepsin D
Masanori Takaoka, Yuriko Hukumori, Kazushi Shiragami, Ruriko Ikegawa, Yasuo Matsumura, and Shiro Morimoto 1218

Desmoglein Shows Extensive Homology to the Cadherin Family of Cell Adhesion Molecules *Leslie Goodwin, John E. Hill, Karen Raynor, Linda Raszi, Motomu Manabe, and Pamela Cowin* 1224

Influences of Membrane Curvature in Lipid Hexagonal Phases Studied by Deuterium NMR Spectroscopy
Robin L. Thurmond, Göran Lindblom, and Michael F. Brown 1231

Loss of Growth Inhibitory Activity of TGF-β toward Normal Human Mammary Epithelial Cells Grown within Collagen Gel Matrix
Kazuhide Takahashi, Katsuo Suzuki, and Tetsuo Ono 1239

Modifications Induced by General Anesthetics on Na+/K+ ATPase Obtained from Human Placenta *L. Mazzanti, R. A. Rabini, R. Staffolani, G. Benedetti, N. Cester, and G. Lenaz* 1248

Staurosporine, a Potent Inhibitor of C-Kinase, Enhances Drug Accumulation in Multidrug-Resistant Cells *Wakao Sato, Keisuke Yusa, Mikihiko Naito, and Takashi Tsuruo* 1252

The Effect of Phenylephrine on Inositol 1,4,5-Triphosphate Levels in Vascular Smooth Muscle Measured Using a Protein Binding Assay System
J. M. Langlands and J. Diamond 1258

Interleukin-1 Increases Norepinephrine Turnover in the Spleen and Lung in Rats
Megumi Akiyoshi, Yasutake Shimizu, and Masayuki Saito 1266

Molecular Cloning and Characterization of cDNA for the Precursor of Rat Pituitary Adenylate Cyclase Activating Polypeptide (PACAP)
Kazuhiro Ogi, Chiharu Kimura, Haruo Onda, Akira Arimura, and Masahiko Fujino 1271

Inhibited Insulin Secretion by Recombinant Human Interleukin-1β in Adrenalectomized Rats: Involvement of Prostaglandin
Hiroyuki Shimizu, Yutaka Uehara, Yohnosuke Shimomura, Mayumi Negishi, and Akira Fukatsu 1280

Decrease of Calmodulin and Actin in the Plasma Membrane of Rat Liver Cells during Proliferative Activation *Cristina Pujades, Ricardo Bastos, Carlos Enrich, and Oriol Bachs* 1287

Intact Alzheimer Amyloid Precursor Protein (APP) Is Present in Platelet Membranes, and Is Encoded by Platelet mRNA
J. E. Gardella, J. Ghiso, G. A. Gorgone, D. Marratta, A. P. Kaplan, B. Frangione, and P. D. Gorevic 1292

Immuno-Cross-Reactivity of Histidine and Dopa Decarboxylases
Hiroyuki Mizuguchi, Masami Yabumoto, Ikuo Imamura, Hiroyuki Fukui, and Hiroshi Wada 1299

Phorbol Esters Stimulate the Transport of Anionic Amino Acids in Cultured Human Fibroblasts *Renata Franchi-Gazzola, Ovidio Bussolati, Rossana Visigalli, Bianca Maria Rotoli, Patrizia A. Rossi, Guido G. Guidotti, and Gian C. Gazzola* 1304

Constitutive and Inducible Expression of a Transgene Directed by Heterologous Promoters in a Trout Liver Cell Line *Koji Inoue, Noriko Akita, Shinya Yamashita, Tadayoshi Shiba, and Takao Fujita* 1311

Tissue Specificity in Expression and Alternative RNA Splicing of Human Phosphofructokinase-M and -L Genes
Hiromu Nakajima, Norio Kono, Tomoyuki Yamasaki, Tomoya Hamaguchi, Kikuko Hotta, Masamichi Kuwajima, Tamio Noguchi, Takehiko Tanaka, and Seiichiro Tarui 1317

Neurokinin A Induces c-*fos*, c-*jun*, and c-*myc* Expression in L6 Rat Myoblasts
Magnus Rahm and Anna Hultgårdh-Nilsson 1322

Multiple mRNAs of Monkey Tyrosine Hydroxylase
Shinichi Ichikawa, Hiroshi Ichinose, and Toshiharu Nagatsu 1331

Two Different HNF1-like Transcription Activators in the Liver Bind to the Same Region of the Rat Aldolase B Promoter
Kikukatsu Ito, Tatsuo Tanaka, Reiko Tsutsumi, Kiichi Ishikawa, and Ken-ichi Tsutsumi 1337

Selection of Deletion Mutants by Polymerase Chain Reaction
C. D. Atreya, P. L. Atreya, and T. P. Pirone 1344

Hepatocyte Deformation Induced by Cyanobacterial Toxins Reflects Inhibition of Protein Phosphatases *J. E. Eriksson, D. Toivola, J. A. O. Meriluoto, H. Karaki, Y-G. Han, and D. Hartshorne* 1347

Stereochemistry of the Epoxidation of Fatty Acids Catalyzed by Soybean Peroxygenase *Elizabeth Blee and Francis Schuber* 1354

Cholesterol Efflux from Adipose Cells Is Coupled to Diacylglycerol Production and Protein Kinase C Activation *N. Theret, C. Delbart, G. Aguie, J. C. Fruchart, G. Vassaux, and G. Ailhaud* 1361

The Effect of Antifreeze Glycopeptides on Membrane Potential Changes at Hypothermic Temperatures *Boris Rubinsky, Amir Arav, Mauro Mattioli, and Arthur L. Devries* 1369

Human Thioredoxin Reactivity–Structure/Function Relationship *J. P. Jacquot, F. de Lamotte, M. Fontecave, P. Schürmann, P. Decottignies, M. Miginiac-Maslow, and E. Wollman* 1375

ERRATA

Volume 171, Number 2, September 14, 1990: Tetsuo Murata, Ichiro Hatayama, Kimihiko Satoh, Shigeki Tsuchida, and Kiyomi Sato, "Activation of Rat Glutathione Transferases in Class Mu by Active Oxygen Species," pp. 845–851 1382

Volume 172, Number 1, October 15, 1990: Goutam Ghosh Choudhury, Victor L. Sylvia, Andrea Pfeifer, Ling-Mei Wang, Elizabeth Ann Smith, and Alan Y. Sakaguchi, "Human Colony Stimulating Factor-1 Receptor Activates the C-*raf*-1 Proto-oncogene Kinase," pp. 154–159 1382

Volume 172, Number 2, October 30, 1990: Kinya Fujishiro, Toshio Ota, Mamoru Hasegawa, Kazuo Yamaguchi, Toru Mizukami, and Takayuki Uwajima, "Isolation and Identification of the Gene of Cholesterol Oxidase from *Brevibacterium sterolicum* ATCC 21387, a Widely Used Enzyme in Clinical Analysis," pp. 721–727 1383

Author Index for Volume 173 1385

CUMULATIVE AUTHOR INDEX FOR VOLUMES 166–173

Volume 166

Abe, Kaoru, 608, 1088
Abramowicz, Marc J., 1257
AbuBakar, Sazaly, 953
Ackrell, Braian A. C., 101
Adachi, Isamu, 608, 1088
Adachi, Naoto, 1088
Adams, Pamela S., 840
Agosin, Moises, 1372
Agresti, Michael, 259
Ailhaud, Gérard, 1118
Akiyama, Shin-ichi, 74
Akiyama, Yasuto, 1088
Albiston, Anthony L., 892
Albrecht, Thomas, 953
Alcázar, Alberto, 1237
Alestrøm, P., 50
Alexandrova, Evdokia A., 819
Allen, R. E., 807
Alterio, Jeanine, 1205
Ambudkar, Indu S., 967
Anderson, D. K., 1001
Andersson, Göran, 661
Andersson, Kristoffer K., 787
Ando, K., 1274
Angelastro, Michael R., 595
Antonucci, A., 1251
Aquino, Angelo, 723
Arakawa, Fumiko, 1063
Arata, Yoji, 1485
Arimura, Akira, 81
Asada, Kiyozo, 1485
Asano, Tadao, 1485
Ash, Ronald J., 673
Ashmore, Roger C., 909
Atger, Michel, 394
Auboiron, Sylvie, 833
Averill, B. A., 729
Avila, Matias, 765

Baba, Masanori, 1095
Babu, Arvind, 1421
Baggiolini, M., 187
Baillie, Thomas A., 245
Bailon, Pascal, 201
Bakalara, Norbert, 66
Baker, Mark S., 993
Balaevskaya, T. O., 1411
Barcellini-Couget, Sylvie, 1118
Barnes, William, 622
Barton, Janice S., 653
Basha, M. A., 886
Bassompierre, Marc, 1039
Bauchart, Dominique, 833
Baudoin, Christian, 1118
Baum, Bruce J., 967
Bazile, Didier, 293
Beaubatie, Laurence, 833
Bechet, Daniel, 1205
Beltchev, Beltcho G., 819
Benatti, Umberto, 1398
Bernal, Samuel D., 984
Berry, Ronald K., 38
Bertha, Craig M., 567
Berton, Giorgio, 308
Bertrand, Jean-Remi, 293
Bey, Philippe, 595
Bezerra, Roberto, 29
Bhaduri, Amar N., 404
Bignon, Eric, 1471
Biol, M. C., 1024
Blacher, Russell, 557
Blake, D. R., 807
Blankenship, Dale T., 1384
Blingsmo, O. R., 50
Boado, Ruben J., 174
Bobik, A., 580
Bobst, Albert M., 1435
Boldogh, Istvan, 953
Bolt-de Vries, J., 193
Bootman, Martin D., 1334
Boquet, Patrice, 1398
Borjigin, Jimo, 622
Borukhov, S. I., 1411
Boyd, Norman D., 978
Bradel, E., 1001
Bragg, Philip D., 431
Bramanti, Thomas E., 1146
Brankamp, Robert G., 1384
Brenner, R. R., 1441
Brinkmann, A. O., 193
Brot, Nathan, 1284
Brotherton, Timothy W., 443
Bruggemann, Edward P., 180
Bruni, Paola, 765
Bühler, Fritz R., 1213
Bunning, R. A. D., 208, 1163
Bürgisser, Daniel, 1228
Burkhart, Joseph P., 595
Byczkowski, Janusz Z., 417
Byun, Si Myung, 904

Calkins, J. H., 1313
Campbell, Iain D., 1102
Cardin, Alan D., 1384
Carlquist, Mats, 1102
Carter, David A., 589
Casley, David J., 299
Castagnoli, Neal, Jr., 238
Castanys, Santiago, 736
Cavallini, D., 1251
Cerione, Richard A., 90
Chakraborty, Prasanta, 404
Chan, Wai-Yee, 622
Chapman, M. John, 833
Chaudhuri, Jayanta, 417
Chen, Hua-Chien, 267
Chen, Yu-Ming, 794
Chensue, S. W., 886
Chou, Sawako, 160
Christophe, Daniel, 1257
Chuturgoon, Anil A., 38
Cintrón, Nitza M., 794
Clari, G., 1378
Clarke, Anthony R., 667
Colacicchi, Silvia, 168
Collet, Joan, 66
Congote, L. Fernando, 557
Cooke, Robert M., 1102
Coon, Minor J., 945
Courtois, Yves, 1205
Crastes de Paulet, André, 1471
Crimmins, Dan L., 1279
Currier, Stephen J., 180

Dahl, Raymond R., 81
Dahms, A. Stephen, 898
Dalie, Barbara L., 1284
Dalla Libera, L., 1378
Damonte, Gianluca, 1398
Damuni, Zahi, 449
Dani, Christian, 1118
Darbeida, Halima, 1183

Copyright © 1990 by Academic Press, Inc.
All rights of reproduction in any form reserved.

Darbon, J. M., 687
Das, Pijush K., 404
Dauber, Ira M., 909
de Boland, Ana R., 217
Decker, Stuart J., 615
De Clercq, Erick, 1095
De Flora, Antonio, 1398
DeFranco, Donald, 133
DeGala, Gregory, 1017
Dias, Fiona M., 424
Dimov, Svetoslav I., 819
Ding, Xinxin, 945
Doe, William F., 993
Doecke, Christopher J., 860
Dohmae, Sumiko, 365
Doi, Ryuichiro, 286
Doi, Sadayuki, 1
Drapier, Jean-Claude, 119
Durand, Philippe, 1183
Dutton, Michael F., 38

Eckstein, Fritz, 273
Erickson, Alan K., 827
Esch, Fred, 557
Eto, Yuzuru, 1053, 1479
Evans, D. B., 208

Faraggi, M., 867
Farnararo, Marta, 765
Farooqui, A. A., 1001
Favre, Alain, 29
Feeney, Raymond, 667
Ferrari, Marco, 168
Filer, David, 109
Fishman, Peter H., 574
Florin-Christensen, J., 1441
Florin-Christensen, M., 1441
Flynn, C., 1001
Flynn, Gary A., 673
Fontes, Michel, 66
Franc, Jean-Louis, 937
Franklin-Johnson, Janet, 1047
Frey, Stefan, 1228
Frost, S. K., 695
Frunchak, Y. N., 695
Fry, C. H., 1352
Fujii, Nobutaka, 286
Fujii, Takeru, 973
Fujimoto, Hirokazu, 43
Fujino, Masahiko, 81
Fujita, Hiroyoshi, 1429
Furuhata, Naoto, 231
Furukawa, Tatsuhiko, 74, 1274

Gamarro, Francisco, 736
Garin, C., 1441
Gasa, Shinsei, 1032
Gassmann, M., 154
Gautvik, K. M., 50
Gautvik, V. T., 50
Gebauer, G., 1319
Gennis, Robert B., 101
Germann, Ursula A., 180
Gilbert, Jacques, 1471
Glazer, Robert I., 723
Goh, Yasumasa, 1346
Gordeladze, J. O., 50
Goss, Neil, 993
Gottesman, Michael M., 180
Graham, Kenneth S., 960
Green, Simon P., 993
Grillo, Mark P., 245
Grinpukel, S., 580
Grooms, A., 580
Grummt, Friedrich, 1110
Gu, Tian-Jue, 387
Gu, Xin-Bin, 387
Gualtieri, Giancaterino, 168
Guerrin, M., 687
Guida, Lucrezia, 1398
Guilbaud, N., 687
Guiochon-Mantel, Anne, 394
Gulati, Jagdish, 1421
Guo, H., 1313
Gutte, Bernd, 1228

Hacques, Marie-Françoise, 1140
Han, Deog-Hwa, 245
Han, Joon Pyo, 973
Hanzawa, Hiroyuki, 1485
Harada, Nobuhiro, 365
Harrison, Robert W., III, 931
Hartman, Kathleen D., 723
Hasegawa, Yoshihisa, 1479
Hashimoto, Koji, 916
Hashimoto, Yuichi, 1126, 1300
Hashiro, Makoto, 916
Hasselkus-Light, Cynthia S., 648
Hatanaka, Masakazu, 1485
Hayashi, Sueko, 1467
Hendry, William J., III, 931
Henry, Yann, 119
Henshaw, Edgar C., 1340
Heppel, Leon A., 251
Herington, Adrian C., 892
Himeno, Masaru, 1176
Himes, Richard H., 653
Hino, Jun, 1080
Hirabayashi, Kazuhiro, 1095
Hirata, Y., 1274
Høgset, A., 50
Holbrook, J. John, 667
Holt, Stanley C., 1146
Holtzer, Alfred, 1279
Holtzer, Marilyn Emerson, 1279
Honda, Satoshi, 1088
Horie, Shuichi, 780
Horii, Akira, 1
Horn, Valerie J., 967
Horrocks, L. A., 1001
Horwitz, Lawrence D., 909
Hosang, M., 154
Hosmane, Ramachandra S., 567
Hosotani, Ryo, 286
Hosoya, Masaki, 81
Hou, Cynthia, 431
Huang, Ning-na, 251
Hubbard, Ann L., 562
Hulmes, Jeffrey D., 201
Hulse, C. L., 729
Hur, Sook-Jin, 852

Ichikawa, Misako, 74
Ichinose, Masao, 1032
Ida, H., 1053
Igarashi, Masao, 1479
Ikegawa, Ruriko, 436
Ikekita, Masahiko, 231
Inoue, Chiyoko, 1501
Inoue, Kazutomo, 286
Isaacs, John T., 840
Ishikawa, San-e, 411
Ishikawa, Toyoko, 1176
Ishizu, K., 924
Isola, E., 1441
Itkor, Pichet, 630
Ito, Hirataka, 1453
Ito, Masahiko, 1095
Ito, Michiko, 973
Itoh, Masahiro, 1479
Itoh, Yasuaki, 81

Jackman, G., 580
Jacobsen, P. B., 50
Jahnen, Willi, 139
Jastorff, B., 1319
Jhaveri, Sanjiv, 349
Jiang, Lun, 81
Jinno, J., 924
Johansson, Staffan, 661
Johnson, John T., 1390

Johnston, Colin I., 299
Jones, P., 807

Kagechika, Hiroyuki, 1300
Kahn, Peter C., 1039
Kajita, Jiro, 1494
Kakefuda, Mika, 984
Kalberg, Christopher J., 22
Kamada, Masafumi, 231
Kamiyama, Sigetosi, 336
Kaneko, Motohisa, 160
Kang, Jie, 1192
Kangawa, Kenji, 1080
Kappas, Attallah, 1429
Kari, Prasad H., 1155
Karlsson, Anna, 273
Kasahara, Michihiro, 101
Kato, Ikunoshin, 1485
Kato, Keitaro, 1176
Kato, Ryuichi, 1494
Katrantzis, Michael, 993
Kawano, Y., 924
Kawashima, Hiroyuki, 709
Kawata, Masahito, 1010
Kelly, Janice, 299
Keyes, Robert S., 1435
Khan, Fazlur R., 201
Kibe, Naomi, 365
Kikuchi, Akira, 1010
Kim, Deog Jung, 904
Kim, Sang Geon, 1072
Kimizuka, Fusao, 1485
Kimura, Chiharu, 81
Kimura, Satoshi, 608
Kishimoto, Akira, 1220, 1471
Kita, Kiyoshi, 101
Kitaguchi, Nobuya, 1453
Kizuki, Kazuyuki, 231
Klapper, Michael H., 867
Klauser, Stephan, 1228
Klimova, O. A., 1411
Kodaira, Ryoji, 1453
Kodama, Hiroaki, 1460
Koehl, Jack R., 595
Köhle, Kathrin, 1284
Kohn, Elise C., 757
Kohno, Kimitoshi, 1358
Koizumi, Akio, 336
Koland, John G., 90
Kondo, Jun, 1010
Kono, Norio, 637
Kothera, M., 113
Kulkarni, Arun P., 417
Kunert-Radek, J., 1171
Kunkel, S. L., 886
Kurihara, Hiroki, 324
Kuroki, Masahide, 701
Kuroki, Motomu, 701, 1063
Kurosawa, Atsushi, 1346
Kusano, K., 1053
Kusuhara, Masatoshi, 608
Kuwano, Michihiko, 1358
Kweon, Sang Ho, 973

Laplaud, P. Michel, 833
Laskowski, Michael, Jr., 1407
Laudanna, Carlo, 308
Laurence, Jeffrey, 349
Leeman, Susan E., 978
Lerner, Richard, 848
Lernhardt, Waldemar, 879
Lewiński, A., 1171
Li, Qinggang, 557
Lin, T., 1313
Lindström, Peter, 848
Liotta, Lance A., 757
Little, P. J., 580
Liu, Jianjun, 299
Liu, Yusen, 681
Loosfelt, Hugues, 394
Louisot, P., 1024
Luber-Narod, Judith, 978
Luyten, Frank P., 750

Mackenzie, Peter I., 1293
Maki, Masatoshi, 1485
Malvy, Claude, 293
Maneri, Leonard Remo, 1365
Manley, Geroge D., 1384
Mäntsälä, Pekka, 61
Margolis, Ronald N., 562
Marion, Christian, 1140
Marriq, Claudine, 937
Martelly, Isabelle, 1205
Martha, G. N., 695
Martin, A., 1024
Martín, M. Elena, 1237
Marumo, F., 1274
Masaki, Tomoh, 324
Masuda, Akira, 642
Masuda, Yoshishige, 840
Matarese, R. M., 1251
Mathupala, Saroj, 126
Mato, José M., 765
Matsubara, Kenichi, 1
Matsui, Yasushi, 1010
Matsumoto, Kunio, 916
Matsumoto, Midori, 43
Matsumura, Yasuo, 436
Matsunaga, T., 1274
Matsuo, Hisayuki, 1080
Matsuo, Ken-ichi, 1358
Matsuo, Yoshino, 701
Matsuoka, Yuji, 701, 1063
Matuo, Yuhsi, 840
Mawal, Madhumalti R., 1446
Mawal, Yogesh R., 1446
McDaniel, Michael L., 813
McGuigan, J. A. S., 1352
McIntosh, James E. A., 380
McIntosh, Rosalind P., 380
McKeehan, Wallace L., 840
McManus, Michael E., 860
McMurtry, Ivan F., 909
Meacci, Elisabetta, 765
Means, E. D., 1001
Meezan, Elias, 373
Mehdi, Shujaath, 595
Mehta, Nitin D., 259
Mejillano, Magdalena R., 653
Méndez, Enrique, 1237
Metschies, T., 1319
Miedel, May C., 201
Mikami, K., 924
Miki, Ichiro, 342
Miki, Kazumasa, 1032
Milgrom, Edwin, 394
Miller, Jeannette C., 109
Milos, N. C., 695
Minamino, Naoto, 1080
Miquel, Jean-François, 1471
Miron, Shmuel, 308
Misrahi, Micheline, 394
Misumi, Yoshio, 1063
Mitani, Kinuko, 1429
Mitra, Ashoke, 417
Miyakawa, Tokichi, 681
Miyake, Yoshio, 1088
Miyata, Atsuro, 81
Miyata, Yasushi, 436
Miyazaki, Miki, 1358
Mkrtchian, Souren L., 787
Monsarrat, B., 687
Montine, Kathleen S., 1340
Moore, R. B., 146
Mordoh, José, 601
Moret, V., 1378
Mori, Shuichi, 1095
Mori, Takesada, 1
Morimoto, Shiro, 436
Morissette, Jean-Claude, 873

Morita, Toshisuke, 324
Moritz, Robert L., 139
Moriya, Hiroshi, 231
Morris, Sidney M., Jr., 133
Mous, J., 154
Müller-Hill, Benno, 1192
Murachi, Takashi, 1485
Muramatsu, Masami, 1358
Murray, Michael, 772

Nagasaki, Koichi, 1088
Nagata, Kazuhiro, 642
Nagata, Kiyoshi, 1494
Nakai, Akira, 642
Nakajima, Hiromu, 637
Nakamura, Motonao, 342
Nakamura, Shigenobu, 1453
Nakamura, Yasuharu, 160
Nakaya, Kazuyasu, 160
Nakazato, Hiroshi, 1063
Nardini, M., 1251
Narihata, Hiroyuki, 1494
Narimatsu, Shizuo, 1308
Nata, Koji, 1501
Natori, Yasuo, 973
Nayler, Winifred G., 299
Nazhat, N. B., 807
Nebes, Vicki L., 133
Nembrot, Mónica, 601
Nemere, Ilka, 217
Nirula, Ajay, 223
Nishi, Nozomu, 840
Nishida, Yuri, 916
Nishikawa, Katsuzo, 840
Nishizuka, Yasutomi, 1220, 1471
Noguchi, Tamio, 637
Noguchi, Tomoo, 1467
Norman, Anthony W., 217
Novak, Raymond F., 1072

Oblas, Barry, 978
O'Brien, Karen Maddison, 90
O'Brien, Richard F., 909
Ogawa, Michio, 1
Ogawa, Tomohisa, 1460
Ogi, Kazuhiro, 81
Ogihara, Toshio, 1080
Ogura, Kenichiro, 1494
Ohashi, Akira, 330
Oh-hashi, Yoshio, 324
Ohkubo, Shoichi, 81
Ohnishi-Suzaki, Ai, 608
Ohno, Motonori, 1460
Ohtsuka, Kenzo, 642
Ohya-Nishiguchi, H., 924
Oikawa, Shinzo, 1063
Oishi, Kiyomi, 1453
Oka, Tatsuzo, 973
Okada, Kazutaka, 1176
Okamoto, Hiroshi, 1501
Olson, Michael J., 1390
Omichinski, James, 723
Onda, Haruo, 81
Ono, Mayumi, 1358
Ooshima, Akira, 1201
Osuna, Antonio, 736
Oya, Hiroshi, 101
Ozawa, Shogo, 1494

Paccaud, J.-P., 187
Palková, Z., 113
Palmblad, Jan, 848
Pan, Yu-Ching E., 201
Paoletti, Jacques, 293
Paolicchi, Aldo, 801
Pardridge, William M., 174
Pastan, Ira, 180
Pavliček, I., 113
Pawelek, John M., 1328
Pawlikowski, M., 1171
Pay, Graham F., 1334
Pearson, Paul G., 245
Pecci, L., 1251
Peet, Norton P., 595
Pellat, Catherine, 119
Perrella, Frank W., 715
Piazzolla, Silvana, 801
Pillion, Dennis J., 373
Pitzenberger, Steven M., 1155
Planells, Richard, 66
Plishker, G. A., 146
Polvani, Carolina, 1398
Pons, Michel, 1471
Popovic, Radovan, 873
Pradines-Figueres, Anne, 1118
Puigserver, Antoine, 358
Putcha, Girish, 1047

Quintana, Brenda, 601

Rafi, Mohammad A., 1017
Ranjekar, P. K., 1446
Rashed, Mohamed S., 245
Rasmussen, L., 1441
Ray, L. Bryan, 827
Rayford, Phillip L., 286
Reddi, A. H., 750
Reddy, C. Channa, 960
Reichard, Peter, 273
Reid, Gavin E., 139
Reidy, Charles A., 1390
Reidy, Gordon F., 772
Rensing, L., 1319
Resink, Thérèse J., 1213
Reyes, Victor E., 978
Ricci, G., 1251
Richards, Ira, 417
Rick, Caroline E., 1334
Rigler, Rudolf, 1102
Robelin, Jacques, 1205
Rollema, Hans, 238
Rosse, Wendell F., 648
Rossi, Filippo, 308
Roth, Jesse, 223
Rowe, John J., 424
Ruggiero-Lopez, D., 1024
Ruiz-Pérez, Luis M., 736
Russell, Diane Haddock, 1133
Russell, R. G. G., 208, 1163

Sabbadini, Roger A., 898
Saburi, Yoshio, 1358
Saether, O., 50
Safa, Ahmad R., 259
Saha, Badal C., 126
Saito, Kuniaki, 365
Saito, Toshikazu, 411
Sakai, Masaharu, 1358
Sakamoto, Hiroshi, 1460
Sakurai, Atsushi, 1220
Salinas, Matilde, 1237
Salmon, Jane E., 349
Salvatori, Sergio, 898
Samson, Guy, 873
Sansom, Lloyd N., 860
Santini, Maria Teresa, 168
Sar, Sokhavuth, 394
Sariaslani, F. Sima, 743
Sassa, Shigeru, 1429
Sato, Akihiko, 1095
Sato, Fumie, 342
Sato, Gordon H., 840
Sato, Kiyomi, 1358
Schell, Michael J., 562
Schifferli, J. A., 187
Schiffmann, Elliott, 757
Scholz, Richard W., 960
Schulam, Peter G., 1047
Schultz, C., 1319
Scott, Laurie A., 223
Scott-Burden, Timothy, 1213
Sdraffa, Adina, 1398
Sekar, M. Chandra, 373

Seki, Moritoshi, 1479
Sewerynek, E., 1171
Seyama, Yousuke, 342
Shearer, William T., 1047
Shen, Daisy, 316
Shen, Wei-Chiang, 316
Shibai, Hiroshiro, 1479
Shigamatsu, M., 924
Shigeta, Shiro, 1095
Shimizu, Takao, 342
Shimohigashi, Yasuyuki, 1460
Shimojo, Tomoko, 1485
Shiojiri, Satoshi, 1453
Showell, H. J., 886
Shriver, S. K., 146
Shudo, Koichi, 1126, 1300
Shuldiner, Alan R., 223
Sidhu, Anita, 574
Siemieniako, Barbara, 11
Sigel, M. M., 1313
Sikder, Santosh K., 349
Simpson, Richard J., 139
Skaleris, Diane A., 1284
Slatter, J. Greg, 245
Solovyeva, N. I., 1411
Sotgiu, Antonello, 168
Sparrow, Doris A., 833
Sparrow, James T., 833
Srivatsan, Jayanthia, 1372
Stahl, Ralph G., Jr., 743
Standiford, T. J., 886
Stelzner, Thomas J., 909
Stibbs, Henry H., 81
Streydio, Catherine, 1265
Strieter, R. M., 886
Strobel, Oliver K., 1435
Strongin, A. Ya., 1411
Sturgill, Thomas W., 827
Subramanyam, Babu, 238
Suga, Tetsuya, 780
Sugawara, Akira, 1501
Sugiyama, Takao, 324
Sumizawa, Tomoyuki, 74
Sumners, Colin, 22
Suzuki, H., 1053
Szkudliński, M., 1171

Tajima, K., 924
Takagi, Yasuyuki, 365
Takahashi, Takayuki, 1032
Takahashi, Yasuyuki, 1453
Takai, Yoshimi, 1010
Takaku, Fumimaro, 324
Takaoka, Masanori, 436
Takasawa, Shin, 1501
Takasuka, Hirotoshi, 840
Takenobu, Yoshifumi, 436
Tamai, Ikumi, 259
Tanaka, Junji, 1032
Tanaka, Seigo, 1453
Tanaka, Shigeo, 180
Tanaka, Shin-ichiro, 1220
Tanaka, Takehiko, 637
Tanaka, Yoshitaka, 1176
Tarui, Seiichiro, 637
Tateyama, Hitone, 1080
Taylor, Simeon I., 562
Tease, Le Ann, 622
Teranishi, Yutaka, 1010
Thibaudeau, D. G., 695
Thouveny, Yves, 66
Tobe, Takayoshi, 286
Toda, Hiroko, 852
Tokoro, T., 1053
Tokushima, Yasuo, 1453
Tominaga, Masahiro, 1220
Tomita, Naohiro, 1
Tones, Michael A., 1334
Tonetti, Michela, 1398
Tongiani, Roberto, 801
Trapman, J., 193
Tropschug, Maximilian, 280
Trezeciak, Wiesław H., 11
Tsao, Sai-Wah, 984
Tsen, Suh-Der, 1245
Tsuchida, Shigeki, 1358
Tsuchiya, Eiko, 681
Tsukada, Mikako, 336
Tsukagoshi, H., 1274
Tsukagoshi, Norihiro, 630

Udaka, Shigezo, 630
Ueda, Kazumitsu, 180
Uemori, Takashi, 1485
Ui, Michio, 342

Vahabi, Soheila, 259
Valette, A., 687
VanBenthuysen, Karyl M., 909
Van Damme, J., 1163
van der Weijden Benjamin, Wieke S., 931
van Laar, J. H., 193
Varela, Isabel, 765
Vassart, Gilbert, 1257, 1265
Vasta, Valeria, 765
Venot, Nicole, 937
Ventullo, Roy M., 424
Videira, Arnaldo, 280
Vihinen, Mauno, 61
Vondrejs, V., 113
Vukicevic, Slobodan, 750
Vyas, Kamlesh P., 1155

Wada, Yasuhiko, 336
Wajs, E., 1171
Wakasaki, Hisao, 1201
Waki, Michinori, 1460
Waks, Marcel, 1039
Wan, Jiansheng, 316
Wang, Dingji, 251
Wang, Feng, 201
Wang, Jin-Lin, 813
Wang, Yan, 109
Ward, Larry D., 139
Warren, Barbour S., 723
Watabe, Tadashi, 1494
Watanabe, Kazuhito, 1308
Watanabe, Tsuyoshi, 342
Weber, David V., 201
Weber, Erika, 1213
Wegner, Michael, 1110
Weill, Cheryl L., 1133
Weirich, Margaret, 1372
Weissbach, Herbert, 1284
Wenger, David A., 1017
Wennerberg, Anders B. A., 1102
Werner, Sigurd, 280
Whitson, Peggy A., 794
Wicker, Catherine, 358
Wiland, Ewa, 11
Williams, David E., 945
Wong, Yuk-Chor, 984
Woolf, Thomas, 238
Wynn, Richard, 1406

Yajima, Haruaki, 286
Yamada, Kazuyo, 365
Yamada, Kiyohiko, 1479
Yamada, Michiyuki, 852
Yamaguchi, Ken, 608, 1088
Yamaguchi, Takamasa, 231
Yamamoto, Hiroshi, 1501
Yamamoto, Ikuo, 1308
Yamasaki, Tomoyuki, 637
Yamashita, Takahiro, 324
Yamashita, Yasuno, 681
Yamazoe, Yasushi, 1494
Yanagisawa, Masashi, 324
Yang, G., 807

Yang, Maria, 373
Yang, Shiaw-Der, 267
Yano, Shinji, 1176
Yasuda, Ichiro, 1220
Yasuhara, Toshimasa, 330
Yazaki, Paul J., 898
Yazaki, Yoshio, 324
Yokouchi, Hideoki, 1
Yonezawa, Satoshi, 1032
Yoshikawa, Kunihiko, 916
Yoshimura, Akihiko, 74
Yoshimura, Hidetoshi, 1308
Yoshitomi, Haruko, 1460
Yoshizumi, Masao, 324
Young, John Ding-E, 648
Yu, Jau-Song, 267
Yu, Robert K., 387

Zegers, N. D., 193
Zeikus, J. Gregory, 126
Zenk, David W., 443
Zhang, Xun-Ling, 1017
Zocchi, Elena, 1398
Zorn, Nancy E., 1133

Volume 167

Abood, M. E., 1079
Adams, David J., 1050
Affolter, Hans-Urs, 722
Agnoletti, G., 1001
Aida, Kaoru, 1279
Aiton, James F., 1361
Akino, Toyoaki, 1235
Akiyama, Nobutake, 251
Akiyama, Yoshinori, 711
Akiyama, Yukio, 1242
Albert, Daniel, 383
Aletti, Maria Giovanna, 345
Alino, Salvador F., 731
Ammaturo, Domenico, 848
Anastassiades, Tassos P., 81
Ando, Shoji, 1316
Anner, B. M., 1115
Aoki, Yosuke, 1326
Aoyama, Atsuo, 648
Aragón, Juan J., 1214
Arienti, Danilo, 345
Arnold, Rudolf, 1102
Asakura, Akira, 251
Ashizawa, Kiyoto, 587

Backes, Gabriele, 813
Bailly, Christian, 798
Baird, Andrew, 294
Balzarini, Jan, 1044
Banno, Yoshiko, 396
Barnert, Sabine, 848
Bär, Jörg, 1214
Barr, Philip J., 673
Bass, R. A., 464
Bathurst, Ian C., 673
Beach, David, 301
Beaumont, Carole, 317
Beck, Gisèle, 1271
Beck, Gregory, 89
Belford, David A., 1369
Benach, Jorge L., 89
Bendinelli, Paola, 345
Bernelli-Zazzera, Aldo, 345
Bernstein, Kenneth E., 310, 1128
Betsholtz, C., 507
Bhattacharyya, Maitree, 1146
Bianchi, M., 339
Billiau, Alfons, 904
Blench, Ian, 993
Boege, Fritz, 1162
Boersma, Wim, 33
Bogdanovic, R. Patricia, 665
Boigegrain, R. A., 339
Borukhov, Sergey I., 74
Bouillaud, Frederic, 784
Bouizar, Z., 232
Box, H. C., 419
Bramley, Thomas A., 1050
Brandes, Lorne J., 665
Brasitus, Thomas A., 438
Bressoud, Albéric, 425
Brophy, Colleen M., 898
Brown, Marvin R., 294
Bruix, Marta, 1009
Bumazkin, B. K., 1057
Burnett, D., 659
Burton, Paul B. J., 1134
Busche, R., 48
Byatt, John C., 484

Calkins, J. H., 548
Cano-Gauci, D. F., 48
Cantrill, Richard C., 1162
Carrithers, M. D., 1200
Carter, Steven R., 1294
Cashel, Michael, 504
Casteilla, Louis, 784
Castro, B., 339
Catalano, Rosanne, 96
Cavallini, Palmina, 1249
Cavanni, Paolo, 1249
Cerutti, Peter, 425
Cha, Tepyon, 431
Chait, B. T., 686
Chan, S. J., 659
Chang, E. L., 238
Chasserot-Golaz, Sylvette, 1271
Chatterjee, S., 1139
Chaudhuri, U., 1146
Cheng, C. Yan, 1393
Cheng, Sheue-yann, 587
Chowdhury, S. K., 686
Chuang, De-Maw, 593
Cisneros, Ralph J., 869
Claassen, Eric, 33
Clarke, Frank, 535
Cock, Ian, 535
Cogniaux, Jacqueline, 222
Coguill, Rhonda, 543
Coletti-Previero, M-A., 339
Collins, John H., 189
Conings, René, 904
Conquer, Julie, 168
Conroy, M. C., 828
Cordell, Barbara, 96, 716
Cornacchiari, A., 1001
Cornet, Bernard, 222
Corvese, Donna, 514
Costell, Mercedes, 1263
Couturier, Roger, 9
Cramb, Gordon, 1361
Crea, Attilio E. G., 1022
Crocker, J., 659
Crouch, Michael F., 1369
Csikós, György, 1154

Dahlbäck, Helena, 391
Dahlgren, Claes, 970
Daniel, F. Bernard, 457
Das, U. N., 1030

Datta, Harish K., 183, 807
Dawson, Thomas L., 600
Daya, S., 1383
DeAngelo, Anthony, 457
De Clercq, Erik, 1044
Decock, Benny, 904
Dekegel, Daniel, 222
Delehaye, M. C., 232
Deng, Wanleng, 869
de Recondo, Anne-Marie, 1341
Deuel, Thomas F., 918
Devlin, Thomas M., 148
Di Lisa, F., 373
Dong, Ming-Hui, 360
Doolittle, Russell F., 16
Doussiere, Jacques, 790
Draetta, Giulio, 301
Ducommun, Bernard, 301
Dudding, Lindsay R., 244
Dudeja, Pradeep K., 438
Dunlap, R. Bruce, 869
Dunlop, Marjorie, 61

Eberwine, J. H., 1079
Egawa, Katsuya, 1073
Egidy, Giorgia, 1177
Eissele, Rolf, 1102
Elie, Christiane, 1341
Elsas, Louis J., 1229
Endoh, Masao, 123
Engström, Ulla, 1333
Esumi, Hiroyasu, 701
Etienne, Anthony, 993
Eto, Yuzuru, 654
Evans, Dean B., 194

Fabregat, Isabel, 161
Falck, J. R., 977
Fasbender, Marianne, 33
Fasolo, Michela, 1249
Favre-Bonvin, Guy, 9
Fehmann, Hans-Christoph, 1102
Ferrari, R., 1001
Flink, Irwin L., 317
Follin, Per, 970
Forterre, Patrick, 1341
Foster, Carolyn J., 110
Frangione, Blas, 927
French, J. F., 1400
Fujimoto, Katsuyuki, 777
Fujino, Masahiko, 941
Fujisawa, R., 761
Fujisawa, Yuko, 273
Fujita, Takuo, 933
Fujiwara, Motohatsu, 265
Fukada, Yoshitaka, 1235
Fukase, Masaaki, 933
Fukata, Junichi, 103
Fukuda, Noboru, 739
Fukutomi, Aiko, 716
Fukuzaki, Hisashi, 143
Furuichi, Yasuhiro, 251
Fyhrquist, Frej, 1191

Gál, Péter, 1154
Galdzicki, Z., 1015
Galvagno, Miguel A., 1177
Gangemi, J. David, 1044
Gauthier, Francis, 117
Gaviraghi, Giovanni, 1249
Genot, Geneviève, 1271
Gerritse, Koen, 33
Ghaffar, Abdul, 1044
Ghiso, Jorge, 927
Gicquaud, Claude, 40
Giurgea, Livia, 222
Göke, Burkhard, 1102
Göke, Rudiger, 1102
Gonda, Yasunori, 1316
Gores, Gregory J., 600
Goto, Hajime, 1
Goto, Katsutoshi, 941
Grandordy, Beatrice M., 1022
Grankowski, Nikodem, 471
Grasso, J. A., 528
Grazi, Enrico, 1109
Green, Carla B., 1184
Griffin, Lorri D., 1229
Grisolía, Santiago, 1263
Grunicke, Hans, 1206
Guidoboni, Massimo, 1109
Guntaka, Ramareddy V., 457
Guo, H., 548

Habicht, Gail S., 89
Hacques, Marie-Françoise, 9
Hahn, Matthias, 1162
Haller, Otto, 425
Haltia, Matti, 927
Hanley, M. R., 819
Hara, Shuntaro, 1309
Hardman, Norman, 848
Harig, James M., 438
Harington, Alexis, 244
Harris, Hayley J., 1037
Harris, P., 1001
Hashimoto, Hirotaka, 1348
Hatano, Michinobu, 739
Hatayama, Ichiro, 331
Hattab, Maurice, 117
Hawkins, P. T., 819
Hayashi, Hideyuki, 407
Hayashi, Jun-Ichi, 216
Hayashi, Masao, 1355
Hayashi, Norio, 367
Hazama, Akihiro, 287, 413
Heath, William, 554
Hecker, Markus, 1037
Hegerle, Diane, 722
Heithier, Helmuth, 1162
Heldin, Carl-Henrik, 1333
Hemstreet, G. P., 464
Hendry, Ian A., 1369
Hénichart, Jean-Pierre, 798
Henzl, Michael T., 1286
Herman, Brian, 600
Herranz, José, 1009
Hetta, Jerker, 1256
Hexum, Terry D., 294
Hino, Jun, 693
Hinsch, Klaus-Dieter, 910
Hirabayashi, Yoshihiro, 1
Hirai, Yoshikatsu, 103
Hiraoka, Osamu, 251
Hirota, Meisei, 431
Hiscott, John, 1086
Hla, Timothy, 637
Hochleitner, Boris W., 1206
Hoebeke, Johan, 117
Hoeger, Carl, 294
Hoffman, M. D., 828
Holmberg, Ingrid, 391
Homma, Yoshimi, 396
Hoogeveen, A. T., 520
Hook, Vivian Y. H., 722
Horie, Minoru, 413
Hotta, Mari, 360
Hovemann, Bernd, 1196
Hronowski, Lucjan J. J., 81
Hu, Hsiao-Yu, 360
Hu, P., 520
Hurst, R. E., 464
Hurta, Robert A. R., 258

Ichijo, Hidenori, 27
Ichinose, Yuki, 644
Ikeda, Tetsuya, 273
Ikegami, Hiroshi, 431
Ikegawa, Ruriko, 203, 860
Ikemoto, Noriaki, 189
Imai, Yoshio, 498
Imesch, E., 1115
Imura, Hiroo, 103
Inagaki, Hirofumi, 1065

Inagaki, Masaki, 1316
Inagami, Tadashi, 280
Inman, John K., 310
Inoue, Keizo, 1309
Inoue, Masaharu, 1279
Inoue, Yasushi, 407
Iozzo, Renato V., 883
Ishikawa, Akira, 876
Issinger, Olaf-Georg, 471
Ito, Koreaki, 711
Itoh, Kohji, 746
Iwasa, Yasushi, 1279
Izumi, Yoichi, 739

Jahnsen, Tore, 323
Jarrell, K. F., 154
Jean-Jean, Olivier, 1341
Jeney, Andras, 883
Johnson, Gibbes R., 110
Johnson, K. H., 507
Johnson, Lee F., 869
Joho, Rolf H., 174
Jones, P. L., 464
Jordan, K., 507

Kaempfe, Larry A., 484
Kagamiyama, Hiroyuki, 407
Kagawa, Yasuo, 216, 680
Kageyama, Jingo, 360
Kaleysa Raj., R., 568
Kalinichenko, Elena N., 20
Kalman, Eva T., 504
Kalman, Miklos, 504
Kalmokoff, M. L., 154
Kamada, Takenobu, 367
Kamata, Yoichi, 265
Kamegai, Masahiro, 54
Kanamaru, Ryunosuke, 876
Kanazawa, Hiroshi, 1348
Kanda, Tomoko, 273
Kandala, Jagannadha C., 457
Kangawa, Kenji, 693
Kanis, John A., 194
Kanno, Shin-ichiro, 876
Kapp, E. A., 1383
Karacsonyi, Sandor, 883
Karnauchow, T. M., 154
Kasahara, Tadashi, 1242
Katano, Yumi, 123
Katayama, Noriko, 1348
Kato, Hirokazu, 587
Katoh, Masakazu, 1065
Katsura, Minoru, 1037
Katsuura, Mieko, 1065
Katta, V., 686
Katunuma, Nobuhiko, 716
Kawai, Chuichi, 413
Kawanishi, M., 402
Kawanishi, Toru, 600
Kelve, Merike, 20
Kenyon, George L., 673
Keulemans, J., 520
Kido, Hiroshi, 716
Kimura, Akira, 948, 962
Kimura, Satoshi, 1
Kinsman, Oonagh S., 1050
Kitamura, Shinobu, 1316
Kiuru, Sari, 927
Klaus, Susanne, 784
Knaup, Strawn M., 438
Knight, Derek E., 1134
Kobayashi, Makoto, 777
Kobayashi, Masashi, 1073
Kondo, M., 402
Kono, Tetsuro, 614
Koratkar, R., 1030
Koumari, Rosa, 848
Kovalszky, Ilona, 883
Kowalski, Janice, 383
Kozaki, Shunji, 265
Krilis, Steven, 1022
Kruggel, William, 543
Kuboki, Y., 761
Kubota, Ichiro, 273, 777
Kubota, Kou, 767
Kubota, Koyomi, 1355
Kudo, Ichiro, 1309
Kuipers, P. J., 828
Kun, Ernest, 842
Kuramitsu, Seiki, 407
Kuroki, Yoshihiro, 273
Kurosawa, Kazuhei, 367
Kurosawa-Ohsawa, Kayoko, 1065
Kurstjens, Nicol P., 1162
Kwok, Simon C. M., 1184

Lacroix, Helene, 1022
Lai, Mei, 554
Lalmanach, Gilles, 117
Laloraya, Malini, 561
Lange, Jacqueline, 33
Langford, Kimberly G., 1128
Lapis, Karoly, 883
Laporte, François, 790
Lechner, Maria Celeste, 1271
Lee, Chen Yuan, 593
Lee, Tak H., 1022
Lemasters, John J., 600
Lenaerts, Jean-Pierre, 904
Lewis, Randolph V., 543
Libera, Luciano Dalla, 1249
Liebmann, Claus, 910
Liem, H. H., 528
Lin, T., 548
Lin, Teng-Nan, 1294
Lin, Wan-Wan, 593
Lin, Wei-Kuo, 977
Ling, Nicholas, 360
Liu, Whi-Yu, 1184
Lo, Shi-Lung, 238
Locher, Rudolf, 353
Loehr, Thomas, 813
Longo, Nicola, 1229
Luengo, José M., 891

Ma, Qi-Feng, 673
Maciag, Thomas, 637
MacIntyre, Iain, 183, 807, 993
MacLean, Margaret R., 492
MacQuarrie, Ronald A., 1294
Mahadevappa, Vhundi G., 168
Maki, Takako, 331
Makita, Toshinori, 413
Maly, Karl, 1206
Mammen, Andrew L., 1094
Margolin, Nara, 554
Marion, Christian, 9
Marks, William H., 898
Martin, Brian M., 1128
Martinez-Blanco, Honorina, 891
Martínez-Costa, Oscar H., 1214
Masaki, Tomoh, 941
Masuda, S., 1200
Masui, Yoshihiro, 103
Matsumoto, Hirokazu, 941
Matsumura, Yasuo, 203, 860
Matsuo, Hisayuki, 693
Matsushiro, Aizo, 644
Matsuta, Kunio, 1309
Mavoungou, Elie, 1022
Mayer, Eugene, 1044
Mayer, Roger, 1044
McCartney, Shirley, 1361
McGrath, Mike F., 484
McPhie, Peter, 587
Melloni, E., 373
Mengden, Thomas, 353
Menzies, Garry S., 1050
Metsärinne, Kaj, 1191
Metz, Stewart A., 61
Meunier-Rotival, Michèle, 1341
Micek, Mark, 383
Michalon, Pascal, 9
Michetti, M., 373
Midoux, Patrick, 1044

Mihalik, S. J., 580
Mikalsen, Svein-Ole, 1302
Mikhailopulo, Igor A., 20
Mikoshiba, Katsuhiko, 648
Milburn, Peter J., 1369
Milhaud, G., 232
Minamino, Naoto, 693
Minamitake, Yoshiharu, 273
Minoura, Yasushi, 1316
Minvielle, S., 232
Mitamura, Keiji, 1
Mitchell, Jane A., 1037
Miura, Atsushi, 273
Miwa, Masanao, 701
Miyagawa, Kiyoshi, 27
Miyake, Ryohei, 143
Miyamoto, Chikara, 251
Miyamoto, Kaoru, 654
Miyamoto, Terumasa, 1309
Miyauchi, Takashi, 941
Miyazono, Kohei, 27
Mizrahi, Valerie, 244
Mizuno, Yoshikuni, 680
Mogutov, M. A., 1057
Molnar, Gabor, 883
Moniz, Caje, 1134
Monsigny, Michel, 1044
Mookerjea, Sailen, 444
Moosmayer, M., 1115
Moran, O., 1015
Moreau, Thierry, 117
Morgat, Jean L., 910
Mori, Kenjiro, 103
Morii, Magotoshi, 754
Morii, Narito, 265
Morimoto, Shiro, 203, 860
Morino, Yoshimasa, 407
Morita, Takashi, 644
Morris, Howard R., 993
Moser, A., 211
Moukhtar, M. S., 232
Mrema, John EK, 457
Müller, Gaby, 848
Muller-Eberhard, U., 528
Muneoka, Yojiro, 273, 777
Murakami, Makoto, 1309
Murakami, Norihiko, 103
Murata, Kousaku, 948, 962
Murray, Darrell K., 607

Nagpurkar, Arun, 444
Naito, Yoshiyuki, 103
Nakai, Yoshikatsu, 103
Nakajo, N., 450
Nakajo, Shigeo, 280
Nakamura, Etsuo, 1073
Nakashima, Toshihiko, 396
Namiki, Masayoshi, 956
Naor, Zvi, 982
Narumiya, Shuh, 265
Naruto, Masanobu, 1326
Negre, Eric, 1044
Nelson, Don H., 607
Neuschwander-Tetri, B. A., 1170
Nieminen, Anna-Liisa, 600
Nieto, José L., 1009
Niijima, Kenji, 680
Nishi, Yoshimi, 1316
Nishihara, T., 402
Nishikawa, J., 402
Nishiki, Teiichi, 265
Nishimuro, S., 1139
Nishizawa, Kimiko, 1316
Nodzenski, Edwardine, 383
Noma, Yoshihiko, 431
Nozaki, Masami, 644
Nozawa, Yoshinori, 396
Nunez, Emmanuel A., 317
Nyberg, Fred, 1256
Nyunoya, Hiroshi, 701

O'Brien, T. D., 507
O'Connor, José-Enrique, 1263
O'Hare, C. M., 464
Offermanns, Stefan, 910
Ogata, Etsuro, 654
Ogihara, Toshi, 431
Ogura, Tsutomu, 701
Ohashi, Hideya, 27
Ohba, Reiko, 251
Ohboshi, Chizuko, 431
Ohguro, Hiroshi, 1235
Ohnishi, Kiyokata, 1
Ohta, Noriyuki, 777
Ohta, Shigeo, 216, 680
Ohtsuki, Kenzo, 876
Ohyagi, Yasumasa, 54
Oishi, Nobue, 1355
Oka, Shinichi, 1
Okada, Yasunobu, 287, 413
Okamoto, Koji, 767
Okamura, Kiyoshi, 956
Okano, Kiyoshi, 1326
Okumura, Toshikatsu, 956
Olvera, Joe, 1377
Onaya, Toshimasa, 1279
Orekhov, Alexander N., 1122
Orozco, Carlos, 535
Osborne, Ed, 554
Oshima, Akihiro, 746
Otsuka, Mieko, 680
Oyama, Masakazu, 767
Ozawa, Takayuki, 216

Padma, M., 1030
Palmert, Mark R., 1094
Palmisano, William A., 1286
Palo, Jorma, 927
Panico, Maria, 993
Parenti, G., 520
Passeron, Susana, 1177
Paul, C. R., 419
Paveto, Cristina, 1177
Perello, Margarita, 1009
Pérez-Yarza, Gorka, 731
Perkins, Anthony, 535
Piao, Yun-Feng, 27
Piccoletti, Roberta, 345
Pidoux, E., 232
Poddar, R. K., 1146
Podkopaeva, Tatjana L., 20
Podlisny, Marcia B., 1094
Pogany, Gabor, 883
Pontremoli, S., 373
Pourzand, Charareh, 425
Poyner, D. R., 819
Prelli, Frances, 927
Premkumar, Noel, 1294
Pritchard, K. A., Jr., 137
Puia, G., 1015
Puigserver, Antoine, 130

Quamme, Gary A., 1406
Quon, Diana, 96

Rabkin, Simon W., 1406
Raimbault, Serge, 784
Ralzada, Mohan K., 492
Ramachandran, Chittoor K., 607
Raman, V. K., 1200
Ramaswamy, Krishnamurthy, 438
Ramesh, G., 1030
Randell, Edward, 444
Rao, JY., 464
Rao, P. Vasantha, 1221
Rao, Shashidhar N., 477
Ratti, Emiliangelo, 1249
Ray, Purnima, 543
Reglero, Angel, 891
Reilly, Jeffrey M., 898
Reissmann, Siegmund, 910
Reynolds, D. J. M., 819
Ribeiro, Vera, 1271
Rico, Manuel, 1009
Ricquier, Daniel, 784

Riera, L. C., 1400
Riley, Marcia, 16
Riordan, J. R., 48
Rivedal, Edgar, 1302
Rivier, Jean E., 294
Roche, Annie-Claude, 1044
Roll, F. J., 1170
Rönnstrand, Lars, 1333
Rosenthal, Walter, 910
Rossignol, Jean-Michel, 1341
Rouaze, Marielle, 317
Rowley, Gerald L., 673
Rozengurt, Enrique, 161
Ruysschaert, Jean-Marie, 222

Saarma, Mart, 20
Saavedra-Molina, Alfredo, 148
Sachinidis, Agapios, 353
Sagar, P. Sangeetha, 1030
Sahlin, Margareta, 813
Saijonmaa, Outi, 1191
Saito, Tetsuya, 1235
Sakaguchi, Genji, 265
Sakaki, Yoshiyuki, 1355
Sakuma, Ichiro, 739
Sakuraba, Hitoshi, 746
Salhi, Samia, 1341
Sandberg, Marten, 323
Sanders-Loehr, Joann, 813
Sanner, Tore, 1302
Santhamma, K. R., 568
Sarmiento, J. G., 1400
Sárvári, Miklós, 1154
Sasaki, M., 402
Sasaoka, Toshiyasu, 1073
Sass, Miklos, 1154
Sastry, Srinivas S., 842
Sato, Kazuki, 360
Sato, Kiyomi, 331
Sato, Nobuhiro, 367
Sato, Wataru, 216
Satoh, Kimihiko, 331
Satoh, Misako, 251
Savu, Lia, 317
Schellekens, Marc, 33
Schempp, Werner, 848
Schenkel, Johannes, 1196
Schilling, James, 716
Schleussner, Cathrin, 848
Schlossmacher, Michael G., 1094
Schnaar, Ronald L., 67
Schnittler, Martin, 910
Schrewe, Henrich, 848
Schultz, Günter, 910
Schumaker, Verne N., 1154
Sciancalepore, M., 1015
Segond, N., 232
Selkoe, Dennis J., 1094
Shai, Shaw-Yung, 1128
Shalitin, C., 628
Sharma, M., 419
Shawver, Laura K., 918
Shibai, Hiroshiro, 654
Shibata, Hiroshi, 614
Shigeta, Yuikio, 1073
Shima, Kenji, 431
Shimada, Kaoru, 1
Shimizu, Hirohiko, 1326
Shoji, M., 450
Shoshara, Jihad, 438
Shuster, Robert C., 1229
Sigel, M. M., 548
Siliprandi, N., 373
Singh, Toolsee J., 621
Sirviö, Marja-Leena, 1191
Sjöberg, Britt-Marie, 813
Skålhegg, Bjorn, 323
Skjeldal, O. H., 580
Smirnov, Vladimir N., 1122
Sobenin, Igor A., 1122
Soma, Masayoshi, 739
Somer, Hannu, 927
Sorokin, Andrey, 1333
Spicher, Karsten, 910
Spur, Bernd W., 1022
Stemerman, M. B., 137
Stockley, R. A., 659
St-Onge, Dominique, 40
Strongin, Alexander Ya.,74, 1057
Sugden, David, 835
Sugibayashi, Masaaki, 1073
Sugimura, Takashi, 701
Sugiura, Masanori, 280
Sukhu, Balram, 665
Sumners, Colin, 492
Sun, Grace Y., 1294
Suzuki, Hiroshi, 413
Suzuki, Katsuyuki, 1377
Suzuki, Nobuhiro, 941
Suzuki, Yoshiyuki, 746
Szecseny, Andor, 883

Tabira, Takeshi, 54
Tabuchi, Hisahiro, 251
Tachibana, Yukako, 251
Tagawa, Kunio, 367
Tahara, Yasuhiro, 431
Takagi, Yasuyuki, 933
Takahashi, Keikichi, 54
Takahashi, Shunji, 654
Takahashi-Masutani, Mitsuko, 701
Takaku, Fumimaro, 27
Takaoka, Masanori, 203, 860
Takasugi, Yuichi, 956
Takata, Hideyuki, 754
Takata, Shoichiro, 933
Takayama, Kiyoshi, 1309
Takeguchi, Noriaki, 754
Takenawa, Tadaomi, 396
Takubo, Y., 402
Tamai, Katsuto, 331
Tamai, Sunao, 103
Tamaki, Mikio, 1073
Tamura, Taka-aki, 648
Tanaka, Masashi, 216
Tanaka, Shigeaki, 1065
Tani, K., 402
Tarcsafalvi, Adel, 189
Tateyama, Hitone, 693
Tei, Hajime, 948, 962
Tei, Masahiko, 413
Teraoka, Hiroshi, 1073
Tertov, Vladimir V., 1122
Thavarajah, Maniccam, 194
Thiemermann, Christoph, 1037
Thompson, John, 848
Thörnwall, Madeleine, 1256
Thueson, D. O., 828
Tilson, M. David, 898
Tokunaga, Osamu, 933
Tominaga, Tomoko, 103
Tomobe, Yoko, 941
Tonevitsky, Alexander G., 1122
Tota, R. R., 137
Tou, Jacob S., 484
Treilhou-Lahille, F., 232
Trombetta, Giorgio, 1109
Tsuchida, Shigeki, 331
Tsuchiya, Tomofusa, 1348
Tsuda, Masaaki, 1348
Tuka, K., 1057
Tümmler, B., 48

Ueda, I., 450
Uehara, Akira, 956
Unda, Fernando J., 731
Uno, Tomohide, 498
Urayama, Kyoko, 1
Uribe, Salvador, 148
Usui, Shigeyuki, 575

Valansi, C., 628
Vandenbranden, Michel, 222

Vane, John R., 1037
Van Gorcom, Robert, 33
Van Damme, Jo, 904
Velikodvorskaya, G. A., 1057
Vetter, Wilhelm, 353
Vignais, Pierre V., 790
Ville, Albert, 9
Vincent, S. H., 528
Vineyard, Billy D., 484
Violand, Bernie N., 484
Viotti, P. L., 373
Vlahos, Chris, 554
Vranckx, Roger, 317

Wada, Kenji, 251
Wagner, Klaus, 848
Wakui, Akira, 876
Wang, Yu, 716
Ward, C. J., 659
Watanabe, Kunihiko, 962
Watanabe, Masashi, 739
Watanabe, Yoshiyasu, 739
Watkins, P. A., 580
Weber, Volkmar, 1102
Weisz, Ora A., 67
Weitberg, Alan B., 514
Welsh, Stephen L., 310
Westermark, P., 507
Weyhenmeyer, J. A., 1200
Whitcomb, Jeannette, 425
Whiteley, C. G., 1383
Whitley, R. J., 1139
Wicker, Catherine, 130
Williams, Robert J., 1050
Wimalawansa, Sunil J., 993
Wong, Patrick Y-K, 137, 977
Wool, Ira G., 1377
Wright, C. D., 828
Wright, Jim A., 258
Wu, Pearl, 383

Xanthoudakis, Steven, 1086

Yagisawa, Hitoshi, 1242
Yamagata, Yukari, 1348
Yamaguchi, Yuji, 1242
Yamamoto, Masamitsu, 265
Yamamoto, Yoshihiro, 431
Yamashita, Keisuke, 1242
Yamashita, Takayuki, 654
Yamato, Eiji, 431
Yasuda, Hisakazu, 739
Yokomori, Norihiko, 1279
Yokota, Hiroshi, 498
Yokoyama, Mitsuhiro, 143
Yoneda, Hiroko, 431
Yonekawa, Hiromichi, 216
Yoshida, Masayuki, 777
Yoshida, Mitsuo, 680
Yoshikawa, K., 450
Yoshizawa, Tôru, 1235
Young, Paul, 301
Younkin, Steven G., 1094
Yu, Aiming, 396
Yu, Chang-An, 575
Yu, Linda, 575

Zaidi, Mone, 183, 807
Zama, Mitsuo, 772
Zaninetta, Daniela, 848
Závodszky, Péter, 1154
Zegers, Netty, 33
Zhang, Haichao, 869
Zhao, Zhao-Yang, 174
Zigler, J. Samuel, Jr., 1221
Zimmermann, Wolfgang, 848
Zupec, Mark E., 484

Volume 168

Abe, Mine, 125, 194
Ackerman, Steven, 498
Aducci, Patrizia, 1041
Aihara, Kazuhiro, 169
Akama, Hideto, 857
Aki, Kenji, 389
Akino, Toyoaki, 328
Akita, Hozuka, 301
Allaway, Graham P., 747
Alonso, Alicia, 987
Amberger, A., 358
Ambrosini, Annarina, 1268
Ansari, Naseem H., 939
Apperson, Michelle, 574
Appling, Dean R., 625
Arai, Masao, 1217
Araki, Satohiko, 1194
Araki, Shun-ichi, 350
Arata, Yoji, 596
Aratan-Spire, Sonia, 952
Arimura, Akira, 1027
Asaro, Daniela, 933
Ashley, C. C., 295
Athauda, S. B. P., 878
Atta, Mohammed, 659
Avraham, Hava, 114
Ayo, Suzanne H., 625

Baba, Tsuneo, 520
Bando, Yoshimi, 389
Battini, Renata, 430
Bauer, H., 358
Bauer, H. C., 358
Bayard, F., 527
Baylink, D. J., 792
Beckman, Barbara S., 490
Belcastro, Angelo N., 364
Bembenek, M. E., 702
Bereziat, G., 644
Bertho, Jean-Marc, 665
Bertoli, Enrico, 1268
Bhadra, Ranjan, 43, 51
Bhattacharya, Gautam, 43, 51
Bienkowski, Robert S., 479
Billiar, T. R., 1034
Bismuth, Georges, 665
Blanc, Catherine, 665
Bonkovsky, H., 176
Bost, K. L., 1020
Boulay, François, 1103
Bourne, Henry R., 1184
Brakch, Nourredine, 1066
Brauner, Joseph W., 85
Brouchon, Laurence, 1103
Brown, John, 37
Brownell, Jay, 912
Bryan, Heidi G., 274
Buczko, Ellen, 415
Büler, Fritz R., 1303
Burke, Christine, 498
Bushara, S. A., 9
Byrns, Russell E., 458

Cable, E., 176
Calzetti, Federica, 320
Camardella, Laura, 933
Campbell, Wilbur H., 1285
Candedda, Ranieri, 933
Capurso, Antonio, 1118
Caruso, Carla, 933
Castresana, José, 987
Castronovo, Vincent, 1110

Cheng, I-Ping, 188
Chieffi, Giovanni, 923
Chuang, De-Maw, 512
Clark, Mike A., 979
Clarke, B. L., 1020
Cohen, Paul, 1066
Colotta, F., 1013
Combadière, Christophe, 65
Crecchio, Carmine, 1118
Crespo, Piero, 733
Csaba, György, 709
Curran, R. D., 1034

Dai, Wei, 1
Dalloul, Ali H., 665
Dalrymple, B. L., 267
Daniels, Alejandro J., 1143
Darbon, J. M., 527
Davies, Mark A., 85
Davis, Elizabeth A., 498
Debré, Patrice, 665
de Groot, Rolf P., 1074
de Leeuw, Renato, 923
Della Bianca, Vittorina, 320
De Murcia, Gilbert, 637
Descalzi Cancedda, Fiorella, 933
de Weille, Jan R., 1137
Di Bello, Carlo, 1066
Dong, Li-Ming, 409
Doussiere, Jacques, 78
Dufau, Maria L., 415
Dunford, H. Brian, 1311

Eberlein, C. V., 206
Ebisawa, Motohiro, 830
Egan, Robert W., 979
Endo, Isao, 437
Etheredge, J. L., 267
Eto, Sumiya, 1217
Eto, Yuzuru, 1149
Evans, C-O, 176
Eyster, Kathleen M., 609

Fasano, Silvia, 923
Ferrari, Stefano, 430
Fetzer, Sharon M., 1095
Fincato, G., 1013
Fontecave, Marc, 659
Förstermann, Ulrich, 727
Foti, Daniela, 281
Fujii, Wataru, 451
Fujino, Masahiko, 596, 844
Fujioka, Hiroyuki, 1244
Fujita, Takuo, 537, 889
Fukase, Masaaki, 537, 889
Fukazaki, Hisashi, 350
Fukuchi, Yoshinosuke, 485
Fukuda, Yoshihiro, 1274
Fukumoto, Hirofumi, 1274
Fukuto, Jon M., 458
Fukuzaki, Hisashi, 301
Funakoshi, Akihiro, 741
Funakoshi, Takayuki, 125

Gan, Zhong-Ru, 944
Gandini, Giorgio, 320
Gerez, Catherine, 659
Gestautas, Jane, 281
Gewirtz, Henry, 1297
Gilchrist, James S. C., 364
Giroud, Jean-Paul, 65
Gitzelmann, Richard, 479
Goldberg, Itzhak, 1082
González, Carmen, 733
Gordeladze, Jan O., 91
Gorsky, Lee D., 727
Goto, Katsutoshi, 1230
Gotoh, Sadao, 690
Gottschall, Paul E., 1027
Götz, F., 141
Grabowski, Gregory A., 771
Grace, Marie E., 771
Granot, Yosef, 566
Graves, Mary C., 30
Green, Stuart, 1007
Greene, Robert S., 763
Greene, Y., 176
Gronwald, J. W., 206
Grüninger-Leitch, Fiona, 30
Grzeskowiak, Miroslawa, 320
Gupta, Sohan L., 1

Haass, Ch., 314
Hacques, Marie-Françoise, 637
Hagiwara, Masatoshi, 161
Hahn, Alfred W. A., 1303
Hakim, Jacques, 65
Hama, Hiroko, 1211
Hamilton, Thomas A., 1261
Hammarström, Sten, 214
Han, Song-Ping, 786
Hansson, Vidar, 91
Hara, Yukichi, 1318
Häring, H. U., 1089
Hasegawa, Akira, 58
Hasegawa-Sasaki, Hiroko, 328
Hatanaka, Masakazu, 905, 1163
Hattori, Naoki, 396
Haugen, Trine B., 91
Hayashi, Hiroshi, 1194
Hayashi, Saburo, 16
Healey, J., 176
Heath, Joan K., 1171
Heller, Michael, 727
Helms, Larry R., 809
Hidaka, Hiroyoshi, 161
Higashi, Ken, 690
Higuchi, Tsunehiko, 169
Higuti, Tomihiko, 226
Hirano, Hideyasu, 690
Hirano, Yoshiaki, 1217
Hirata, Akira, 437
Hirata, Ken-ichi, 301
Hirata, Makoto, 437
Hirata, Masaharu, 551
Hirata, Masato, 379
Hiratani, Hajime, 16
Hirobe, Masaaki, 169
Hohmann, Philip, 763
Homma, Mitsuo, 857
Honda, Jun, 437
Hoogenraad, Nicholas, 1280
Hoshino, Mikio, 58
Hosokawa, Yu, 473
Hu, Zhang-Zhi, 415
Huang, P. C., 182, 188
Hurme, Mikko, 959
Hyde, Gregory E., 1285
Hynes, Michael, 1280

Ichihara, Akira, 335
Ichikawa, Yoichi, 857
Ichiro, Tokimitsu, 850
Ignarro, Louis J., 458
Iikura, Yoji, 830
Ikawa, Sachio, 672
Ikebe, Mitsuo, 714
Ikeda, Kazuto, 889
Ikeda, Yurika, 741
Ikeuchi, Masahiko, 437
Imai, Yasuo, 889
Imamura, H., 837
Imura, Hiroo, 396, 1274
Inada, Tetsuo, 604
Inada, Yoshiaki, 1253
Inada, Yuji, 1292
Inagaki, Nobuya, 1274
Inamoto, Yoshito, 1217
Inoue, Keizo, 1059
Inoue, M., 194
Inoue, Yorinao, 437
Ishida, Kiyoshi, 485
Ishikawa, Yuichi, 301

Ishimatsu, Toyohiro, 379
Ishizaka, Yukihito, 402
Issandou, M., 527
Itakura, Hiroshige, 473
Itaya-Hironaka, Asako, 1253
Ito, Kazutoshi, 801
Itoh, Fumio, 423
Iwahashi, Hitoshi, 288
Izaki, Kazuo, 801

Jacobs, John W., 944
Jaiswal, Y. K., 71
Jensen, Robert E., 574
Jeunet, André, 659
Jimi, Atsuo, 741
Jo, Chuu, 485
Johnson, Howard M., 696

Kageyama, Shigeru, 37
Kageyama, Takashi, 878
Kaji, Kazuhiko, 1194
Kajii, Tadashi, 993
Kakutani, Yuri, 1211
Kalandadze, A. G., 9
Kallen, Roland G., 616
Kamio, Yoshiyuki, 801
Kamiya, Tomoya, 1253
Kanda, Tatsuo, 1053
Kanemoto, Kohji, 972
Kangawa, Kenji, 863
Kanno, Takashi, 677
Kanungo, M. S., 71
Karasaki, Yuji, 690
Kariya, Ken-ichi, 350
Kato, Keitaro, 520
Kato, Koichi, 596
Katoh, Takahiko, 690
Katsura, Shinji, 604
Katunuma, Nobuhiko, 823
Katz, Sidney, 364
Kawahara, Yasuhiro, 350
Khan, Sohaib A., 721
Khan, Wasif Noor, 214
Kido, Hiroshi, 823
Kihara, Eiji, 604
Kikuchi, Akira, 1244
Kimura, Narimichi, 99
Kimura, Sadao, 1230
Kishi, Fumio, 993
Kitada, Chieko, 596
Kitamura, Motoshi, 672
Kloetzel, P.-M., 314
Kobayashi, Hiromi, 372
Koch, Gebhard, 148
Koga, Junichi, 16
Koga, Toshitaka, 379
Kohn, Leonard D., 747
Koike, Hiroyuki, 437
Koike, Masamichi, 844
Kojima, Soichi, 1292
Kojima, Yuko, 1318
Komada, Masayuki, 1059
Kondo, Koichi, 423
Konishi, Junji, 905
Kono, Akira, 741
Kono, Keiko, 16
Kort, Jens J., 148
Korte, Alexandra, 979
Kosaka, Masaaki, 1149
Kovács, Péter, 709
Köves, Katalin, 1027
Koyama, Eiki, 343
Koyama, Jiro, 683
Koyama, Yoshikazu, 898
Kreisberg, Jeffrey I., 625
Krey, Grigorious D., 809
Kröger, H., 141
Kruijer, Wiebe, 1074
Kubota, Yukiho, 125
Kudo, Ichiro, 1059
Kumagai, Hiromichi, 544
Kumagai, Shunichi, 396
Kumar, Sanjay, 818
Kurata, Hideyuki, 437
Kuroda, Shinya, 1244
Kurokawa, Hiroo, 451
Kuwabara, Michio D., 756
Kwon, Nyoun Soo, 558

Lahm, Hans-Werner, 30
Lakkakorpi, Päivi, 309
Lapetina, Eduardo G., 466
Laporte, François, 78
Lau, K. H. W., 792
Lazdunski, Michel, 1137
LeBreton, Pierre R., 1095
Lechan, Ronald M., 952
Lee, Chen Yuan, 512
Lee, Kaechoong, 905
Legoy, M. D., 644
León, Javier, 733
Li, Steven S.-L., 672, 677
Liguri, G., 651
Lin, Lih-Yuan, 182, 188
Lin, Wan-Wan, 512

Machida, Katsuhiko, 672
Maekawa, Masato, 672, 677
Maeshima, Masayoshi, 1157
Magaard, Victoria W., 274
Maki, Masatoshi, 1163
Manneberg, Michael, 30
Mannermaa, Riitta-Maaria, 254
Mantovani, A., 1013
Marchitelli, Louis J., 498
Marcocci, Lucia, 240
Marion, Christian, 637
Marra, Mauro, 1041
Masaki, Tomoh, 1230
Masaki, Tsuneo, 423
Mason-Garcia, Meredith, 490
Masters, Susan B., 1184
Matsubara, Yoichi, 1053
Matsumoto, Akiyo, 473
Matsuo, Akio, 16
Matsuo, Hisayuki, 863
Matsuo, Nobuhiko, 343
Matsuo, Toshihiko, 343
Matsushiro, Aizo, 972
Matsushita, Yasutsugu, 857
Matsuura, Shinya, 993
Matsuzaki, Osamu, 878
Mavelli, Irene, 240
McFadden, J. J., 206
Meek, Thomas D., 274
Meguro, Hiroshi, 506
Meidel, May C., 30
Meikle, Murray C., 1171
Mellgren, Ronald L., 589
Mendelsohn, Richard, 85
Meromsky, Leonid, 1082
Metodiewa, Diana, 1311
Meyer, Christopher R., 778
Michaud, Lorraine, 22
Mills, Ira, 1297
Minamino, Naoto, 863
Miyake, Ryohei, 301
Miyamoto, Norimasa, 604
Miyamoto, Terumasa, 1047
Miyamoto, Yoshiyuki, 1149
Miyasaka, Junko, 1237
Miyasaka, Tadayo, 1237
Miyashita, Tomoyuki, 972
Modliszewski, Ann, 200
Mohan, S., 792
Molina, Francesco, 933
Momoi, Mariko, 544
Momoi, Takashi, 544
Montefiori, David C., 200
Moore, Michael L., 274
Mori, Masakazu, 844
Morikawa, M., 194
Mossalayi, M. Djavad, 665
Moulton, Bruce C., 721
Muller, Sylviane, 637

Mulligan, I. P., 295
Muneyuki, Eiro, 372
Murad, Ferid, 727
Muraguchi, Masahiro, 226
Murakami, Yasufumi, 604
Murayama, Yoshitake, 1201
Murono, Eisuke P., 248
Murray, S. A., 1034
Mushack, Joanne, 1089
Muto, Terukazu, 1053
Myers, Joyce, 979

Naes, Linda, 786
Nagakura, Toshikazu, 830
Nagamune, Teruyuki, 437
Nagao, Minako, 402
Nagase, Takahide, 485
Nagashima, Ken, 844
Nagata, Tetsuji, 161
Nakajima, Terumi, 596, 844
Nakao, Makoto, 1318
Nassi, P., 651
Nathan, Carl F., 558
Nawata, Hajime, 1128
Nediani, C., 651
Negri, Armando, 933
Nersissian, Aram M., 232
Niedbalski, J. S., 267
Nieva, José-Luis, 987
Nishida, Tamotsu, 801
Nishida, Yoshihiro, 506
Nishikawa, Takeji, 850
Nishimoto, Ikuo, 1201
Nishimura, T., 837
Nishimura, Yukio, 520
Noda, Chiseko, 335
Nogami, Makoto, 1047
Nohno, Tsutomu, 343
Noji, Sumihare, 343
Nonomura, Yoshiaki, 451
Notkins, Abner Louis, 747
Nunn, C., 295

Odaka, Masafumi, 372
Odani, Hiroko, 1223
Ogata, Etsuro, 1201
Ogawa, Hiroshi, 1223
Ohashi, Masao, 1128
Ohguri, Miho, 335
Ohkuni, Yoshihiro, 1201
Ohmi, Kazuhiro, 451
Ohmori, Yoshihiro, 1261
Ohmura, Takafumi, 683
Ohnaka, Keizo, 1128
Ohno, Kouji, 551
Ohrui, Hiroshi, 506
Ohshio, Gakuji, 1163
Ohta, Shuichi, 905
Oikarinen, Jouko, 254
Oka, Jun, 473
Okada, Shoji, 58
Okamoto, Mayumi, 58
Okamoto, Takashi, 1201
Okazaki, Hiroshi, 1128
Okuno, Fumio, 1217
Olivier, J. L., 644
Ono, Teruo, 1053
Onoue, Kaoru, 683
Ordovás, Jose M., 733
Orimo, Hajime, 485
Ortiz, Jose M., 733
Ossendorp, Bernadette C., 631
Ostroy, Sanford E., 155
Oyama, Rieko, 1223
Ozaki, Shoichiro, 379

Painter, George R., 1143
Palazzolo, Marjorie R., 1007
Palmer, R. E., 295
Pan, Yu-Ching E., 30
Paolillo, Livio, 1066
Pardridge, William M., 1177
Patil, B. C., 818
Paulssen, Eyvind J., 91
Pedersen, Jens Z., 240
Pepe, Gabriella, 1118
Périanin, Axel, 65
Pernas, P., 644
Peters, Karen J., 107
Petronilli, Valeria, 443
Philipson, Kenneth D., 917
Pierantoni, Riccardo, 923
Polentarutti, N., 1013
Pollock, Jennifer S., 727
Polokoff, Mark A., 944
Pontzer, Carol H., 696
Postlind, Hans, 261
Potier, Michel, 22
Powell, Jerry, 1303
Prabhakar, Bellur S., 747
Preissner, Klaus T., 966
Price, Harry L., 1095

Raghow, Rajendra, 1007
Ramponi, G., 651
Rapoport, Basil, 281
Razin, S. V., 9
Reason, Donald C., 830
Reinhard, John F., Jr., 1143
Resink, Thérese J., 1303
Reynolds, John J., 1171
Rholam, Mohamed, 1066
Rikimaru, Koichi, 905
Ringer, D. P., 267
Ripley, Catherine R., 479
Ristevski, Sika, 1280
Rodriguez, Jose C., 733
Romero, Roberto, 1082
Ronchi, Severino, 933
Rosen, Eliot M., 1082
Rossi, Filippo, 320
Rossi, Luisa, 240
Rotilio, Giuseppe, 240
Roy, Amit K., 51
Roy, Rabindra, 43
Rozanov, Charmaine B., 589
Ruggiero, M., 651
Russell, Jeffry K., 696

Saito, Akira, 1223
Saito, Hirohisa, 830, 837
Saito, Kazuki, 596, 844
Saito, Shiro, 1149
Saito, Yuji, 1292
Sakata, Atsuko, 683
Sakata, Mitsuhiko, 125
Sakurai, Takashi, 451
Saltiel, Alan R., 1237
Santoro, Samuel A., 107
Sardana, Mohinder K., 944
Sato, Shingo, 1318
Sawamura, Ryoji, 58
Sawamura, Tatsuya, 1230
Scatturin, Angelo, 1066
Scharfmann, Raphael, 952
Schmidt, Harald H. H. W., 727
Schrier, Robert W., 566
Schulze-Forster, K., 141
Schuster, Herbert F., 85
Scott-Burden, Timothy, 1303
Seffer, Eva, 1089
Seino, Susumu, 1274
Seino, Yutaka, 1274
Sekiya, Fujio, 1292
Setter, Eva, 1082
Shaff, Darryn I., 200
Shalitin, Channa, 580
Sharma, Ramesh, 823
Sheng, Zufang, 616
Shibai, Hiroshiro, 1149
Shigeno, Chohei, 905
Shih, Neng-Yang, 979
Shimada, Ichio, 596
Shimada, Nobuko, 99

Shimada, Yoshiya, 1194
Shimatsu, Akira, 396
Shimizu, Takao, 485
Shin, Cha-Gyun, 135
Shinmi, Osamu, 1230
Shinozawa, Taeko, 857
Shirono, Hiroyuki, 16
Shoji, Shozo, 125
Siddiqui, Kazi A. I., 43, 51
Sigman, Daivd S., 756
Silvennoinen, Olli, 959
Simmons, R. L., 1034
Simon, D., 141
Singer, F. R., 792
Sinha, S. K., 818
Smith, Joseph E., 616
Snapka, Robert M., 135
Sobel, Mark E., 1110
Solomon, Solomon S., 1007
Someya, Junichiro, 288
Spassky, Annick, 756
Srivastava, Satish K., 939
Staatz, William D., 107
Stadler, J., 1034
Staffico, M., 1013
Stanik, Valerie, 580
Steinmann, Beat, 479
Stepan, J. J., 792
Stuehr, Dennis J., 558, 1034
Suda, Kitaru, 574
Sudo, Katsuichi, 423
Sudo, Kayoko, 672, 677
Sudoh, Tetsuji, 863
Sugden, David, 871
Sugimura, Takashi, 402
Sugita, Masahiko, 396
Sugita, Yoshiki, 1230
Sujita, Kazufumi, 1217
Suko, Matsunobu, 1047
Sumita, Yukiko, 1211
Sunako, Michitoshi, 350
Sundquist, Kai, 309
Suzuki, H., 837
Suzuki, Toshihiko, 801
Svoboda, Roberta A., 155
Swenson, Richard P., 809
Szabo, Ildiko, 443

Taddei, N., 651
Tajima, Shingo, 850
Takagi, Yasuyuki, 537
Takahashi, Kenji, 878, 1001
Takahashi, Takayuki, 1001
Takahashi, Takeshi, 520
Takai, Yoshimi, 1244
Takata, Shoichiro, 537
Takayanagi, Ryoichi, 1128
Takeda, Jun, 1274
Tanaka, Mayumi, 905
Tanaka, Schoichi, 328
Tanaka, Yasuharu, 1253
Tanaka, Yoshiya, 1217
Tanfani, Fabio, 1268
Tani, Isamu, 226
Taniguchi, Shigehiko, 343
Taniguchi, Shun'ichiro, 520
Tardif, Marianne, 1103
Tashjian, Armen H., Jr., 952
Tateishi, Kayoko, 741
Tatsuno, Ichiro, 1027
Teramoto, Shinji, 485
Thederahn, Theodore, 756
Titani, Koiti, 1223
Tobe, Takayoshi, 1163
Tokunaga, Osamu, 537
Tomaszek, Thaddeus A., Jr., 274
Tominaga, Mari, 683
Tontsch, U., 358
Tournier, J. F., 527
Tranchemontagne, Julie, 22
Tsai-Morris, Chon-Hwa, 415
Tsuboi, Kazuhiko, 1163
Tsuboi, M., 194
Tsuchiya, Tomofusa, 1211
Tsuda, Masaaki, 1211
Tsuda, Terutaka, 350
Tsukada, Toshiyasu, 1292
Tsukamoto, Yoshio, 844
Tsuru, Michiyo, 741
Tsuyuki, Motokatsu, 1253
Tunemitu, Toshiya, 226
Tung, Lim, 616
Tzeng, C. S., 188

Uchida, Chiharu, 161
Uejima, Yasuhide, 485
Umeda, Fumio, 1128
Ushijima, Toshikazu, 402
Usuda, Nobuteru, 161
Uzawa, Hirotaka, 506

Väänänen, Kalervo, 309
van Heeswijck, Robyn, 1280
van Heusden, Paul H., 631
van Oordt, P. G. W. J., 923
Van Putten, Vicki, 566
Van Regenmortel, Marc H. V., 637
Vassetzky, Y. S., Jr., 9
Vemuri, Ramesh, 917
Vignais, Pierre V., 78, 1103
Vince, Robert, 912
Vivino, Alfred A., 747
Vogt, Beate, 1089

Wagner, H., 141
Wakamatsu, Kaori, 423
Wakasugi, Hideyuki, 741
Wake, Kenjiro, 1318
Wall, Katharine M., 1177
Wallmark, Björn, 309
Washburn, Amie L., 248
Watanabe, Hiroshi, 328
Watanabe, Yutaka, 379
Webb, David K., 721
Weber, Erika, 1303
Wedding, Randolph T., 778
Weill, Cheryl L., 490
Westfall, Thomas C., 786
Willeford, Kenneth O., 778
Wilson, Meegan J., 155
Wirtz, Karel W. A., 631
Witte, Christine, 574
Wood, Keith S., 458
Wu, Min-Xian, 778

Yaffe, Michael P., 574
Yamaai, Tomichiro, 343
Yamada, Yuichiro, 1274
Yamaguchi, H., 837
Yamaguchi, Kenji, 473
Yamaguchi, M., 837
Yamaki, H., 837
Yamamoto, Akira, 409
Yamamoto, Itsuo, 905
Yamamoto, Kyohei, 466
Yamamura, Taku, 409
Yamanaka, Kenzo, 58
Yamanoha, Banri, 898
Yamaoka, Shoji, 1163
Yamashita, Toshiyuki, 683
Yamauchi, Teruaki, 1128
Yamauchi, Y., 194
Yanaga, Fumi, 379
Yanagisawa, Masashi, 1230
Yano, Hideki, 1274
Yasuhara, Tadashi, 844
Yokoyama, Mitsuhiro, 301
Yoshida, Masasuke, 372
Yoshida, Takeshi, 898
Yoshida, Yasuhisa, 1244
Yoshihara, Koichiro, 1253
Yoshihara, Yutaka, 226
Yoshimi, Hiroki, 537
Yoshimi, Takai, 350
Yu, Xu-Bo, 498

Zachary, Ian, 1184
Zhang, Jimin, 498
Zhang, Ran, 415
Zhou, Jiying, 200
Zoratti, Mario, 443

Volume 169

Abrams, Charles K., 765
Adachi, Yoshifumi, 469
Adamo, Hugo P., 700
Agius, Lawrence, 482
Agrawal, Daya, 953
Agrawal, Harish C., 953
Akamizu, Takashi, 947
Akiyama, Yuichi, 1172
Akman, Steve, 1087
Alexander, Blake D., 737
Alexenko, Andrey P., 1061
Alfsen, A., 602
Al-Mohanna, F. A., 1222
Ambrosioni, Ettore, 360
Andersson, R. G. G., 129
Ando, Kenji, 462
Angelides, Kimon J., 744
Anggard, Erik, 596
Anker, Geneviève, 864
Aoufouchi, S., 888
Arahata, Kiichi, 57
Arai, Toshiyuki, 153
Artalejo, A. R., 1204
Asai, Junko, 713, 788
Aviram, Irit, 198
Axelsson, K. L., 129

Baba, Shunkichi, 1242
Bach, Mark A., 1021
Bacon, K. B., 1099
Baer, Alan N., 332
Baird, S. D., 1035
Baker, John E., 30
Balboni, G., 617
Banerjee, Nilima, 116
Bang, Nils U., 177
Barbato, G. F., 916
Barraclough, Roger, 660
Barritault, Denis, 272
Baserga, Renato, 509
Beckman, Jeffrey K., 75
Beckman, M. J., 910
Beitz, D. C., 910
Bellelli, A., 602
Benutto, Barbara M., 437
Benveniste, M., 602
Benzakour, Omar, 1178
Betsholtz, C., 502
Bevis, Peter J. R., 846
Beyereuther, K., 46
Bharti, Sudhakar, 1
Birnbaumer, L., 825
Black, Margaret E., 1080
Blanck, O., 880
Blanckaert, Vincent, 272
Boilly, Benoni, 272
Boldog, F., 706
Bonnerot, Claire, 8
Borghi, Claudio, 360
Borukhov, S. I., 282, 297
Boschi, Stefano, 360
Boyd, Derek R., 87
Briata, Laura, 397
Briata, Paola, 397
Brown, A. M., 825
Brown, Michael F., 1028
Brunori, M., 602
Buergisser, Daniel M., 832
Bumazkin, B. K., 1055

Camp, R. D. R., 1099
Casida, John E., 123
Castagna, Monique, 933
Chae, Quae, 159, 1185
Chalikonda, Ira, 253
Chambaz, Edmond M., 1040
Chambers, Timothy C., 253
Chan, Samuel H. P., 414
Chang, Chung-Der, 509
Chang, Zee-Fen, 780
Chatterjee, Anadi N., 116
Chen, D.-S., 921
Chen, H.-C., 921
Chen, Jiann-Shin, 1122
Chen, Shiuan, 1087
Chernokhvostov, Victor V., 95
Chou, Y.-H., 921
Ciesiolka, Thomas, 239
Cohen, Jack S., 383
Contreras, Lorenzo, 339
Cooper, Denise R., 966
Copeland, Terry D., 310
Corvese, Donna, 70
Costa, Francesco Vittorio, 360
Costello, Patrick B., 332
Courageot, J., 880
Courty, Jose, 272
Cressier, Floriane, 873
Criscione, Leoluca, 636, 873
Csortos, Csilla, 559
Cygler, M., 1105

Das, Jyotirmoy, 116
Da Silva, Corinne, 933
Davies, R. Jeremy H., 87
Debili, Najet, 184
Deddish, Peter A., 81
de Gasparo, Marc, 636
de Haas, C. G. M., 623
Delouis, Claude, 8
Demain, Arnold L., 1145
deVries, Danielle, 360
Dianoux, L., 222
Djaffar, I., 222
Doi, Roy H., 667
Doly, Janine, 184
Donelson, John E., 730
Doroshow, James, 1087
Dragovic, Tomislav, 81
Dunford, H. Brian, 1158, 1211
Dwivedi, Prem P., 476

Ebeigbe, Anthony B., 873
Echalier, Guy, 1178
Eilon, Gabriel, 253
Eisenstark, A., 64
Elliott, John D., 610
Emanoil-Ravier, R., 222
Emmanuel, F., 602
Emori, Toshiaki, 578
Endo, Masahiko, 15
Engels, Joachim W., 551
English, Leigh, 765
Enomoto, Atsushi, 803
Enter, Ch., 1007
Erdődi, Ferenc, 559
Erdös, Ervin G., 81

Faber, Anat, 198
Fan, Jian-Qiang, 751
Fan, Xiaotang, 933
Farese, Robert V., 966
Fisher, Mark, 610
Flier, Jeffrey S., 978
Foong, Frances, 667
Forrest, Gerald L., 1087
Foster, Stephen J., 422
Fratzl-Zelman, Nadja, 545

Freeman, Karl B., 391
Frénoy, J. P., 602
Friedman, Fred K., 171
Fritz-Zieroth, Bernhard, 153
Fu, Emil W., 51
Fujino, Masahiko, 809
Fyhrquist, Frej, 217

Gabius, Hans-J., 239
Gabius, Sigrun, 239
Gai, Wen-Zhi, 414
Galardy, Richard E., 1111
Ganguly, Pallab K., 537
Garcia, A. G., 1204
García, Joe G. N., 177
Garrahan, Patricio J., 700
Gekeler, Volker, 796
Gelboin, Harry V., 171
Georgiev, Georgii P., 95
Gerber, Hans Peter, 832
Gerber, Nancy C., 1016
Gerbitz, K.-D., 1007
Gergely, Pál, 559
Gherzi, Roberto, 397
Gianquinto, Laurence, 8
Gibbs, Fiona, 660
Gibson, Nicholas J., 1028
Glauder, Jan, 551
Gluck, Martin R., 758
Golankiewicz, Krzysztof, 517
Goto, Katsutoshi, 809, 1138
Granier, C., 880
Green, Floyd A., 332
Green, Ralph, 443
Greene, Harry L., 75
Grobelny, Damian, 1111
Gu, Y., 455
Guantes, J. M., 1204
Gunsalus, I. C., 1049
Gupta, Radhey S., 391

Hachimura, Satoshi, 803
Hall, Ted, 730
Hallett, M. B., 1222
Hamada, Hirofumi, 686
Hamada, Yasumasa, 1242
Hamamoto, Tetsuo, 667
Hamamoto, Toshiro, 1217
Hammarström, Sten, 203
Hanaoka, Kazunori, 991
Hara, Atsushi, 673
Harada, Nobuhiro, 531
Hashimoto, Hisako, 1172
Hatanaka, Masakazu, 469
Hayaishi, Osamu, 773
Hayakawa, Makio, 959
Haynes, Gwynneth A., 660
Hefford, M. A., 1035
Heikkila, Richard E., 758
Heizmann, C. W., 905
Hellman, Ulf, 571
Hellmann, Klaus P., 239
Hengst-Zhang, Jamie A., 325
Higaki, Jitsuo, 245
Higashimori, Koichi, 973
Higuti, T., 136
Hirabayashi, Yoshio, 751
Hirata, Yukio, 462, 578
Hiroyoshi, Motoki, 816
Ho, Zoon Chae, 692
Hoffmann, Oskar, 545
Holdaway, Ian M., 978
Hondermarck, Hubert, 272
Honegger, Annemarie, 832
Hori, Takamitsu, 959
Horiuchi, Tadao, 1016
Horst, R. L., 910
Hortin, Glen L., 437
Hothersall, John S., 451
Houslay, Miles D., 377
Houweling, M., 623
Howard, Marsha J., 75
Hruby, Dennis E., 1080
Huang, F.-L. Steven, 737
Huang, Xupei, 933
Huber, S., 905
Humbel, René E., 832

Ichihara, A., 136
Ida, Takashi, 462
Ikeda, Noribumi, 1191
Imai, Taihei, 462, 578
Inagaki, Masaki, 896
Ippoliti, R., 602
Iscan, M., 858
Ishikawa, Osamu, 232
Ishimori, Koichiro, 153
Ishiura, Shoichi, 57
Ishizuka, Tatsuo, 966
Isomura, Mitsuo, 652
Ito, Fumiaki, 959
Ito, Masaaki, 315
Ito, Seiji, 773
Itoh, Nobuyuki, 680
Iwasaki, Hidekazu, 1235
Izotova, Lara S., 1061

Jack, Robert S., 840
Jacob, Samson T., 325
Jacobsen, Donald W., 443
Jamieson, Gene C., 51
Jarema, Mary Ann, 51
Johnson, D. A., 1035
Johnson, John L., 1122
Johnson, Kenneth H., 502, 571
Jollie, D., 1049
Jordan, K., 502

Kagan, Valerian, 851
Kagawa, Yasuo, 1217
Kaibuchi, Kozo, 652
Kakuno, T., 136
Kalyanaraman, B., 30
Kam, Z., 602
Kamber, Bruno, 636
Kaminogawa, Shuichi, 803
Kangawa, Kenji, 713, 788, 1164
Kanno, Kazuo, 578
Kao, L.-S., 921
Kaplan, L., 222
Kaplan, Ofer, 383
Kaplan, William D., 1087
Karlsson, J. O. G., 129
Kasai, Yasufumi, 1172
Kashiwamata, Shigeo, 260
Katayama, Masaya, 652
Kato, Yoji, 265
Kawakishi, Shunro, 265
Kawamura, Shiro, 652
Kawasaki, Hitoshi, 15
Kayser, Klaus, 239
Keenan, Thomas W., 192
Keramidas, Michelle, 1040
Khan, Wasif Noor, 203
Kim, H. S., 825
Kim, Hak Yong, 159
Kim, Hyae Kyeong, 159
Kim, Jong Hwa, 1068
Kim, Kwan Hee, 997
Kim, Tae In, 159
Kimura, Sadao, 1138
Kitamura, Kazuo, 1164
Klaushofer, Klaus, 545
Kleinheinz, Andreas, 643
Knepper, Jean-Claude, 492
Kobayashi, Mieko, 1138
Kodadek, Thomas, 302
Koga, Hideo, 1016
Kohn, Leonard D., 947
Kohzuma, Takamitsu, 1235
Koiwai, Osamu, 260
Kolattukudy, P. E., 346
Koller, Kristian, 545

Kon, Atsushi, 15
Konneh, Matthew K., 873
Kornblatt, J., 1105
Koshikawa, Tomoko, 725
Kosugi, Shinji, 947
Koyama, Noriyuki, 725
Krueger, Matthew J., 123
Kubota, Masaru, 1172
Kumagai, Hidehiko, 751
Kumar, A. Madan, 1153
Kumar, Ashwani, 476
Kumar, Shiv, 87
Kumatori, A., 136
Kummel, L., 406
Kunimatsu, Mitoshi, 1242
Kusagawa, Minoru, 896

Lacerda, A. E., 825
Lagarde, Michel, 864
Laloraya, Malini, 1
Lawrence, David A., 1178
Leber, Jack, 610
Ledoux, Dominique, 272
Leibovich, S., 222
Leis, Hans Jörg, 545
Lerchl, A., 102
LeRoith, Derek, 1021
LeRoy, E. C., 232
Lestienne, P., 1007
Leuthold, M., 905
Lev, Meir, 927
L'Haridon, René, 8
Li, Shi Wu, 1198
Li, Y., 1105
Li, Yi-Shuan, 346
Lin, Y. C., 455
Liu, Gao, 171
Louache, Fawzia, 184
Louis-Flamberg, Pearl, 610
Lu, Zhuoren, 360
Luethi, Christine, 832
Lui, Alfred, 51
Luu, Tri D., 873

Ma, Jian-Xing, 1087
Ma, Xiao Jing, 1242
MacIntyre, Iain, 846
Macovschi, Olga, 864
Mäenpää, Pekka H., 629
Mahonen, Anitta, 629
Maines, M. D., 858
Malle, Ernst, 545
Mannaioni, Pier Francesco, 596
Mantovani, Alberto, 165
Marastoni, M., 617
Marquez, Leah A., 1158
Marshall, Alan G., 1068
Martin, B. Richard, 377
Marumo, Fumiaki, 462, 578
Marunouchi, Tohru, 719
Masaki, Tomoh, 462, 809, 1138
Masini, Emanuela, 596
Masuoka, Hiroshi, 315
Mathieu, Marc, 109
Matkó, János, 559
Matsukawa, Naomichi, 245
Matsukura, Shigeru, 713, 788
Matsumoto, Hirokazu, 809
Matsumoto, Yukie, 751
Matsumura, Sueo, 1191
Matsuo, Hisayuki, 713, 788, 1164
Matsushima, Kouji, 165
Mayer, Ruth J., 610
McCormick, Margaret E., 422
Metodiewa, Diana, 1211
Metsärinne, Kaj, 217
Michalak, Marek, 565
Mikami, Hiroshi, 973
Mikawa, Haruki, 1172
Milan, Denis, 8
Milici, A., 46
Miller, Haruko, 171
Miller, James A., 1094
Miller, Steven C., 289
Miquelis, R., 880
Mitsui, Youji, 1138
Mitsukawa, Tomohiro, 713
Miyauchi, Takashi, 809
Miyazato, Mikiya, 713, 788
Miyazawa, Tomoaki, 153
Moller, David E., 978
Momoi, Mariko, 991
Momoi, Takashi, 991
Montiel, C., 1204
Mori, Kenjiro, 153
Morisaki, Nobuhiro, 725
Morishima, Isao, 153
Morré, D. James, 192
Mountjoy, Kathleen G., 978
Muguruma, Michio, 1191
Mühl, Heiko, 585
Muirhead, Roslyn P., 451
Müller-Höcker, J., 1007
Munarini, Alessandra, 360
Murono, Eisuke P., 1229
Murray, R. I., 1049
Murtaugh, M. P., 502
Myers, Michael J., 171
Nagano, Masahiro, 973
Naka, Michiko, 315
Nakamaru, Mitsuaki, 973
Nakamura, Toshiya, 15
Nakamura, Yu, 744
Nakanishi, Hiroyuki, 816
Nakano, Takeshi, 315
Nakao, Shin-ichi, 153
Nakazato, Masamitsu, 713, 788
Navarro, Sébastien, 184
Nayak, R., 1153
Negishi, Manabu, 773
Nelson, I., 1007
Némoz, Georges, 864
Nicholls, P., 1105
Nicklas, William J., 758
Nicolas, Jean-François, 8
Nishi, Yoshimi, 896
Nishimura, Joh, 1242
Nishimura, Tsuyoshi, 744
Nivsarkar, Manish, 1
Noguchi, Masato, 524
Nonaka, K. O., 102
Nonaka, Yasuki, 245
Noronha, Antonio B., 953
Nosaka, Tetsuya, 469
Novikov, A. A., 297

O'Brien, Timothy D., 502, 571
Obermaier-Kusser, B., 1007
Obinata, Takashi, 57
Obinger, Christian, 492
Ödman, S., 129
Oeda, K., 136
Ogihara, Toshio, 245, 973
Oh-hara, Tomoko, 686, 986
Ohkawa, H., 136
Ohmori, Toshihiko, 816
Ohno, Kazushige, 719
Ohta, Kazuki, 578
Ohta, Mitsuhiro, 680
Ohta, Toshiko, 1217
Ohyanagi, Harumasa, 816
Okamoto, Hiroshi, 524
Okamoto, Mitsuhiro, 245
Okochi, Etsuko, 686
Oku, Naoto, 959
Okuyama, Akira, 148
Oroszlan, Stephen, 310, 1111
Osaka, F., 136
Ottavio, Luigi, 509

Packer, Lester, 851
Pandya, Kumud P., 476
Park, Kwang-Kyun, 1094

Park, Moon-Hwan, 1185
Parkar, Bashir A., 422
Parkinson, John F., 177
Patel, Hasmukh V., 391
Pawlita, Michael, 643
Pearl, Dennis, 482
Pelosin, Jean-Marc, 1040
Peries, J., 222
Peschek, Günter A., 492
Peterlik, Meinrad, 545
Petralia, Salvatore, 509
Pazacka, Ewa, 443
Pfeilschifter, Josef, 585
Philippe, M., 888
Picone, D., 617
Pilkis, S. J., 406
Pirskanen, Asta, 629
Pistillo, J. M., 1129
Pradeep, Kumar G., 1
Prasad, Arun K., 476
Prigent, Annie F., 864
Prigent, C., 888
Probst, Hans, 796

Qian, Jin, 1087
Quarles, Richard H., 953
Quistad, Gary B., 51

Ragg, Hermann, 551
Rakugi, Hiromi, 973
Rampe, D., 825
Ramsay, Rona R., 123
Rauch, Jürgen, 551
Ravindranath, Vijayalakshmi, 1075
Ray, Prasanta K., 476
Reddy, Lekkala V., 730
Reed, Donald J., 1075
Rega, Alcides F., 700
Reinhardt, T. A., 910
Reiter, R. J., 102
Reuhl, K., 858
Ridley, Robert G., 391
Rieber, Manuel, 352
Rieber, Mary S., 352
Riedele, Th., 1007
Rikihisa, Y., 455
Rizzo, Maria Giulia, 509
Roberts, Charles T., Jr., 1021
Roberts, Michael M., 310
Roberts, William, 482
Robinson, Richard C., 171
Rochefort, Henri, 109
Rose, Richard C., 430
Rosenlöf, Katarina, 217
Roth, Birgit V., 832
Rudland, Philip S., 660

Sahai, Animesh, 537
Saijonmaa, Outi, 217
Saito, Yasushi, 725
Saitoh, Yoichi, 816
Sakamoto, Hisato, 462
Sakiyama, F., 136
Sakurai, Hiromu, 22
Sakurai, Takeshi, 462
Salbaum, J. M., 46
Salgaller, Michael, 482
Salvadori, S., 617
Salvemini, Daniela, 596
Samson, Willis K., 737
Sánchez-García, P., 1204
Sano, Hirohiko, 1172
Saptarshi, Paul, 116
Sasaki, Makoto, 1242
Sasaki, Sei, 462
Sato, Hiroshi, 260
Satoh, Wakao, 986
Sawada, Makoto, 719
Sawamura, Tatsuya, 1138
Schwartz, Joel L., 941
Sczakiel, Georg, 643
Seino, Hiroshi, 524
Seligy, V. L., 1035
Sen, Asish K., 116
Sepo, Misuzu Kurokawa, 680
Serbinova, Elena, 851
Shapiro, Michael J., 51
Sharma, Narain D., 87
Shibamoto, Sayumi, 959
Shibuya, Masayuki, 22
Shichiri, Masayoshi, 578
Shidara, Sohsuke, 1235
Shimizu, M., 136
Shimizu, Tsunehiro, 1172
Shinmi, Osamu, 1138
Shioiri, Takayuki, 1242
Shklar, Gerald, 941
Shoseyov, Oded, 667
Shrago, Earl, 339
Shyy, Yeun-Jund, 346
Siegel, Lewis M., 39
Singer, Thomas P., 123
Singh, Aparna, 1
Singh, Bhag, 391
Singh, Rajesh P., 941
Skala, Karl D., 737
Skinner, Wayne S., 51
Slatin, Stephen L., 765
Sligar, Stephen G., 1016
Smith, John A., 660
Sobol, Robert W., 1198
Soga, Fumihisa, 1117
Someya, Akira, 148
Sommer, E. W., 905
Sone, Nobuhito, 414
Souvignet, Claude, 1040
Speth, Robert C., 997
Spychała, Jarosław, 517
Stannard, Bethel, 1021
Stephens, Ralph, 482
Stevenson, Clarke, 87
Stewart, Bradley C., 1094
Stokkan, K.-A., 102
Strongin, Alexander Ya., 282, 297, 1055, 1061
Sugasaki, Nobuko, 22
Sugimoto, Yoshikazu, 686
Sugita, Hideo, 57
Sugita, Yoshiki, 1138
Sugiyama, Eiko, 673
Suhadolnik, Robert J., 1198
Sun, Shu-Man, 414
Sundaram, K. Soma, 927
Sung, W. L., 1035
Surh, Young-Joon, 1094
Suwanrumpha, Somchai, 51
Suzuki, Nobuhiro, 809, 973
Suzuki, Shinnichiro, 1235
Suzumura, Akio, 719
Szabó, G., Jr., 706

Tabuchi, Yoshikatsu, 973
Tada, Kunitoshi, 744
Takagaki, Keiichi, 15
Takahashi, Kenichi, 524
Takahashi, Nobuyuki, 1117
Takai, Yoshimi, 652, 816
Takano-Ohmuro, Hiromi, 57
Takaoka, Toshiko, 1217
Takeda, Masatoshi, 744
Taketomi, Tamotsu, 673
Takeyama, Yoshifumi, 816
Tamiya, Toru, 57
Tamura, Shinri, 15
Tanabe, Kazushi, 260
Tanaka, K., 136
Tanaka, Kenjiro, 1164
Tanaka, Nobuo, 148
Tanaka, Toshihisa, 744
Tanaka, Toshio, 315
Tancredi, T., 617
Tani, I., 136

Tanizawa, Akihiko, 1172
Taraboletti, Giulia, 165
Tarui, Seiichiro, 143, 1117
Teicher, Beverly, 941
Temussi, P. A., 617
Terachi, Toru, 680
Thibault, V., 880
Thomann, Helene, 636
Tikkanen, Ilkka, 217
Tikkanen, Tuula, 217
Tochikura, Tatsurokuro, 751
Toda, H., 136
Tokui, Toshiya, 896
Tomatis, R., 617
Torti, Frank M., 289
Torti, Suzy V., 289
Touitou, Isabelle, 109
Tozser, Jozsef, 310
Travali, Salvatore, 509
Trites, Dorothy H., 941
Trittin, Andrea, 239
Trojanowska, Maria, 232
Tsuchiya, Koichiro, 22
Tsuchiya, Takahide, 57
Tsuda, Masao, 809
Tsuji, Yoshiaki, 289
Tsukahara, Satomi, 986
Tsukahara, Toshifumi, 57
Tsurumi, C., 136
Tsuruo, Takashi, 686, 986
Tuka, K., 1055
Turpin, E., 602

Uceda, G., 1204
Uchida, Koji, 265
Ueda, Takashi, 816
Uemichi, Tomoyuki, 143, 1117
Uemura, Kei-ichi, 673
Ueno, Satoshi, 143, 1117

Vaartjes, W. J., 623
Vainchenker, William, 184
Valaja, Teija, 629
Valette, Laurence, 864
Van Damme, Jo, 165
Van Rietschoten, J., 880
van Zijl, Peter C. M., 383
Vane, John, 596
Varnum, James M., 1198
Velikodvorskaya, G. A., 1055
Verma, Saguna, 1
Vishwanatha, J. K., 1129

Wallace, Alan V., 377
Wang, Ji Ming, 165
Wang, Shu-Zhen, 1122
Washburn, Amie L., 1229
Watts, Thomas D., 369
Weber, George, 81
Weger, Stefan, 796
Wei, Yan, 289
Weiss, B., 858
Weitberg, Alan B., 70
Werner, Haim, 1021
Wernstedt, Christer, 571
Westermark, Per, 502, 571
Whitebread, Steven, 636
Wideman, R. F., 916
Wigilius, I. M., 129
Wikonkál, N., 706
Wilkinson, Francis E., 192
Wimalawansa, Sunil, 451
Witters, Lee A., 369
Woldegiorgis, Gebre, 339
Wondrak, Ewald M., 310, 1111
Wong, Mei Lie, 302
Wright, Joel E., 941

Yaguchi, M., 1035
Yallaly, P., 64
Yamada, F., 136
Yamada, Kazuyo, 531
Yamaguchi, Masahito, 57
Yamakage, Ako, 232
Yamamoto, Kenji, 751
Yamamoto, Takeshi, 652
Yamanaka, Yoichi, 959
Yamauchi, Takashi, 896
Yamazaki, Akiko, 986
Yanagisawa, Masashi, 462, 1138
Yang, S.-D., 921
Yano, Takeo, 896
Yasuda, Seiji, 1191
Yatani, Ryuichi, 896
Yates, Allan, 482
Ying, Zhao, 245
Yorifuji, Shiro, 143, 1117
Yoshida, Sho, 725
Yoshihara, Y., 136
Yoshimura, Tetsuhiko, 1235
You, I.-S., 1049
Young, Lawrence J., 39
Youngster, Stephen K., 758
Yu, Sam Kim, 692
Yusa, Keisuke, 986

Zaidi, Mone, 846
Zamudio, I., 1105
Zhang, Jinyou, 1145
Zimmermann, Ulrike, 492
Zoubir, Fairouz, 203
Zubrzycka-Gaarn, Elizabeth, 565
Zverlov, V. V., 1055

Volume 170

Abbondanza, Ciro, 930
Adachi, Kyo, 830
Adelsberger, Helmuth, 368
Adhikary, Parimal K., 448
Agrawal, Daya, 817
Agrawal, Harish C., 817
Aisaka, Kazuo, 96
Akamatsu, Isao, 786
Akamizu, Takashi, 351
Akiyama, Hiroyuki, 1325
Alexander, Edward A., 860
Alon, Ronen, 1236
Amezaga, Miguel Aste, 582
Anderson, Russell D., 416
Anderson, W. French, 209
Angielski, S., 596
Angliker, Herbert, 923
Anthes, John C., 540
Arai, Sumio, 1365
Araki, Shun-ichi, 673
Arimura, Akira, 643
Arroyo, Carmen M., 1177
Ashall, Frank, 923
Atrakchi, Aisar H., 1102
Aubert, Brigitte, 1144
Austin, Caroline A., 763
Avignolo, Carlo, 243
Avila-Rincon, M. J., 548

Baba, Shigeaki, 1325
Backus, J. W., 513
Bagavandoss, P., 867
Baldwin, Graham S., 691
Bannister, J. V., 915
Barcellona, M. L., 270
Barile, Maria, 609

Barnes, Stephen, 1371
Barot, Heather A., 763
Bartos, Dagmar, 1281
Battey, N. H., 17
Bayer, Edward A., 1236
Baylin, Stephen B., 140
Bazzoni, Flavia, 582, 915
Beitz, D. C., 65
Beliveau, Richard, 1288
Bellavite, P., 915
Bendiak, Brad, 879
Benedetti, Lucio, 1263
Benkovic, Stephen J., 1164
Bevan, Christopher, 563
Bhaduri, Amar, 426
Bignone, Franco A., 243
Billah, M. Motasim, 540, 1197
Birlouez-Aragon, Inès, 1107
Bizzozero, Oscar A., 375
Bjorkman, David J., 433
Bleeker-Wagemakers, E. M., 994
Bodin, Philippe, 649
Bolhuis, P. A., 994
Borges, Michael, 140
Bots, Gerard Th. A. M., 301
Boulet, D., 1273
Bourdais, Julie, 1263
Bowness, J. Michael, 519
Brantly, M. L., 1013
Briata, Paola, 1184
Brigham, Earl J., 433
Brodin, Peter, 603
Bruchelt, G., 1242
Buga, Georgette M., 80, 843
Burnstock, Geoffrey, 649
Burtin, P., 748
Bush, Peggy A., 843
Byrnes, Malcolm, 1056
Byrns, Russell E., 80

Caddle, Mark S., 134
Cafagna, Filomena, 621
Cai, Silla, 243
Cardiel, G., 270
Carpenter, Michael R., 769
Carrithers, M. D., 1096
Casey, Anne, 691
Cashman, John R., 937
Cassatella, Marco A., 582, 915
Cassidy, Marie M., 1102
Castaño, José G., 421
Catt, Kevin J., 359
Chambaz, Edmond M., 1144
Chang, Simon H., 1056
Chao, Chuck C.-K., 851
Charpin, Maud V., 603
Charvet, Bernadette, 735
Chen, Anthony B., 214
Chen, Lee J., 1170
Chen, Zhuo, 1056
Cheng, Sheue-Yann, 1319
Chiarugi, Vincenzo P., 89
Chien, Walter W., 1121
Chino, Naoyoshi, 684
Chiu, Jen-Fu, 147
Chowdhury, Md. Iqbal Hossain, 1365
Chuang, De-Maw, 46
Church, Todd A., 153
Clusin, William T., 1121
Cochet, Claude, 1144
Cochrum, Leanne, 407
Coge, Francis, 1006
Cohen, Paul, 1263
Cole, Gregory M., 288
Coleman, John R., 53
Comte, L., 742
Conrath, M., 30
Cornetta, Kenneth, 209
Côté, Claude, 1273
Créminon, Christophe, 986
Crystal, R. G., 1013
Csaba, György, 119
Cuadrado, Antonio, 526

Dahinden, Clemens A., 556
Dahl, Raymond D., 643
Dahlén, S.-E., 23
Dahms, A. Stephen, 1089
Dai, Jian, 810
Das, Mukul, 441
Date, Takayasu, 1021
de Bernard, Benedetto, 251
Delfour, A., 30
Delhaye, M., 908
Devilliers, Ginette, 1263
de Weck, Alain L., 556
Dhala, Naranjan S., 810
Dhawan, Alok, 441
Diaz-Ruiz, J. R., 548
Dion, A. S., 1331
Dong, Jing-Ming, 147
Drüeke, T., 742
Dubois, Madeleine, 800
Duch, David S., 1164
Dutta, S. K., 187

Eagleton, M. J., 513
Edamatsu, Masaki, 957
Egan, Robert W., 540, 1197
Ehnholm, Christian, 616
El-Fakahany, Esam E., 1177
Enomoto, Nobuyuki, 1021
Eskin, S. G., 281
Eto, Tanenao, 497
Evans, James E., 375

Fabian, John R., 344
Fagg, William R., 322
Falck, J. R., 23
Falick, Arnold M., 937
Fallon, Robert J., 1191
Faraone-Mennella, M. Rosaria, 900
Farina, Benedetta, 900
Fei, David T. W., 214
Fells, G. A., 1013
Ferguson, Erika, 726
Figarella, Catherine, 837
Fisher, L. Mark, 763
Flynn, Rebecca M., 582
Fondaneche, M. C., 748
Forough, Reza, 209
Forray, Carlos, 1177
Forsén, Sture, 603
Fotsis, Theodore, 1301
Frangione, Blas, 301
Frank, Daniel P., 336
Freedman, Anthony M., 1102
Freeman, Scott M., 209
Frindel, Emilia, 986
Frobert, Yveline, 986
Fucharoen, Goonnapa, 698
Fucharoen, Supan, 698
Fuchs, R. L., 665
Fujiki, Hirota, 1359
Fujino, Masahiko, 643
Fukasawa, Toshio, 470
Fukuhara, Yukiko, 296
Fukui, Hiroyuki, 1229
Fukui, Shigeyuki, 981
Fukumaki, Yasuyuki, 698
Fukumoto, Hirofumi, 223
Fukuto, Jon M., 843
Fukuzaki, Hisashi, 673
Fulle, Anne, 243
Funakoshi, Ikuo, 981
Funakoshi, Takayuki, 657
Funk, Barbara, 368
Furuno, Koji, 1067
Furuya, Mayumi, 201
Futai, Masamitsu, 873

Gadaleta, Maria Nicola, 621
Galand, P., 908
Galasko, Douglas, 288
Gambarini, Angelo G., 769
Gargosky, S. E., 1157
Gaudette, Douglas C., 238
Gelaznikas, Robert, 182
Gesellchen, Paul D., 462
Gherzi, Roberto, 1184
Giannattasio, Sergio, 609
Girard, Robert, 1263
Glaser, Elzbieta, 1352
Gniecko, Kathy C., 603
Good, Louise K., 375
Goto, Masaaki, 397
Goto, Setsuko, 793
Goulian, Mehran, 627
Granström, E., 23
Gratton, E., 270
Greer, Monte A., 968
Griffith, Leslie C., 10
Griffith, Owen W., 96
Grigor, Murray R., 1249
Grimm, Susan L., 627
Gros, François, 1006
Gross, Kenneth W., 344
Gross, Mary C., 214
Gross, Steven S., 96
Guan, Shenheng, 937
Gupta, Ajay, 1035

Hall, Belinda S., 127
Hall, Peter F., 1256
Hamada, Yoshio, 53
Hämäläinen, Tiina, 616
Hamasur, Beston, 1352
Hanada, Hironori, 873
Hanaoka, Fumio, 589
Handa, Hiroshi, 470
Handgretinger, R., 1242
Harada, Y., 23
Harman, Andrew W., 477
Harmony, Judith A. K., 1346
Harris, Eugenie L., 1249
Harris, S. G., 513
Hartfield, Perry J., 194
Harvey, Nathalie, 1288
Hasegawa, Eiji, 1049
Hassell, Tom, 1061
Hatase, Osamu, 1151
Hattori, Kazuki, 830, 1044
Hayashi, Yujiro, 201
Hayes, Michael V., 763
Hazeki, Kaoru, 504

He, Xinjun, 336
Heintz, Nicholas H., 134
Hennessen, U., 742
Henry, Mireille, 735
Herman, Brian, 477
Herrin, David L., 1082
Hertel, Christian, 368
Herzig, Maryanne C. S., 1308
Higashihara, Masaaki, 779
Higashio, Kanjiq, 397
Hildenbrandt, George, 491
Himeno, Masaru, 1067
Hiraiwa, Masao, 231
Hirono, Masafumi, 957
Hitomi, Kiyotaka, 1128
Ho, Paulo L., 769
Hoffbrand, A. Victor, 127
Holmes, M. D., 1013
Holub, Bruce J., 238
Horio, Yoshiyuki, 1229
Horiuchi, Ryuya, 1319
Horst, R. L., 65
Hough, Christopher, 46
Howard, Alison, 603
Hruska, Kathleen S., 407
Hruska, Keith A., 1035
Hudson, Billy G., 322
Hui, David Y., 1346
Hunter, K. J., 915

Ichiba, Shigemoto, 1128
Ichiki, Yoshinari, 497
Ignarro, Louis J., 80, 843
Iida, Toshihiko, 359
Ikai, Atsushi, 705
Ikebe, Shin-ichiro, 1044
Ikehara, Morio, 104
Imamura, Ikuo, 1229
Imura, Hiroo, 223, 1128
Inagaki, Nobuya, 223
Inazu, Tetsuya, 259
Inoue, Kazutomo, 223
Inoue, Mizue, 981
Irino, Shozo, 169, 1151
Ishihara, Takafumi, 201
Ishikawa, Toyoko, 1067
Itagaki, Yusuharu, 397
Ito, Akiro, 824
Ito, Junetsu, 1294
Ito, Takayuki, 830
Iwamori, Masao, 162
Iwamoto, Sanju, 73
Izumi, Shun-ichiro, 359

Jaffe, Eric A., 96
Jauris, Sigrid, 368
Jetsrisuparb, Arunee, 698
Jette, Marc, 1288
Ji, Hongjun, 569
Jiang, Lun, 643
Johns, R. B., 635
Johnson, Dana L., 1164
Johnson, Kenneth H., 1223
Johnston, Timothy C., 407
Jones, Craig A., 344
Jones, Roy, 900
Jukkola, Arja, 264
Jung, Guhung, 1294

Kaji, Kazuhiko, 786
Kamijo, Ryutaro, 73
Kanamoto, Ryuhei, 892
Kangawa, Kenji, 201, 973
Kaper, J. M., 548
Kaplan, David, 1346
Kariya, Toshitsugu, 779
Kasuga, Masato, 314, 1325
Kato, Keitaro, 1067
Katsuragawa, Yoshinari, 53
Kawahara, Yasuhiro, 673
Kawasaki, Kazuo, 951
Kawasaki, Toshisuke, 981
Kawata, Masahito, 673
Keck, E., 1216
Kefalides, Nicholas A., 1314
Keydar, I., 1331
Kida, Yoko, 657
Kikuchi, Masakazu, 104
Kimura, Hitomi, 1319
Kimura, Terutoshi, 684
Kinne, Rolf K. H., 563
Kitada, Chieko, 643
Kitagawa, Hiroshi, 981
Kitagawa, Yoshinori, 169
Kitajima, Yasuo, 201
Kitamura, Kazuo, 497
Kitas, E. A., 635
Kitoh, Yoshihiko, 963
Kitson, Fulton G., 456
Klockenkämper, R., 1216
Kobayashi, Hisashi, 231
Kobayashi, Susumu, 1365
Kobayashi, Yoshiharu, 1256
Koga, Junichi, 963
Koga, Yoshinori, 830
Koh, Gyohan, 223
Kohara, Atuko, 104
Kohn, Leonard D., 351

Koide, K. A., 1096
Koide, Masanobu, 673
Kondo, Tomoyoshi, 1044
Konishi, Tetsuya, 1339
Konno, Kunio, 73
Kono, Tetsuro, 533
Koszewski, N. J., 65
Kovács, Péter, 119
Koyanagi, Yoshio, 1365
Krause, Brian R., 726
Krieger-Poullet, Monique, 1006
Krsmanović, Lazar Z., 359
Kubo, Kazuki, 643
Kubota, Yukiho, 657
Kuchta, G., 596
Kumar, G. Pradeep, 1026
Kume, Shoji, 779
Kumlin, M., 23
Kuo, Che-Hui, 951
Kurihara, Tadashi, 1074
Kuroda, Hisaya, 684

Lacour, B., 742
Lagarde, Michel, 800
Lai, Mei T., 1061
Laloraya, Malini, 1026
Lambert, Paul, 684
Langeveld, Jan P. M., 322
Lapetina, Eduardo G., 944
Leavitt, Mark C., 1294
Lee, Hui Chan, 328
Lee, John, 1288
Lee, Y.-L., 851
Lemasters, John J., 477
Lennarz, William J., 1319
Leung, Benjamin S., 569
Leung, Lawrence L. K., 1121
Levi, Roberto, 96
Levy, Efrat, 301
Levy, Rachel, 1114
Li, Feng, 147
Li, Jauyi, 1056
Lin, An-Ning, 1371
Lin-Chao, Sue, 851
Liozon, Eric, 986
Loesch, Andrew, 649
Lofgren, Julie L., 214
Lu, Ling, 1056
Luxich, Elena, 251
Luyendijk, Willem, 301

Mabry, Mack, 140
Macgregor, Robert B., Jr., 775
Maciag, Thomas, 209
MacIntosh, S. C., 665
Maeda, Masatomo, 873
Maeno, Koichiro, 793
Maezono, Katsumi, 176
Mailer, Kathleen, 59
Mairesse, N., 908
Malaguti, Claudia, 1210
Malanga, Maria, 900
Malech, Harry L., 1114
Maleque, Mohammed A., 448
Malthièry, Yves, 735
Manabe, Tadao, 223
Mantamadiotis, Theo, 691
Margerrison, Edward E. C., 763
Marra, Ersilia, 609
Marrone, P. G., 665
Martini, Giuseppe, 1203
Masaki, Tomoh, 53, 998
Massé, Aline, 986
Masuda, S., 1096
Masumura, Takehiro, 963
Matsuda, Genji, 53
Matsumoto, Yuki, 779
Matsuo, Hisayuki, 201, 973
Matsuo, Masafumi, 963
Matsuzawa, Yuji, 1346
Mayumi, Bunji, 830
McBride, Kate, 691
McCarron, D. A., 742
McGarvey, P. B., 548
McGee, Lawrence R., 456
McIntire, L. V., 281
McMullen, Brad A., 153
McPherson, S. L., 665
Medici, Nicola, 930
Meggio, F., 635
Merante, Frank, 182
Mibe, Masato, 328
Michaels, Allan, 1082
Miki, Naomasa, 951
Millar, J. Alasdair, 1249
Miller, Duncan A., 892
Milner, Pamela, 649
Minakami, Shigeki, 1049
Minamino, Naoto, 201, 643, 973
Minamitake, Yoshiharu, 201
Minnicozzi, Michael, 540
Minucci, Saverio, 930
Mira, Emilia, 421
Misawa, Yukiko, 39
Miyata, Atsuro, 643
Miyatake, Tadashi, 231
Mizunaga, Takemitsu, 1319
Mizuno, Yoshikuni, 1044
Mohabir, Rajendra, 1121
Molinari, Anna Maria, 930
Moncharmont, Bruno, 930
Mondal, Alok K., 1
Monoh, Katsumi, 1074
Montagne, J. J., 30
Mor, A., 30
Morawiec, Marek, 1107
Mora-Worms, Marina, 214
Morel, Alain, 1263
Morelli, A., 719
Mori, Norimasa, 328
Mori, Yo, 824
Morinaga, Tomonori, 397
Morita, Shuichiro, 497
Moriyama, Yoshinori, 873
Moro, Luigi, 251
Moyse, K. J., 1157
Mukherjee, Tanmoy, 426
Mullin, Robert J., 1164
Mullins, John J., 344
Mullmann, Theodore J., 1197
Munakata, Tetsuo, 1365
Murai, Yoshiyuki, 1049
Murakami, Naoyuki, 1339

Nabekura, Hisae, 328
Nadaoka, Yoko, 296
Nagai, Yoshitaka, 162
Nagao, Masaya, 397
Nagao, Minako, 169
Nagao, Yoshiro, 296
Nagasawa, Shigeharu, 504
Nagata, Shuichi, 53
Nakada, Hiroshi, 981
Nakajima, K., 883
Nakajima, Toshihiro, 963
Nakamura, Fumihiko, 713
Nakamura, Hajime, 963
Nakamura, Haruki, 104
Nakamura, Kishiko, 1128
Nakamura, Toshikazu, 176
Nakanishi, Hiroyuki, 111
Nakao, Toshifumi, 1021
Naumann, A., 576
Nawa, Akihiro, 793
Nelkin, Barry D., 140
Némoz, Georges, 800
Newman, David, 1121
Newton, Roger S., 726
Nibbering, Peter H., 755
Nicolas, P., 30
Niemann, A., 1216
Nieminen, Anna-Liisa, 477
Niethammer, D., 1242
Nigro, Vincenzo, 930
Nikolaev, Vladimir, 491

Nishi, Nozomu, 786
Nishio, Hisahide, 963
Nishiwaki, Shinji, 1359
Nishiyama, Yukihiro, 793
Noelken, Milton E., 322
Nogi, Yasuhisa, 470
Noiva, Robert, 1319
Nollert, M. U., 281
Norman, Anthony W., 1151
Numata, Yoshito, 981

O'Brien, Timothy D., 1223
Oechsner, M., 576
Ogawa, Hirofumi, 892
Ogawa, Wataru, 1325
Ohno, Kinji, 830, 1044
Ohnuma, Norio, 201
Ohsako, Shunji, 705
Ohtsuka, Teruo, 328
Ohyanagi, Harumasa, 111
Oishi, Tomonari, 1049
Ojika, Makoto, 1359
Oka, Janet A., 1308
Okada, Michiyo, 504
Okamura, Tomio, 308
Okuno, Yoshiaki, 1128
Omeljaniuk, Robert J., 359
Oshima, Akihiro, 296
Owens, J. A., 1157
Owens, P. C., 1157
Ozaki, Keiichi, 981
Ozaki, Yukio, 779
Ozawa, Takayuki, 830, 1044

Panagia, Vincenzo, 810
Panfoli, I., 719
Parmar, Devendra, 441
Pasquali, Franca, 89
Passarella, Salvatore, 609
Peltonen, Leena, 616
Peña, L., 548
Pepe, I., 719
Perich, J. W., 635
Perlak, F. J., 665
Pfeilschifter, J., 576
Pinna, L. A., 635
Pitot, Henry C., 892
Pizzorno, Giuseppe, 243
Poirier, J., 1273
Pollwein, P., 1242
Ponne, N. J., 994
Potier, Michel, 1288
Pradelles, Philippe, 30, 986
Prelli, Frances, 301
Prezant, Toni R., 383
Prigent, Annie-France, 800
Proteau, Gerald, 182
Puca, Giovanni Alfredo, 930
Pucci, Piero, 609

Quagliariello, Ernesto, 609, 621
Quesada, Piera, 900
Quintero, F. L., 30

Rajfer, Jacob, 843
Raman, V. K., 1096
Rao, C. N., 1314
Raud, J., 23
Reddanna, Pallu, 491
Reddy, C. Channa, 491
Redlak, M., 596
Reinhardt, T. A., 65
Risteli, Juha, 264
Risteli, Leila, 264
Robinson, J. S., 1157
Robinson, John M., 194
Roiron-Lagroux, Danielle, 837
Roner, Riccarda, 243
Rosen, Gerald M., 1177
Rosenquist, G. L., 1170
Rossini, Gian Paolo, 1210
Roth, Bruce D., 726
Roth, Gerald J., 153
Rotrosen, Daniel, 1114
Roy, Krishnendu, 426
Roy, Tamal K., 1
Rucker, Edmund B., 407
Ruggiero, Francesca Maria, 621
Ruggiero, Marco, 89

Saitoh, Shin, 104
Saitoh, Tsunao, 288
Saitoh, Yoichi, 111
Sajantila, Antti, 616
Saji, Motoyasu, 351
Sakai, Naohiko, 1346
Sakakibara, Shumpei, 684, 883
Sakimura, Kenji, 1074
Sakura, Hiroshi, 314
Sakuraba, Hitoshi, 296
Sallis, John D., 251
Salvatori, Sergio, 1089
Sannia, Giovanni, 609
Sariaslani, F. Sima, 456
Sasaki, Kazunori, 169
Sasaki, Ryuzo, 1128
Sato, Noriyuki, 968
Sato, Takashi, 824
Sato, Wataru, 830, 1044
Scalbert-Menanteau, Pamela, 1107
Scalera, Lorenzo, 1203
Scheurich, Peter, 1301
Schilbach, K., 1242
Schultz, Michelle, 1294
Schwab, M., 1242
Schwartz, Charles E., 322
Schwartz, John H., 860
Schwarz, Wolfgang H., 368
Schweigerer, Lothar, 1301
Sedwick, W. David, 416
Seino, Yutaka, 223
Sekihara, Shun-ichi, 705
Sen, Sisir K., 448
Seth, Prahlad K., 441
Seya, Tsukasa, 504
Shafiezadeh, Majid, 1107
Shapiro, I. Paul, 288
Shaw, Elliott, 923
Shaw, Mary Kay, 726
Shibasaki, Yoshikazu, 314
Shibata, Hiroshi, 533
Shibuya, Masabumi, 39
Shii, Kozui, 1325
Shima, Hiroshi, 169
Shima, Nobuyuki, 397
Shimmoto, Michie, 296
Shimonishi, Y., 883
Shiratori, Yasuhiko, 104
Shoji, Shozo, 657
Siegel, Marvin I., 540, 1197
Siess, Wolfgang, 944
Sigmund, Curt D., 344
Singh, Aparna, 1026
Siskind, Mark S., 860
Sizeland, Andrew M., 691
Sliskovic, Drago R., 726
Smillie, Lawrence B., 769
Smith, H. C., 513
Souvignet, Claude, 1144
Sparks, C. E., 513
Sparks, J. D., 513
Sprecher, Dennis L., 1346
Sprinkle, Terry Joe, 817
Stagni, Nicoloa, 251
Staudenbauer, Walter L., 368
Steinberg, Mitchell I., 462
Steuf, M. C., 742
Stojilkovic, Stanko S., 359
Stuehr, Dennis J., 96
Su, Yeu, 892
Suganuma, Masami, 1359
Sugimura, Takashi, 169, 1359
Sugiyama, Satoru, 830

Sunako, Michitoshi, 673
Suyama, Kyozo, 713
Suzuki, Akira, 1128
Suzuki, Tadashi, 296
Suzuki, Yoshiyuki, 296
Syvänen, Ann-Christine, 616
Szczepanska-Konkel, M., 596

Tabak, H. F., 994
Tabak, Lawrence A., 336
Tada, Shusuke, 589
Tagawa, Masatoshi, 10
Tager, J. M., 1135
Takada, Akira, 1021
Takada, Goro, 830
Takada-Takayama, Ritsuko, 589
Takagi, Yoshiomi, 786
Takahashi, Akira, 830, 883
Takahashi, Takayuki, 1128
Takahashi, Yasuo, 1074
Takai, Yoshimi, 111, 673
Takaku, Fumimaro, 314
Takao, T., 883
Takeda, Ken, 73
Takehisa, Maki, 201
Takei, Y., 883
Takenaka, Osamu, 657
Takeshige, Koichiro, 1049
Taketoshi, Masato, 1229
Takeyama, Yoshifumi, 111
Takumi, Toru, 963
Takuwa, You, 998
Tanabe, Hiroyuki, 786
Tanaka, A., 1331
Tanaka, Kenjiro, 497
Tanaka, Masashi, 830, 1044
Tanaka, Tatsuya, 1229
Tanaka, Toshiaki, 104
Tanaka, Toshiki, 104
Tanaka, Yoshitaka, 1067
Taniguchi, Hiroshi, 1325
Taniguchi, Takanobu, 259
Taoka, Teruhisa, 1151
Tarr, Alan H., 519
Tarui, Seiichiro, 1346
Tasaka, Taizo, 1151
Tashiro, Kosuke, 176
Tenenhouse, Harriet S., 1288
Theiss, Christiane, 563
Thibault, Jean, 1006
Thomas, Peter, 391
Thulin, Eva, 603
Thumwood, Cassandra M., 691
Timoneda, Joaquin, 322
Toda, Noboru, 308
Tojo, Arinobu, 39
Tokuda, Masaaki, 1151
Tomoda, Yutaka, 793
Toshima, Hironori, 830
Toth, Carol A., 391
Treuner, J., 1242
Trinchieri, Giorgio, 582
Trower, Michael K., 456
Trunkey, Donald, 1281
Tsarfaty, I., 1331
Tsuda, Terutaka, 673
Tsuji, Shoji, 231
Turcatti, Gerardo, 763

Uchida, Yoshikazu, 162
Uda, Yutaka, 231
Ui, Michio, 589
Ursini, Matilde Valeria, 1203

Valente, Piera, 243
Valerio, R. M., 635
Van den Bogert, C., 994
Vandegrift, Vaughn, 407
van Duinen, Sjoerd G., 301
Van Frank, Richard, 1061
van Furth, Ralph, 755
van Haastert, Peter J. M., 755
Vannucchi, Simonetta, 89
Van Schooneveld, M. J., 994
Veigl, Martina L., 416
Verma, Mukesh, 187
Verma, Saguna, 1026
Vetter, Roland, 810
Vicentini, Federica, 582
Vlessis, Angelo A., 1281
von Bohlen, A., 1216
Vuorio, Alpo F., 616

Wada, Fumio, 786
Wada, Hiroshi, 1229
Wada, Tadashi, 470
Wallace, J. C., 1157
Wallace, Robert W., 1371
Walters, Julian R. F., 603
Walton, P. E., 1157
Wanders, R. J. A., 1135
Wang, Xiangbing, 968
Watanabe, Atsuko, 705
Watanabe, Takushi X., 684, 883
Watanabe, Yasuyoshi, 484
Watanabe, Yoshifumi, 951
Watanabe, Yoshio, 957
Wedner, H. James, 1035
Weglicki, William B., 1102
Weigel, Paul H., 1308
Westermark, Per, 1223
Westerveld, A., 994
Wetterau, John R., 1346
Weyhenmeyer, J. A., 1096
Whelan, Jay, 491
Wickremasinghe, R. Gitendra, 127
Wiest, Sally A., 462
Wilchek, Meir, 1236
Wilks, J. W., 867
Williams, C. J., 1331
Williams, Stuart A., 153
Winegar, Deborah A., 944
Wingfield, Paul, 763
Wirthmueller, Urs, 556
Wolvetang, E. J., 1135
Wood, Keith S., 80, 843
Wreschner, D. H., 1331

Yamada, Kiyoyuki, 1359
Yamada, Yuichiro, 223
Yamaguchi, Masatoshi, 328
Yamamoto, Kiichiro, 830
Yamamoto, Naohiko, 793
Yamamoto, Naoki, 1365
Yamamoto, Taizo, 223
Yamamoto, Yoshio, 104
Yamamura, Hirohei, 259
Yamashina, Ikuo, 981
Yamashita, Kamejiro, 998
Yamashita, Shizuya, 1346
Yamauchi, Kiyoshi, 1319
Yamauchi, Takashi, 705
Yamauchi, Toyoaki, 231
Yanagi, Shigeru, 259
Yanagisawa, Masashi, 53
Yangibashi, Kazutoshi, 1256
Yano, Hideki, 223
Yano, Shinji, 1067
Yasuda, Hisataka, 397
Yatomi, Yutaka, 779
Yazaki, Paul J., 1089
Yokono, Koichi, 1325
Yoshihara, Yoshihiro, 484
Yoshinaga, Takashi, 657
Yukawa, Tomoko, 497

Zanelli, Eric, 735
Zervos, Peter, 1061

Zhang, Qingqing, 569
Ziegler, R., 576
Zimmerman, Karen, 462
Zomerdijk, Timo P. L., 755
Zwiebel, James A., 209

Volume 171

Abe, Masayoshi, 1344
Aboud, Mordechai, 1395
Abreu, Pedro, 875
Adam, Mohammed, 787
Adams, Donald E., 196
Adany, Roza, 1402
Ahluwalia, Gurpreet, 1297
Ahmad, Hassan, 155
Aizawa, Takako, 204
Akiyama, Tetsu, 1152
Alberti, Saverio, 1051
Albrecht, Kathryn S., 60
Aleström, Peter, 293, 1029
Alonso, Teresa, 14
Alvares, Keith, 641
Alvarez, Jaime, 690
Anandappa, Shanez Y., 963
Andriamampandry, Christian, 758
Antonucci, A., 480
Aoki, Naohito, 905
Arauz-Lara, B. Jose Luis, 543
Arfsten, Ann, 796
Argoff, Charles E., 38
Arimura, Akira, 838
Aruga, Rie, 676
Askenazi-Rydel, Myriam, 1395
Avvakumov, George V., 1279
Awasthi, Yogesh C., 155
Azukizawa, Sadahide, 369

Bachem, Max G., 1122
Bachmann, Claude, 498
Back, Anthony L., 787
Bahnson, Alfred B., 752
Baird, Andrew, 690
Baird, Barbara, 222
Bandyopadhyay, Debkumar, 306
Bardenheuer, H., 1115
Bari, Sara, 465
Barr, Philip J., 589
Barraclough, Roger, 963
Bartsch, H., 655
Bathurst, Ian C., 589
Batra, Janendra K., 1
Bazan, Nicolas G., 1236
Bdolah, Avner, 949
Bene, László, 325
Benjamin, Christopher, 348
Bennett, T., 938
Berg, David T., 375
Berleth, Erica S., 705
Bernini, Franco, 123
Bertulli, Stefano M., 123
Bettendorff, Lucien, 1137
Beuers, U., 1115
Bhongle, Nandkumar N., 458
Biasi, F., 1353
Bignon, Eric, 1071
Bilhartz, David L., 697
Binderup, L., 1056
Bird, Edward D., 690
Blaha, Ivo, 439
Blair, Harry C., 920
Blanchette-Mackie, E. Joan, 38
Bodmer, Stefan, 890
Boggs, Sallie S., 752
Bond, Michael D., 988
Bondoc, Laureano L., Jr., 1297
Boonstra, Johannes, 882
Bork, Peer, 1319
Bose, C., 938
Brady, Roscoe O., 38
Bresciani, Francesco, 287
Broadhurst, Anne V., 439
Brossmer, R., 860
Brown, Anthony, 38
Bruce, Marilyn J., 818
Budzik, Gerald P., 1291
Buhler, D. R., 537
Buko, Alexander, 401
Bunnell, Bruce A., 196
Busso, Nathalie, 647
Byrd, James C., 407

Calmels, S., 655
Canevari, Silvana, 1051
Cao, Yu-Zhang, 955
Capony, F., 972
Carmichael, Wayne W., 867
Casla, Azucena, 182
Catapano, Alberico L., 123
Cavailles, V., 972
Cavallini, D., 480
Cesarone, C. F., 1037
Cha, Tepyon, 898
Chakravarthy, Balu R., 1105
Champigny, Guy, 1022
Chang, Ernest S., 818
Chang, Raymond S. L., 813
Chao, Chuck C.-K., 431
Chap, H., 548
Chapkin, Robert S., 764
Chatterjee, Anadi N., 1175
Chaudhary, Vijay K., 1
Chen, E. C. M., 97
Chen, E. S. D., 97
Chen, Tsing B., 813
Chesne, Christophe, 647
Cheung, Herman S., 20
Chi-Rosso, Gloria, 348
Chiarpotto, E., 1353
Chisaka, Osamu, 1130
Chorsky, Regina, 690
Chulkova, T. M., 555
Cicatiello, Luigi, 287
Cichon, Gunter, 944
Claure, Rebecca E., 1252
Coates, Paul M., 498
Collins, Steven J., 787
Colnaghi, Maria Ines, 1051
Comly, Marcella, 38
Compton, A. M., 938
Cons, Benjamin M. G., 1064
Cook, David A., 506
Coon, M. J., 175
Cooney, David A., 1297
Corey, Elias J., 944
Corona, Robert J., 690
Cotelle, Nicole, 596
Cotelle, Philippe, 596
Cottalasso, D., 1353
Craik, Charles S., 589
Crane, Debra L., 384, 393
Crumley, Gregg, 7
Cubero, Ana, 770
Cupples, Claire G., 33
Currens, Michael J., 1297

Dale, M. M., 1087
Damjanovich, Sándor, 325
Das, Jyotirmoy, 1175
Davin, Laurence B., 1008
Davis, H. W., 53
Davis, Paul F., 260
Davis, Peter D., 148
Deaven, Larry L., 67

Decker, Karl, 132, 1188
Defize, Libert H. K., 882
de Laat, Siegfried W., 882
DeLange, Robert J., 84
Delers, François, 647
Devine, Edward M., 1291
Deyashiki, Yoshihiro, 661
Dhawan, Subhash, 1284
Didsbury, John R., 804
Dionne, Craig A., 7
Dohm, G. Lynis, 182
Domenicotti, C., 1353
Dougas, Irene, 348
Dumont, Jacques E., 1044
Dunn, Ben M., 439
Duprè, S., 480
Durkin, Jon P., 1105
Dwyer, Nancy K., 38

Easom, Richard A., 424
Edwards, Robert A., 33
Eguchi, Tamotsu, 684
Einspanier, R., 250
Eipper, Betty A., 926
Eisenstark, Abraham, 1224
Elliott, Lucy H., 148
Elliott, Mark S., 384, 393
Elsas, Louis J., II, 498
Epand, Richard M., 487
Erickson, John, 60
Erickson, Kent L., 764
Evans, D. B., 1056

Farmerie, William G., 439
Faust, Kristie A., 813
Feinstein, Maurice B., 738
Fernig, David G., 963
Feucht, Paul H., 589
Fields, Raymond L., 1284
Fischer, Leslie M., 697
FitzGerald, David, 1
Fleming, Ingrid, 562
Flynn, T. Geoffrey, 416
Fong, Jim C., 46
Fontana, Adriano, 890, 1145
Fontana, M., 480
Ford, Harry, 1297
Fornaro, Mara, 1051
Foulkes, R., 938
Fox, Keith R., 1064
Frelin, Christian, 301
Freudenstein, J., 250
Freysz, Louis, 758
Fridland, Arnold, 1297
Frydman, Benjamín, 465

Frydman, Rosalía B., 465
Fujii, N., 1304
Fujiki, Hirota, 867
Fujino, Masahiko, 838
Fujita, Hisakazu, 852
Fujiwara, Hiroyuki, 729
Fujiwara, Kenji, 1093
Fujiwara, Tsutomu, 676
Fukami, Yasuo, 1152
Fukazawa, Toshiyuki, 1217
Fuller, Forrest, 796
Fumagalli, Remo, 123
Furusawa, Mitsuru, 867

Gaillard, Jacques, 273
Gallo, G., 1037
Galron, Ronit, 949
García-Sáinz, J. Adolfo, 618
Gardiner, S. M., 938
Garg, Uttam C., 474
Gautvik, Kaare M., 293, 1029
Gerard, Catherine, 1044
Gershengorn, Marvin C., 913
Gewirtz, Henry, 143
Giannoni, P., 1037
Gibson, Helen L., 589
Giessner-Prettre, C., 1211
Godfroid, Edmond, 1015
Goelz, Susan, 348
Goldenthal, Michael J., 525
Gollapudi, Sastry, 1002
Golsteyn, Elizabeth J., 336
Gonzalez, Ana-Maria, 690
Gonzalez-Calero, Gloria, 770
Gopas, Jacob, 1395
Gordeladze, Jan O., 293
Goren, H. Joseph, 336
Gottschall, Paul E., 838
Gray, Gillian A., 562
Greenhill, Nicholas S., 260
Gregg, Keith, 777
Gregory, Lisa C., 796
Gresh, Nohad, 1211
Gressner, Axel M., 1122
Grinnell, Brian W., 375
Gruber, B. L., 1272
Guerra, Leonardo, 280
Guillouzo, André, 647
Gum, James R., 407
Guo, Xiao Jun, 354
Gupta, Sanjiv, 155
Gupta, Sudhir, 1002

Hakomori, Sen-itiroh, 1387
Hamano, Shuichi, 1199

Hansbury, Michael J., 525
Hara, Naohiko, 1344
Harada, Ken-ichi, 867
Harada, Mitsuo, 1258
Harrison, Leonard C., 210
Har-Vardi, Iris, 1395
Hassid, Aviv, 474
Hatayama, Ichiro, 845
Hayakawa, Taro, 610, 1264
Hayashi, Fumio, 1152
Hayashi, Tatsuya, 661
He, Wei Wu, 697
Heid, Irma, 890
Heimberger, Amy, 1224
Helfrich, Rosalind J., 60
Henderson, M. C., 537
Hénichart, Jean-Pierre, 596
Herbert, J. M., 189
Hession, Catherine, 348
Hicks, James W., 407
Hickstein, Dennis D., 787
Hideshima, Teru, 717
Higashihara, Masaaki, 109
Higuti, T., 1079
Hill, Christopher H., 148
Hirai, Yoshikatsu, 832
Hirata, Keiichi, 1093
Hitomi, Yoshiaki, 852
Höller, Michael, 1145
Holowka, David, 222
Hong, Enrique, 618
Horiguchi, Akira, 684
Huang, Chi-Kuang, 738
Hubbard, Neil E., 764
Huber, Reuben E., 33
Hughes, B., 938
Hughes, Jonathan H., 424
Husten, E. Jean, 926

Ichihara, Akira, 676, 1079
Igarashi, Akiko, 684
Ikeda, Tougo, 1344
Ikegami, Hiroshi, 898
Ikegawa, Ruriko, 669
Ikehara, Yukio, 236
Imagawa, Ken-ichi, 603
Indoh, T., 1304
Inomata, Mitsushi, 625
Inoue, Masatoshi, 711
Inouye, Satoshi, 169
Inyang, A. L., 1326
Iozzo, Renato V., 1402
Ishibashi, Yoshihiro, 838
Ishida, Toshimasa, 711

Ishikawa, Mutsuo, 1378
Ishimura, Yuzuru, 827
Ishizawa, Minoru, 1378
Ito, Masaaki, 933
Ito, Nobuyuki, 91
Ito, Yuji, 1258
Iverson, L. E., 1361
Iwakura, Masanori, 684
Iwamoto, Masahiro, 729
Iwanaga, Sadaaki, 676
Iwane, Makoto, 116
Iwasaki, Ryoji, 369

Jaffe, Eric A., 913
Jaye, Michael, 7
Johns, David G., 1297
Jouanneau, Yves, 273
Jullienne, A., 1111
Julou-Schaeffer, Géraldine, 562
Justice, R. M., Jr., 445

Kadomatsu, Kenji, 603
Kagawa, Yasuo, 1258
Kaisho, Yoshihiko, 116
Kakinuma, Atsushi, 116
Kakuno, T., 1079
Kanayama, Hiroomi, 676
Kaneko, Mihoko, 369
Kaneski, Christine R., 38
Kanfer, Julian N., 758
Kanis, J. A., 1056
Kasahara, K., 531
Katabami, Motoo, 852
Kawada, Teruo, 905
Kawaguchi, Tetsuo, 1378
Kawahara, Kenji, 116
Kawamoto, Shoko, 1130
Kawamura, Y., 1079
Kawashima, Seiichi, 625
Kawata, Sumio, 91
Kay, John, 439
Ke, Youqiang, 963
Kelley, Darcy B., 697
Kemmner, W., 860
Kemp, P. A., 938
Kentzer, Elzbieta J., 401
Kidd, Vincent J., 196
Kigoshi, Toshikazu, 369
Kim, Young S., 407
Kimura, K., 1304
Kishi, Jun-ichi, 1264
Kishimoto, Akira, 1071
Kissinger, Charles R., 257
Kitada, Chieko, 838
Kitagawa, Seiichi, 491
Kitagawa, Yoshinori, 230
Kitamura, Kazuya, 1387
Kitamura, Yumiko, 116
Kittelberger, Reinhold, 260
Kizaki, Harutoshi, 827
Kline, A. D., 445
Kloog, Yoel, 949
Kobayashi, Yoko, 1258
Kohlbrenner, William E., 60
Kon, Kazuo, 625
Kondoh, Hisato, 603
Konttinen, Yrjö T., 979
Konvalinka, Jan, 439
Kornberg, Thomas B., 257
Kostka, Vladimir, 439
Kotoyori, Jun, 1229
Kozawa, Osamu, 1229
Kraus, Jean-Louis, 266
Kroll, Michael H., 1252
Krupenko, Natalja I., 1279
Kuge, Yukihiro, 684
Kumar, Sujata, 641
Kumatori, Atsushi, 676
Kume, Shoji, 109
Kunert-Radek, J., 1099
Kunkel, S. L., 531
Kuraishi, Yasushi, 832
Kureishi, Yasuko, 933
Kurokawa, Kiyoshi, 109
Kuzumaki, Noboru, 852
Kwok, William W., 787

LaBelle, Edward F., 155
Lachke, Anil H., 777
Lagace, Robert L., 407
Laland, Søren G., 342
Lamport, Derek T. A., 407
Lapetina, Eduardo G., 319
Lasmoles, F., 1111
Lattanzio, Frank A., Jr., 102
Laughton, C. A., 1160
Lauquin, Guy J.-M., 354
Lawton, Geoffrey, 148
Lazdunski, Michel, 1022
Lederer, Florence, 266
Lee, Do Hee, 676
Lefebvre, Yvonne A., 336
Le Gall, Jean, 313
Lehoux, Jean-Guy, 336
Letsou, George, 143
Levén, Sara, 1224
Levy-Wilson, Beatriz, 162
Lewicki, John A., 796
Lewis, Norman G., 1008
Li, Steven S.-L., 67
Libert, Frédérick, 1044
Lim, Ramon, 746
Lin, J. W., 1361
Lin-Chao, Sue, 431
Lindy, Otso, 979
Lipscomb, William N., 1312
Liu, Beishan, 257
Liu, Ming-Y., 313
Lobb, Roy, 348
Lohez, Michèle, 596
Lotti, Victor J., 813
Lu, Chao, 138
Lucas, John J., 26
Luck, R. M., 250
Ludgate, Marian, 1044
Luedemann, Mary M., 67
Luhowskyj, Stefan, 348
Lujan, Marc A., 589
Lumb, R. H., 548
Lund, Terje, 342

Maekawa, Masato, 67
Maffrand, J. P., 189
Magde, Douglas, 306
Maher, Frances, 210
Malipiero, Ursula, 1145
Mantovani, Liliana, 1051
Marais, Richard M., 1236
Marinari, U. M., 1353
Marsault, Robert, 301
Martial, K., 1111
Martín, Mairena, 770
Martin-Blanco, Enrique, 257
Marumoto, Yasumasa, 729
Maruyama, Kei, 204
Mason, Anne B., 26
Massarelli, Raphael, 758
Mastro, Andrea M., 955
Matsoukas, John M., 996
Matsubara, Kenichi, 1130
Matsubara, Yoichi, 498
Matsuda, Tamiko, 243
Matsumura, Sueo, 1217
Matsumura, Yasuo, 669
Matsunobu, Keiji, 1378
Matsushima, Rie, 867
Matsuyama, Kenji, 1192
Mátyus, László, 325
McCarthy, Kathy, 348
McCormack, K., 1361
McDaniel, Michael L., 424
McDonald, J. M., 53
McIlroy, Patrick J., 525

Medh, Rheem D., 155
Melloni, E., 569, 1353
Menard, Sylvie, 1051
Menke, Jay B., 575
Menon, Gopi, 401
Mesarić, Marko, 132, 1188
Meyer, Christine, 273
Meyer, Dieter H., 1122
Meyer, H. W., 175
Michejda, Jan, 354
Michetti, M., 569
Miki, Shigehisa, 1152
Milhaud, G., 1111
Miller, Jonathan L., 1252
Miller, Judith A., 796
Mills, Ira, 143
Minami, Masabumi, 832
Minami, Michiko, 216
Minvielle, S., 1111
Miotti, Silvia, 1051
Miranda, C. L., 537
Misumi, Yoshio, 236
Mitchell, Peter G., 20
Mitsuya, Hiroaki, 1297
Miwa, Masaichi, 1229
Miyabayashi, Shigeaki, 498
Miyazaki, Jun-ichi, 243
Miyazaki, Yumiko, 1192
Mochida, Kenichi, 684
Moen, Laura K., 589
Molina y Vedia, Luis, 319
Moore, Graham J., 996
Mordini, Federico, 60
Morel, Fabrice, 647
Morgenthaler, J., 860
Mori, Masatomo, 512
Morimoto, Shinpei, 369
Morimoto, Shiro, 669
Morita, Kyoji, 1199
Moroni, Fausto, 325
Moser, Andreas, 1372
Muguruma, Michio, 1217
Muid, R. E., 1087
Müllauer, Leonhard, 852
Murakami, Masami, 512
Murakami, T., 1304
Muramatsu, Hisako, 603
Muramatsu, Takashi, 603
Muranishi, Hisakazu, 1344
Murata, Tetsuo, 845
Muroga, Yohko, 933
Mynderse, J. S., 445

Nagahata, Takemitsu, 1130
Nagao, Minako, 230
Nagata, Nobuhiko, 1344
Naitoh, Toshihiko, 1205
Naka, Michiko, 933
Nakagawa, Shizue, 116
Nakahama, Kazuo, 116
Nakai, Satoru, 832
Nakamoto, Masaru, 603
Nakanishi, Isao, 610
Nakano, Shigeru, 369
Narasimhan, Vikram, 222
Narisawa, Kuniaki, 498
Nata, Koji, 330
Nawa, Katsuhiko, 729
Neidle, S., 1160
Neto, Catherine Camaioni, 451, 458
Newman, Barbara, 348
Nigam, Santosh, 944
Nilsson, O., 581
Nishida, Yukimitsu, 1264
Nishioka, Junji, 661
Nishiura, Tetsuo, 1378
Nishizuka, Yasutomi, 1071
Nixon, John S., 148, 1087
Nodes, Sim, 944
Noguchi, Akinori, 1387
Noguchi, Tamio, 243
Noma, Yoshihiko, 898

Octave, Jean-Noël, 1015
Oda, Kimimitsu, 236
Ogihara, Toshio, 898
Ogiso, Yoshifumi, 852
Ogita, Kouji, 1071
Oguma, K., 1304
Ohashi, Hiroyuki, 138
Ohkubo, Kumiko, 236
Ohmstede, Carol-Ann, 319
Ohsaka, Akimichi, 491
Ohta, Shigeo, 1258
Ohtaki, Tetsuya, 838
Oiso, Yutaka, 1229
Oka, Motoo, 1199
Okada, Hidechika, 717
Okada, Kenji, 1192
Okada, Noriko, 717
Okada, Yasunori, 610
Okamoto, Hiroshi, 330
Olvera, Joe, 519
Opgenorth, Terry J., 1291
Orunesu, M., 1037
Osaka, F., 1079
Osborn, Laurelee, 348
Oshiro, Takashi, 684
Ozaki, Nobuaki, 1229
Ozaki, Yukio, 109

Pabo, Carl O., 257
Pace-Asciak, Cecil R., 944
Parker, Peter J., 1236
Parmentier, Marc, 1044
Parratt, James R., 562
Pastan, Ira, 1
Paulssen, Eyvind J., 293, 1029
Paulssen, Ruth H., 293, 1029
Paumgartner, G., 1115
Pawlikowski, M., 1099
Pentchev, Peter G., 38
Perkins, Susan N., 926
Perret, Jason, 1044
Persico, Eliana, 287
Pesi, R., 362
Petronilli, Valeria, 280
Phylip, Lowri H., 439
Pichuantes, Sergio, 589
Pickart, Cecile M., 705
Picken, Maria M., 84
Pieri, Carlo, 325
Pipili-Synetos, Eva, 913
Piratla, Rao K., 458
Pirrwitz, J., 175
Podlisny, Marcia Berman, 890
Polakiewicz, R. D., 722
Poli, G., 1353
Pollitt, Rodney J., 498
Pontremoli, S., 569
Pool, G. L., 548
Poola, Indra Vathamma, 26
Porter, J. Gordon, 796
Prestwich, Glenn D., 818
Pronzato, M. A., 1353
Pumiglia, Kevin M., 738

Rabban, Joseph, 143
Ransanz, Víctor, 618
Rao, M. Sambasiva, 641
Ravel, Pascale, 266
Recchioni, Rina, 325
Record, M., 548
Reddy, C. Channa, 955
Reddy, Janardan K., 641
Reddy, Venkat N., 1333, 1338
Rhead, William J., 498
Ribbes, G., 548
Ricci, G., 480
Richards, Anthony D., 439
Ritchie, Alison J., 439
Rittenhouse, Judith, 60

Rixon, Raymond H., 1105
Robey, Frank A., 1284
Rochefort, H., 972
Rodgers, G. H., 445
Roe, Charles R., 498
Roeder, W. D., 445
Roehm, N., 445
Rohde, Klaus, 1319
Roma, Paola, 123
Ros, Manuel, 770
Rosa, Margaret, 348
Rosen, H., 722
Roth, Richard A., 1244
Rougeot, C., 972
Routtenberg, Aryeh, 1236
Rovira, Adela, 182
Roy, Rabindra N., 416
Ruckpaul, K., 175
Rudland, Philip S., 963
Rudy, B., 1361
Ryan, Patricia A., 260

Saari, Herkko, 979
Saito, Masaki, 491
Saito, Yumiko, 625
Sakano, Katsu-ichi, 729
Sakiyama, F., 1079
Salamino, F., 569
Sallis, John D., 20
Santi, Daniel V., 589
Santos, Eugenio, 14
Sarin, Prem S., 451, 458
Sarin, Virender K., 401
Sasada, Reiko, 116
Sasaki, Kazunori, 230
Sasaki, Yasuharu, 1182
Sasaki, Yasuo, 1182
Sato, Hiroshi, 610
Sato, Ken-ichi, 1152
Sato, Kiyomi, 845
Sato, Yoshinari, 729
Satoh, Kimihiko, 845
Satoh, Masamichi, 832
Scalona, Marilina, 287
Scarabelli, L., 1037
Scarborough, Paula E., 439
Scheit, K. H., 250
Schlesinger, Paul H., 920
Schoffeniels, Ernest, 1137
Schuster, Oliver, 1372
Schwartz, L. B., 1272
Schwarz, D., 175
Seban, E., 189
Sedgwick, Anthony D., 148, 1087
Segal, Shraga, 1395
Segond, N., 1111
Sehgal, Raj K., 451
Seiki, Motoharu, 610
Sejima, Hiroshi, 661
Selkoe, Dennis J., 890
Sengupta, Tapas K., 1175
Serao, I., 480
Sharma, Rajendra, 155
Sharma, Vijay S., 306
Shastry, Barkur S., 1333, 1338
Sheu, Fwu-Shan, 1236
Shibuya, Masabumi, 230
Shigematsu, Nobuaki, 1344
Shima, Hiroshi, 230
Shima, Kenji, 898
Shimizu, Hirokazu, 610
Shimizu, Takao, 216
Shintani, Asae, 116
Shirai, Yasuhiro, 91
Sica, Vincenzo, 287
Siddiki, Bader, 407
Simantov, R., 722
Simmer, Robert L., 60
Singh, Shivendra V., 155
Singh, Toolsee J., 75
Sluka, J. P., 445
Smith, John A., 963
Snyderman, Ralph, 804
Sohda, Miwa, 236
Sokolovsky, Mordechai, 949
Solinas, S. P., 480
Sone, Naomi, 1258
Sorsa, Timo, 979
Spaargaren, Marcel, 882
Sparatore, B., 569
Stafford, Alan R., 487
Standiford, T. J., 531
Steele, Glenn, Jr., 633
Steele-Perkins, George, 1244
Steim, Joseph M., 451, 458
Sternberg, M. J. E., 1160
Stevens, Raymond C., 1312
Stoclet, Jean-Claude, 562
Stopa, Edward G., 690
Strel'chyonok, Oleg A., 1279
Strieter, R. M., 531
Strop, Peter, 439
Struve, Janine A., 20
Sudo, Kayoko, 67
Sugden, David, 875
Sugimoto, Etsuro, 905
Sugimoto, Tsuneaki, 1205
Sugimura, Takashi, 230
Sugiyama, Norifumi, 729
Sumpio, Bauer, 143
Sun, Daisy K., 451, 458
Sun, Siquan, 697
Suomalainen, Kimmo, 979
Suzuki, Fujio, 1264
Suzuki, Hiroaki, 852
Suzuki, Katsuyuki, 519
Suzuki, Kazuko, 827
Suzuki, Keiichiro, 1378
Suzuki, Koji, 661
Swallow, Dallas M., 407
Syuto, B., 1304
Szabo, Ildiko, 280

Tachibana, Hideki, 1152
Tada, Keiya, 498
Tadakuma, Takushi, 827
Tahara, Yasuhiro, 898
Takada, Junji, 1192
Takahashi, Katsuhito, 933
Takahashi, Toshio, 1387
Takahashi, Yoshiyuki, 1229
Takaishi, Kenji, 91
Takaku, Fumimaro, 491
Takami, Noboru, 236
Takaoka, Masanori, 669
Takashina, Ken-ichiro, 1387
Takenaka, Masaru, 243
Takeshi, K., 1304
Takeyasu, Akira, 1378
Takigawa, Masaharu, 1264
Tamura, Shinji, 91
Tamura, Tomohiro, 676
Tanaka, Keiji, 676, 1079
Tanaka, Takehiko, 243
Tanaka, Toshio, 933
Tani, I., 1079
Taniguchi, Naoyuki, 1378
Tapia, O., 581
Tarui, Seiichiro, 91
Teraoka, Kazuhiko, 1199
Terce, F., 548
Teruuchi, Toshiyuki, 729
Thavarajah, M., 1056
Thiel, M., 1115
Thomas, Peter, 633
Tindall, Donald J., 697
Tobelem, G., 1326
Toda, H., 1079
Toh, Hiroyuki, 216
Tokuda, Haruhiko, 1229
Tokunaga, Fuminori, 676
Tomaro, María L., 465
Tomita, Katsuro, 610
Tomomura, Mineko, 603
Torres-Márquez, M. Eugenia, 618

Toth, Carol Ann, 633
Toyo-Oka, Teruhiko, 1205
Toyokuni, Tatsushi, 1387
Traylor, Teddy G., 306
Trón, Lajos, 325
Tropschug, Maximilian, 1168
Tsuchida, Shigeki, 845
Tsuchiya, Hiroyuki, 610
Tsuda, Masao, 838
Tsukahara, Yaeko, 669
Tsurumi, C., 1079
Tsurumi, Hiroshi, 1387
Tsushita, Kazuyo, 1229
Tsuzuki, K., 1304
Turcotte, Joseph G., 451, 458
Turner, Raymond J., 996
Turon, Mary C., 60
Twomey, B., 1087

Uchida, Kenzo, 369
Uda, Taizo, 1378
Ueda, Keiji, 1130
Uhing, Ronald J., 804
Umeyama, Taeko, 905
Umezawa, Toshiaki, 1008
Usala, Stephen J., 575
Uwajima, Takayuki, 684

Vallee, Bert L., 988
van Gunsteren, W. F., 581
Varesi, Luca, 123
Vassallo, Cornelia, 348
Vassart, Gilbert, 1044
Velek, Jiri, 439
Venezia, N. Dalla, 655
Verrier, Bernard, 1022
Videira, Arnaldo, 1168
Vignais, Paulette M., 273
Vigne, Paul, 301
Villa-Moruzzi, E., 362
Villalobos-Molina, Rafael, 618
Viotti, P. L., 569, 1353
Vlahos, Chris J., 375
Vollrath, Bozena, 506

Wagner, S., 250
Wakim, Bassam T., 84
Walda, Kevin N., 306
Walfish, Paul G., 138
Walls, Jenna D., 375
Walter, Sabine, 1051
Wang, Fei, 543
Wang, Jin-Lin, 424, 537
Wang, Xuedong, 641
Ware, Bennie R., 543
Ware, Cheryl E., 777
Watanabe, Mariyo F., 867
Watanabe, Takuya, 838
Watson, Tracey L., 575
Weigl, Debra, 60
Weinstein, Yacob, 1395
Weintraub, Bruce D., 575
Weir, Bryce K. A., 506
Weisz, Alessandro, 287
Wells, James A., 182
Wentworth, W. E., 97
Werner, Sigurd, 1168
Werner, Ursula, 1145
Whitfield, James F., 1105
Wilkinson, Mark C., 963
Wilkinson, Sandra E., 148, 1087
Williams, D. E., 537
Winczyk, K., 1099
Wins, Pierre, 1137
Wondisford, Fredric E., 575
Wool, Ira G., 519
Wu-Wong, Jinshyun R., 1291

Yam, W.-C., 431
Yamada, Kazuya, 243
Yamaguchi, Takashi, 832
Yamaguchi, Toshiharu, 1387
Yamaki, Tokuo, 1192
Yamamoto, Daisuke, 711
Yamamoto, Hiroshi, 330
Yamamoto, Shuji, 1130
Yamamura, Ken-ichi, 243
Yamashita, Kyoko, 610, 1264
Yamato, Eiji, 898
Yang, Yong-Fan, 138
Yano, Mitsuo, 1192
Yatomi, Yutaka, 109
Yeldandi, Anjana V., 641
Yokosawa, N., 1304
Yoneda, Hiroko, 898
Yonekura, Hideto, 330
Yoshihara, Y., 1079
Yoshikawa, Kazuaki, 204
Yoshimura, Koji, 116
Yoshizawa, Shigeru, 867
Young, Charles Y-F., 697
Yuo, Akira, 491

Zaheer, Asgar, 746
Zenno, Shuhei, 169
Zerek-Melen, G., 1099
Zhu, Xiaoping, 697
Zoratti, Mario, 280
Zvelebil, M. J. J. M., 1160

Volume 172

Abe, Mayumi, 595
Adams, James, 1132
Adler, Carmen, 1000, 1060
Ahmed, Hafiz, 335
Akita, Mitsuru, 1217
Akita, Yoshiko, 184
Akutsu, Yuko, 607
Alberghina, Lilia, 61
Aldrich, Paul E., 1195
Allen, C. N., 262
Allen, Howard J., 335
Almagor, M., 877
An, Gang, 1304
Ando, Hiroshi, 300
Andoh, Nobushi, 341
Andreev, S. M., 952
Andrés, Vicente, 328
Andrianarison, Rivo Hery, 985
Änggård, Erik, 564
Arakawa, Masaaki, 496
Arakawa, Toshiya, 1230
Araki, K., 42
Araki, Satohiko, 1081
Arimura, Akira, 709
Arlot-Bonnemains, Y., 582
Armstrong, Glen D., 1224
Asaka, Junichiro, 646
Asami, Osamu, 321
Asano, Tomiko, 249
Astumian, R. Dean, 282
Aszalos, Adorjan, 1298
Augereau, J. M., 993

Bae-Lee, Myong Suk, 1
Balestre, Marie-Noelle, 1100
Ballesteros, Mercedes, 775
Barnes, David, 945
Bar-Tana, J., 877
Bârzu, Octavian, 432

Baumbach, George A., 16
Baxter, Robert C., 775
Beaulieu, André D., 1209
Becker, Jeffrey M., 1310
Bellot, Françoise, 107
Benayahu, Daphna, 620
Beneytout, Jean Louise, 985
Bergamini, Carlo M., 919
Bewtra, Againdra K., 1094
Bilan, P. J., 728
Bjerkvig, Rolf, 544
Blumberg, Shmaryahu, 620
Boeynaems, J. M., 306
Böhlen, Peter, 850
Boutherin-Falson, O., 306
Brodsky, Jeffrey L., 1055
Brooks, S. L., 1042
Brown, Truman R., 855
Burnell, Ann M., 1013
Bushkin, Ilana, 676
Buttyan, Ralph, 160

Calalb, Mihail B., 551
Caldarera, Claudio M., 939
Caldwell, Guy A., 1310
Campbell, Anthony K., 477
Capuzzi, D. M., 113
Carlson, Don M., 1304
Carnuccio, R., 1246
Carpenter, Susan, 149
Carpentier, J.-L., 1203
Carreras, José, 328
Cartee, G. D., 728
Castora, Frank J., 1282
Cervantes, Heidi, 1239
Chang, Alice Chien, 817
Chang, Chan Fong, 751
Chang, Nan-Chi, 817
Chao, Chuck C.-K., 842
Chen, John X., 1324
Cheng, P.-W., 842
Chiang, John Y. L., 1150
Chinchar, V. Gregory, 1357
Chino, Haruo, 588
Chiu, Andrew T., 1195
Cho, Kyung Woo, 423
Cho, Myung-Je, 511
Chock, P. Boon, 282
Choi, Hueng-Sik, 1
Choi, Won-Ja, 1324
Chopard, C., 1122
Chottard, J. C., 1122
Chou, K. C. K., 47
Choudhury, Goutam Ghosh, 154
Chouinard, Lucie, 1100
Christensen, S. Brogger, 811
Christophers, Enno, 898
Christoserdov, Andrei Y., 211
Chumakov, V. M., 952
Clark, Michael W., 1324
Cohen, Leonard H., 855
Cole, Carol-Ann, 652
Colombo, J. P., 1239
Cook, Nigel S., 1189
Coon, Minor J., 1331
Corin, A. F., 1157
Corral, Laura, 1349
Corry, Peter M., 119
Cowburn, David, 432
Crane, F. L., 979
Creutzfeldt, W., 268
Crumley, Gregg, 107
Cucurou, C., 1122
Curetty, LindaLi, 119
Currie, Mark G., 793
Curtius, Hans-Christoph, 1000, 1060
Cusinato, F., 1067
Cussó, Roser, 328

Damiani, Ernesto, 1253
Daniel, R., 1122
Darszon, Alberto, 830
Davie, Earl W., 1139
Deber, Charles M., 862
DeFelice, Louis J., 932
Devesly, Pierre, 126
Devos, Rene, 570
DiCioccio, Richard A., 335
Dionne, Craig A., 107
Di Rosa, M., 1246
Dobrowsky, Rick, 683
Donoso, Larry A., 313
D'Orleans-Juste, Pedro, 745
Doss, Manfred, 237
Duby, Robert T., 16
Dumont, J. E., 306
Dzau, Victor J., 1189

Eguchi, Satoru, 576
Ehrenstein, Gerald, 932
Eizawa, Hirosi, 705
El Touny, Samia, 683
Endo, Fumio, 646
Endo, Masahiko, 70
Enomoto, Tetsuya, 529
Espling, Eric, 1139
Esumi, Hiroyasu, 377
Eto, Sumiya, 1035
Eugster, Hans-Pietro, 737

Fairhurst, Jeanette L., 850
Fan, Jian-Qiang, 341
Fazely, Fatemeh, 288
Feinstein, J., 1163
Ferguson, James E., 229
Fiers, Walter, 570
Flamigni, Flavio, 939
Foster, Ruth, 135
Fouchereau-Peron, M., 582
Frascotti, Gianni, 61
Fried, Adina, 620
Friedberg, Felix, 1145
Fuchimura, Kayoko, 627
Fujihira, Takashi, 1035
Fujino, Masahiko, 661, 709
Fujishiro, Kinya, 721
Fujita, Hiroyoshi, 237
Fukuchi, Jun-ichi, 715
Fukuroda, Takahiro, 390
Furihata, Chie, 1086
Furuya, Mayumi, 971

Gallo-Payet, Nicole, 1100
Galloway, D. R., 455
Gallwitz, B., 268
Gan, Yuxiang, 1298
Gannon, Maureen, 1180
García-Sáinz, J. Adolfo, 780
Garza-Ramos, Georgina, 830
Génu, Corinne, 537
Ghisla, Sandro, 1000, 1060
Gil, Francisco, 638
Gleye, J., 993
Glushka, John, 432
Godkin, James D., 16
Goldstein, Lynn, 652
Gómez-Puyou, A., 830
Gosselin, Gilles, 537
Goto, Atsuo, 178
Goto, Katsutoshi, 883
Gotoda, Takanari, 1022
Graier, Wolfgang F., 614
Grant, A. J., 870
Gray, T. J. B., 262
Griffith, Owen W., 1132
Gross, Steven S., 1132, 1180
Grunwald, Gerald B., 313
Guarnieri, Carlo, 939
Guidotti, Guido, 1055
Guillon, Gilles, 1100
Gullberg, Urban, 557
Gulve, E. A., 728

Hacobian, Nina, 905
Haeggström, Jesper Z., 965
Hagi, Akifumi, 1073
Hagiwara, Hiromi, 576
Hagiwara, Takuya, 1073
Hagiya, Michio, 321
Hake, R., 1157
Hakomori, Sen-itiroh, 77
Hakozaki, Masatoshi, 243
Hamada, Akira, 1342
Hammond, Geoffrey L., 172
Hanley, Michael R., 811
Hannun, Yusuf A., 683
Hansson, Vidar, 409
Harada, Atsuko, 646
Harada, Kenji, 1022
Häring, H. U., 446
Harpur, E. S., 262
Harrison, R. A. P., 8
Hasegawa, Mamoru, 721
Hasegawa, Yoshihisa, 786, 1049
Hashida, Takashi, 958
Hata, Fumiaki, 1400
Hata, Ryu-ichiro, 217
Hattori, Ryuichi, 705
Haug, A., 47
Hayakawa, Takao, 357
Hayashi, Hiroshi, 1081
Hecker, Markus, 143
Heerze, Louis D., 1224
Heizmann, Claus, 1000, 1060
Herbert, J. M., 993
Higashimoto, Yoshifumi, 1392
Hijikata, Makoto, 511
Hiki, Kazuaki, 705
Hikichi, Kiyoko, 28
Hinnen, Albert, 737
Hiramatsu, Keiichi, 1028
Hirose, Shigehisa, 576
Hirsch, David J., 811
Hirst, B. H., 262
Ho, Tsing-Fen, 817
Hoffman, Allan S., 652
Holloszy, J. O., 728
Holmberg, Nels J., 1371
Honda, Hajime, 1236
Honda, Kazuyuki, 243
Honda, Reiko, 371
Hopp, Russell J., 1094
Hosey, M. Marlene, 751
Hoshino, Takeshi, 217
Hrubey, T. W., 190
Hui, Chen, 178
Hwang, Yun Ha, 423

Ibuki, Yoshito, 786, 1049
Ichihara, Yoshikazu, 1086
Ichinose, Akitada, 1139
Ichinose, Masao, 1086
Igarashi, Kazuei, 715
Igarashi, Masao, 786, 1049
Igarashi, Yasuyuki, 77
Ihara, Izumi, 321
Iida, Masato, 1260
Ikebe, Shin-ichiro, 483
Ikeda, Tohru, 295
Ikehara, Morio, 357
Ikemoto, Fumihiko, 390
Imamichi, Tomozumi, 223
Imbach, Jean-Louis, 537
Imura, Hiroo, 529
Indig, Fred E., 620
Indo, Yasuhiro, 646
Inoue, Daisuke, 529
Inoue, Hideshi, 1086
Inoue, Kinji, 661
Iozzo, Renato V., 905
Ishibashi, Shun, 1022
Ishida, Nobuhiro, 237
Ishihama, Akira, 1267
Ishii, Toshiaki, 1400
Isobe, Yoshihiko, 715
Ito, O., 42
Ito, Teizo, 576
Itoh, Kohji, 1175
Iwanaga, Sadaaki, 1139
Iwasa, Kuni H., 932

Jahnsen, Tore, 409
Jakobs, C., 490
Jaye, Michael, 107
Jin, Yuan-Zhen, 1338
Johansen, Teit Eliot, 1384
Johns, Anthony, 126
Jong, Ambrose Y., 1324
Jubran, Amal, 1132

Kageyama, Takashi, 1086
Kaji, Kazuhiko, 1081
Kalsheker, Noor, 477, 1116
Kamijo, Masayuki, 371
Kanada, Atsunori, 1400
Kanatani, Kazushi, 341
Kanayama, Yoshio, 1260
Kangawa, Kenji, 627
Kansal, Vinod K., 432
Kaplow, June M., 107
Kappas, Attallah, 237
Kappler, Francis, 855
Karamov, E. V., 952
Karasuno, Takahiro, 1260
Kase, Ryoichi, 1175
Kashiwagi, Keiko, 715
Katagiri, Takenobu, 295
Kataoka, Toshiya, 1400
Kato, Ichiro, 197
Kato, Kanefusa, 249
Kato, Masakatsu, 276
Kato, Nobuyuki, 511
Kawai, Chuichi, 705
Kawakami, Masanobu, 1022
Kawazoe, Yutaka, 1267
Kellerer, M., 446
Khan, Wasiuddin A., 683
Kikuchi, Masayoshi, 511
Kilbourn, Robert G., 1132
Kim, Mee Ree, 1317
Kim, Sang Geon, 767
Kim, Suhn Hee, 423
Kimura, Sadao, 883
Kincaid, Randall L., 551
Kishi, Naoya, 883
Kisiel, Walter, 1139
Kitada, Chieko, 709
Kitajima, Yasuo, 971
Kitamura, Kazuya, 77
Kitazawa, Toshio, 1291
Kittelberger, Reinhold, 439
Klemens, Mary R., 1371
Klinz, Franz-Josef, 633
Klip, A., 728
Knowles, R. G., 1042
Kobayashi, Kunihiko, 217
Kobayashi, Tamio, 249
Koch, John, 288
Kochi, Hideo, 243
Kodadek, Thomas, 804
Koh, Gou Young, 423
Kominami, Ryo, 496
Kondo, Tomoyoshi, 483
Kondoh, Motohiro, 503
Konishi, Toshiro, 1086
Kostner, Gerhard M., 614
Kosuga, Kunihiko, 705
Kovesdi, Imre, 850
Kowalska, M. A., 113
Koyama, Jiro, 223
Kozuka, Masamichi, 576
Kraus, George A., 149
Kretschmer, Peter J., 850
Kubo, Kohmei, 70
Kukovetz, Walter R., 614
Kumagai, Hidehiko, 341, 669
Kumar, G. Pradeep, 601
Kuriyama, Kinya, 22

Kurokawa, Kiyoshi, 1086
Kuroki, J., 42
Kuwada, M., 42
Kvale, Dag, 409

Lagunowich, Laura A., 313
Lahoz, Carlos, 523
Laloraya, Malini, 601
Lamkin, Geraldine E., 1273
Lane, Thomas A., 1273
Lantz, Mikael, 557
Laskowski, Michael, Jr., 1364
Lee, Yong J., 119
Lehtinen, Matti, 1378
Levi, Roberto, 1132
Li, Yan Chun, 1150
Lidstrom, Mary E., 211
Liem, Amy, 85
Lima, Maria F., 925
Lin-Chao, Sue, 842
Lindbeck, Alwyn G. C., 204
Lindburg, Katherine, 945
Lindvall, Lena, 557
Liu, Alice Y.-C., 1
Lodato, Robert F., 1132
Lofton, Catherine E., 793
López-Otin, Carlos, 523
Low, Martin G., 1371
Luciani, S., 1067
Lum, Pek Yee, 588
Lund-Johansen, Morten, 544

Ma, C. M., 842
Macher, Bruce A., 1349
Macías-Silva, Marina, 780
Maffrand, J. P., 993
Makino, Keisuke, 1073
Mansuy, D., 1122
Manulyan, R. A., 952
Marchi, Marco, 396
Marcus, Stevan, 1310
Margreth, Alfredo, 1253
Marmiroli, Sandra, 939
Martegani, Enzo, 61
Martín-Orozco, Elena, 523
Masaki, Tomoh, 503, 883
Masuda, Sadao, 1342
Masuda, Yasushi, 709
Matsuda, Ichiro, 646
Matsukage, Akio, 377
Matsumoto, Hirokazu, 661
Matsunaga, Tamihide, 607
Matsuno, Koichiro, 1236
Matsuo, Hisayuki, 627
Matsushima, Masashi, 1086
Matsuyama, Shin-ichi, 1217
Mayer, Bernd, 614
McCall, Dale E., 1195
McCann, Jeffrey A., 759
McColl, Shaun R., 1209
McGuinness, M. C., 364
McLendon, G., 1157
Melikyan, G. B., 952
Melkerson-Watson, L. J., 165
Melloni, Edon, 1006
Messina, Joseph L., 759
Meyer, Urs A., 737
Michaud-Soret, I., 1122
Mickel, Hubert S., 92
Miki, Kazumasa, 1086
Milhaud, G., 582
Miller, Elizabeth C., 85
Miller, James A., 85
Milne, George, 544
Minamino, Naoto, 627
Minamitake, Yoshiharu, 971
Minegish, Takashi, 1049
Minegishi, Takashi, 786
Mitchell, Jane A., 143
Mitsubuchi, Hiroshi, 646
Miyagawa, Hidefumi, 1094
Miyamoto, Kaoru, 786, 1049
Miyazaki, Hitoshi, 503
Mizukami, Toru, 721
Mizuno, Yoshikuni, 483
Mizushima, Shoji, 1217
Mocali, Alessandra, 396
Mollace, Vincenzo, 564
Moncada, S., 1042, 1246
Monji, Nobuo, 652
Monsalve, Rafael I., 523
Morasso, María I., 638
Mori, Natsuko, 1022
Mori, Toru, 529
Mori, Tsutomu, 243
Morikawa, Akiko, 70
Morikawa, Minoru, 357
Morimoto, Isao, 1035
Morishita, Rika, 249
Morré, D. J., 979
Morvan, François, 537
Moser, A. B., 364
Moser, H. W., 364
Motzkin, S. M., 1163
Moukhtar, M. S., 582
Muraiso, Kanae, 511
Murakami, Akira, 1073
Murakami, Kazuo, 503
Murthy, U., 471
Mushack, J., 446
Muto, Emiko, 1342
Myszka, David G., 415

Nagahara, Miho, 371
Nagai, Shin-ya, 217
Nagao, Akihiko, 385
Nagao, Kazuhiro, 1392
Nagata, Kyosuke, 1267
Nagata, Saburo, 28
Naider, Fred, 1310
Nakamura, Kazuto, 786, 1049
Nakamura, Norifumi, 1189
Nakamura, Toshikazu, 321
Nakamura, Toshiya, 70
Nakao, Hirohisa, 1260
Nakazato, Hiroshi, 627
Nanavati, Dipali, 855
Narimatsu, Shizuo, 607
Neale, T. James, 439
Nebert, Daniel W., 1109
Ness, Gene C., 1150
Newman, Walter H., 793
Nguyen, Vi T. T., 172
Niemelä, Jutta, 1378
Nishi, Masatoshi, 1073
Nishida, Yoshitaka, 357
Nishikawa, Atsushi, 1260
Nishikawa, Satoshi, 357
Nishikibe, Masaru, 390
Nishiura, Tetsuo, 1260
Nishizawa, Tsutomu, 321
Nivsarkar, Manish, 601
Niwa, Jun-ichi, 217
Nobukuni, Yoshitaka, 646
Noguchi, Kazuhito, 390
Noguchi, Teruhisa, 237
Norris, Kathleen, 135
Novak, Raymond F., 767
Nowinski, Robert C., 652
Nozawa, Yoshinori, 256
Nuccitelli, Richard, 229

Obara, Masanobu, 1086
Obermaier-Kusser, B., 446
Ogura, Tsutomu, 377
Ohba, Yoshiki, 371
Oh-hara, Toshinari, 1267
Ohkoshi, Showgo, 511
Ohmori, Yoshiyuki, 22
Ohmura, Takafumi, 835
Ohno, Kinji, 483
Ohno, Shigeo, 184
Ohtaki, Tetsuya, 709

Okada, Chiharu, 1094
Okada, Kenji, 390
Okamoto, Hiroshi, 197
Okano, Yukio, 256
Okey, Allan B., 698
Oliver, Cynthia N., 92
Olsson, Carl A., 160
Olsson, Inge, 557
Olvera, Joe, 35
Omura, Satoshi, 295
Ono, Kazuo, 243
Onoue, Kaoru, 835
Oshima, Akihiro, 1175
Oshita, Yoshihiro, 1028
Oswalt, M. D., 47
Ota, Toshio, 721
Otomo, Susumu, 715
Owens, Roland A., 1109
Ozawa, Eijiro, 824
Ozawa, Takayuki, 483

Paavonen, Jorma, 1378
Paccaud, J.-P., 1203
Palomino, Pilar, 523
Paoletti, Francesco, 396
Paquin, Robert, 1209
Parker-Botelho, Lynne H., 126
Parkkonen, Päivi, 1378
Pascal, Sophie, 98
Patrone, Mauro, 1006
Pegues, Joyce C., 1145
Pendleton, Laura C., 1150
Pernecky, Steven J., 1331
Persoon, Niek-L. M., 898
Pfeifer, Andrea, 154
Pfister, Ursula, 1239
Phillips, Penny E., 126
Piacentini, Silvia, 396
Pine, P. Scott, 1298
Piraphatdist, Thavatchai, 529
Plaetinck, Geert, 570
Pontremoli, Sandro, 1006
Porter, Todd D., 1331
Potter, Barry, 229
Prakash, T. Rajendra, 462
Pratt, Dan, 149
Pratt, Richard E., 1189
Prokipcak, Rebecca D., 698

Radomski, M., 1246
Raghavan, D., 870
Rahier, Alain, 98
Ramlal, T., 728
Ramsay, Rona R., 1338
Rawson, Cathleen, 945
Rayner, Bernard, 537
Reape, Theresa J., 1013
Rebrin, Igor, 1000, 1060
Reddanna, P., 462
Reuse, S., 306
Rieber, Manuel, 638
Rieber, Mary S., 638
Rieman, D. J., 471
Rifkind, Arleen B., 1180
Roach, P. J., 190
Rodeck, U., 471
Rodríguez, Rosalia, 523
Roebuck, Kenneth A., 402
Roldan, E. R. S., 8
Rolink, Antonius, 570
Rose, Raymond J., 204
Rosen, Steven D., 1349
Rosen, Vicki, 295
Rosowsky, Andre, 288
Rubanyi, Gabor, 126
Rucklidge, Garry J., 544
Ruedi, Julie M., 1371
Ruprecht, Ruth M., 288
Russell, James T., 932
Russell, P. J., 870

Saeki, Nobuo, 1236
Saha, Jayanta, 288
Sakagami, Hiroshi, 1267
Sakaguchi, Alan Y., 154
Sakata, Atsuko, 835
Sakuma, Tohru, 1236
Sakuraba, Hitoshi, 1175
Sala-Newby, Graciela, 477
Salter, M., 1042
Salvemini, Daniela, 564
Samuelsson, Bengt, 965
Sarfati, Robert S., 432
Sarkar, Nurul H., 348
Sassa, Hironori, 890
Sassa, Shigeru, 237
Sato, Takehiro, 496
Sato, Yasufumi, 595
Sauk, John J., 135
Sawamura, Tatsuya, 883
Sawczuk, Ihor S., 160
Scheraga, H. A., 800
Schifferli, J. A., 1203
Schmidt, Kurt, 614
Schmidt, W. E., 268
Schröder, Jens-M., 898
Schubert, David, 54
Schutgens, R. B. H., 490
Schwartz, Thue W., 1384
Schwarzhoff, R., 268
Scott, Carolyn D., 775
Seffer, E., 446
Seki, Tatsuya, 321
Sengstag, Christian, 737
Senshu, Tatsuo, 28
Seo, Younghoon, 455
Sessa, William C., 143
Seul, Kyung Hwan, 423
Seul, Kyung Mee, 423
Shapiro, Robert, 965
Shastry, Barkur S., 692
Shehin, Stacey E., 767
Sherman, William R., 1371
Shi, B., 47
Shibabe, Sadami, 576
Shibata, Takeshi, 503
Shimano, Hitoshi, 1022
Shimizu, Shin, 321
Shimokawa, Seitaro, 357
Shimonishi, Manabu, 321
Shimotohno, Kunitada, 511
Shinkai, Akeo, 1217
Shinmi, Osamu, 883
Shinomura, Yasuhisa, 1392
Shiota, Kunio, 661
Shioya, Hiroshi, 243
Shirahata, Akira, 715
Siddique, Habibur R., 348
Sidorova, M. S., 952
Signorini, Marco, 919
Silberberg, Shai D., 517
Simada, Yoshiya, 1081
Simmons, N. L., 262
Singer, Mark S., 1349
Singer, Thomas P., 1338
Singh, Aparna, 601
Slawin, Kevin, 160
Slepushkin, V. A., 952
Smith, Carolyn L., 172
Smith, Elizabeth Anne, 154
Snyder, Solomon H., 811
Sobota, A., 1067
Soderling, Thomas R., 551
Sok, Dai-Eun, 1317
Solem, Michele, 945
Somerman, Martha J., 135
Somlyo, Andrew P., 1291
Sorbi, Sandro, 396
Sorrell, Barbara J., 862
Soya, Hideaki, 276
Sparatore, Bianca, 1006
Starke-Reed, Pamela E., 92
States, J. Christopher, 767
Staub, Jeffrey M., 1282
Stewen, Pia, 913

Sticherling, Michael, 898
Stumph, William E., 402
Suda, Tatsuo, 295
Sugawa, Hideo, 529
Sugimoto, Tsuneaki, 178
Sugimura, Atsushi, 321
Sugimura, Takashi, 377
Sugita, Yoshiki, 883
Sugiyama, Haruhito, 1094
Suguna, P., 462
Sun, E. E., 979
Sun, I. L., 979
Surh, Young-Joon, 85
Suzuki, Hiroshi, 1230
Suzuki, Katsuyuki, 35
Suzuki, Koichi, 184
Suzuki, Mitsuo, 276
Suzuki, Nobuhiro, 661
Suzuki, Yoshiyuki, 1175
Svrzic, Dragana, 54
Swamy, P. M., 462
Swanson, T., 1116
Sweeley, C. C., 165
Swenson, Richard P., 415
Swierkosz, Tomasz A., 143
Sylvia, Victor L., 154
Szwergold, Benjamin S., 855

Tachibana, S., 42
Tager, J. M., 490
Tajima, Masahiro, 197
Takagaki, Keiichi, 70
Takahashi, Kenji, 1086
Takahashi, Takayuki, 1086
Takaishi, Yoshihisa, 890
Takaki, Ryosaburo, 595
Takaku, Fumimaro, 1022
Takakura, Yumi, 786, 1049
Takamatsu, Ken, 1167
Takamatsu, Koichi, 1236
Takasu, Hisashi, 357
Takenouchi, Nobuko, 377
Takeuchi, Kazuhisa, 1189
Takeuchi, Tadayoshi, 1400
Takeya, Hiroyuki, 1139
Takiyama, Nobuaki, 1175
Talluri, S., 800
Tam, Milton, 652
Tamaki, Hisanori, 669
Tamura, Shinri, 70
Tamura, Toshiaki, 1392
Tanabe, Tadashi, 1230
Tanaka, Akira, 357
Tanaka, Haruo, 295
Tanaka, Hikaru, 824
Tanaka, Masashi, 483
Tanaka, Shoji, 627, 971
Tanaka, Yoshiya, 1035
Taniguchi, Naoyuki, 1260
Tanji, Masao, 1086
Tarui, Seiichiro, 1260, 1392
Taskén, Kjetil, 409
Tatematsu, Masae, 1086
Tatemoto, Kazuhiko, 1167
Taton, Maryse, 98
Tavernier, Jan, 570
Tawaragi, Yasunori, 627
Tekle, Ephrem, 282
ten Brink, H. J., 490
Terada, Hiroshi, 890
Terao, Junji, 385
Tesfaigzi, Johannes, 1304
Thastrup, Ole, 811
Thompson, Linda F., 1371
Tillo, Neela, 601
Timmermans, Pieter B. M. W. M., 1195
Tiribelli, C., 1163
Tixier, Marie, 985
Tochikura, Tatsurokuro, 341, 669
Toh, Hiroyuki, 1230
Tominaga, Mari, 835
Tomita, Ken-ichi, 357
Törnquist, Kid, 913
Tossberg, John, 149
Townley, Robert G., 1094
Tsuchida, Sonoko, 390
Tsuda, Masao, 661, 709
Tsygankov, Yuri D., 211
Tuena de Gómez-Puyou M., 830
Tuszynski, G. P., 113

Uchida, Eriko, 357
Uchiumi, Toshio, 496
Uesugi, Seiichi, 357
Ullrich, V., 1122
Underhill, Caroline M., 172
Utsumi, Hideo, 1342
Uwajima, Takayuki, 721

Vallee, Bert L., 965
van Breemen, Cornelis, 517
Van Der Heyden, Jose, 570
Vane, John, 143, 564, 745
Van Kampen, Craig L., 135
Vanoni, Marco, 61
van Roermund, C. W. T., 490
Vavassori, Monica, 61
Verma, Ajay, 811
Verma, Saguna, 601
Villalba, Mayte, 523
Villalta, Fernando, 925
Vogel, Charlotte K., 1384

Wancewicz, Edward V., 1273
Wanders, R. J. A., 490
Wang, Elizabeth A., 295
Wang, Ling-Mei, 154
Warne, Nicholas W., 1364
Warner, Timothy D., 745
Watanabe, Fumiyuki, 1129
Watanabe, Hirotoshi, 503
Watanabe, Kazuhito, 607
Watanabe, Kazutada, 28
Watanabe, Kenichi, 1035
Watkins, P. A., 364
Weaver, James L., 1298
Wetterholm, Anders, 965
Wientroub, Shlomo, 620
Wool, Ira G., 35
Wozney, John M., 295
Wu, Reen, 1304
Würgler, Friedrich E., 737

Xu, Guang-Yi, 862
Xue, Chu-Biao, 1310

Yada, Yukihiro, 256
Yagasaki, Osamu, 1400
Yahata, Katsuya, 1035
Yajima, Yukiko, 184
Yamada, Kaoru, 178
Yamada, Nobuhiro, 1022
Yamaguchi, Akira, 295
Yamaguchi, Kazuo, 721
Yamaguchi, Masamitsu, 377
Yamamoto, Hiroshi, 197
Yamamoto, Ikuo, 607
Yamamoto, Kenji, 341
Yamamoto, Shozo, 1230
Yamamoto, Yasuchika, 1230
Yamano, Naoyuki, 1400
Yamashita, Uki, 1035
Yanagi, Mitsuo, 197
Yanagisawa, Masashi, 503, 883
Yano, Mitsuo, 390
Yasuda, Hideyo, 371
Yasumoto, Shigeru, 958
Yasunaga, Yuichi, 1392
Yokota, Takeshi, 1028
Yokoyama, Chieko, 1230

Yonekura, Hideto, 197
Yonezawa, Takeshi, 1260
Yoshida, Maki, 971
Yoshiki, Shusaku, 295
Yoshimoto, Tanihiro, 1230
Yoshimura, Hidetoshi, 607
Youngster, Stephen K., 1338
Yu, Wei, 1357
Yui, Yoshiki, 705

Zeki, Kazuya, 1035
Zhang, Zheng G., 692
Zhou, Lin, 925
Zhou, Qinghong, 77
Zhou, R., 47
Zick, Yehiel, 676
Zoon, Kathryn C., 1298

Volume 173

Abe, Teruo, 483
Abramowicz, Marc, 1169
Aburaya, Masahito, 632
Ackerman, Bruce H., 1030
Agarwal, Rajesh, 34
Aguie, G., 1361
Ahmad, Iqbal, 463
Aich, Palok, 689
Ailhaud, G., 840, 1361
Akamizu, Takashi, 172
Akashi, Satoko, 639
Akatsuka, Nobuharu, 1038
Akinshola, Emmanuel, 774
Akita, Noriko, 1311
Akita, Yoshiko, 571
Akiyama, Tetsu, 697
Akiyoshi, Megumi, 1266
Albiston, A., 401
Allen, R., 725
Andersson, Leif C., 396
Andre, Philippe, 1137
Andress, Dennis L., 382
Arai, Yuji, 240
Arav, Amir, 1369
Ardail, Dominique, 878
Arduini, Arduino, 212
Arimura, Akira, 1271
Ascoli, Mario, 289
Astarie, C., 954
Åström, Anders, 339
Athar, Mohammad, 34
Atreya, C. D., 1344
Atreya, P. L., 1344
Avvakumov, George V., 961
Axelrod, Julius, 988

Baba, Tadashi, 240
Bachs, Oriol, 1287
Baird, Andrew, 807
Balzarini, Jan, 781
Banville, Denis, 1058
Barajas, L., 902
Bárány, Kate, 164
Bárány, Michael, 164
Baraona, E., 111
Barbul, A., 660
Barnstable, Colin J., 463
Basi, Gabriele, 528
Bastos, Ricardo, 1287
Bateman, Andrew, 1161
Baum, Linda G., 1079
Baydoun, Anwar R., 940
Behne, Dietrich, 1143
Behrens, U. J., 111
Belcourt, Daniel, 1161
Belehradek, Jean, Jr., 259
Bell, Alexander W., 1058
Benedetti, G., 1248
Bennett, Hugh, 1161
Benyamin, Y., 120
Bergougnan, L., 954
Berlingieri, Maria Teresa, 172
Berrevoets, C., 534
Bhandary, K., 1109
Bhattacharyya, Nandan, 231
Bianchi, Emma, 680
Bickers, David R., 34
Birckbichler, Paul J., 1051
Birnbaum, Roger S., 382
Bito, Haruhiko, 620
Black, Dennis D., 74
Blake, William L., 87
Blee, Elizabeth, 1354
Bourgeron, Thomas, 26
Boyer, M., 120
Brandon, Stanley D., 673
Brickey, Debra A., 578
Brinkmann, A. O., 534
Brown, Daniel M., 272
Brown, Marvin R., 807
Brown, Michael F., 1231
Browner, Michelle F., 507
Brownlee, Michael, 932
Bruni, Paola, 528
Bruno, Ludovica, 1013
Bryan, Lorraine, 491
Buck, Melissa A., 666
Burchell, Brian, 1001
Burke, G. Thompson, 982
Busch, Harris, 423
Busch, Rose K., 423
Bussolati, Ovidio, 1304
Byatt, J. C., 548
Bychenok, S., 111
Byun, Si Myung, 795

Cabral-Neto, J. B., 704
Cain, D. A., 438
Calabrese, Lilia, 1186
Caldera, Maristella, 554
Camargo, Antonio C. M., 647
Candiani, Giulia, 1013
Canevari, Silvana, 554
Capaccioli, Sergio, 528
Capo, Concetta R., 1186
Carmona, Eurídice, 647
Carri, Maria Teresa, 1186
Catalioto, Rose-Marie, 840
Catt, Kevin J., 988
Cellek, S., 541
Cerami, Anthony, 1072
Cester, N., 1248
Chagas, Jair R., 647
Chait, B. T., 927
Chambaz, Edmond M., 862
Chambon, Pierre, 339
Chang, Jin Soo, 795
Chazenbalk, Gregorio D., 1150
Cheong, Hong Seok, 795
Cherkaoui Malki, Mustapha, 855
Chiarugi, Vincenzo, 528
Chiba, Tsukasa, 376
Chida, Kazuhiro, 346, 351
Chowdhury, S. K., 927
Chretien, Dominique, 26
Christensen, Jillian R., 127
Cirafici, Anna Maria, 172
Claassen, E., 534
Clark, Robert A., 376
Clarke, Steven D., 87
Cocco, Lucio, 149
Cochet, Claude, 862

Coffey, Donald S., 20
Cogliati, Tiziana, 554
Colbran, Roger J., 578
Collard, Jean-François, 363
Colletta, Giulia, 172
Collier, R. J., 548
Colnaghi, Maria I., 554
Comens, P. G., 548
Comte, A., 954
Conde, Francisco P., 554
Cooper, Chris E., 1008
Corey, Elias J., 949
Corral-Debrinski, Marisol, 855
Costa, Dominique, 912
Cotlier, Edward, 823
Cowin, Pamela, 1224
Coyne, Daniel W., 718
Cressent, M., 788
Cresswell, Peter, 1079
Cummings, Richard D., 1123

Dasgupta, Dipak, 689
Dauter, Zbigniew, 507
David-Dufilho, M., 954
Davidson, Nicholas O., 74
Davis, Philip J., 566
De Clercq, Erik, 781
Decottignies, P., 1375
DeFrances, Marie C., 1179
de Gasparo, Marc, 416
Degoul, Françoise, 561
de Lamotte, F., 1375
Delbart, C., 1361
Dennis, Patrick B., 673
Deschodt-Lanckman, Monique, 265
Desjardins, Johanne, 1058
Devries, Arthur L., 1369
Devynck, M. A., 954
Diamond, J., 1258
Djerassi, Carl, 60
Do, Ki-Young, 1123
Doble, Bradley W., 1116
Dubray, C., 954
Duhaiman, Ali S., 823
Duhig, Trevor, 1019
Dumont, Jacques E., 1169
Dutta, S. K., 231

Edelstein, Diane, 932
Edorh, G. Gbessinou, 849
Efiok, Bassey J. S., 370
Eguchi, C., 1093
Emery, Peter W., 940
Endou, Hitoshi, 606
Enomoto, T., 92
Enrich, Carlos, 1287
Enyeart, John J., 967
Eriksson, Hans, 331
Eriksson, J. E. 1347
Eto, Tanenao, 632
Etoh, Yuzuru, 193
Ezaki, Osamu, 67

Făgărăsan, Mirela, 988
Fandrich, Robert R., 1116
Filhol, Odile, 862
Findlay, J. K., 401
Fisher, D. A., 902
Fletterick, Robert J., 507
Fong, Yiu-Lian, 578
Fontecave, M., 912, 1375
Foster, Douglas N., 967
Foster, Linda K., 967
Franchi-Gazzola, Renata, 1304
Frangione, B., 1292
Franson, Kari L., 1001
Fraser, Claire M., 666
Freiss, Gilles, 919
Friesen, Henry G., 48
Fruchart, J. C., 1361
Fujii, Hirotada, 376
Fujino, Masahiko, 252, 1271
Fujita, Norihisa, 1065
Fujita, Takao, 1311
Fukatsu, Akira, 1280
Fukatsu, Hideo, 201
Fukazawa, Hidesuke, 276
Fukuhara, Ken-ichi, 639
Fukui, Hiroyuki, 1299
Funakoshi, Takayuki, 894
Furuya, Mami, 639
Fusco, Alfredo, 172
Futai, Masamitsu, 443
Fyhrquist, Frej, 514

Galli, Gabriella, 680
Gardella, J. E., 1292
Gazzola, Gian C., 1304
Gendler, Sandra J., 1019
Gentil, A., 704
Gerstenfeld, Louis, 471
Ghiso, J., 1292
Gilmour, R. Stewart, 149
Giner, José-Luis, 60
Glimcher, Melvin J., 471
Goltzman, David, 1058
Goodwin, Leslie, 1224
Gordon, Adrienne S., 388
Gorevic, P. D., 1292
Gorgone, G. A., 1292
Goswami, Ajit, 6
Goto, A., 1093
Goto, Sataro, 323
Gotoh, Yozo, 471
Goux, Warren J., 736
Govil, Girjesh, 358
Gracy, Robert W., 736
Greeley, George H., Jr., 1157
Grieco, Michele, 172
Gross, Kenneth W., 218
Grzesiak, John J., 471
Guida, Lucrezia, 179
Guidotti, Guido G., 1304
Gustafsson, Lars E., 106

Haeggström, Jesper Z., 431
Hagiwara, Hiromi, 886
Haimanot, Russom, 614
Hakeda, Yoshiyuki, 246
Hamaguchi, Tomoya, 1317
Hammond, Bruce J., 127
Han, Y-G., 1347
Hara, Kazuhiro, 1038
Harada, Yasuhiro, 1200
Hartshorne, D., 1347
Hashimoto, K., 92
Hashimoto, Makoto, 193
Hashimoto-Gotoh, Tamotsu, 246
Haussler, Mark R., 1129
Hayakawa, Naohiko, 483
Hayashi, Hideaki, 1065
Hayashi, Hidetoshi, 186
Henkin, Jack, 1058
Hexum, Terry D., 807
Hilario, Eric, 653
Hill, John E., 1224
Hiraga, Koichi, 801
Hirano, Hiroshi, 67
Hirata, Isaura Y., 647
Hirayama, Kazuo, 639
Hirose, Shigehisa, 886
Hirvas, Laura, 53
Hitoshi, Yasumichi, 1102
Hodges, Stephen D., 491
Hong, Y.-M., 92
Hosoda, Kiminori, 309
Hotta, Kikuko, 1317
Howell, Simon L., 833
Hruby, Victor J., 521
Hu, Shi Quan, 982
Hukumori, Yuriko, 1218
Hulmes, David J. S., 81

Hultgårdh-Nilsson, Anna, 1322
Hwang, Lih-Hwa, 711

Ichikawa, Shinichi, 1331
Ichikawa, Yoshiyuki, 309
Ichinose, Hiroshi, 627, 1331
Ikegawa, Ruriko, 1218
Ikuyama, Shoichiro, 172
Imamura, Ikuo, 1299
Imbach, J. L., 704
Imoto, Masaya, 208
Imura, Hiroo, 309, 599
Ingelman-Sundberg, Magnus, 331
Inoue, Hiroshi, 894
Inoue, Koji, 1311
Inoue, Kyoichi, 748
Inoue, S., 92
Inouye, Ken, 599
Ishida, Kiyoshi, 496
Ishiguro, T., 1093
Ishiguro, Yoshihisa, 801
Ishii, M., 1093
Ishikawa, Kiichi, 1337
Ishikawa, San-e, 224
Ishizuka, Jin, 1157
Itkonen, O., 408
Ito, Kikukatsu, 1337
Ito, Teizo, 886
Iwasa, Tatsuo, 1212
Izumi, Takashi, 620

Jacquot, J. P., 1375
Jaouen, Maryse, 912
Jenster, G., 534
Jimenez, Leticia, 807
Johansson, Inger, 331
Johnson, D. A., 548
Jones, Peter M., 833
Jue, Dae-Myung, 1072
Juliano, Luiz, 647
Jullienne, A., 788
Jung, Kyu Yong, 606

Kadenbach, Bernhard, 561
Kagawa, Yasuo, 816
Kakinuma, Katsuko, 376
Kambayashi, Yoshikazu, 599
Kanaya, Eiko, 1194
Kanaya, Shigenori, 1194
Kaneda, Mizuho, 376
Kangawa, Kenji, 591, 632, 886
Kaplan, A. P., 1292
Karaki, H., 1347
Kardami, Elissavet, 1116
Karst, Francis, 849
Kasahara, K., 346, 351, 725
Kasahara, Michihiro, 67
Kasahara, Toshiko, 67
Kashiwabara, Shin-ichi, 240
Katafuchi, Takeshi, 886
Kato, Johji, 632
Katoh, Setsuko, 627
Katsoyannis, Panayotis G., 982
Kawabata, Tomoji, 599
Kawamoto, Takeshi, 309
Kawata, Yasushi, 756
Kayada, Seiya, 1212
Kessler, Efrat, 81
Kida, Osamu, 632
Kikuchi, Masakazu, 1194
Kikuno, Reiko, 246
Kim, Sung U., 967
Kimura, Chiharu, 1271
Kimura, Hiromi, 599
Kirk, S. J., 660
Kisseleva, Elena P., 961
Kitada, Chieko, 252
Kitamori, Shigeru, 585
Kitamura, Kazuo, 632
Kobayashi, Yoko, 816
Kodaira, Kunihiko, 240
Kogire, Masafumi, 1157
Kohn, Leonard D., 172
Kohno, Yohko, 346, 351
Köhrle, Josef, 1143
Koike, Hiroyuki, 457
Koistinen, R., 408
Kondo, Shigeru, 193
Kong, Zwe-Ling, 296
Kono, Norio, 1317
Koski, Pertti, 53
Koyama, Eiki, 42
Koyata, Hirohisa, 801
Kozawa, Hitoo, 591
Krust, Andree, 339
Kuan, T. K., 736
Kubota, Yukiho, 894
Kuiper, G. G. J. M., 534
Kumagai, Izumi, 741
Kumar, A. Madan, 731
Kume, Akihiro, 801
Kumegawa, Masayoshi, 246
Kunkel, S. L., 725
Kure, Shigeo, 801
Kuribayashi, Isao, 309
Kurokawa, Kiyoshi, 1038
Kuroki, Toshio, 346, 351
Kurosawa, Tatsuo, 894
Kuwajima, Masamichi, 1317
Kyriakopoulos, Antonios, 1143

Lakshmanan, J., 902
Laloraya, Malini, 302
Lam, R., 902
Lambotte, Luc, 265
Lamontagne, Sonia, 449
Lancaster, Carole A., 1019
Langlands, J. M., 1258
Latruffe, Norbert, 855
Lawson, D. L., 438
Lazure, Claude, 1161
Lebart, M-C, 120
Lenaz, G., 1248
Lepoivre, M., 1
Lermé, Fabienne, 878
Levine, M. J., 1109
Libert, Frédérick, 1169
Lieber, C. S., 111
Lihrmann, Isabelle, 653
Lindblom, Göran, 1231
Lindros, Kai O., 331
Liu, Lei, 1116
Liu, Shih-Tung, 711
Lone, Yu Chun, 855
Louie, Andrea, 13
Louisot, Pierre, 878

Ma, X-L., 111
Madyastha, K. M., 1086
Madzak, C., 704
Maenhaut, Carine, 1169
Maezawa, Shigenori, 134
Magnelli, Lucia, 528
Magyar, Attila, 872
Malgaretti, Nicoletta, 1013
Malins, Donald C., 614
Manabe, Motomu, 1224
Mancinelli, Giovanna, 212
Mann, Giovanni E., 940
Mansuy, Daniel, 912
Manzoli, Francesco Antonio, 149
Marazziti, Daniela, 680
Margot, A., 704
Marratta, D., 1292
Marsac, Cécile, 561
Martelli, Alberto M., 149
Masaracchia, Ruthann A., 673
Mathis, Georg A., 1001
Matsumoto, K., 92
Matsumura, Yasuo, 1218
Matsuo, Hisayuki, 591, 632, 886

Matsuo, Y., 92
Matteoni, Raffaele, 680
Mattioli, Mauro, 1369
Maubras, L., 788
Mazar, Andrew, 1058
Mazzanti, L., 1248
Mbaya, Bonaventure, 849
McGeoch, Julie E. M., 99
Mehta, J. L., 438
Mehta, Kapil, 1051
Mehta, P., 438
Meinhold, Harald, 1143
Méjean, C., 120
Melloni, E., 156
Meriluoto, J. A. O., 1347
Meroni, Germana, 1013
Mezey, Esteban, 774
Michalopoulos, George, 1179
Michaud, Lorraine, 449
Michel, U., 401
Miginiac-Maslow, M., 1375
Milhaud, G., 788
Miller, Erik S., 289
Minakami, Shigeki, 496
Minami, Michiko, 620
Minamino, Naoto, 591, 632
Minvielle, S., 788
Mir, Lluis M., 259
Mitsui, Hiromi, 483
Mitsuuchi, Yasuhiro, 309
Miura, Kin-ichiro, 741
Miwa, Ichitomo, 201
Miwa, Misao, 296
Miyagishi, Makoto, 1212
Miyahara, Kaoru, 309
Miyake, Shigeki, 457
Mizobata, Tomohiro, 756
Mizoguchi, Hideaki, 697
Mizuguchi, Hiroyuki, 1299
Mizuno, Satoshi, 276
Mizuno, Takeshi, 886
Mochizuki, Tohru, 1157
Mochly-Rosen, Daria, 388
Momoi, Mariko Y., 816
Momoi, Takashi, 816
Moncada, S., 106, 541
Morelli, A., 283
Mori, Kazuhiro J., 483
Mori, Naoki, 697
Morimoto, Shiro, 1218
Morinaga, Yoshihiro, 186
Morita, Takao, 483
Moriyama, Yoshinori, 443
Morrison, Aubrey R., 718
Motojima, Kiyoto, 323
Moukhtar, M. S., 788
Mould, A. Paul, 81
Mukhtar, Hasan, 34
Mulder, E., 534
Mullarkey, Cathleen J., 932
Munnich, Arnold, 26
Muñoz, Saturnino M., 554
Muramatsu, Masami, 193
Murata, Yoshiyuki, 1102
Mustelin, Tomas, 396
Mutoh, Hiroyuki, 620

Nagatsu, Toshiharu, 627, 1331
Nagayama, Yuji, 1150
Naidu, Padmavathy S., 994
Naito, Mikihiko, 1252
Nakahashi, Yoshitsugu, 748
Nakajima, Hiromu, 1317
Nakamura, Masuhisa, 599
Nakamura, Toshikazu, 42
Nakano, Eiichi, 1200
Nakano, Mutsuko, 1065
Nakao, Kazuwa, 309, 599
Namiki, Masayoshi, 585
Nanba, Eiji, 141
Nauseef, William M., 376
Nayak, R., 731
Negishi, Mayumi, 1280
Negrel, Raymond, 840
Nehlig, Herrade, 1137
Nicholls, Peter, 1008
Nicolini, F. A., 438
Nihei, Kenji, 816
Nikiforovich, Gregory V., 521
Nivsarkar, Manish, 302
Noguchi, Tamio, 1317
Nohno, Tsutomu, 42
Noji, Sumihare, 42
Nonomura, Yoshiaki, 976
Nordström, Tommy, 396

Ochiai, Masahiko, 1038
Ogi, Kazuhiro, 1271
Ohgai, H., 92
Ohishi, Nobuya, 620
Ohmi, Kazuhiro, 976
Ohmi, Shinobu, 351
Ohnishi, Taira, 309
Ohno, Minoru, 1038
Ohta, Noriya, 982
Ohta, Shigeo, 816
Ohtaki, Tetsuya, 252
Ohyama, Kazuhiko, 42
Okada, Koji, 224
Okuda, Jun, 201
Okuda, Masahiro, 748
Okumura, Toshikatsu, 585
Oliveira, Eduardo B., 647
Oliveira, Elisabeth S., 647
Oliver, Letealia, 1179
Onda, Haruo, 1271
Ono, Tetsuo, 1239
Onozaki, Kikuo, 186
Ottolenghi, Sergio, 1013
Oyama, Rieko, 627

Pace-Asciak, Cecil R., 949
Padua, Raymond R., 1116
Pal, Sebely, 566
Palmer, R. M. J., 541
Panfoli, I., 283
Park, Jong Myun, 795
Parmentier, Marc, 1169
Parui, R., 231
Pasquali, Franca, 528
Passalacqua, M., 156
Patrone, M., 156
Pauwels, Stanislas, 265
Pearson, Jeremy D., 940
Peat, Nigel, 1019
Pepe, I., 283
Pernollet, M. G., 954
Persaud, Shanta J., 833
Persson, Magnus G., 106
Pessa-Morikawa, Tiina, 396
Petit, J. F., 1
Pettersson, Ulrika, 339
Pezerat, Henri, 912
Pierschbacher, Michael D., 471
Pirone, T. P., 1344
Poddevin, Bruno, 259
Polticelli, Fabio, 1186
Polvani, Carolina, 179
Pontoglio, Marco, 1013
Pontremoli, S., 156
Potier, Michel, 13, 449
Potter, James J., 774
Prabhune, Asmitha A., 317
Pradeep, Kumar G., 302
Preston, Karen E., 1043
Pujades, Cristina, 1287

Quattrone, Alessandro, 528

Rabbani, Nayyar, 823
Rabbani, Shafaat A., 1058
Rabini, R. A., 1248
Rahm, Magnus, 1322

Raj, C. Paul, 1086
Ramasubbu, N., 1109
Ramsay, Rona R., 212
Rao, Undaru R., 1051
Rapoport, Basil, 1150
Raszi, Linda, 1224
Raymond, Yves, 363
Rayner, B., 704
Raynor, Karen, 1224
Reddy, C. Adinarayana, 994
Redmond, Lori J., 463
Rees, D. D., 541
Regan, M. C., 660
Reinlib, Leslie, 774
Renault, G., 704
Rigomier, Daniel, 849
Ris-Stalpers, C., 534
Ristimäki, Ari, 514
Rochefort, Henri, 919
Rogg, Harald, 416
Rokolya, Aniko, 164
Romero, Norma, 561
Rosenberg, Isadore N., 6
Rosenthal, André, 272
Rossi, Nicoletta, 680
Rossi, Patrizia A., 1304
Rötig, Agnes, 26
Rotilio, Giuseppe, 1186
Rotoli, Bianca Maria, 1304
Roustan, C., 120
Rubinsky, Boris, 1369
Ruggiero, Marco, 528
Russo, Diego, 1150
Rustin, Pierre, 26

Saijonmaa, Outi, 514
Saisu, Hideo, 483
Saito, Masayuki, 1266
Saito, Toshikazu, 224, 571
Sakakibara, Toshihiro, 801
Sakurai, Takashi, 193
Salach, James I., 1205
Salamino, F., 156
Salido, E. C., 902
Sameshima, Yuichi, 697
Samuelsson, Bengt, 431
Sarasin, A., 704
Sato, Wakao, 1252
Scannapieco, F. A., 1109
Schiffmann, Serge, 1169
Schinina, M. Eugenia, 1186
Schmid, Andres, 416
Schmuke, J. J., 548
Schmutz, Sheila, 491
Schnackerz, Klaus D., 736
Schott, C., 1, 1137
Schreier, H., 438
Schrevel, Joseph, 849
Schuber, Francis, 1354
Schürmann, P., 1375
Schwartz, Gerald P., 982
Seerwani, Neeta, 302
Seibel, Peter, 561
Selenius, P., 408
Senécal, Jean-Luc, 363
Seppälä, M., 408
Seyama, Yousuke, 620
Shaffer, Jacquelin B., 1043
Sherry, Barbara, 1072
Shiba, Tadayoshi, 1311
Shibai, Hiroshiro, 193
Shibanaka, Yasuhiko, 1065
Shiga, Hiroshi, 457
Shimizu, Hiroyuki, 1280
Shimizu, Takao, 620
Shimizu, Yasutake, 1266
Shimomura, Yohnosuke, 1280
Shimora, M., 1093
Shimura, Naomi, 208
Shinohara, Kazuki, 296
Shiragami, Kazushi, 1218
Shiu, Robert P. C., 48
Shizuta, Yutaka, 309
Shoji, Shozo, 894
Showell, H. J., 725
Sigal, Elliott, 507
Sigmund, Curt D., 218
Singh, Aparna, 302
Singh, Ugra S., 501
Sivaraman, Hephzibah, 317
Sloane, David L., 507
Smith, David F., 1123
Smith, Geoffrey D., 127
Snyder, Floyd F., 491
Soderling, Thomas R., 578
Solomon, Samuel, 1161
Sonawat, Haripalsingh M., 358
Sparatore, B., 156
Sproat, Brian S., 272
Srivastava, Satish K., 501
Srivastava, Sudha, 358
Staffolani, R., 1248
Ståhls, Anders, 396
Standiford, T. J., 725
Stoclet, J. C., 1, 1137
Strel`chyonok, Oleg A., 961
Strieter, R. M., 725
Sucupira, Mauro, 647
Sueoka, Terumi, 627
Sugai, M., 92
Sugimoto, T., 1093
Sugimura, Takashi, 697
Suginaka, H., 92
Sumimoto, Hidetoshi, 309
Suzuki, Katsuo, 1239
Suzuki, Kunihiko, 141
Suzuki, Masami, 627
Swaminathan, S., 358

Taboulet, J., 788
Tada, Keiya, 801
Taguchi, Junichi, 1038
Takahashi, Kazuhide, 1239
Takaoka, Masanori, 1218
Takasugi, Yuichi, 585
Takata, Kuniaki, 67
Takatsu, Kiyoshi, 1102
Takeda, Shigeki, 741
Takeshige, Koichiro, 496
Takeshita, Sunao, 246
Taketani, Shigeru, 748
Takeuchi, Akihiko, 186
Tamaki, Eisuke, 741
Tanaka, Kenjiro, 632
Tanaka, Takehiko, 1317
Tanaka, Tatsuo, 1337
Tani, Shunsuke, 756
Taniguchi, Shigehiko, 42
Taramelli, Roberto, 1013
Tarui, Seiichiro, 1317
Tashiro, Kosuke, 42
Tatsumi, Hiroki, 1200
Taylor-Papadimitriou, Joyce, 1019
Teng, BaBie, 74
Terada, Masaaki, 697
Terpening, Christopher M., 1129
Testa, Luana, 680
Tezuka, Ken-ichi, 246
Theret, N., 1361
Thompson, James C., 1157
Thurmond, Robin L., 1231
Titani, Koiti, 627
Titlow, Christian C., 1205
Tocchini-Valentini, Glauco, 680
Toda, Katsumi, 309
Toh, Hiroyuki, 620
Toivola, D., 1347
Tokunaga, Fumio, 1212
Tokunaga, Rikio, 748
Tokushige, Masanobu, 756

Tominaga, Akira, 1102
Tominaga, Kaoru, 816
Too, Catherine K. L., 48
Tosi, Emanuela, 554
Toyoda, Yukiyasu, 201
Toyoshima, Kumao, 697
Traber, Peter G., 765
Tranchemontagne, Julie, 449
Trapman, J., 534
Tsi, Huei-Feng, 711
Tsuda, Masao, 252
Tsujimoto, Nobuharu, 756
Tsunenaga, Makoto, 346, 351
Tsuruo, Takashi, 1252
Tsutsumi, Ken-ichi, 1337
Tsutsumi, Reiko, 1337

Uehara, Akira, 585
Uehara, Yoshimasa, 276
Uehara, Yutaka, 1280
Ui, Hideaki, 208
Umezawa, Kazuo, 208
Umezu, Motoaki, 1200

Vaara, Martti, 53
Valdez, Benigno C., 423
Vale, Wylie, 807
Vallee, Bert L., 431
Vanderhaegen, Jean-Jacques, 1169
Vanneste, Yves, 265
Vannucchi, Simonetta, 528
van Rooij, H. C. J., 534
Van Sande, Jacqueline, 1169
Váradi, András, 872
Vashkevich, Irene I., 961
Vassaux, G., 1169, 1361
Vasseur, J. J., 704
Vaudry, Hubert, 653
Vaughan, Joan, 807
Vecchio, Giancarlo, 172
Veldscholte, J., 534
Verma, Mukesh, 231
Verma, Saguna, 302
Vesely, David L., 1030
Vickery, Ann C., 1051
Vignon, Françoise, 919
Visigalli, Rossana, 1304
Voorhees, John J., 339

Wada, Hiroo, 620
Wada, Hiroshi, 1299
Wadsworth, Harry L., 1150
Walsh, Jon, 807
Ward, W. Steven, 20
Warner, Thomas G., 13
Watanabe, Michiko, 296
Watanabe, Takuya, 252
Webster, Dale A., 370
Wetterholm, Anders, 431
Weyler, Walter, 1205
Wiklund, Claes U., 106
Wiklund, N. Peter, 106
Wilson, David, 1019
Wilson, Keith, 507
Wollman, E., 1375
Wong, Lydia, 949
Wrigglesworth, John M., 1008
Wyeth, Richard P., 1030

Yabumoto, Masami, 1299
Yajima, Yukiko, 571
Yamada, K., 1093
Yamada, Shuhei, 351
Yamaguchi, Atumi, 571
Yamaguchi, Naoto, 1102
Yamaguchi, Toru, 483
Yamamoto, Yasutake, 309
Yamamoto, Yoshitaka, 632
Yamasaki, Tomoyuki, 1317
Yamashita, Shigeru, 976
Yamashita, Shinya, 1311
Yanagisawa, Masayoshi, 816
Yanaihara, Noboru, 1157
Yokota, Jun, 697
Yokota, Naoto, 632
Yokoyama, Yuichi, 309
Yorikane, Ryosuke, 457
Yoshida, Nobuo, 599
Yoshihara, Akiko, 591
Yoshikawa, K., 92
Yoshimura, Tetsuro, 134
Yoshioka, M., 1093
Yusa, Keisuke, 1252

Zalma, Roger, 912
Zarnegar, Reza, 1179
Zentella, Alejandro, 1072
Zhang, Tao, 1157
Zhang, Yi Zheng, 994
Zocchi, Elena, 179
Zong, Lin, 982

CUMULATIVE SUBJECT INDEX
FOR VOLUMES 166–173

A

A23187, *see* Calcimycin
Acatalasemia
  mutant with, molecular analysis (mouse), **173**, 1043
Acetaldehyde
  –collagen adducts, formation in carbon tetrachloride-induced liver injury (rat), **173**, 111
Acetone
  induced P450IIE1, evidence for increased translational efficiency in: analysis of P450IIE1 mRNA polyribosomal distribution (rat), **172**, 767
Acetyl-L-carnitine
  effect on lipid composition of plasma and erythrocytes (rat), **170**, 621
Acetylcholine
  stimulated ovarian follicles, formation of inositol pentakisphosphate (*Xenopus laevis*), **166**, 380
Acetylcholine receptors
  muscarinic, subtypes m1 and m3, pharmacological and biochemical properties (rat), **173**, 666
  nicotinic, interaction with nitrosamines (*Torpedo fuscomaculata*), **167**, 1383
Acetylcholinesterase
  induction by ADP-ribosylation of *rho/rac* proteins (PC12 cells), **167**, 265
Acetyl-CoA carboxylase
  yeast, phosphorylation *in vitro* by mammalian and yeast protein kinases, **169**, 369
α-*N*-Acetylgalactosaminidase
  two cDNA species, molecular cloning and expression in COS cells (human), **170**, 231
N-Acetyl-β-glucosaminidase
  lysosomal pro-enzyme, secretion by MCF7 cells, effect of estradiol, **171**, 972
N-Acetylglucosaminyltransferase, *see* *N*-Acetyllactosaminide β-1,6-*N*-acetylglucosaminyltransferase
N-Acetylglutamate
  intramitochondrial levels, correlation with urea synthesis stimulated by small initial dose of ammonium acetate: protective effect on subsequent lethal doses (mouse), **167**, 1263
N-Acetylglutamate synthetase, *see* Amino-acid acetyltransferase
Acetyl-glycyl-*N*-methylamide
  H$_\alpha$ chemical shift, theoretical variation with molecular conformation and environment, **171**, 1211
N-Acetyllactosaminide β-1,6-*N*-acetylglucosaminyltransferase
  III, IV, and V, modulation by interleukin-6 (human myeloma cells), **172**, 1260
O-Acetylserine sulfhydrolase, *see* *O*-Acetylserine (thiol)-lyase
O-Acetylserine (thiol)-lyase
  and tryptophan synthase β subunit, sequence similarities, **171**, 1319
Acid carboxypeptidase
  and esterase and carboxy-terminal deamidase, simultaneous deficiency in galactosialidosis (human), **172**, 1175
Acid β-glucosidase, *see* Glucosylceramidase
Acid phosphatase
  lysosomal
    pro-enzyme, secretion by MCF7 cells, effect of estradiol, **171**, 972
    tartrate-sensitive, deficiency in cells with lysosomal high-uptake enzyme forms (bovine, human), **167**, 520
  tartrate-resistant, from osteoclastomas, N-terminal amino acid sequence (human), **168**, 792
  transport to lysosomes
    mechanism (rat), **170**, 1067
    role of endosomes (rat liver), **166**, 1176
Acini
  parotid, dispersed, inositol trisphosphate and cytosolic Ca^{2+} levels, effects of simultaneous stimulation at muscarinic and α_1-adrenergic receptors (rat), **166**, 967
Acivicin
  killing of *Leishmania donovani* vector and host forms (murine macrophages), **170**, 426
Acquired immune deficiency syndrome
  progression, role of mycoplasma as cofactor in: enhancement of HIV replication *in vitro* (MOLT-4 cells), **170**, 1365
Acridine
  –netropsin hybrid, nitroxide spin-labeled, subcellular distribution in living KB cells, electron spin resonance study, **167**, 798
Acrosin
  biosynthesis in meiotic and postmeiotic spermatogenic cells, analysis (mouse), **173**, 240
Acrosome
  exocytosis, associated production of diacylglycerol and phosphatidate, analysis (sheep), **172**, 8
ACTH, *see* Adrenocorticotropin
Actin
  critical concentration, optimization at intermediate [cytochalasin B]/[actin] ratios (rabbit muscle), **171**, 543
  C-terminal portion, localization of α-actinin binding site (rabbit), **173**, 120

---

*Boldface numbers indicate appropriate volume; lightface numbers indicate pagination.

  direct interaction with talin (rabbit skeletal muscle), **171**, 1217
  filaments, bundling, divergent effects of filamin and tropomyosin (rabbit muscle), **167**, 1109
  hepatocyte plasma membrane, decrease during proliferative activation (rat), **173**, 1287
  interaction with membrane lipids, mechanism (rabbit), **167**, 40
  polymerized, clamped in electropermeabilized neutrophils, inhibition of oxidase activation (rat), **169**, 1222
  type α
    and gelsolin, elevated expression in flat revertant R1 of Ha-*ras* oncogene-transformed NIH/3T3 cells, **171**, 852
    skeletal, gene expression in skeletal, cardiac, and uterine muscles of young and old rats, analysis, **168**, 71
α-Actinin
  binding site in actin C-terminal portion, localization (rabbit), **173**, 120
Actinomycin D, *see* Dactinomycin
Activin
  effect on erythroid differentiation and proliferation of K-562 cells (human), **168**, 1149
  inhibition of neural differentiation (mouse), **173**, 193
  type A
    inducible gene expression, analysis (human promyelocytic leukemia cells), **167**, 654
    stimulation of meiotic maturation of oocyte *in vitro* (rat), **166**, 1479
Acylation
  myelin proteolipid protein, identification of Cys-108 as associated site (bovine), **170**, 375
Acyl-CoA dehydrogenase
  medium-chain, deficiency, identification of mutation common in affected patients, **171**, 498
Acyl-CoA:dihydroxyacetonephosphate acyltransferase
  peroxisomal, latency in digitonin-permeabilized fibroblasts, effects of ATP and ATPase inhibitors (human), **170**, 1135
Acylglycerol lipase
  stimulation by bradykinin in neural cell cultures (fetal mouse), **166**, 1001
Acylphosphatase
  effect on erythrocyte membrane Ca^{2+}-ATPase (human), **168**, 651
Acylpolyamines
  paralytic, structures (spider venom), **169**, 51
Adenine nucleotides
  binding sites of F_1-ATPase β subunits, associated aromatic rings of tyrosine residues, role in ATPase activity, **168**, 372
  role in stimulation of endothelial cell intracellular calcium increase by aggregating platelets (human), **166**, 909
Adenosine
  binding proteins, isolation and characterization (bovine brain), **168**, 702
Adenosine deaminase
  resolution of racemic carbovir, **168**, 912
Adenosine diphosphoribosyl transferase, *see* NAD^+ ADP-ribosyltransferase
Adenosine receptors
  A_1 and A_2, detection in cultured vascular smooth muscle cells (pig), **168**, 1297
  A_1, coupling to G protein in coated vesicles from brain (bovine), **171**, 770
  A_2, with physiological constitutive activity, encoding by RDC8 cDNA, **173**, 1169
Adenosylcobalamin
  formation, role of glutathionylcobalamin as intermediate, **169**, 443
Adenovirus
  E1A protein
    strain-specific lethal effect on yeast, **170**, 470
    12S, immortalized epithelial cell line, establishment and characterization (rat submandibular gland), **170**, 336
  type 2, major late promoter, interaction with human and wheat transcription factor IIA, comparison, **168**, 498
Adenylate cyclase
  activation and adaptation by intracellular signal transduction pathways, role of protein kinases (*Dictyostelium discoideum*), **167**, 767
  constitutive activation by expression of G protein mutant Q227L α_s in Swiss 3T3 fibroblasts, **168**, 1184
  coupled to D-1 dopamine receptor, inhibition by iron via G proteins in caudate nucleus (rat), **171**, 1372
  gill cell membrane, stimulation by calcitonin gene-related peptide (trout), **172**, 582
  guanine nucleotide-sensitive, stimulation by glucagon: effect of glucagon on cell morphology (*Candida albicans*), **167**, 1177
  mechanosensitive activity in coronary vascular smooth muscle cells (pig), **171**, 143
  pituitary
    activating polypeptide, demonstration of specific binding sites in astrocytes (rat), **168**, 1027
    stimulating neuropeptide corresponding to N-terminal 27 residues of 38-residue polypeptide, isolation (ovine), **170**, 643
  responsiveness in osteoblast-like osteosarcoma cells, effect of 1,25-dihydroxyvitamin D_3 (human), **168**, 889
  stimulating peptide, cDNAs, cloning and characterization (human testis, ovine hypothalamus), **166**, 81
  striatal, effect of substance P, regulation by guanine nucleotides (rat), **167**, 211
Adenylate kinase
  binding of ATP and AMP, analysis by ^1H and ^{15}N NMR spectroscopy (*Escherichia coli*), **172**, 432
Adenylylcyclase, *see* Adenylate cyclase
Adhesion
  cellular, *see* Cell adhesion
  nonspecific, proteoglycans to surfaces and matrices, analysis, **167**, 81
Adipocytes
  differentiation from preadipose 3T3-F442A cells, growth hormone-induced: analysis of GH active sites, **172**, 357
  insulin receptors, guanine nucleotide effects, modulation by $MgCl_2$ (rat), **171**, 53

  membranes, insulin-stimulated phosphatidylinositol monophosphate hydrolysis, inhibition by phorbol ester (rat), **172**, 446
  3T3-L1
    fibroblast differentiation to, associated estrogen synthetase expression, analysis, **169**, 531
    heat shock response, comparison with undifferentiated fibroblasts (mouse), **172**, 1
    lipolysis, effect of chronic fatty acid exposure in culture medium (mouse), **171**, 46
    microtubule-associated protein MAP1A, identification as 350-kDa species undergoing mitogen-stimulated serine phosphorylation (mouse), **166**, 827
  translocation of insulin-sensitive glucose carrier, induction by 12-*O*-tetradecanoylphorbol-13-acetate (rat), **168**, 1089
Adipose tissue
  brown, mitochondrial uncoupling protein, expression in oocytes and import into mitochondrial membranes (*Xenopus laevis*), **167**, 784
  derived protein factor, effects on proliferation in 3T3-L1 and OB1771 preadipocytes (rat), **171**, 905
ADP (adenosine 5′-diphosphate)
  oxidative phosphorylation in cardiac mitochondria, role of superoxide radical as electron donor (rat), **170**, 59
ADP-ribosylation
  nuclear proteins in ventral prostate during aging, analysis (rat), **170**, 900
  rho/*rac* proteins, induction of growth inhibition, neurite outgrowth, and acetylcholine esterase (PC12 cells), **167**, 265
  transducin α subunit by pertussis toxin, stimulation by specific $\beta\gamma$ subunit (bovine), **167**, 1235
Adrenalectomy
  insulin secretion in affected rats, inhibition by recombinant human interleukin-1β, role of prostaglandin, **173**, 1280
Adrenal gland
  ACTH receptor, recognition by monoclonal anti-peptide antibody (rat), **168**, 1020
  adrenocortical cell responsiveness to ACTH, enhancement by glucocorticoids, mechanism (sheep), **166**, 1183
  catecholamine release, enhancement by alamethicin (cat), **169**, 1204
  and other nonneuronal tissues and brain, L-DOPA decarboxylase mRNA, comparative and quantitative study (rat), **170**, 1006
  [^{3}H]thymidine uptake, basal and angiotensin II-stimulated, inhibition by somatostatin analog SMS 210-995 (rat), **166**, 1171
α_1-Adrenergic receptors
  activation, mediation of subcellular redistribution of protein kinase C in primary neuronal cultures (rat), **166**, 22
  and muscarinic receptors, simultaneous stimulation in dispersed parotid acini, effects on inositol trisphosphate and cytosolic Ca^{2+} levels (rat), **166**, 967
  potentiation of β-adrenergic stimulation of cAMP accumulation in pinealocytes, effect of pertussis toxin (rat), **168**, 871
α_2-Adrenergic receptors
  partial gene encoding third subtype, amplification by polymerase chain reaction (human), **172**, 817
β-Adrenergic receptors
  expressed in *Escherichia coli*, replica filter assay (human), **173**, 680
  mediated positive inotropic effect in ventricular myocardium, differential effects of RO 20-1724 and isobutylmethylxanthine (rat), **167**, 123
  regulation of cGMP in pinealocytes (rat), **167**, 835
  stimulated cAMP accumulation in pinealocytes, α_1-adrenergic potentiation, effect of pertussis toxin (rat), **168**, 871
  types 1 and 2, mRNA, differential down-regulation in C_6 glioma cells, **170**, 46
Adrenocorticotropin
  adrenocortical cell response, enhancement by glucocorticoids, mechanism (sheep), **166**, 1183
  secretion, stimulation by interleukin-1β analogs with markedly reduced pyrogenic activity (rat), **167**, 103
Adrenocorticotropin receptors
  recognition by monoclonal anti-peptide antibody (rat adrenal cells), **168**, 1020
Adriamycin, *see* Doxorubicin
Aequorin
  –protein A fusion protein, in bioluminescent immunoassay, **171**, 169
Affinity chromatography
  HIV-1 and HIV-2 proteases from recombinant *Escherichia coli* strains with pepstatin–agarose, **171**, 60
  inositol 1,4,5-trisphosphate-based, analysis as method for protein purification (rat brain), **168**, 379
  isolation of low-density desialylated lipoproteins from blood of atherosclerosis patients: separation from native form, **167**, 1122
  preparation of aflatoxin biosynthesis-associated norsolorinic acid dehydrogenase, **166**, 38
Aflatoxin
  biosynthesis, associated norsolorinic acid dehydrogenase, preparation by affinity chromatography, **166**, 38
Agarose
  –pepstatin, in affinity purification of HIV-1 and HIV-2 proteases from recombinant *Escherichia coli*, **171**, 60
Aggregation
  lens crystallins in presence of ferrous ions and glucose (camel), **173**, 823
  platelets
    inhibition by cultured astrocytoma cells by release of nitric oxide-like factor (human), **172**, 564
    stimulation by vanadate with hydrogen peroxide (human), **170**, 259
Aging
  cotyledonary senescence, related changes in 15-lipoxygenase (peanut), **172**, 462
  effects on
    ADP-ribosylation of ventral prostate nucleoproteins (rat), **170**, 900
    expression of actin and myosin heavy chain genes in cardiac, skeletal, and uterine muscles (rat), **168**, 71

lipid composition of plasma and erythrocytes (rat), **170**, 621
senescence-related accumulation of deleted mitochondrial DNA in striatum, analysis (human), **170**, 1044
Ah receptors
cytosolic and nuclear forms, molecular mass determination by photoaffinity labeling with $[^3H]$TCDD (murine hepatoma cells), **172**, 698
Alamethicin
enhancement of catecholamine release from adrenal glands (cat), **169**, 1204
L-α-Alanine, *see* L-Alanine
L-Alanine
regulation of triiodothyronine binding to cytosolic thyroid hormone-binding protein (human A431 cells), **167**, 587
Alanine–glyoxylate aminotransferase
type 1, detection in renal peroxisomes (guinea pig), **166**, 1467
Albumin
serum, *see* Serum albumin
synthesis in hepatocytes and hepatoma cells, inhibition by transforming growth factor β (human), **171**, 647
Aldehydes
hepatic microsomal oxygenation to carboxylic acids, analysis (mouse), **166**, 1308
Aldolase, *see* Fructose-bisphosphate aldolase
Aldosterone
secretion, and cAMP production, in adrenal glomerulosa cells, comparative effects of dopamine (rat), **172**, 1100
synthesis, reducing equivalents for, identification of ascorbate as source, **170**, 1256
Aldosterone synthase
cDNAs, molecular cloning and expression: variants of cytochrome $P450_{11\beta}$ (rat), **169**, 245
Aldosteronism
primary, associated cytochrome $P450_{aldo}$, cDNA cloning and expression (human), **173**, 309
Alkaline phosphatase
liver/bone/kidney-type, encoding gene, 5′ flanking region, characterization: evidence for two kinds of mRNA from single gene (human), **168**, 993
production by bone-derived osteoblast-like cells, effects of interleukin-1β (human), **166**, 208
Alkanal monooxygenase (FMN-linked)
amino acid sequence, comparison among terrestrial and marine bioluminescent bacteria, **170**, 407
Allergens
major, olive pollen, allergenic fractions, isolation and N-terminal amino acid sequence, **172**, 523
Allodesmosine
derived from crosslinkage in elastin, isolation and characterization (bovine), **170**, 713
Allopurinol
promotion of sugar-induced cataractogenesis (rat), **168**, 939
Alzheimer's disease
affected brain, basic fibroblast growth factor levels and distribution (human), **171**, 690
amyloid β-protein precursor
with active form of proteinase inhibitor domains, determination in cerebrospinal fluid of afflicted patients by trypsin–antibody sandwich ELISA, **166**, 1453
gene expression, increase upon neural differentiation (murine embryonal carcinoma cells), **171**, 204
gene promotor region, genomic sequencing with Taq polymerase in study of methylation status (human), **169**, 46
intact, detection in platelet membranes and encoding by platelet mRNA, **173**, 1292
Kunitz inhibitor domain, protease specificity (*Escherichia coli*), **167**, 716
mRNA, differential splicing: predominance of $PreA4_{695}$ mRNA expression in brain and detection of $PreA4_{714}$ mRNA (human, rat), **166**, 1192
transforming growth factor β bound to soluble derivatives of, isolation (human glioblastoma cells), **171**, 890
associated β-protein gene, normal and variant, expression in amyloid of hereditary cerebral hemorrhage Dutch type (human), **170**, 301
associated transketolase abnormalities in fibroblast extracts (human), **172**, 396
α-Amidating enzyme
36-kDa, involved in peptidylglycine α-amidating reaction, purification (rat brain), **169**, 524
α-Amidation
peptide hormones, involved peptidylglycine α-amidating enzyme components catalyzing separate steps, synthesis from single mRNA (rat pituitary), **172**, 197
Amides
associated protons of pancreatic RNase A, H/D exchange behavior in thermal transition region (bovine), **172**, 800
6-Amidino-2-naphthyl *p*-guanidinobenzoate
inhibition of influenza virus A/WSN replication (MDCK cells), **169**, 148
Amine oxidase (flavin-containing)
type A
catalytically active human hepatic enzyme expressed in yeast, detection of covalently bound FAD, **173**, 1205
1-methyl-4-phenylpyridinium ion analogs as potent inhibitors, **172**, 1338
Amines
aromatic, promutagenic, activation by *Streptomyces griseus* containing cytochrome $P450_{SOY}$, **166**, 743
Amino-acid acetyltransferase
hepatic, regulation by protein intake (rat), **172**, 1239
Amino acid composition
biologically active recombinant human nerve growth factor produced in CHO cells, **171**, 116
collagen IV 60K component collagenous and noncollagenous domains (bovine glomerular basement membrane), **170**, 322
collagenolytic proteases isolated from crab hepatopancreas, **166**, 1411
epidermal cell differentiation inhibitor (*Staphylococcus aureus*), **173**, 92
ferredoxin II, 7Fe (*Rhodobacter capsulatus*), **171**, 273

  fourth protein subunit of cytochrome oxidase from thermophilic bacterium PS3, comparison with subunit III, **169**, 414
  hypotensive peptide (chicken), **169**, 916
  myelin proteolipid protein trypotic and peptic peptides (bovine), **170**, 375
  Na^+,K^+-ATPase inhibitor SPAI (pig), **172**, 42
  5′-nucleotidase (human placenta), **172**, 1371
  peptide with C-terminal tyrosine amide (porcine brain), **172**, 1167
  pyrophosphatases (*Desulfovibrio vulgaris*), **171**, 313
  salicylate hydroxylase (*Pseudomonas putida* PpG7), **169**, 1049
Amino acid-*O*-glycans
  action of endo-α-*N*-acetylgalactosaminidase from *Alcaligenes* sp. and *Diplococcus pneumoniae*, comparison, **169**, 751
Amino acids
  anionic, transport in cultured fibroblasts, stimulation by phorbol esters (human), **173**, 1304
  concentrations in cultured endothelial cells, substrate-dependent regulation (bovine aorta), **173**, 940
  conserved residues of liquifying α-amylases, concentration in vicinity of active site, **166**, 50
  C-terminal 12 residues, removal from firefly luciferase, inhibition of activity, **172**, 477
  C-terminal 28 residues of P450(ω-1), replacement with corresponding P450(16α) residues: production of additional stereospecific hydroxylase activity (rabbit liver), **167**, 498
  Glu-461 and Tyr-503 of β-galactosidase, role in Mg^{2+} binding: analysis with site-specific mutants, **171**, 33
  role in catabolite regulation of phenylacetyl-CoA ligase (*Pseudomonas putida*), **167**, 891
  substitutions at p2′ site of *gag* p17–p24, effect on efficiency of polyprotein cleavage by HIV-1 protease, **167**, 554
Amino acid sequence
  acid β-galactosidase, comparison of murine and human enzymes, **173**, 141
  Alzheimer's amyloid β-protein: mutation found in hereditary cerebral hemorrhage Dutch type (human), **170**, 301
  amino-terminal
    amyloid protein in familial amyloidosis, Finnish type, homology with gelsolin, **167**, 927
    apolipoprotein AI from plasma high-density lipoproteins in preruminant calf (bovine), **166**, 833
    cathepsin E (rat), **166**, 1032
    Ch21 protein (chicken), **168**, 933
    collagenolytic proteases isolated from crab hepatopancreas, **166**, 1411
    Cu,Zn-superoxide dismutase isozymes (*Xenopus laevis*), **173**, 1186
    direct analysis in study of interleukin-2–receptor interaction on solid support (human), **166**, 201
    extracellular myeloperoxidase precursor in HL-60 cell cultures, **166**, 852
    flagellins in archaebacteria spp., conservation, **167**, 154
    heparin-binding erythroid cell-stimulating factor from fetal bovine serum, identity with insulin-like growth factor II sequence, **166**, 557
    interferon-αII from Sendai virus-stimulated leukocytes (human), **168**, 16
    internally initiated integrase protein produced in *Escherichia coli*, **170**, 1061
    lobster fibrinogen: common ancestry with vitellogenins, **167**, 16
    5′-nucleotidase (human placenta), **172**, 1371
    pollen major allergen subfractions (*Olea europa*), **172**, 523
    salicylate hydroxylase (*Pseudomonas putida* PpG7), **169**, 1049
    skeletal muscle calsequestrin, homology with aspartactin (chicken), **166**, 898
    substance P-binding polypeptide in heat shock protein 70 family (horse salivary gland), **166**, 978
    tartrate-resistant acid phosphatase from osteoclastomas (human), **168**, 792
    tumor necrosis factor high-molecular-weight glycosylated forms (mouse), **173**, 1072
    vicilin subunits (*Cajanus cajan*), **166**, 1446
  amino-terminal peptide, predicted sequence (rabbit), **171**, 1111
  apolipoprotein AI peptides mapped by electrospray ionization mass spectrometry (human), **167**, 686
  arachidonate 12-lipoxygenase (human), **172**, 1230
  basic fibroblast growth factor receptor, shorter form (human), **169**, 680
  biologically active recombinant human nerve growth factor fragments produced in CHO cells, **171**, 116
  bovine serum albumin, rapid confirmation and revision by ESIMS and Frit-FAB LC/MS, **173**, 639
  brain natriuretic peptides isolated in cardiac atrium (human), **167**, 693
  calcitonin, predicted sequence (rabbit), **171**, 1111
  calpastatin functional domains (human), **166**, 1485
  calsequestrin and aspartactin, comparison (chicken), **170**, 1089; *erratum*, **173**, 763
  carboxy-terminal, β-calcitonin gene-related peptide (human spinal cord), **167**, 993
  carcinoembryonic antigen-binding protein from ascites (human), **171**, 633
  carcinoembryonic antigen peptide at junction of N-terminal and first loop domains: role in binding to Kupffer cells, **170**, 391
  cardio-excitatory peptide (*Achatina fulica*), **167**, 777
  catalase from acatalasemic mutant (mouse), **173**, 1043
  cell adhesion protein expressed in squamous carcinoma cells (human), **166**, 984
  cholesterol oxidase (*Brevibacterium sterolicum*), **172**, 721; *erratum*, **173**, 1383
  color visual pigment (chicken), **173**, 1212
  complex I
    29/21-kDa subunit (*Neurospora crassa*), **166**, 280
    31-kDa subunit, nuclear-coded, deduction from cDNA clone: homology to proteins specified by chloroplast genome (*Neurospora crassa*), **171**, 1168
  C-type natriuretic peptide
    from frog, **173**, 591

    from porcine brain, **168**, 863; **170**, 973
  cysB gene product (*Escherichia coli*), **167**, 962
  cysteine dioxygenase (rat liver), **168**, 473
  degu islet amyloid-derived insulin, **169**, 571
  desmoglein, extensive homology with cadherins (bovine), **173**, 1224
  DNA topoisomerase II from thymus (bovine), **170**, 763
  Fc receptor Fcγ_1/γ_2R (guinea pig), **168**, 683
  flavin-containing monooxygenase: NADP-binding and N-terminal FAD-binding domains (porcine liver), **170**, 937
  GABA$_A$ receptor δ subunit (rat brain), **167**, 174; *erratum*, **168**, 887
  ghilanten (*Haementeria ghilianii*), **166**, 1384
  glycoprotein V: detection of leucine-rich segments (human platelets), **170**, 153
  G protein, M_r 24,000 (rat liver), **169**, 816
  growth hormone-dependent insulin-like growth factor-binding protein IGFBP-3 (rat), **166**, 892
  growth hormone helix-reshuffled variant (human), **170**, 104
  heparin-binding neurotrophic factor, homology with murine MK protein (rat), **172**, 850
  hepatic nonspecific lipid transfer protein, identification in high-molecular-weight protein (rat), **168**, 631
  hepatocyte plasma membrane protein pp120/HA4, comparison with ecto-ATPase (rat), **166**, 562
  human thioredoxin: comparison with bacterial and plant forms, **173**, 1375
  hydroxysteroid sulfotransferase a, homology with senescence marker protein SMP-2 (rat liver), **166**, 1494
  internal, proteins, application of *in situ* cyanogen bromide cleavage in polyacrylamide gels (tobacco), **166**, 139
  katacalcin, predicted sequence (rabbit), **171**, 1111
  lectin carbohydrate recognition domain, **169**, 880
  luciferase in terrestrial and marine bioluminescent bacteria, comparison, **170**, 407
  metallothionein, complete homology in two genera of ducks and hybrid ducks, **168**, 182
  β_2-microglobulin (human), **168**, 1223
  mitochondrial ATP synthetase complex low-molecular-weight protein (bovine heart, rat liver), **169**, 339
  monocyte chemotactic factor from osteosarcoma cells and monocytes (human), **167**, 904
  Na^+,K^+-ATPase inhibitor SPAI (pig), **172**, 42
  natriuretic peptide (eel brain), **170**, 883
  nonspecific cross-reacting antigen member of CEA gene family (human leukocytes), **166**, 1063
  pancreatic trypsin inhibitor of adrenal medullary chromaffin cells (bovine), **167**, 543
  peptide with molt-inhibiting and hyperglycemic activities (lobster), **171**, 818
  phosphoproteins from chicken bone, comparison with mammalian osteopontin and bone sialoprotein II, **173**, 471
  pituitary adenylate cyclase activating polypeptide precursor protein (rat), **173**, 1271
  platelet-derived neutrophil-chemotactic polypeptide (human), **172**, 898
  PPA1 protein homologous to proteolipid of chromaffin granule proton-ATPase (yeast), **168**, 574
  pro-opiomelanocortin (*Rana ridibunda*), **173**, 653
  protein Z (human), **172**, 1139
  recombinant flavin domain of corn leaf NADH:nitrate reductase, comparison to human NADH:cytochrome B_5 reductase, **168**, 1285
  recombinant human renin expressed in human kidney cell line 293, **171**, 375
  ribosomal proteins
    L12 (rat), **172**, 35
    L35 (rat), **167**, 1377
    S13 (rat), **171**, 519
  rig-encoded proteins: conservation during vertebrate evolution (chicken, mouse, *Xenopus laevis*), **166**, 1501
  sarcoplasmic/endoplasmic reticulum-type Ca^{2+}-ATPase (*Drosophila melanogaster*), **173**, 872
  sepiapterin reductase (rat), **173**, 627
  serine-rich neutrophil protein, deduced from cloned cDNA (pig), **170**, 915
  smg p21B (bovine brain), **166**, 1010
  Ssc protein (*Salmonella typhimurium*), **173**, 53
  thioltransferase (yeast), **168**, 944
  thyroid stimulating hormone receptor (human), **166**, 394
  thyrotropin receptor extracellular domain mid-region, essential role in receptor function, **173**, 1150
  tissue inhibitor of metalloproteinase (bovine), **171**, 250
  transforming growth factor α (bovine), **167**, 484
  tryptophan-2,3-dioxygenase (rat), **170**, 176
  tryptophan synthase β subunit, and other pyridoxal-phosphate-dependent enzymes, similarities, **171**, 1319
  vitamin K-dependent protein Z (human), **171**, 661
Amino acid substitution
  lysine at 7th position of wasp chemotactic peptides, effect on biochemical activities, **168**, 844
  proline to lysine at position 7 in *Icaria* chemotactic peptide, effect on solution conformation and function, **168**, 596
Aminoacyl-tRNA synthetase
  glycosidic bond cleavage of 5-fluoro-2′-deoxyuridine and 5-fluorouridine, **173**, 731
δ-(L-α-Aminoadipyl)-L-cysteinyl-D-valine synthetase
  purification from *Cephalosporium acremonium*, **169**, 1145
L-N^G-Aminoarginine
  antagonism of L-arginine-mediated endothelium-dependent relaxation (bovine), **168**, 458
  inhibition of nitric oxide synthesis in endothelial cells and macrophages, comparison (bovine, mouse), **170**, 96
γ-Aminobutyric acid receptors
  GABA$_A$, subunit gene, isolation by polymerase chain reaction technique to identify distantly related members in multigene family (rat brain), **167**, 174; *erratum*, **168**, 887
  GABA$_B$, solubilization and partial purification from bovine brain, **172**, 22
Aminolevulinate dehydratase, *see* Porphobilinogen synthase
(*S*)-2-Amino-4-oxo-5-hydroxypentanoic acid
  mechanism of antifungal action: inhibition of homoserine dehydrogenase in yeast, **168**, 837

- Aminopeptidase
  - DSIP-degrading, purification from cerebrospinal fluid and characterization (human), **167**, 1256
  - zinc-containing, leukotriene A$_4$ hydrolase identification as, **173**, 620
- *p*-Aminophenylalanine angiotensin II
  - discrimination of angiotensin II receptor subtypes (rat), **169**, 997
- 2-Aminopurine
  - blockade of phorbol ester-mediated induction of HIV-1 from chronically infected promonocyte clone, relationship to *tat*-directed *trans*-activation (human), **166**, 349; *erratum*, **167**, 382
- Aminopyrine
  - ^{14}C-labeled, uptake by isolated parietal cells, effect of platelet-activating factor (guinea pig), **168**, 1047
- Ammonium acetate
  - protective effect of small initial dose on subsequent lethal doses (mouse), **167**, 1263
- Amnion
  - phospholipase A$_2$ activity, stimulation by dipalmitoylphosphatidylcholine (human), **170**, 328
- 2-5A 5′-monophosphate
  - 3′-fluoro-3′-deoxy analogs binding to 2-5A-dependent endoribonuclease and susceptibility to (2′-5′)phosphodiesterase degradation (mouse, rabbit), **167**, 20
- AMP (adenosine 5′-monophosphate)
  - binding to *Escherichia coli* adenylate kinase, analysis by ^{1}H and ^{15}N NMR spectroscopy, **172**, 432
- Ampicillin acylase
  - catalytic mechanism, role of histidine residues (*Pseudomonas melanogenum*), **166**, 904
- Amplification
  - DNA by polymerase chain reaction with single specific primer (*Escherichia coli*), **167**, 504
- Amylase
  - raw starch-digesting, nucleotide sequence of cloned gene: homology to cyclodextrin glucanotransferase genes (*Bacillus* sp.), **166**, 630
  - release in isolated pancreatic acini, stimulation by deoxycholate, mechanism (rat), **170**, 111
- α-Amylase
  - liquifying, conserved residues, concentration in vicinity of active site, **166**, 61
  - salivary, enzymatic and *Streptococcus*-binding sites, structural relationship (human), **173**, 1109
  - signal sequence fused in frame with human proinsulin, processing by *Bacillus subtilis* cells (*Bacillus amyloliquefaciens*), **169**, 297
- β-Amylase
  - soybean-derived, stimulation of macrophages, **173**, 296
- Amylin, *see* Islet amyloid polypeptide
- Amyloid
  - β protein precursor
    - with active form of proteinase inhibitor domains, determination in cerebrospinal fluid of Alzheimer patients by trypsin–antibody sandwich ELISA, **166**, 1453
    - expression in glial and neuronal cells, effect of fibroblast growth factor (rat), **167**, 96
    - gene expression, increase upon neural differentiation (murine embryonal carcinoma cells), **171**, 204
    - intact, detection in platelet membranes and encoding by platelet mRNA, **173**, 1292
    - Kunitz inhibitor domain, protease specificity (*Escherichia coli*), **167**, 716
    - mRNAs
      - differential splicing: predominance of PreA4$_{695}$ mRNA expression in brain and detection of PreA4$_{714}$ mRNA (human, rat), **166**, 1192
      - expression in developing brain and in neuronal and glial cultures (mouse), **167**, 54
    - soluble forms, detection in plasma (human), **167**, 1094
    - stimulated release by platelets (human), **170**, 288
    - transforming growth factor β-bound soluble form, isolation (human glioblastoma cells), **171**, 890
  - deposit formation in type 2 diabetes, implications of canine islet amyloid polypeptide cDNA sequence, **169**, 502
  - in familial amyloidosis, Finnish type, homology with actin-binding gelsolin (human kidney), **167**, 927
  - hereditary cerebral hemorrhage Dutch type, expression of normal and variant Alzheimer's β-protein gene, DNA and protein diagnostic assays (human), **170**, 301
  - islet, derived insulin, amino acid sequence (degu), **169**, 571
- Amyloidosis
  - familial, Finnish type, amyloid protein from affected patient, homology with actin-binding gelsolin (human kidney), **167**, 927
- Amylopullulanase
  - substrate competition and specificity at active site (*Clostridium thermohydrosulfuricum*), **166**, 126
- Androgen receptors
  - heterogeneity and phosphorylation, analysis (human LNCaP cells), **166**, 193
  - ligand-binding domain, point mutation, effects on binding characteristics and response to anti-androgens (human LNCaP cells), **173**, 534
  - molecular cloning by polymerase chain reaction technique (frog, dog, guinea pig, mouse), **171**, 697
  - phosphorylation and nuclear processing, **171**, 336
- Androgens
  - –sex hormone-binding globulin complexes, binding to placental syncytiotrophoblast membrane (human), **171**, 1279
- Angiogenesis
  - induction in yolk-sac membrane by polyamines and inhibition by tissue inhibitors of metalloproteinases (chicken), **171**, 1264
  - mesenteric, isolation of fatty acid amide as major principle (bovine), **168**, 423
- Angiogenin
  - encoding DNA, isolation and sequencing (mouse), **171**, 988
- Angiotensin I
  - conversion to angiotensin II by aortic smooth muscle cells (rat), **173**, 1137
- Angiotensin II
  - distinct binding sites in brain, detection with [^{125}I]Sar^{1},Ile^{8}-angiotensin II and selective nonpeptide antagonists (rat), **171**, 813

effects on
  catecholamine synthesis in neuronal cultures (rat brain), **167**, 492
  inositol polyphosphate production in differentiated NG108-15 hybrid cells, **167**, 1200
  phosphoinositide breakdown in intact renal glomeruli and proximal tubules, modulating role of phorbol ester (rat), **166**, 373
formation from angiotensin I in aortic smooth muscle cells (rat), **173**, 1137
induction of
  [Ca^{2+}]$_i$ increase in early proximal tubules, effect of mercuric chloride (rat kidney), **173**, 606
  endothelin mRNA expression and peptide secretion in culture vascular smooth muscle cells (human), **168**, 1303
mitogenic response of vascular smooth muscle cells from genetically hypertensive rat strains, analysis, **170**, 1249
mRNA, derived peptides, binding and pharmacologic properties (human, rat), **170**, 462
and noradrenaline, effects on smooth muscle mitogenesis induced by platelet-derived growth factor isoforms AB and BB (rat), **166**, 580
regulation of gene expression via protein kinase C-dependent pathway, role of TPA responsive element (human, rat), **172**, 1189
stimulation of
  phosphoinositide turnover and phosphorylase, role of AII-1 receptors (rat hepatocytes), **172**, 780
  platelet-derived growth factor-induced DNA synthesis in vascular smooth muscle cells (rabbit), **168**, 350
  prostaglandin E$_2$ synthesis in renal mesangial cells, potentiation by interleukin-1 and tumor necrosis factor (rat), **169**, 585
  [^{3}H]thymidine uptake by adrenal gland, inhibition by somatostatin analog SMS 210-995 (rat), **166**, 1171
Angiotensin III
  effect on inositol polyphosphate production in differentiated NG108-15 hybrid cells, **167**, 1200
Angiotensin-converting enzyme, *see* Dipeptidyl carboxypeptidase I
Angiotensin II receptors
  aortic ring, effects of sarmesin (rabbit, rat), **169**, 636
  detection on differentiated NG108-15 cells by covalent crosslinking analysis, **170**, 1096
  subtype 1
    [^{3}H]DuP 753 identification as specific radioligand (rat), **172**, 1195
    mediation of angiotensin II stimulation of phosphoinositide turnover and phosphorylase (rat hepatocytes), **172**, 780
  subtypes
    discrimination with *p*-aminophenylalanine angiotensin II (rat), **169**, 997
    in ventricular myocardium, identification and characterization (rabbit), **173**, 416
Angiotensin III receptors
  detection on differentiated NG108-15 cells by covalent crosslinking analysis, **170**, 1096
Anthramycin
  binding to Z-DNA and B-DNA, molecular mechanics study, **167**, 477
Anti-androgens
  response of androgen receptors to, effect of point mutation in receptor ligand-binding domain (human LNCaP cells), **173**, 534
Antibiotics
  1233A, and other β-lactones, inhibition of 3-hydroxy-3-methylglutaryl-CoA synthase (rat), **169**, 610
Antibodies
  autogeneic, *see* Autoantibodies
  to CDC25 protein, generation and use in protein identification and subcellular localization (yeast), **172**, 61
  to epidermal growth factor receptor, induced activation of EGF-R tyrosine kinase, role of detergent (A431 cells), **171**, 882
  histone- and histone peptide-specific, in analysis of accessibility and role of histone tails in chromatin structure (rat liver), **168**, 637
  monoclonal, *see* Monoclonal antibodies
  to multidrug transporter, production with human recombinant P-glycoprotein fragments, **166**, 180
  phosphotyrosine, precipitation of phosphatidylinositol 3′ kinase from cells treated with epidermal growth factor, **173**, 289
  polyclonal
    to cytochrome P450 IA2, elicitation by synthetic peptide antigens (rat), **169**, 171
    to DDT, preparation and characterization (rabbit), **166**, 1228
    to preselected sequence of calcium-dependent lectins, preparation and characterization (rabbit), **169**, 880
  to *ras*-related yeast protein Yp20, reactivity with HeLa cell nuclear proteins, **168**, 580
  to *ras* p21, specificity, measurement with quantitative immunofluorescence in colon carcinoma cells, **167**, 464
  to synthetic peptides
    corresponding to avian N-cadherin conserved cytoplasmic domain, identification of mammalian and invertebrate N-cadherin analogs, **172**, 313
    specific immunodetection of benzoate-para-hydroxylase (*Aspergillus niger*), **167**, 33
Antibody response
  effect of relative positioning of immunogenic peptide T- and B-cell determinants (mouse), **169**, 803
Antigens
  710F, monoclonal antibodies, induction of differentiation of monocyte leukemia cells (human), **168**, 898
  carcinoembryonic, *see* Carcinoembryonic antigen
  CD2, triggering on intrathymic T cells, subsequent stage-specific phosphoinositide turnover capacity (human), **168**, 665
  CD3, mediated Ca^{2+} mobilization in Jurkat cells, inhibition by phorbol ester independently of protein kinase C activation, **173**, 396
  CD4 and CD8, double-positive neonatal T cells, intermediate role in interleukin-4-induced CD4+/CD8− to CD8+/CD4− transformation (human), **168**, 830

  CD8α, role as direct substrate for protein kinase C (mouse), **170**, 10
  epithelial membrane, breast tumor-associated, multiple protein forms, generation by alternative splicing and induction by hormonal stimulation (human), **170**, 1331
  H-2D^k-encoded, immunogenic abnormality in metastatic cells, role of changes in H-2D^k coding sequence, **171**, 1395
  Ku, autogeneic, 70-kDa component expressed in insect cells with recombinant baculovirus vector, characterization (human), **168**, 747
  MHC class II, I-A$^b_\beta$ region, identification as binding site for staphylococcal enterotoxin A (human, mouse), **168**, 696
  nonspecific cross-reacting
    cDNA cloning and characterization (human leukocytes), **166**, 1063
    expressed by granulocytes, molecular heterogeneity (human), **166**, 701
  proliferating cell nuclear, gene promoter, activity in serum-deprived fibroblasts (hamster), **169**, 509
  with relevance in renal disease, isolation and characterization (human), **172**, 439
  simian virus 40 large T, expression in *Escherichia coli* with vectors based on regulatable *rac* promoter, **169**, 1129
  synthetic peptide, cytochrome P450 IA2-derived, elicitation of monoclonal and polyclonal antibodies to P450 IA2 (rat), **169**, 171
  T-, release from erythrocytes and native gastric carcinoma cells by *Alcaligenes* endo-α-*N*-acetylgalactosaminidase (human), **172**, 341
  Tn, monoclonal antibody, establishment and characterization, **170**, 981
  type III collagen aminopropeptide, crosslinked fractions in blood, lipoprotein binding (human, rabbit), **170**, 519
Antioxidant activity
  6-phosphatidyl-L-ascorbic acid, analysis, **172**, 385
Antisera
  to N-terminal portion of dystrophin, in detection of fast isoform C-protein (human), **169**, 57
α_1-Antitrypsin
  mRNA, exon exclusion after stimulation of U937 cells by interleukin-6 (human), **172**, 1116
  W$_{bethesda}$ deficiency variant, molecular analysis (human), **170**, 1013
Aorta
  angiotensin II receptors and functional activity, effects of sarmesin (rabbit, rat), **169**, 636
  atherosclerotic lesions, induced expression of apolipoprotein E gene (human, rabbit), **168**, 733
  contractile action of endothelin, effect of extracellular calcium (rat), **171**, 301
  contraction and phosphatidylinositol labeling, contrasting effects of phorbol dibutyrate and phorbol myristate acetate (rabbit), **171**, 618
  endothelium-dependent relaxation, inhibitory effects of N^G-monomethyl-L-arginine and N^ω-nitro-L-arginine, comparison (rabbit), **167**, 1037
  lysophospholipase inhibition by cholesterol (rabbit), **167**, 143
  matrix association of tissue inhibitor of metalloproteases, detection by radioimmunoassay (human), **167**, 898
  release of endothelium-derived relaxing factor
    effect of vascular stretch (rabbit), **173**, 1038
    inhibition by L-glutamine (rabbit), **172**, 143
  rings, endotoxin-induced hyporeactivity, role of activation of L-arginine pathway (rat), **171**, 562
Apocarboxypeptidase B
  –Sepharose, as specific absorbent for peptides, analysis (porcine pancreas), **166**, 330
Apolipoprotein (a)
  active form, enzymatic properties (human), **171**, 555
Apolipoprotein A-I
  hepatic, mRNA levels, effect of thyroid hormone in hypophysectomized rats, **172**, 1150
  from plasma high-density lipoproteins in preruminant calf, characterization and amino-terminal sequence (bovine), **166**, 833
  structure analysis with electrospray ionization mass spectrometric peptide mapping (human), **167**, 686
Apolipoprotein B
  encoding gene
    proximate hypervariable region, amplification: application to forensic problems (human), **170**, 616
    3′ end, identification of DNase I hypersensitive sites (human), **171**, 162
  endogenous mRNA editing, quantitation (rat liver), **170**, 513; *erratum*, **173**, 480
  mRNA editing in small intestine, developmental regulation (pig), **173**, 74
Apolipoprotein CII
  plasmatic, deficiency, identification of causative mutation (human), **168**, 1118
Apolipoprotein E
  gene expression, induction in atherosclerotic lesions (human, rabbit), **168**, 733
  mutant APO E5, enhanced binding to fibroblast low-density lipoprotein receptors (human), **168**, 409
Apolipoproteins
  platelet adhesion to, analysis (human plasma), **172**, 113
Apoptosis
  in serum-depleted vascular endothelial cells, inhibition by fibroblast growth factor, role of protein kinase C (human), **172**, 1081
  vascular endothelial cell, occurrence after fibroblast growth factor deprivation, analysis (human), **168**, 1194; *erratum*, **169**, 1248
Aprotinin
  binding site, localization in hormone-binding domain of uterine estrogen receptor (bovine), **170**, 930
α-L-Arabinofuranosidase
  encoding gene, cloning and expression in *Escherichia coli* (*Clostridium stercorarium*), **170**, 368
9-β-D-Arabinofuranosyladenine 5′-monophosphate
  conversion to antivirally active 5′-triphosphate form by 5-phosphoribosyl-1-pyrophosphate synthetase, **173**, 781

Arachidonate 12-lipoxygenase
  cDNA cloning and expression (human), **172**, 1230
Arachidonate 15-lipoxygenase
  distal lung, stimulation by endothelin-1 (rat), **168**, 485
Arachidonic acid
  calmodulin-dependent stimulation of free radical generation in leukocytes (human), **167**, 1030
  direct inhibition of smooth muscle myosin light chain kinase in purified system, **171**, 369
  and epidermal growth factor, inhibition of fibroblast growth (human), **169**, 959
  metabolism
    by dioxin-induced cytochrome P450: role of P450 in dioxin toxicity (chicken embryo), **172**, 1180
    stimulation by cytomegalovirus, role of phospholipase A_2 and protein kinase C (human), **166**, 953
  and methyl ester, mediation of protein kinase C activation in intact platelets (human), **169**, 933
  release
    in A23187-stimulated neutrophils, effect of H-7 inhibition of protein kinase C (human), **167**, 168
    from neutrophils, receptor-mediated effects of hepoxilin A_3 (human), **171**, 944
    role in tumor necrosis factor α-induced activation of neutrophil O_2^--generating system (human), **166**, 308
    stimulation by gonadotropin-releasing hormone receptor-coupled mechanism (rat luteal cells), **168**, 328
  stimulation of phosphoinositide metabolism and catecholamine release from adrenal chromaffin cells (bovine), **169**, 773
Archaebacteria
  flagellins, conserved N-terminal sequences, **167**, 154
Arginine
  deprivation, effect on intracellular levels of amino acids in cultured endothelial cells (bovine aorta), **173**, 940
  detection at penicillin acylase catalytic site (*Escherichia coli*), **173**, 317
  effects on cytoplasmic Ca^{2+} in single beta and alpha cells purified from pancreatic islets (rat), **166**, 813
  L-form
    associated pathway in vascular tissue, activation by incubation with endotoxin (rat), **171**, 562
    derived nitric oxide, complexes with non-heme iron proteins in interferon-γ-activated macrophages, EPR detection (mouse), **166**, 119
    formation by aortic endothelial cell metabolism of N^G-monomethyl-L-arginine (bovine, rabbit, rat), **167**, 1037
    formation of nitrogen oxides in hepatocytes, detection of inducible cytosolic enzyme activity for (rat), **168**, 1034
    mediated endothelium-dependent relaxation, antagonism by N^G-amino-L-arginine (bovine), **168**, 458
    serosal mast cell synthesis of nitric oxide-like factor from, analysis (rat), **169**, 596
  at position 44 of thymidylate synthase, alteration to Val^{44}, effects on catalysis and nucleotide binding (mouse), **167**, 869
  regulation of glucagon gene expression in intact islets, role of protein kinase C (rat), **171**, 898
Arginine vasopressin
  dependent tyrosine phosphorylation of 38-kDa protein (human platelets), **168**, 566
  effect on Na$^+$ kinetics in vascular smooth muscle cells (rat), **173**, 224
  induction of
    β-endorphin secretion in rat anterior pituitary cells, potentiation by interleukin-1, **173**, 988
    endothelin mRNA expression and peptide secretion in culture vascular smooth muscle cells (human), **168**, 1303
  release from aortic endothelial cells exposed to increased flow, analysis (rabbit), **170**, 649
Aromatic-L-amino-acid decarboxylase
  cDNA, cloning (guinea pig), **170**, 1229
  and histidine decarboxylase, immuno-cross-reactivity (guinea pig, rat), **173**, 1299
  mRNA, in neuronal and nonneuronal tissues, comparative and quantitative study (rat), **170**, 1006
Arrhythmia
  endothelin-induced, analysis of underlying mechanisms, **173**, 457
Arsenite
  induction of 40-kDa protein in avian and mammalian cells, **166**, 642
  induction of heme oxygenase and hsp 70 gene activation in hepatoma cells (human), **166**, 1429
Arterial bed
  mesenteric, periarterial nerve stimulation-induced vasodilation, inhibition by calcitonin gene-related peptide and CGRP receptor desensitization (rat), **168**, 786
Arteries
  coronary, contraction *in vitro* in response to big endothelin-1, inhibition by phosphoramidon (pig), **172**, 391
  mesenteric
    endothelin-1 release in response to hypoxia, analysis (rat), **169**, 973
    perfused, responses to nerve stimulation, effects of endothelin-1 and U46619 (rat), **172**, 745
    ultraviolet light-induced relaxation and uv-dependent activation of guanylate cyclase, effects of sodium nitrite (bovine), **169**, 129
    vasodilating effects of low-dose endothelin-3, inhibition by L-N^G-monomethyl arginine (rat), **167**, 739
  pulmonary, L-arginine-mediated endothelium-dependent relaxation in isolated rings, antagonism by N^G-amino-L-arginine (bovine), **168**, 458
Arylazidoprazosin
  ^{125}I-labeled, binding to specific peptide of P-glycoprotein in multidrug-resistant cells (Chinese hamster lung cells), **166**, 259
Ascites
  malignant, carcinoembryonic antigen-binding protein from, effect on CEA uptake by rat macrophages (human), **171**, 633
Ascorbic acid
  –Cu^{2+}–O$_2$ system, in direct preparation of 3-hydroxycoumarins from coumarins, **168**, 169
  identification as source of reducing equivalents for aldosterone synthesis, **170**, 1256

  role in scavenging free radicals: radiation model (human colon), **169**, 430
Aspartactin
  amino-terminal sequence homology with skeletal muscle calsequestrin (chicken), **166**, 898
  and calsequestrin, amino acid sequences, comparison (chicken), **170**, 1089; *erratum*, **173**, 763
Aspartate
  D-form, ^{3}H-labeled, preloaded, endothelin-1-stimulated release from cultured cerebellar granule cells (rat), **167**, 593
  replacement by single serine in lactate dehydrogenase, improvement of catalytic efficiency with NADPH (*Bacillus stearothermophilus*), **166**, 667
Aspartate aminotransferase
  mature, uptake by isolated mitochondria, inhibition by N-terminal peptides (bovine heart), **170**, 609
  tryptophan-140 residue, functional effects of replacement by phenylalanine or glycine (*Escherichia coli*), **167**, 407
Aspartate carbamoyltransferase
  quaternary states, allosteric control (*Escherichia coli*), **171**, 1312
Aspartate transcarbamylase, *see* Aspartate carbamoyltransferase
Aspartic protease
  pepstatin-sensitive, role in conversion of big endothelin to endothelin by endothelial cell extract (porcine aorta), **167**, 203
Aspartyl protease
  dimeric, retroviral, N-terminal domain of pepsin as model, analysis, **167**, 339
Aspergillins
  interaction with Cibacron Blue F3GA, **173**, 554
Aspergillus nidulans
  arg B1 mutation, complementation by ornithine transcarbamylase cDNA from rat liver, **168**, 1280
Aspergillus niger
  mycelia extracts, specific immunodetection of benzoate-para-hydroxylase with antibodies to synthetic peptides, **167**, 33
Astrocytes
  demonstration of specific binding sites for pituitary adenylate cyclase-activating polypeptide (rat), **168**, 1027
  and granule cells, cerebellar, and C_6-glioma cells, comparative phosphoinositide hydrolysis induced by endothelin-related peptides (rat), **168**, 512
  production of granulocyte/macrophage colony-stimulating factor *in vitro* (mouse), **169**, 719
2-5A synthetase, *see* Polynucleotide adenylyltransferase
2-5A system
  role in interferon amplification of reduction of N-myc expression by antisense RNA (human neuroblastoma cells), **170**, 1242
Atherogenesis
  acceleration in diabetes, free radical generation by early glycation products as mechanism, **173**, 932
Atherosclerosis
  affected patients, blood low-density desialylated lipoproteins, isolation: affinity chromatographic separation from native form, **167**, 1122
  lesions, association with induction of apolipoprotein E gene expression (human, rabbit), **168**, 733
ATP (adenosine 5′-triphosphate)
  in allosteric control of quaternary states of aspartate transcarbamylase, analysis (*Escherichia coli*), **171**, 1312
  binding to *Escherichia coli* adenylate kinase, analysis by ^{1}H and ^{15}N NMR spectroscopy, **172**, 432
  cytoplasmic levels, effects of intracellular chloride, analysis by alteration of K_{ATP} channels (rat), **168**, 1137
  dependent soluble factor from insulin-treated adipocytes, stimulation of insulin-sensitive cAMP phosphodiesterase (rat), **167**, 614
  dependent transport mechanism, mediation of bis-carboxyethyl-carboxyfluorescein efflux from cultured epithelial cells (dog, human), **172**, 262
  depletion, effect on spermidine-mediated decay of ornithine decarboxylase (Friend erythroleukemia cells), **172**, 939
  effects on
    c-fos and c-myc mRNA levels in aortic endothelial cells (bovine), **172**, 306
    peroxisomal acyl-CoA:dihydroxyacetonephosphate acyltransferase latency in digitonin-permeabilized fibroblasts (human), **170**, 1135
  extracellular, combined with growth factors or neurotransmitters, synergistic enhancement of DNA synthesis in murine cells, **166**, 251
  interaction with DnaK: DnaK binding, hydrolysis, and Ca^{2+}-stimulated autophosphorylation (*Escherichia coli*), **166**, 1284
  interference with resolution of Ca^{2+} uptake by heavy sarcoplasmic reticulum, improvement with Ca^{2+}–antipyrylazo III dual-wavelength spectroscopy (rabbit muscle), **168**, 364
  levels in cultured hepatocytes during chemical hypoxia (rat), **170**, 477
  magnesium salt, effect on superoxide-generating responses in electropermeabilized neutrophils (guinea pig), **170**, 194
  mitochondrial, formation in hepatocytes, lethal disruption by mitochondrial inhibitors, protective effects of acidotic pH and fructose (rat), **167**, 600
  production in *Setaria digitata*, role of quinone, **167**, 568
  release from aortic endothelial cells exposed to increased flow, analysis (rabbit), **170**, 649
  role in translational regulation of chloroplast gene expression during light–dark cell cycle (*Chlamydomonas reinhardtii*), **170**, 1082
  sensitive potassium channel with calcium and voltage sensitivity, in coronary artery smooth muscle cells, description (pig), **172**, 517
  with soluble fraction from insulin-treated liver, cell-free stimulation of insulin-sensitive cAMP phosphodiesterase (rat), **170**, 533
ATPase
  Ca^{2+}-
    erythrocyte membrane, effect of acylphosphatase (human), **168**, 651

    - intestinal basolateral membrane, stimulation by recombinant synthetic calbindin-D$_{9k}$ and specific mutants (rat), **170**, 603
    - sarcoplasmic/endoplasmic reticulum-type, cDNA cloning and chromosomal location (*Drosophila melanogaster*), **173**, 872
    - sarcoplasmic reticular, effect of phospholipid fatty acyl composition (rabbit), **168**, 917
  - Ca^{2+},Mg^{2+}-
    - erythrocyte membrane, phosphoenzyme formation, acceleration by Mg^{2+} via phosphorylation reaction (pig), **169**, 700
    - renal cortical basolateral membrane, response to atrial natriuretic peptide, effect of chronic diabetes (rat), **169**, 537
  - *S*-(2,4-dinitrophenyl)glutathione, erythrocytic, purification, characterization, and expression in other tissues (human), **171**, 155
  - ecto-, *see* Ecto-ATPase
  - F$_0$F$_1$-, mitochondrial, isolation and polypeptide composition (spinach leaf), **170**, 1352
  - F$_1$-
    - structural asymmetry, role of minor subunits (*Escherichia coli*), **166**, 431
    - β subunits, adenine nucleotide binding sites, associated aromatic rings of tyrosine residues, role in ATPase activity, **168**, 372
  - H$^+$-
    - bovine chromaffin granule
      - associated proteolipid, structure and function of homologous yeast protein, **168**, 574
      - kinetic properties and effects of bafilomycin A$_1$, **170**, 873
    - in brain synaptic vesicles, identification as major constituent and primary pump for neurotransmitter accumulation (rat), **173**, 443
  - H$^+$,K$^+$-, gastric, omeprazole binding site, analysis (hog), **167**, 754
  - mitochondrial, β subunit, site-directed mutagenesis (yeast), **164**, 381; *erratum*, **170**, 405
  - Na$^+$,K$^+$-
    - α1 and α2/3 isozymes, hydrolytic properties for β-(2-furyl)acryloyl phosphate (rat brain, kidney), **172**, 1055
    - α2 isomer, inhibition by calcium at physiological levels (rat), **173**, 99
    - and γ-glutamyl-transpeptidase, activities in different subpopulations of cloned cerebral endothelial cells, responses to glial stimulation (rat), **168**, 358
    - inhibitor, purification from plasma of borderline hypertensives, **169**, 360
    - peptide inhibitor SPAI, allocation of four disulfide bonds (pig), **172**, 42
    - placental, inhibition by thiopental (human), **173**, 1248
    - renal, ouabain-sensitive and -resistant, chelation of mercury (rabbit, rat), **167**, 1115
    - sarcolemmal, effect of phospholipid fatty acyl composition (dog), **168**, 917
- ATPase inhibitors
  - effects on peroxisomal acyl-CoA:dihydroxyacetonephosphate acyltransferase latency in digitonin-permeabilized fibroblasts (human), **170**, 1135
- ATP synthase
  - α$_1$β$_1$ heterodimer, isolation in presence of ATP-Mg, **171**, 1258
  - H$^+$-
    - chargerin II in, stoichiometric assay (rat liver mitochondria), **168**, 226
    - coupling factor 6, import precursor cDNA, cloning and sequencing (rat liver mitochondria), **171**, 1079
    - subunit B, import precursor cDNA, cloning and sequencing (rat), **169**, 136
- ATP synthetase complex
  - mitochondrial, low-molecular-weight protein, characterization with monoclonal antibody (bovine heart, rat liver), **169**, 339
- Atrial natriuretic peptide
  - attenuated glomerular responses in low-sodium rats, prevention by theophylline, **170**, 596
  - B-type, iso-rANP, gene organization (rat), **171**, 416
  - Ca^{2+},Mg^{2+}-ATPase response in renal cortical basolateral membrane, effect of chronic diabetes (rat), **169**, 537
  - clearance receptor cDNA, isolation and functional expression (human), **171**, 796
  - effect on renin release in isolated glomeruli, role of calcium (rat), **168**, 37
  - ^{125}I-labeled, COOH-terminal tripeptide-removing metalloendopeptidase produced by endothelial cells, partial characterization (bovine aorta), **167**, 110
  - inhibition of basal and stimulated endothelin-1 production by cultured endothelial cells (human), **173**, 514
  - prohormone
    - C- and N-terminal and vessel dilator sequences, detection in urine and increase with ventricular fibrillation (dog), **173**, 1030
    - immunoreactive sequences 1–30 and 31–67, extraction: existence of single circulating amino-terminal peptide (human plasma), **166**, 794
  - reduction of basal level of cytosolic free Ca^{2+} in cardiac myocytes (guinea pig), **167**, 413
  - regulation of endothelial permeability, mediation by cGMP (bovine), **172**, 793
  - release during atrial relaxation and stretch, effects of temperature and osmolality (rat), **167**, 1001
  - secretion in isolated perfused atria, sequential mechanism (rabbit), **172**, 423
  - specific natriuretic peptide receptor system, identification in human SW-13 adrenal tumor cells (human, rat), **173**, 886
  - type α, hydrophobic residues, role in vasorelaxation (human), **172**, 971
- Atrial natriuretic peptide receptors
  - HeLa cell, associated cyclic GMP responses, analysis, **168**, 148
  - ventricular sarcolemmal, characterization (bovine), **167**, 1361
- Aurin tricarboxylic acid
  - prevention of interferon-α binding to its receptor, **172**, 1298

Autoantibodies
  for 20-kDa ribosomal large subunit protein L12, detection in sera from systemic lupus erythematosus patients, **172**, 496
Autocrine motility factor
  stimulation of inositol trisphosphate in human melanoma cells, **166**, 757
Autophosphorylation
  DnaK with ATP, stimulation by Ca^{2+} and effects of other metal ions (*Escherichia coli*), **166**, 1284
  epidermal growth factor receptor in plasma membranes, GM3-dependent inhibition, role of lysophosphatidylcholine (A431 cells), **172**, 77
  insulin receptor, constitutive increase in fibroblasts cultured from patient with heritable insulin resistance, **167**, 1229
Autoxidation
  penicillamine, reaction of products with myeloperoxidase, **169**, 1158
Avian thymic hormone
  parvalbumin identified as, partial nucleotide sequence (chicken thymus), **167**, 1286
Axons
  outgrowth
    associated β-tubulin mRNA expression, differential effects of concanavalin A and colchicine in neuroblastoma cell line (mouse), **167**, 1348
    induction by ADP-ribosylation of *rho*/*rac* proteins (PC12 cells), **167**, 265
Azacitidine
  effect on insulin binding and insulin-induced receptor formation in *Tetrahymena*, **168**, 709
5-Azacytidine, *see* Azacitidine
2-Azetidinecarboxylic acid
  induction of 40-kDa protein in avian and mammalian cells, **166**, 642
3′-Azido-3′-deoxythymidine, *see* Zidovudine
3′-Azido-2′,3′-dideoxyguanosine
  metabolism in human T-lymphoblastoid cells, analysis, **166**, 273
3-(4-Azido-5-iodosalicylamido)-4-hydroxycoumarin
  synthesis and application in photoaffinity labeling of rat hepatic NAD(P)H:quinone reductase, **172**, 415
Azidothymidine-monophosphate-diglyceride
  anti-HIV activity, physical properties, and interaction with plasma proteins (H9, MOLT-3 cells), **171**, 451
AZT, *see* Zidovudine

B

Bacillus megaterium
  identification of germination gene, **167**, 402
Bacillus subtilis
  processing of *B. amyloliquefaciens* α-amylase signal sequence fused in frame with human proinsulin, **169**, 297
  stretch-activated composite ion channels, characterization, **168**, 443
Bacillus thuringiensis
  var. *tenebrionis*, insecticidal proteins expressed in *Escherichia coli*, purification and characterization, **170**, 665
Bacteriophages
  ϕ80, transcription antitermination complex, molecular mechanism: interaction of 15-kDa host-coded protein with gene N transcription antitermination protein, **168**, 972
  λ, P_L promoter and *N* gene untranslated region, expression vector with, expression of porcine growth hormone in *Escherichia coli*, **173**, 711
  c-st, gene encoding botulinum type C_1 toxin, complete nucleotide sequence, **171**, 1304
  T4
    and *Escherichia coli*, DNA-binding proteins, interactions during presynapsis in homologous recombination, **172**, 804
    gene 32-encoded protein, antigenic determinants, sharing with reconstituted heterogeneous nuclear ribonucleoproteins of HeLa cells, **167**, 1196
Bacteriorhodopsin
  proline residues in, conformation (*Halobacterium halobium*), **172**, 862
Bacteroides gingivalis
  outer membrane proteins, regulation by iron, **166**, 1146
Baculovirus
  AcNPV-2.1 recombinant, expressed human Ku autoantigen 70-kDa component in insect cells, characterization, **168**, 747
  recombinant
    in expression and characterization of α-subunit of murine Ca^{2+}/calmodulin-dependent protein kinase II, **173**, 578
    infected *Spodoptera frugiperda* cells, human β-galactosidase expression, glysosylation, and intracellular distribution, **167**, 746
Bafilomycin A_1
  inhibition of
    chromaffin granule H^+-ATPase, kinetics, **170**, 873
    osteoclast proton transport, associated abolition of bone resorption (rat), **168**, 309
Base stacking
  in DNA and RNA, role of electron donors and acceptors, **171**, 97
BAY K 8644
  effect on intracellular calcium control of osteoclast function (rat), **167**, 183
  inhibition of secretory chloride channels in intestinal epithelial cells (human), **171**, 1022
  mimicry of 1,25-dihydroxyvitamin D_3 rapid enhancement of Ca^{2+} transport in perfused duodenum (chicken), **166**, 217
B cells
  activation *in vitro*, fatty acid requirements (mouse), **166**, 879
  EBV-transformed, from child with leukocyte adherence deficiency, retroviral-mediated gene transfer of leukocyte integrin CD18 subunit, **171**, 787
Bentazon
  hydroxylation *in vitro* by microsomes from naphthalic anhydride-treated corn shoots, **168**, 206

Benzene
  phospholipid synthesis by extracellular phospholipase A_2 in (bacteria, insect, mammals, snake), **168**, 644
Benzoate-*para*-hydroxylase, *see* Benzoate 4-monooxygenase
Benzoate 4-monooxygenase
  specific immunodetection with antibodies to synthetic peptides (*Aspergillus niger*), **167**, 33
Benzo[*a*]pyrene
  metabolites, reversible binding to closed-circular single-stranded M13mp19 DNA, nonintercalative complexes formed from, evidence, **168**, 1095
  promutagenic, activation by *Streptomyces griseus* containing cytochrome $P450_{SOY}$, **166**, 743
Benzyloxycarbonyl-L-phenylalanyl-L-alanine chloromethylketone
  and papain inhibitor E-64-c, mode of binding to papain: comparison of complex crystal structure, **171**, 711
Benzypenicillin G
  one-electron oxidation by lactoperoxidase compounds I and II, evidence, **169**, 1211
Berenil, *see* Diminazene aceturate
Bile ductules
  epithelial cells, expression of 17β-hydroxysteroid UDP-glucuronosyl transferase under physiological conditions (rat), **173**, 1001
Bilirubin UDP-glucuronosyltransferase
  cDNA, isolation and sequencing: possible alternate splicing of common primary transcript (rat liver), **169**, 260
Biliverdin reductase
  substrate specificity, analysis with extended biliverdins (rat liver), **171**, 465
Biliverdins
  extended, enzymatic and chemical reduction, **171**, 465
Binding assay
  competitive, inositol (1,4,5)-trisphosphate in leukocytes, development (human), **170**, 755
  [^{3}H]inositol-1,4,5-trisphosphate, measurement of IP_3 levels in roots and coleoptiles and modulation by fusicoccin (maize), **168**, 1041
Binding kinetics
  mutated insulin receptors in transfected CHO cells grown in suspension culture, analysis, **164**, 191; *erratum*, **168**, 387
Biomineralization
  associated calcium, phosphorus, and trace elements in tissue culture system, quantification by total reflection X-ray fluorescence (chicken), **170**, 1216
Biotinylation
  double-stranded DNA after cytosine transamination, **170**, 243
2′,7′-Bis(2-carboxyethyl)-5(6)-carboxyfluorescein
  efflux from cultured epithelial cells: ATP-dependent transport mechanism (dog, human), **172**, 262
N^1,N^{12}-Bis(ethyl)spermine
  spermine-related functions: effects on protein synthesis, cell growth, gastric ulceration (bovine, rat), **172**, 715
Bis(glutathione dimethyl ester)
  –hemin complex, model for cytochrome P450–thiolate complexes, hyperporphyrin spectrum, **169**, 22
Bis-indolyl maleimides
  Roche, inhibition of phosphorylase kinase, analysis, **171**, 148
Bladder
  nitroxide radicals, *in vivo* ESR measurement (mouse), **172**, 1342
Blastocysts
  endometrial implantation, associated fluidity of phospholipid bilayer (mouse), **167**, 561
Blebbing
  in cultured hepatocytes during chemical hypoxia, analysis (rat), **170**, 477
Bleomycin
  –^{57}Co stable complex, with very high specific radioactivity, preparation for use at very low concentrations, **173**, 259
Blood, *see also* Plasma, Serum
  crosslinked type III collagen aminopropeptide and antigen fractions, lipoprotein binding (human, rabbit), **170**, 519
  low-density desialylated lipoproteins in atherosclerosis patients, isolation: affinity chromatographic separation from native form, **167**, 1122
  nitroxide radicals, ESR measurement (mouse), **172**, 1342
  peripheral, lymphocytes and monocytes, specific binding sites, identification of carrier-immobilized derivatized lysoganglioside GM_1 as ligand (human blood), **169**, 239
Blood–brain barrier
  specific expression of brain-type glucose transporter mRNA (bovine), **166**, 174
Blood pressure
  arterial, *in vivo* effects of N^G-monomethyl-L-arginine and N^ω-nitro-L-arginine, comparison (rat), **167**, 1037
  effect of 14,15-epoxyeicosatrienoic acid infusion in normal and hypertensive rats, **167**, 977
Blood–tissue barrier
  detection of erythrocyte/HepG2-type glucose transporter (rat), **173**, 67
Blood types
  vitronectin, correlation with vitronectin gene polymorphism (human), **167**, 1355
BMY-21950
  and CI-981, responses of HepG2 cells and primary rat hepatocytes, comparison, **170**, 726
Bone
  calvaria, experimental conditions during long-term incubation, effects on prostaglandin measurement (neonatal mouse), **169**, 545
  collagen, high-resolution solid-state nuclear magnetic resonance spectra (bovine), **167**, 761
  fetal, metabolism *in vitro*, helodermin effects (rat), **170**, 576
  low-molecular-weight peptides in extracts, stimulation of osteoblast mitogenesis (mouse), **173**, 382
  osteopetrotic, production of collagenase and TIMP in organ culture, regulation by vitamin A (mouse), **168**, 1171

- resorption
  - inhibitory regulation, role of interleukin-4 (mouse), **172**, 1035
  - and proton transport, osteoclast, inhibition by bafilomycin A_1 (rat), **168**, 309

Bone marrow
- cultures, induction of osteoclast-like cell formation in, comparative effects of 1,25-dihydroxyvitamin D_3 and calcipotriol (human), **171**, 1056
- derived stromal cell types, neutral endopeptidase expression, analysis (mouse), **172**, 620

Bone morphogenetic protein-2
- recombinant human, induction of C3H10T1/2 cell differentiation into osteoblasts (mouse), **172**, 295

Bone sialoprotein II
- mammalian, similarity to phosphoprotein isolated from chicken bone, **173**, 471

Botulinum toxin
- type C_1, encoding gene in c-st phage genome, complete nucleotide sequence, **171**, 1304

Bradykinin
- effects on
  - intracellular Ca^{2+} stores in vascular endothelial cells: refilling system (human), **167**, 933
  - phosphoinositide breakdown in intact renal glomeruli and proximal tubules, modulating role of phorbol ester (rat), **166**, 373
- stimulation of mono- and diacylglycerol lipase activities in neural cultures of fetal spinal cord (mouse), **166**, 1001

Bradykinin receptors
- high-affinity, myometrial membrane, coupling to pertussis toxin-sensitive G proteins of G_i family (rat), **167**, 910

Brain
- Alzheimer's disease-affected, basic fibroblast growth factor levels and distribution (human), **171**, 690
- amyloid A4 protein precursor mRNA, differential splicing: predominance of $PreA4_{695}$ mRNA expression (human, rat), **166**, 1192
- cytochrome P450-dependent drug metabolism, regional and subcellular distribution (monkey), **169**, 858
- cytosol, detection of N-methyltransferase activity converting phosphorylethanolamine to phosphorylcholine (rat), **171**, 758
- detection of
  - pro-dermorphin processing products (rat), **170**, 30
  - *2H*-1,4-thiazine-5,6-dihydro-3-carboxylic acid (bovine), **166**, 1251
- developmental expression of β amyloid protein precursor (mouse), **167**, 54
- development-dependent expression of low-molecular-weight GTP-binding proteins (chicken embryo), **172**, 633
- distinct angiotensin II binding sites, detection with $[^{125}I]Sar^1,Ile^8$-angiotensin II and selective nonpeptide antagonists (rat), **171**, 813
- endoplasmic reticulum calcium stores, discrimination by inositol trisphosphate and thapsigargin (rat), **172**, 811
- hippocampal slices, norepinephrine release, blockage by hepoxilin A_3 (rat), **173**, 949
- identification of
  - C-type natriuretic peptide (pig), **168**, 863
  - N-terminally extended form of C-type natriuretic peptide (pig), **170**, 973
- inositol phosphates, decapitation-induced changes (rat), **167**, 1294
- interleukin-1β mRNA levels, effect of convulsants (rat), **171**, 832
- isolated coated vesicles, coupling of adenosine A_1 receptors to G protein: presence of pertussis and cholera toxin substrates (bovine), **171**, 770
- and liver, protein disulfide-isomerase gene expression, differential regulation during development (rat), **170**, 421
- membranes
  - binding of $[^{35}S]$lanthionine ketimine (bovine), **171**, 480
  - identification of receptor for pituitary adenylate cyclase activating polypeptide (bovine), **171**, 838
- neurotoxic effects of pyridinium metabolite of haloperidol (rat), **166**, 238
- and nonneuronal tissues, L-DOPA decarboxylase mRNA, comparative and quantitative study (rat), **170**, 1006
- nuclear poly(A) polymerases, relationships to hepatic and tumor-type enzymes (pig), **169**, 325
- and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377
- oxygen utilization, analysis by ^{17}O NMR (rat), **169**, 153
- parkinsonian striatum, deleted relative to normal mitochondrial DNA, quantitation by kinetic PCR analysis, **172**, 483
- phospholipase A_2, Ca^{2+}-induced translocation from cytosol to membranes (rat), **170**, 484
- protein oxidation and myelinolysis after rapid correction of hyponatremia (rat), **172**, 92
- protein synthesis, inhibition by moderate increases in plasma phenylalanine (rat), **168**, 1177
- regional distribution of endothelium-derived relaxing factor/nitric oxide-synthesizing enzymes (rat), **168**, 727
- regulation of insulin and epidermal growth factor transmembrane signal protein kinase FA (pig), **166**, 267
- specific binding of $[^3H]$inositol hexakisphosphate, characterization (rat), **167**, 819
- striatal accumulation of deleted mitochondrial DNA in Parkinson's disease and senescence (human), **170**, 1044
- striatal adenylate cyclase, effect of substance P, regulation by guanine nucleotides (rat), **167**, 211

Brain natriuretic peptide
- biological characterization: species-specific actions (human, rat), **173**, 599
- immunoreactive, in cardiac atrium, characterization (human), **166**, 1080
- isolation and identification in cardiac atrium (human), **167**, 693
- metabolism *in vivo*, role of endopeptidase 24.11 and angiotensin-converting enzyme (rat), **173**, 265
- related peptide from eel brain, amino acid sequence and biological activity, **170**, 883
- role in development of hypertension (rat), **173**, 632

Branched-chain α-keto acid dehydrogenase complex, *see* 2-Oxoisovalerate dehydrogenase (lipoamide)
Branched-chain 2-oxo acid dehydrogenase, *see* 2-Oxoisovalerate dehydrogenase (lipoamide)
Brevin
purification and properties (bovine plasma), **168**, 451
N-Bromosuccinimide
and diethyl pyrocarbonate, modification of purified ampicillin acylase (*Pseudomonas melanogenum*), **166**, 904
Brugia malayi
growth and development, role of transglutaminase-catalyzed reactions, **173**, 1051
Buffy coat
derived amplified DNA, in identification of mutation in HbE-β-thalassemia (human), **170**, 698
Butanol
effect on mitochondrial membrane fluidity and activity, in analysis of mitochondrial contact sites, **173**, 878
Butylated hydroxytoluene
prevention of sugar-induced cataractogenesis (rat), **168**, 939
tert-Butyl hydroperoxide
induction of glutathione depletion and formation of glutathione–protein mixed disulfide in mitochondria (rat brain), **169**, 1075

C

Cachectin, *see* Tumor necrosis factor
N-Cadherin
avian form, mammalian and invertebrate analogs, identification with antibodies against synthetic peptide corresponding to conserved cytoplasmic domain, **172**, 313
Cadherins
extensive sequence homology with bovine desmoglein, **173**, 1224
Cadmium
induction of heme oxygenase and hsp 70 gene activation in hepatoma cells (human), **166**, 1429
Caenorhabditis elegans
recovering dauer larvae, enzyme induction by increased levels of food source in recovery medium, **172**, 1013
Calbindin-D_{9K}
recombinant synthetic and mutant, stimulation of intestinal basolateral membrane calcium pump activity (rat), **170**, 603
Calbindin-D_{28K}
pre-messenger RNA sequences, identification by polymerase chain reaction (chicken), **168**, 430
Calcifediol
1α-, 24-, and 26-hydroxylations, catalyzing mitochondrial cytochromes P450, separation and analysis (porcine kidney), **168**, 261
Calcimycin
activation of phospholipase D in normodense eosinophils (human), **170**, 540
coordinated induction of genes encoding Ig-binding/glucose-regulated protein BiP/GRP78 and glyceraldehyde-3-phosphate dehydrogenase (human), **171**, 431
stimulated prostaglandin E_2 synthesis in renal mesangial cells, potentiation by interleukin-1 and tumor necrosis factor (rat), **169**, 585
stimulated release of oleic, linoleic, and arachidonic acids in neutrophils, effects of H-7 inhibition of protein kinase C (human), **167**, 168
Calcineurin
phosphorylation, effect on calmodulin binding, **172**, 551
Calcipotriol
and 1,25-dihydroxyvitamin D_3, comparative effects on induction of osteoclast-like cell formation in bone marrow cultures (human), **171**, 1056
Calcitonin
gene expression during migration (Pacific salmon), **173**, 788
mRNA
increased levels in thyroid of rats at high risk of C-cell tumors, genetic determination, **167**, 232
sequence analysis (rabbit), **171**, 1111
Calcitonin gene-related peptide
effects on
insulin-stimulated glucose transport in diaphragm (rat), **169**, 451
plasma calcium levels in chick, **169**, 846
inhibition of periarterial nerve stimulation-induced vasodilation of mesenteric arterial bed (rat), **168**, 786
stimulation of adenylate cyclase activity in gill cell membranes (trout), **172**, 582
type α, human, regional hemodynamic action in rat, antagonistic effect of human α-CGRP [8–37], **171**, 938
type β, isolation, purification, and characterization (human spinal cord), **167**, 993
Calcitonin gene-related peptide receptors
desensitization, inhibition of periarterial nerve stimulation-induced vasodilation of mesenteric arterial bed (rat), **168**, 786
Calcium
activated potassium channels, voltage gating (human lymphocytes), **171**, 325
binding by isolated p9Ka protein, analysis (rat), **169**, 660
binding protein SPARC, purification from Sertoli cell-enriched culture medium (rat), **167**, 1393
binding site of placental anticoagulant protein, role of histidine residue (human), **168**, 125
biomineralization-associated, quantification in tissue culture system by total reflection X-ray fluorescence (chicken), **170**, 1216
calpain forms requiring high levels, specific activation by isovalerylcarnitine (rat), **167**, 373
and cAMP, independent stimulation by glucagon and prostaglandin E_1 (MDCK cells), **167**, 1162
concentration-dependent inhibition of phosphatidic acid-stimulated protein kinase C activity in presence of diolein, **171**, 487
cytoplasmic
desensitization and muscarinic re-sensitization of smooth muscle force and myosin light chain phosphorylation to, analysis (guinea pig), **172**, 1291

  - in single beta and alpha cells purified from pancreatic islets, secretagogue effects (rat), **166**, 813
- cytosolic
  - basal levels, in cardiac myocytes, reduction by atrial natriuretic peptide (guinea pig), **167**, 413
  - in cardiac myocytes, effect of platelet release products (chicken), **170**, 1121
  - dynamics, effects on prolactin secretion induced by depolarizing K$^+$ or hyposmolarity (GH_4C_1 cells), **170**, 968
  - and inositol trisphosphate, levels in dispersed parotid acini, effects of simultaneous stimulation at muscarinic and α_1-adrenergic receptors (rat), **166**, 967
  - in neutrophils, increase stimulated by formyl-methionyl-leucyl-phenylalanine, inhibition by tauroursodeoxycholic acid (human), **171**, 1115
  - in pituitary gonadotrophs, role of voltage-sensitive calcium channels (rat), **170**, 359
  - role in lysis of S49 T-lymphoma cells by phytohemagglutinin (mouse), **170**, 1035
- effects on
  - cellular action of forskolin in renal papillary collecting tubule cells in culture, analysis with ouabain (rat), **166**, 411
  - interactions of DnaK with ATP (*Escherichia coli*), **166**, 1284
- endoplasmic reticulum stores in brain, discrimination by inositol trisphosphate and thapsigargin (rat), **172**, 811
- extracellular, effect on contractile action of endothelin (rat aorta), **171**, 301
- fast force transients, production during diazo-2-initiated striated muscle relaxation (scallop), **168**, 295
- induced Ca^{2+} release, role in volume regulation of epithelial cells exposed to hypotonic medium (human), **167**, 287
- induction of phospholipase A_2 translocation from cytosol to membranes (rat brain), **170**, 484
- influx and cytosolic levels in erythrocytes, modulation by external Ca^{2+} and nicardipine (human), **173**, 954
- inhibition of sodium pump $\alpha2$ isomer at physiological levels (rat), **173**, 99
- intracellular
  - in control of osteoclast function, effect of verapamil (rat), **167**, 807
  - effect of inositol 1,4,5-trisphosphorothioate (*Xenopus laevis* oocytes), **172**, 229
  - elevation in rat vascular smooth muscle cells and human fibroblasts by low-density lipoproteins without mediation of LDL receptor, **167**, 353
  - increase in endothelial cells, stimulation by aggregating platelets through release of adenine nucleotides (human), **166**, 909
  - and inositol 1,4,5-trisphosphate, ethanol-induced increase (rat hepatocytes), **173**, 774
  - role in control of osteoclast function: voltage insensitivity and effects of nifedipine, BAY K 8644, and diltiazem (rat), **167**, 183
  - stores in vascular endothelial cells, refilling system (human), **167**, 933
- intracellular free
  - angiotensin II-induced increase in early proximal tubules, effect of mercuric chloride (rat kidney), **173**, 606
  - GRF-induced increase in dispersed pituitary cells, facilitation by somatostatin pretreatment (rat), **172**, 276
  - mobilization by CD 9 monoclonal antibody, analysis (human platelets), **171**, 109
  - in vascular smooth muscle cells, parathyroid hormone-induced transient increase (rat), **166**, 709
- mediated subcellular redistribution of protein kinase C in primary neuronal cultures, analysis (rat), **166**, 22
- metabolism in fetal bone *in vitro*, helodermin effects (rat), **170**, 576
- micromolar concentrations
  - in calpain-dependent solubilization of nuclear protein kinase (rat liver), **168**, 589
  - magnesium-dependent phosphotyrosine protein phosphatase inhibited by, characterization (bovine brain), **167**, 621
- mitochondrial matrix, control: studies with fluo-3 as fluorescent calcium indicator (rat liver), **167**, 148
- mobilization
  - CD3-mediated, inhibition by phorbol ester independently of protein kinase C activation (Jurkat cells), **173**, 396
  - effect of 2,3-dibenzylbutane-1,4-diol (human neutrophils), **168**, 194
  - platelet activating factor-induced, in lymphoblastoid B cells: evidence for PAF receptor (human), **166**, 1047
  - by serum growth factors, relationship to simultaneous induction of Na$^+$/H$^+$ antiporter (NIH 3T3 fibroblasts), **167**, 1206
  - stimulation by vasoactive intestinal contractor peptide (Swiss 3T3 cells), **167**, 161
- myofilament sensitivity to, in α-toxin-permeabilized arterial smooth muscle, augmentation by norepinephrine and GTP-γ-S (rabbit), **157**, 677; *erratum*, **166**, 1061, 1508
- Na$^+$-dependent efflux in chromaffin cells, inhibition of stimulus-induced secretion (bovine), **166**, 1346
- –Na$^+$ exchange
  - effects of calpactins purified from cardiac muscle (bovine), **172**, 1067
  - sarcolemmal, effect of phospholipid fatty acyl composition (dog), **168**, 917
- plasma levels, effects of calcitonin gene-related peptide (chicken), **169**, 846
- protection of pituitary basic fibroblast growth factors from limited proteolysis by co-purifying proteases, **173**, 1116
- regulation of phospholipase C activity in rod outer segments (bovine retina), **173**, 283
- release from isolated vacuoles, effects of inositol 1,4,5-trisphosphate analogs: receptor specificity for 1,5-bisphosphate position (*Neurospora crassa*), **166**, 1319
- role in
  - divalent cation-dependent structure of platelet membrane glycoprotein Ia-IIa complex, **168**, 107
  - sorbitol release from inner medullary collecting duct

- cells under hypoosmotic stress (rat), **170**, 563
- second messenger function, inhibition by anti-epidermal growth factor receptor antibody 425 (human), **172**, 471
- spermatozoal levels, changes during incubation in capacitating medium and seminal plasma (pig), **172**, 47
- transport in
  - cardiac mitochondria, effect of pH (ferret), **166**, 1352
  - perfused duodenum, rapid enhancement by 1,25-dihydroxyvitamin D_3, mimicry by Ca^{2+}-channel agonist Bay K 8644 (chicken), **166**, 217
- uptake by
  - brush border membrane vesicles, kinetics, effect of hypertension (rat), **170**, 742
  - heavy sarcoplasmic reticulum, initial fast phase, improved resolution by Ca^{2+}–antipyrylazo III dual-wavelength spectroscopy (rabbit muscle), **168**, 364
- and voltage, sensitive ATP-modulated potassium channel in coronary artery smooth muscle cells, description (pig), **172**, 517

Calcium-activated neutral protease, *see* Calpain

Calcium channels
- agonist Bay K 8644, mimicry of 1,25-dihydroxyvitamin D_3 rapid enhancement of Ca^{2+} transport in perfused duodenum (chicken), **166**, 217
- dihydropyridine-sensitive, partially purified from cardiac muscle in reconstituted system, activation, role of endothelin-1 (pig), **171**, 1205
- L-type
  - skeletal muscle, subunit composition analysis by combined denaturing and nondenaturing gel electrophoresis (rabbit), **172**, 751
  - α_1 subunit, transformed murine fibroblast cell line, binding of $[^3H]$PN200-110 (rabbit), **169**, 825
- voltage-sensitive, role in $[Ca^{2+}]_i$ and secretory responses to protein kinase C activators in pituitary gonadotrophs (rat), **170**, 359

Calcium chloride
- with/without KSCN, in preparation of microvillus membrane vesicles, effects on vesicle composition and fluidity (rat intestine), **170**, 433

Calcium currents
- voltage-dependent, in trigeminal ganglion neurons, analysis (chicken), **167**, 1015

Calcium phosphate
- basic, crystals, induced mitogenesis, inhibition by phosphocitrate (BALB/c-3T3 cells), **171**, 20

Calcium pump, *see* ATPase, Ca^{2+}-

Calmodulin
- activated chromatin-bound histone 3 kinase, identification and partial purification (calf thymus), **171**, 84
- binding proteins, subcellular distribution (yeast), **166**, 681
- calcineurin binding to, effect of CaN phosphorylation, **172**, 551
- dependent stimulation of free radical generation in leukocytes by various agents, analysis (human), **167**, 1030
- encoding gene, down-regulation of expression in diabetic rats, **168**, 1007
- inhibitor neuropeptide Y[12–36], isolation (porcine brain), **169**, 1164
- mRNA, identification of multiple species (human), **172**, 1145
- plasma membrane, decrease during proliferative activation (rat hepatocytes), **173**, 1287
- and protein kinase C, modulation of smooth muscle calponin, **171**, 933

Calpactins
- identification and purification from cardiac muscle and effect on Na^+/Ca^{2+} exchange activity (bovine), **172**, 1067

Calpain
- binding sites on erythrocyte membranes, relationship to membrane phospholipids (human), **171**, 625
- endogenous activator, identification in skeletal muscle (rat), **171**, 569
- high-calcium-requiring forms, specific activation by isovalerylcarnitine (rat), **167**, 373
- small subunit, derived N-terminal peptides, neutrophil chemotactic activity (human), **169**, 1242
- type I, inhibition by calpastatin, characterization of associated functional domains (human), **166**, 1485
- type II, dependent solubilization of nuclear protein kinase at micromolar Ca^{2+} concentrations (rat liver), **168**, 589

Calpastatin
- functional domain, characterization (human), **166**, 1485

Calponin
- smooth muscle, modulation by protein kinase C and calmodulin (chicken gizzard), **171**, 933

Calpromotin
- cytoplasmic, calcium-dependent protein transport-activating, purification and measurement (human erythrocytes), **166**, 146

Calsequestrin
- amino acid sequence deduced from cDNA, comparison with aspartactin (chicken), **170**, 1089; *erratum*, **173**, 763
- interactions with junctional sarcoplasmic reticulum proteins (porcine, rabbit muscle), **172**, 1253
- partial amino-terminal sequence, homology with aspartactin (chicken skeletal muscle), **166**, 898
- region binding to junctional face membrane of sarcoplasmic reticulum, identification (rabbit muscle), **167**, 189

Calvaria
- fetal, derived folded periostea, as *in vitro* culture system for quantification of biomeneralization (chicken), **170**, 1216
- osteblastic cells, effects of endothelin family peptides *in vitro* (rat), **170**, 998

(+)Camphor
- oxidation by $P450_{soy}$-enriched *Streptomyces griseus*, lack of regio- and stereospecificity, **170**, 456

Camptothecin
- exposed simian virus 40, associated breakage in leading and lagging strand of viral DNA replication forks, **168**, 135

  induction of myeloid leukemia cell differentiation (human, mouse), **166**, 160
Candida albicans
  cell morphology and guanine nucleotide-sensitive adenylylcylcase activity, effects of glucagon, **167**, 1177
  detection of specific high-affinity binding sites for human luteinizing hormone and human chorionic gonadotropin, **167**, 1050
Candida tropicalis
  detection of specific high-affinity binding sites for human luteinizing hormone and human chorionic gonadotropin, **167**, 1050
Carbachol
  and epinephrine, simultaneous administration in dispersed parotid acini, effects on inositol trisphosphate and cytosolic Ca^{2+} levels (rat), **166**, 967
  resensitization of smooth muscle force and myosin light chain phosphorylation to cytoplasmic Ca^{2+} (guinea pig), **172**, 1291
Carbohydrate composition
  recombinant pro-urokinase (human), **171**, 401
Carbohydrates
  associated attachment site of gastric cathepsin E, characterization (human), **168**, 878
  binding protein, galactose-specific, isolation and characterization from lymphoblastic cells (human), **173**, 1079
Carbon tetrachloride
  inactivation of protein kinase C: role of CCl$_4$ metabolic activation and prooxidant effect (rat hepatocytes), **171**, 1353
  induced liver injury, associated formation of acetaldehyde–collagen adducts (rat), **173**, 111
Carbovir
  racemic, resolution and selective inhibition by (−) enantiomer of HIV-1 *in vitro* (human), **168**, 912
Carboxylic acids
  formation by hepatic microsomal oxygenation of aldehydes, analysis (mouse), **166**, 1308
Carboxypeptidase
  lysosomal, deficient activity in galactosialidosis (human fibroblasts), **168**, 22
Carcinoembryonic antigen
  binding protein from ascites, effect on CEA uptake by rat macrophages (human), **171**, 633
  binding to rat Kupffer cells, role of peptide at junction of N-terminal and first loop domains (human), **170**, 391
  gene family members, expression in submandibular salivary gland: demonstration of pregnancy-specific glycoproteins by cDNA cloning (human), **169**, 203
  identified family member pregnancy-specific glycoprotein 7, cloning and sequencing (human fetal liver), **168**, 214
Carcinogenesis
  hepatic, diethylnitrosamine-induced, associated enhanced expression of 27-kDa protein (rat), **170**, 908
Carcinogenicity
  6-sulfooxymethylbenzo[*a*]pyrene in murine liver, evaluation, **172**, 85
Cardiomyopathy
  hypertrophic or dilated, cardiomyocytes from affected patients, detection of multiple mitochondrial DNA deletions, **170**, 830
  magnesium deficiency-induced, protective effect of vitamin E (hamster), **170**, 1102
β-Carotene
  selective cytotoxicity in epidermal carcinoma, associated induction of 70-kDa protein (human), **169**, 941
β-Casein
  immunogenic tryptic peptide of, T- and B-cell determinants, relative positioning and effect on antibody response (mouse), **169**, 803
Casein kinase I
  phosphorylation of *src*-phosphopeptides, role of phosphotyrosine, **170**, 635; *erratum* **171**, 1414
  subcellular localization (murine ascites tumor cells), **167**, 471
Casein kinase II
  high activity levels in epidermal keratinocytes, relationship to hyper-phosphorylation of human papillomavirus type 16 E7 oncoprotein, **172**, 958
  mammalian, DNA binding activity (bovine), **173**, 862
  phosphorylation of *src*-phosphopeptides, role of phosphotyrosine, **170**, 635; *erratum* **171**, 1414
  phosphoserine as substrate determinant for, evaluation, **172**, 190
Catalase
  cDNA from acatalasemic mutant, sequence analysis (mouse), **173**, 1043
Cataractogenesis
  sugar-induced, effects of allopurinol and butylated hydroxytoluene (rat), **168**, 939
Catecholamines
  derived melanins, synthetic soluble, inhibition of HIV-1 replication and cytopathogenicity *in vitro* (human lymphoblastoid cells), **168**, 200
  release from adrenal chromaffin cells
    enhancement by alamethicin (cat), **169**, 1204
    stimulation by arachidonic acid (bovine), **169**, 773
    stimulus-induced, inhibition by Na$^+$-dependent Ca^{2+} efflux (bovine), **166**, 1346
Cathepsin B
  expression, effect of differentiation of U937 promonocytes by granulocyte-macrophage colony-stimulating factor (human), **167**, 659
  lysosomal pro-enzyme, secretion by MCF7 cells, effect of estradiol, **171**, 972
Cathepsin D
  digestion of big endothelin-1, analysis (bovine), **172**, 883
  endogenous, encoding gene, estrogen responsiveness, induction by transfection with estrogen receptor cDNA (HeLa cells), **169**, 109
  lysosomal pro-enzyme, secretion by MCF7 cells, effect of estradiol, **171**, 972
  proteolytic processing of porcine big endothelin-1, analysis, **173**, 1218
  related enzyme, purification and characterization: evidence for identification as endothelin converting enzyme (bovine adrenal medulla), **168**, 1230

- Cathepsin E
  - amino-terminal structure and carbohydrate units, analysis (rat), **166**, 1032
  - gastric, carbohydrate attachment site and isozymic forms (human), **168**, 878
- Cathepsin G
  - inhibition by peptidyl 1,2-dicarbonyl derivatives (human), **166**, 595
- Cathepsins
  - inhibiting properties of analogs of synthetic peptide mimicking cystatin (rat liver), **167**, 117
- CDC2 kinase
  - differences in cytoplasmic and nuclear fractions during cell cycle (murine FM3A cells), **172**, 371
- Celastrol
  - inhibitory effect on lipid peroxidation in mitochondria (rat liver), **172**, 890
- Cell adhesion
  - endothelial cell-dependent, human monocytic tumor cells, effect of 14,15-epoxyeicosatrienoic acid (human), **167**, 137
  - hyperadhesiveness of endothelial cells for neutrophils, induction by leukotriene B_4 (human), **166**, 848
  - regulation of melanoma-specific differentiation and macromolecular interactions with tyrosinase gene 3′ region, **172**, 638
  - sialic acid-dependent, colon carcinoma sublines to collagen IV, correlation with *in vivo* tumorigenicity (human), **171**, 860
  - *Trypanosoma cruzi* to host cells, associated parasite surface proteins, purification, **172**, 925
- Cell adhesion molecules
  - endothelial–leukocyte, ELAM-1, description of blocking monoclonal antibody, **171**, 348
- Cell cultures
  - anchorage-independent conditions, related growth of squamous cell carcinomas overexpressing epidermal growth factor receptors, stimulation by EGF (human), **168**, 905
  - malignant and nonmalignant human mammary epithelial cells in collagen gel matrix, effects of transforming growth factor β, **173**, 1239
- Cell cycle
  - associated changes in CDC2 kinase activity in cytoplasmic and nuclear fractions (murine FM3A cells), **172**, 371
  - effects of interleukin-1 (A375 melanoma cells), **173**, 186
  - interphase and mitotic phase
    - associated histone H1 kinases, identification (murine fibroblasts), **168**, 763
    - differential accessibility of nuclear lamin A tail domain (human epithelial cells, fibroblasts), **173**, 363
  - light–dark, associated chloroplast gene expression, translational regulation, role of ATP/energy supply (*Chlamydomonas reinhardtii*), **170**, 1082
  - regulation of *cdc25*$^+$ gene product (fission yeast), **167**, 301
- Cell lines, *see also* Tumor cells
  - BPNi (hamster embryo), morphological transformation and junctional communication, effects of okadaic acid, **167**, 1302
  - CHO (Chinese hamster ovary), *see* CHO cells
  - hepatic and nonhepatic, plasminogen gene transcription, definition of initiation site (human), **173**, 1013
  - KCo, detection of tumor growth factor β-related activity in extracts (*Drosophila* sp.), **169**, 1178
  - MT-2C, HIV-1 cytopathogenicity, selective inhibition by (−) carbovir (human), **168**, 912
  - normal and transformed, detection of intracisternal A-particle related transcripts (rat), **169**, 222
  - Sf9 (*Spodoptera frugiperda*)
    - baculovirus-directed expression system, production of recombinant proteins, effects of ecdysteroids, **167**, 1154
    - expression of 41-kDa insulin receptor tyrosine kinase domain: purification and properties, **168**, 616
    - recombinant baculovirus-infected, human β-galactosidase expression, glycosylation, and intracellular distribution, **167**, 746
  - SFME (serum-free mouse embryo), cystatin C expression, regulation by transforming growth factor β, **172**, 945
  - various, gene transfer by xenotropic and amphotropic pseudotyped recombinant retroviruses, evaluation, **169**, 8
  - WISH (human amnion), TNF induction of protein kinase C translocation to membranes and inhibition of EGF binding, relationship, **168**, 690
- Cellulase
  - *Bacillus polymyxa* and *B. subtilis*, highly divergent, conserved Asn–Glu–Pro sequence, role of Glu in enzymatic activity, **169**, 1035
  - *Clostridium cellulovorans*, gene cloning, **169**, 667
  - *Clostridium thermocellum*, gene cloning in *Escherichia coli*, **167**, 1057; *erratum*, **168**, 1326
- Cellulose acetate
  - membrane, based immunoassay with thermally reversible polymer–antibody conjugate, **172**, 652
- Central nervous system
  - embryonic, spatial and temporal expression of cellular retinoic acid binding protein along anteroposterior axis (mouse), **169**, 991
  - mediation of interleukin-1 inhibitory effects on gastric secretion and ulcer formation (rat), **173**, 585
- Cephalosporins
  - and penicillins, initial enzyme unique to biosynthesis of, purification from *Cephalosporium acremonium*, **169**, 1145
- Cerebrospinal fluid
  - from Alzheimer patients, amyloid β-protein precursor with active form of proteinase inhibitor domains, determination by trypsin–antibody sandwich ELISA, **166**, 1453
  - detection of endothelin-1-like immunoreactivity (human), **166**, 1274
  - DSIP-degrading aminopeptidase, purification and characterization (human), **167**, 1256
- Chargerin II
  - in H^+-ATP synthase, stoichiometric assay (rat liver mitochondria), **168**, 226
- Charybdotoxin
  - synthesis by solution procedure, **170**, 684

Chelation
  mercury by ouabain-sensitive and -resistant renal Na,K-ATPase (rabbit, rat), **167**, 1115
Chelerythrine
  identification as potent and specific inhibitor of protein kinase C (rat brain), **172**, 993
Chelex-100
  and edetic acid, buffer system with, comparison in determination of pH and temperature effects on fluorescent calcium indicators, **171**, 102
Chemical shifts
  H_α, acetyl-glycyl-N-methylamide and oligoglycines, theoretical variation with molecular conformation and environment, **171**, 1211
Chemostats
  at changing dilution rates, in selection of mutants with enhanced β-galactosidase catalytic rates (*Escherichia coli*), **166**, 1245
Chemotactic factors
  genes, disparate expression by human neutrophils, **173**, 725
Chemotaxis
  associated wasp peptides, role of lysine residue at 7th position, **168**, 844
  neutrophils
    activity of N-terminal peptides from calpain small subunit, assessment (human), **169**, 1242
    generation during ethanol metabolism by hepatocytes, role of glutathione and glutathione peroxidase (rat), **167**, 1170
    inducing platelet-derived polypeptide, partial sequencing (human), **172**, 898
    relationship to cell density (human), **172**, 1094
Chlamydomonas reinhardtii
  chloroplast gene expression during light–dark cell cycle, translational regulation, role of ATP/energy supply, **170**, 1082
Chloramine-T
  effect on plasminogen activator inhibitor 2, **166**, 993
Chloramphenicol acetyltransferase
  gene expression
    by *Cyp1a-2* promoter in hepatoma cell cultures (mouse, rat), **172**, 1109
    regulation by angiotensin II via protein kinase C-dependent pathway, role of TPA responsive element (human, rat), **172**, 1189
  –pyruvate kinase L fusion gene, tissue-specific expression in transgenic mice and regulation by diet and insulin, **171**, 243
Chlorate
  inhibition of tyrosine sulfation of type III procollagen, effect on protein secretion and processing (human fibroblasts), **170**, 264
Chloride
  conductivity into phospholipid vesicles, reconstitution by stilbene-sensitive chloride channel (chicken), **171**, 920
  current pattern in oocytes, effect of inositol 1,4,5-trisphosphorothioate (*Xenopus laevis*), **172**, 229
  intracellular, effects on cytoplasmic ATP levels and mitochondria, analysis by alteration of K_{ATP} channels (rat), **168**, 1137
  –Na^+–K^+ cotransport, role of atrial natriuretic peptide receptors (HeLa cells), **168**, 148
  uptake by cerebral membrane vesicles, regulation by thiamine compounds (rat), **171**, 1137
Chloride channels
  secretory, in intestinal epithelial cells, inhibition by Ca^{2+} channel blockers (human), **171**, 1022
  stilbene-sensitive, purification and reconstitution of chloride conductivity in phospholipid vesicles (chicken), **171**, 920
Chloride peroxidase
  one-electron reduction by radiolytically generated electrons (*Caldariomyces fumago*), **168**, 1311
2-Chloroacetal
  inhibition of cellular DNA synthesis, mechanism (bird, mouse, rat), **167**, 457
2-Chloroacetaldehyde
  inhibition of cellular DNA synthesis, mechanism (bird, mouse, rat), **167**, 457
Chloroacetol phosphate
  bound triose-phosphate isomerase, two conformational forms revealed by ^{31}P NMR spectroscopy (chicken muscle), **173**, 736
Chloroaluminum phthalocyanine tetrasulfonate
  phototoxicity, role of singlet oxygen, **173**, 34
Chloroform
  with/without methanol, phospholipid synthesis by extracellular phospholipase A_2 in (bacteria, insect, mammals, snake), **168**, 644
Chloroperoxidase, *see* Chloride peroxidase
3-Chloroperoxybenzoic acid
  role in tyrosyl radical generation by high-valent iron-oxo complex in ribonucleotide reductase activation (*Escherichia coli*), **168**, 659
m-Chloroperoxybenzoic acid
  application in chemical DNA sequencing, **173**, 272
Chloropicrin
  promutagenic, activation by *Streptomyces griseus* containing cytochrome $P450_{SOY}$, **166**, 743
Chloroplasts
  gene expression during light–dark cell cycle, translational regulation, role of ATP/energy supply (*Chlamydomonas reinhardtii*), **170**, 1082
  genome, specified proteins, homology to nuclear-coded 31-kDa subunit of complex 1 (*Neurospora crassa*), **171**, 1168
  photosystem 2 particles, identification of plantacyanin and role in oxygen-evolving activity of PS2 particles (cucumber, goosefoot, spinach), **168**, 232
  thylakoid-bound DNA, enrichment for replication forks (spinach), **172**, 204
Chloro(5,10,15,20-tetraphenyl)-porphyrinato iron(III)
  –fatty acid peroxide complex, coordination structure, ESR analysis, **166**, 924; *erratum*, **168**, 886
Chlorpromazine
  cooperative binding with hemoglobin: equilibrium

dialysis, fluorescence quenching, and oxygen release studies, **167**, 1146

CHO cells
- CHOC 400, amplified dihydrofolate reductase genes, replication timing, **170**, 134
- fluorescein isothiocyanate-labeled ricin binding and internalization, **169**, 602
- heat-induced preferential synthesis and redistribution of heat shock protein families HSP28 and HSP70, **172**, 119
- multidrug-resistant, drug transport, fast kinetic analysis with pulsed quench-flow apparatus, **167**, 48
- production of biologically active recombinant human nerve growth factor: purification and characterization, **171**, 116
- retention of transfected KDEL-modified cystatin C, **172**, 1384
- stable expression of human thyrotropin receptor and characterization of differentially expressing clones, **171**, 1044
- surface binding of streptavidin, mediation by RYD domain and displacement by synthetic RGD- and RYD-containing peptides and intact fibronectin, **170**, 1236
- transfected
  - grown in suspension culture, binding kinetics of mutated insulin receptors, **164**, 191; *erratum*, **168**, 387
  - with human glutathione *S*-transferase π gene, resistance to *cis*-diamminedichloroplatinum(II), **166**, 1358

Cholecystokinin
- analogs, receptor binding in isolated pancreatic acini (rat), **166**, 286

Cholecystokinin receptors
- binding of cholecystokinin analogs in isolated pancreatic acini (rat), **166**, 286

Cholera toxin
- catalyzed ADP-ribosylation, in detection of G proteins in coated cerebral vesicles (bovine), **171**, 770
- effect on phosphoinositide turnover induced by endothelin/sarafotoxin receptors (rat cardiac myocytes), **171**, 949
- inhibition of interleukin-8-induced lymphocyte migration *in vitro* (human), **169**, 1099
- modulation of interleukin-1-induced proliferation and IL-6 mRNA expression in astrocytoma cell line (human), **167**, 1242

5β-Cholestane-3α,7α,12α-triol
- oxidation to 3α,7α,12α-trihydroxy-5β-cholestanoic acid by mitochondrial cytochrome $P450_{26}$ (rabbit liver), **167**, 391

Cholesterol
- accumulation and esterification, effects of low-density lipoproteins (murine macrophages), **171**, 123
- efflux from
  - adipose cells, coupling to diacylglycerol production and protein kinase C activation, **173**, 1361
  - cultured fibroblasts, enhancement by n-3 polyunsaturated fatty acids (human), **173**, 566
- inhibition of lysophospholipase activity (rabbit aorta), **167**, 143
- loading of neutrophils, effect on nitric oxide and superoxide radical generation (human), **173**, 438

Cholesterol 7α-hydroxylase
- hepatic, mRNA levels, effect of thyroid hormone in hypophysectomized rats, **172**, 1150

Cholesterol oxidase
- gene isolation and identification (*Brevibacterium sterolicum*), **172**, 721; *erratum*, **173**, 1383

Cholinergic activity
- association with vasodilatory effect of imidazoindole in hypertensive nephrosclerosis (rat), **170**, 448

Cholinesterase
- cytosolic, effect of phytochrome action (oat cells), **169**, 159

Chondrocytes
- articular, independent induction of interleukin-6 and prostaglandin E_2 by interleukin-1 (human), **166**, 1163

Chondroitin sulfate
- chain, linkage with proteoglycan core peptide, detection of linkage region-degrading endo-β-galactosidase (*Patnopecten*), **169**, 15

Chondroitin 4-sulfate
- presence and function on recombinant human soluble thrombomodulin, **171**, 729

Chromaffin cells
- carrier-independent entry of 1-methyl-4-phenylpyridinium, role of charge delocalization (bovine), **168**, 1143
- identification of pancreatic trypsin inhibitor (bovine), **167**, 543
- phosphoinositide metabolism and catecholamine release, stimulation by arachidonic acid (bovine), **169**, 773
- stimulus-induced catecholamine secretion, inhibition by Na^+-dependent Ca^{2+} efflux (bovine), **166**, 1346
- tyrosine uptake *in vitro*, stimulation by bioflavonoids (bovine), **171**, 1199

Chromaffin granules
- proton-ATPase proteolipid, homologous yeast protein, structure and function (bovine), **168**, 574
- recombinant enkaphalin precursor, cleavage by endoproteolytic activity (bovine), **167**, 722

Chromatin
- associated *ras*-related protein Yp20, DNA binding properties (yeast), **167**, 628
- bound calmodulin-activated histone 3 kinase, identification and partial purification (calf thymus), **171**, 84
- disassembly into ≅50-kb units by detergent (human, mouse), **169**, 706
- histones in, selective trypsinization: application of enzyme coupling method on calibrated nylon spheres (rat liver), **167**, 9
- low-mobility-group proteins from, binding with histones, analysis by chemical cross-linking (rat liver), **166**, 11
- structure, role of histone tails, analysis with immobilized enzyme and specific antibodies (rat liver), **168**, 637
- transition of higher-order structure, occurrence at about 85% neutralization of DNA charges (rat liver), **172**, 1129

Chromatography, *see specific techniques*

Chromosomes
- 2, localization of sarcoplasmic/endoplasmic reticulum-type Ca^{2+}-ATPase gene (*Drosophila melanogaster*), **173**, 872

  8, localization of homolog encoding sulfated glycoprotein-2 (human), **172**, 160
  16 and 18, translocation in oxygen radical-transformed pulmonary fibroblasts (human), **169**, 70
  19, long arm, localization of pregnancy-specific glycoprotein genes: tight linkage and coordinate expression (human), **167**, 848; *erratum*, **168**, 1325
  cysE locus, structure and *in vivo* expression of *cysX* gene (*Escherichia coli*), **167**, 948
  X
    assignment of lactate dehydrogenase-B processed pseudogene (human), **171**, 67
    linked *Hyp* mutation, effects on Na$^+$-phosphate cotransporter molecular size and Na$^+$-dependent phosphonoformic acid binding in renal brush border membranes (mouse), **170**, 1288
Chronic granulomatous diseases
  related cytosols functionally and immunochemically deficient in 47- or 67-kDa NADPH oxidase cytosolic factors, production (human), **170**, 1114
Chymotrypsin
  activation of latent neutrophil collagenase (human), **171**, 979
  dipeptide inhibitors, specific inhibitory conformation (bovine), **166**, 1460
CI-949
  inhibition of neutrophil activation, mechanism (human), **167**, 828
CI-981
  3-hydroxy-3-methylglutaryl-coenzyme A reductase-inhibiting, differential responses of HepG2 cells and primary rat hepatocytes, **170**, 726
Cibacron blue
  F3GA, interaction with ribosome-inactivating proteins, **173**, 554
  and Patent blue, competition for inositol 1,4,5-trisphosphate binding to hepatic microsomes: effects on 5′-phosphatase activity (rat), **166**, 1334; *erratum*, **168**, 387
Ciprofibrate
  and clofibrate, differential induction of proto-oncogene mRNA (rat), **173**, 855
Circular dichroism
  in determination of stereospecificity of lipase-catalyzed hydrolysis of achiral triacylglycerols, **168**, 506
Cisplatin
  resistance
    in CHO cell lines transfected with human glutathione *S*-transferase π gene, analysis, **166**, 1358
    phenotypic reversion, association with reduced host cell reactivation of damaged plasmid (HeLa cells), **170**, 851
Citrate synthase
  in recovering dauer larvae, induction by increased levels of food source in recovery medium (*Caenorhabditis elegans*), **172**, 1013
L-Citrulline
  formation by aortic endothelial cell metabolism of N^G-monomethyl-L-arginine (bovine, rabbit, rat), **167**, 1037
Clathrin
  molecular assembly on liposome membranes, role in induction of membrane fusion, **173**, 134
Clofibrate
  and ciprofibrate, differential induction of proto-oncogene mRNA (rat), **173**, 855
  effect on hepatic branched-chain 2-oxo acid dehydrogenase complex (rat), **172**, 243
  and partially hydrogenated marine oil, differential effects on regulation of hepatic peroxisomal β-oxidation activity (rat), **166**, 780
Cloning
  α-*N*-acetylgalactosaminidase cDNAs (human), **170**, 231
  acid β-galactosidase cDNA: sequence analysis, expression of catalytic activity, and comparison with human enzyme (mouse), **173**, 141
  adenylate cyclase-stimulating peptide cDNA (human testis, ovine hypothalamus), **166**, 81
  aldosterone synthase cDNAs: variants of cytochrome P450$_{11\beta}$ (rat), **169**, 245
  androgen receptors from frog and mammals by polymerase chain reaction technique, **171**, 697
  arachidonate 12-lipoxygenase cDNA (human), **172**, 1230
  aromatic-L-amino acid decarboxylase cDNA (guinea pig), **170**, 1229
  cell adhesion protein expressed in squamous carcinoma cells (human), **166**, 984
  CHO cells stably expressing human thyrotropin receptor: characterization of differentially expressing clones, **171**, 1044
  Clostridium thermocellum endoglucanase genes in *Escherichia coli*, **167**, 1057; *erratum*, **168**, 1326
  color visual pigment cDNA (chicken), **173**, 1212
  complex II iron–sulfur subunit cDNA from hepatic mitochondria (human), **166**, 101
  component C8 cDNA of proteasomes (rat hepatoma cells), **171**, 676
  cytochrome P450$_{aldo}$ cDNA (human), **173**, 309
  desmoglein cDNA (bovine), **173**, 1224
  endo-1,4-β-glucanase genes (*Clostridium cellulovorans*), **169**, 667
  ferrochelatase cDNA (human placenta), **173**, 748
  gastrin mRNA from carcinoma cell lines with polymerase chain reaction (human), **170**, 691
  glutathione *S*-transferase cDNA from yeast *Issatchenkia orientalis*, and expression in bacteria, **172**, 669
  growth hormone cDNA (mink pituitary), **173**, 1200
  growth hormone-dependent insulin-like growth factor-binding protein IGFBP-3 (rat), **166**, 892
  H$^+$-ATP synthase subunit B import precursor cDNA (rat), **169**, 136
  hsp70-related gene expressed in spermatids (mouse), **166**, 43
  hydroxysteroid sulfotransferase a cDNA (rat liver), **166**, 1494
  import precursor cDNA for H$^+$-ATP synthase coupling factor 6 (rat liver mitochondria), **171**, 1079
  interferon-γ-inducible indoleamine 2,3-dioxygenase cDNA (human fibroblasts), **168**, 1
  intestinal mucin gene cDNAs (human), **171**, 407

- leukocyte elastase/medullasin cDNA (human), **167**, 1326
- luteinizing hormone/choriogonadotropin receptor cDNA (human), **172**, 1049
- methylamine dehydrogenase small subunit gene (*Methylobacterium extorquens* AM1), **172**, 211
- β-microseminoprotein gene (human), **167**, 1184
- nonspecific cross-reacting antigen cDNA (human leukocytes), **166**, 1063
- pancreastatin cDNA (rat), **167**, 1079
- parathyroid hormone cDNA for expression in *Escherichia coli*, **166**, 50
- pectin lyase gene from *Erwinia carotovora*, **168**, 801
- peptidylglycine α-amidating monooxygenase cDNA, **169**, 551
- pituitary adenylate cyclase activating polypeptide precursor protein cDNA (rat), **173**, 1271
- pregnancy-specific glycoprotein cDNA
  - PSG7 (human fetal liver), **168**, 214
  - three forms (human salivary gland), **169**, 203
- proximal promoter region of insulin-like growth factor I receptor gene (rat), **169**, 1021
- *ret* activated in papillary thyroid carcinoma cells (human), **168**, 402
- Rieske iron-sulfur protein cDNA (bovine cardiac mitochondria), **167**, 575
- sarcoplasmic/endoplasmic reticulum-type Ca^{2+}-ATPase cDNA (*Drosophila melanogaster*), **173**, 872
- *smg* p21B cDNA (bovine brain), **166**, 1010
- thermostable exoglucanase-encoding genes (*Clostridium thermocellum*), **169**, 1055
- thyroid stimulating hormone receptor cDNA (human), **166**, 394
- xylanase, β-D-xylosidase, and α-L-arabinofuranosidase genes (*Clostridium stercorarium*), **170**, 368

Clostridium pasteurianum
- nitrogen fixation-related *nifC* gene, sequence similarity to *chlJ* of *Escherichia coli*, **169**, 1122

Clostridium thermocellum
- endoglucanase genes, cloning in *Escherichia coli*, **167**, 1057; *erratum*, **168**, 1326
- thermostable exoglucanase genes, cloning and expression in *Escherichia coli*, **169**, 1055

Clotting
- associated activity of thrombin, inhibition by synthetic peptide segments of inhibitors and substrates, **169**, 437

Cobalamin
- coenzymes, biosynthesis, role of glutathionylcobalamin, **169**, 443

Cobalt-57
- –bleomycin stable complex, with very high specific radioactivity, preparation for use at very low concentrations, **173**, 259

Codons
- CCPurine, sequences with repetition of, presence in invertebrate genomes (*Owenia fusiformis*), **166**, 66

Coenzyme A
- transfer to specific carbohydrate-derivatized surfaces, mediation by hepatocytes (chicken, rat), **167**, 67

Coenzyme Q
- role in transplasma membrane electron transport (rat liver), **172**, 979

Colchicine
- and concanavalin A, differential effects on β-tubulin mRNA expression during neuritic processes of neuroblastoma cell line (mouse), **167**, 1348
- decreased accumulation in colonic cancer cell line resistant to hydrophobic drugs (human), **172**, 842

Cold pressor test
- effect on plasma endothelin-I levels (human), **169**, 217

Collagen
- abnormal molecules synthesized by fibroblasts from osteogenesis imperfecta patient, direct visualization, **172**, 217
- –acetaldehyde adducts, formation in carbon tetrachloride-induced liver injury (rat), **173**, 111
- degradation in I-cells and normal fibroblasts, comparison (human), **168**, 479
- dentin and bone, high-resolution solid-state nuclear magnetic resonance spectra (bovine), **167**, 761
- fibroblasts persistently spread on, enhanced expression of constitutive and inducible heat shock proteins HSP47 and HSP70, **172**, 135
- gel matrix, malignant and nonmalignant human mammary epithelial cells cultured in, effects of transforming growth factor β, **173**, 1239
- and platelet activating factor, cooperativity in aggregation of platelets (bovine), **168**, 1292
- type I, synthesis pauses and mRNA secondary structure, implications of codon usage pattern in α2(I) chain domain (chicken), **167**, 772
- type IV
  - glomerular basement membrane, α3 and α4 chains, evidence for collagenous domain (bovine), **170**, 322
  - sialic acid-dependent adhesion of human colon carcinoma sublines, correlation with *in vivo* tumorigenicity, **171**, 860
- type VIII, relationship to Descemet's membrane collagenous protein with elastin crosslinks, analysis (sheep), **171**, 260

Collagen aminopropeptide, *see* Procollagen, arterial type III

Collagenase
- neutrophil, latent, activation by reactive oxygen species and serine proteases (human), **171**, 979
- production by osteopetrotic bone in organ culture, regulation by vitamin A (mouse), **168**, 1171
- type IV, –92-kDa gelatinase, induction and stimulation by tumor necrosis factor α in tumor cells, **171**, 610

Colony formation
- colon adenocarcinoma cells, suppression by blockage of pp60$^{c\text{-}src}$ myristoylation (human), **173**, 894

Colony-stimulating factor
- granulocyte–macrophage
  - and granulocyte, stimulation and priming of neutrophils, comparison (human), **171**, 491
  - induced U937 promonocyte differentiation, effects on expression of elastase and cathepsin B (human), **167**, 659
  - primed neutrophils, platelet activating factor produc-

    tion, role of protein synthesis and phospholipase A_2 activation (human), **170**, 556
  production by cultured astrocytes (mouse), **169**, 719
  stimulated neutrophils, selective synthesis and secretion of 23-kDa protein (human), **172**, 1209
Colony-stimulating factor-1 receptors
  human, activation of c-*raf*-1 proto-oncogene kinase, **172**, 154; *erratum*, **173**, 1382
Complement
  C3b, regulatory system: factor I–cofactor proteins on peritoneal granulocytes (guinea pig), **170**, 504
  C5a, activation of phospholipase D in normodense eosinophils (human), **170**, 540
  C8 and C9, immunological relatedness with homologous restriction factor through cysteine-rich domains (human), **166**, 648
  and LAK cells, mediated cytolysis of tumor cells, effect of adsorption of 20-kDa homologous restriction factor, comparison, **171**, 717
  pro-C3, intracellular processing, inhibition by α_1-protease inhibitor $Met^{352} \rightarrow Arg$ variant in transfected cells, **171**, 236
Complementation analysis
  peroxisomal disorders, using β-oxidation of very-long-chain fatty acids (human), **172**, 364
Complement factor I
  –cofactor proteins, C3b regulatory, identification on peritoneal granulocytes (guinea pig), **170**, 504
Complement receptors
  type 1
    clustering at surface of polymorphonuclear leukocytes, induction by exudation (human), **172**, 1203
    up-regulation in neutrophils, induction by neutrophil-activating peptide NAP-1 (human), **166**, 187
Complex I, *see* NADH dehydrogenase (ubiquinone)
Complex II, *see* Succinate dehydrogenase (ubiquinone)
Concanavalin A
  and colchicine, differential effects on β-tubulin mRNA expression during neuritic processes (murine neuroblastoma cells), **167**, 1348
  stimulation of rolipram-sensitive isoforms of cyclic nucleotide phosphodiesterase in thymic lymphocytes (rat), **169**, 864
Connective tissue
  degradation, mast cells as effectors: matrix susceptibility to human mast cells (rat), **171**, 1272
ω-Conotoxin receptor
  high-affinity, and dihydropyridine receptor, identification as different molecules (bovine, rabbit brain), **173**, 483
Contraction
  aortic rings, contrasting effects of phorbol dibutyrate and phorbol myristate acetate (rabbit), **171**, 618
  permeabilized skeletal, cardiac, and smooth muscles, inhibition by trifluoperazine (guinea pig, hamster, rabbit), **166**, 1421
Convulsions
  drug-induced, effects on interleukin-1β mRNA levels in brain (rat), **171**, 832
Copper
  –ascorbic acid–O_2 system, in preparation of 3-hydroxycoumarins from coumarins, **168**, 169
  –5-phenyl-1,10-phenanthroline complex, chemical nuclease activity, detection of intermediates in transcription initiation by RNA polymerase (*Escherichia coli*), **168**, 756
Corpora lutea
  cultured cells, gonadotropin-releasing hormone receptors, evidence for coupling of different types to phospholipases C and A_2 (rat), **168**, 328
Corticosteroid-binding globulin
  interaction with activated leukocytes *in vitro* (human), **172**, 172
Corticotropin-releasing factor
  induced β-endorphin secretion in rat anterior pituitary cells, potentiation by interleukin-1, **173**, 988
Cortisol, *see* Hydrocortisone
Cotyledons
  senescence related changes in 15-lipoxygenase (peanut), **172**, 462
Coumarins
  in direct preparation of 3-hydroxycoumarins with Cu^{2+}–ascorbic acid–O_2 system, **168**, 169
C-protein
  fast isoform, detection with antiserum to N-terminal portion of dystrophin (human muscle), **169**, 57
Creatine phosphokinase B
  purification and identification as protein kinase C substrate (murine skin), **173**, 351
  regulation by protein kinase C in intact cells and cell-free system (murine skin), **173**, 346
Crosslinking
  covalent, in analysis of angiotensin receptors on differentiated NG108-15 cells, **170**, 1096
  in elastin, derived amino acid allodesmosine, isolation and characterization (bovine), **170**, 713
  uv-induced, proteins to PRDII domain of interferon-β promoter, analysis (human tumor cells), **167**, 1086
Crystallins
  β-γ super gene family-related gene
    isolation and characterization (*Xenopus laevis*), **171**, 1333
    structure and expression (*Xenopus laevis*), **171**, 1338; *erratum*, **173**, 481
  lens, glycosylation and high-molecular-weight aggregate formation in presence of ferrous ions and glucose (camel), **173**, 823
  type ζ, lens levels, correlation with high NADPH levels (guinea pig), **167**, 1221
Crystallization
  cytochrome-*c* oxidase by vapor diffusion, preliminary studies (bovine heart), **169**, 1105
  15-lipoxygenase from rabbit reticulocytes, **173**, 507
Crystals
  papain complexed with substrate and inhibitor, X-ray analysis: comparison of binding modes, **171**, 711
CTP (cytosine 5′-triphosphate)
  in allosteric control of quaternary states of asparate transcarbamylase, analysis (*Escherichia coli*), **171**, 1312
C-type natriuretic peptide
  gene and precursor structure (pig), **172**, 627

  - identification (pig), **168**, 863
  - isolation and sequence analysis (frog), **173**, 591
  - N-terminally extended form CNP-53, identification (pig), **170**, 973
  - stimulation of cyclic GMP production in cultured vascular smooth muscle cells (rat), **170**, 201
- Cucumber mosaic virus
  - infected transformed tomato plants, expression of CMV satellite RNA and production of lethal necrosis, **170**, 548
- Culture media
  - conditioned, radioimmunoassay of tissue inhibitor of metalloproteases (human), **167**, 898
  - cytosol-type, with high electrolyte levels, suitability for long-term growth of cells with very low membrane potential (human), **169**, 1217
  - Sertoli cell-enriched, purification of calcium-binding protein SPARC (rat), **167**, 1393
- Cyanide
  - resistant respiration, role in temperature rise in ripening mangoes, **168**, 818
- Cyanogen bromide
  - cleavage of proteins in polyacrylamide gels *in situ*, in internal amino acid sequencing (tobacco), **166**, 139
- Cyclic AMP
  - accumulation
    - in pinealocytes, β-adrenergic-stimulated, α_1-adrenergic potentiation, effect of pertussis toxin (rat), **168**, 871
    - in ventricular myocardium, β-adrenoceptor-mediated, differential effects of RO 20-1724 and isobutylmethylxanthine (rat), **167**, 123
  - and Ca^{2+}, independent stimulation by glucagon and prostaglandin E$_1$ (MDCK cells), **167**, 1162
  - dependent phosphorylation of hepatic microsomal P450, role in lipid peroxidation increase in response to hormone (rat), **166**, 787
  - dose-dependent effect on ribonucleotide reductase in mitogen-stimulated mononuclear cells (human), **167**, 383
  - elevation in platelets, effect on thrombin-stimulated tyrosine phosphorylation, comparison with cGMP (human), **171**, 738
  - induction of kinase FA during NG108-15 hybrid cell differentiation (mouse), **169**, 921
  - modulation of interleukin-1-induced proliferation and IL-6 mRNA expression in astrocytoma cell line (human), **167**, 1242
  - production
    - and aldosterone secretion, in adrenal glomerulosa cells, comparative effects of dopamine (rat), **172**, 1100
    - forskolin-induced, in renal papillary collecting tubule cells in culture, augmentation by ouabain (rat), **166**, 411
    - parathyroid hormone-induced, in osteoblast-like osteosarcoma cells, effect of 1,25-dihydroxyvitamin D$_3$ (human), **168**, 889
    - in response to recombinant relaxin: *in vitro* relaxin bioassay (human endometrial cells), **170**, 214
  - role in lysis of S49 T-lymphoma cells by phytohemagglutinin (mouse), **170**, 1035
  - triggered induction of DNA cleavage in thymocytes, potentiation by phorbol ester (mouse), **171**, 827
- Cyclic AMP phosphodiesterase
  - insulin-sensitive
    - cell-free stimulation by combined ATP and soluble fraction from insulin-treated liver (rat adipocytes), **170**, 533
    - stimulation by ATP-dependent soluble factor from insulin-treated adipocytes (rat), **167**, 614
  - peripheral and integral cGMP-stimulated, target size in hepatic plasma membrane and insulin effects, **169**, 377
- Cyclic GMP
  - atrial natriuretic peptide-stimulated elevation, effect on Na$^+$,K$^+$,2Cl$^-$-contransporter (HeLa cells), **168**, 148
  - elevation in platelets, effect on thrombin-stimulated tyrosine phosphorylation, comparison with cAMP (human), **171**, 738
  - formation, role in electrical field-stimulated relaxation of corpus cavernosum smooth muscle (rabbit), **170**, 843
  - mediation of atrial natriuretic peptide regulation of endothelial permeability (bovine), **172**, 793
  - production in
    - cultured vascular smooth muscle cells, stimulation by C-type natriuretic peptide (rat), **170**, 201
    - inner medullary collecting duct cells, regulation by intracellular alkalinization (rat), **170**, 860
  - regulation by β-adrenergic receptors (rat pinealocytes), **167**, 835
  - role in inhibition of mitogenesis and proliferation by nitric oxide-generating vasodilators, analysis (BALB/c 3T3 cells), **171**, 474
  - stimulation of inositol phosphate production in cultured pituitary cells: implications for signal transduction (rat), **167**, 982
- Cyclic nucleotide phosphodiesterase
  - Ca^{2+}-dependent, activation, effects of ruthenium red, **169**, 315
  - rolipram-sensitive isoforms, stimulation by concanavalin A in thymic lymphocytes (rat), **169**, 864
- 2′,3′-Cyclic-nucleotide 3′-phosphodiesterase
  - mRNA, alternative splicing (murine brain), **170**, 1074
  - in peripheral nerve myelin, phosphorylation by phorbol ester-sensitive protein kinase (rat), **170**, 817
- 3′,5′-Cyclic-nucleotide phosphodiesterase
  - cardiac microsomal, modulation by phospholipid metabolism (rat), **170**, 800
- Cyclodextrin glucanotransferase, *see* Cyclomaltodextrin glucanotransferase
- Cyclomaltodextrin glucanotransferase
  - encoding genes, homology to raw starch-digesting amylase gene from *Bacillus* sp. B1018, **166**, 630
- Cystatin
  - inhibitory site, mimicry by synthetic peptide (chicken), **167**, 117
  - type C
    - expression in serum-free mouse embryo cells, regulation by transforming growth factor β, **172**, 945
    - KDEL-modified, retention in transfected CHO cells, **172**, 1384

Cysteine
  Cys-108, identification as acylation site in myelin proteolipid protein (bovine), **170**, 375
  residue modified during binding of omeprazole by gastric H^+,K^+-ATPase, identification (hog), **167**, 754
  residues coordinating iron–sulfur center in putidaredoxin, identification, **169**, 1016
  rich domains, role in immunological relatedness of homologous restriction factor, perforin, and complement components C8 and C9 (human, mouse), **166**, 648
Cysteine dioxygenase
  cDNA, isolation and characterization (rat liver), **168**, 473
Cystic fibrosis
  saliva from affected patients, detection of epidermal growth factor eluted as polydisperse macromolecular moiety, **170**, 1144
Cytochalasin B
  effects at different [cytochalasin B]/[actin] ratios on actin critical concentration, **171**, 543
Cytochrome-b_5 reductase
  comparison with flavin domain of corn leaf NADH:nitrate reductase expressed in *Escherichia coli* (human), **168**, 1285
Cytochrome *c*
  binding to recombinant cytochrome-*c* peroxidase, induction of active site region refolding (yeast), **172**, 1157
  periplasmic, identification as electron donor to plasma membrane-bound cytochrome oxidase (*Nostoc* sp.), **169**, 492
Cytochrome *c′*
  ferric, EPR spectra at low temperature, temperature dependence (*Achromobacter xylosoxidans* strains), **169**, 1235
Cytochrome-*c* oxidase
  crystallization by vapor diffusion, preliminary studies (bovine heart), **169**, 1105
  plasma membrane-bound, identification of periplasmic *c*-type cytochrome as electron donor to (*Nostoc* sp.), **169**, 492
  from thermophilic bacterium PS3, detection of fourth protein subunit, **169**, 414
Cytochrome-*c* peroxidase
  recombinant, active site region refolding, induction by binding to cytochrome *c*, **172**, 1157
Cytochrome *o*
  identification as sodium pump in *Vitreoscilla*, **173**, 370
Cytochrome oxidase, *see* Cytochrome-*c* oxidase
Cytochrome P450
  IA1, constitutive and inducible expression in yeast (human), **172**, 737
  IA2, monoclonal and polyclonal antibodies, elicitation by synthetic peptide antigens (rat), **169**, 171
  IIB, related isozyme, purification from hepatic microsomes (guinea pig), **172**, 607
  IIC3, phenytoin 4-hydroxylation: identification of orthologs in human hepatic microsomes (rabbit liver), **166**, 860
  IIC6, evidence for complexation by orphenadrine metabolite (rat liver), **166**, 772
  IIE1, induction by
    pyridine, role of protein synthesis in absence of transcriptional activation (rat liver), **166**, 1072
    solvents, role of increased translational efficiency: analysis of P450IIE1 mRNA polyribosomal distribution (rat), **172**, 767
  IIE2, expression in yeast and stabilization by 4-methylpyrazole (rabbit), **172**, 1331
  and associated monooxygenases, photodestruction by chloroaluminum phthalocyanine tetrasulfonate, role of singlet oxygen (rat), **173**, 34
  catalyzed formation of 20-hydroxyecdysone in larval mitochondria (housefly), **166**, 1372
  dependent drug metabolism in brain, regional and subcellular distribution (monkey), **169**, 858
  dependent monooxygenases, in neuronal and glial cells, inducibility and specificity (rat), **170**, 441
  dioxin-induced, metabolism of arachidonic acid: role of P450 in dioxin toxicity (chicken embryo), **172**, 1180
  isozymes, hydroxylation of lauric acid, regiospecificity (trout liver), **171**, 537
  levels in isolated hepatocytes, effect of interleukin-1, role of IL-1 receptors (rat), **168**, 1217
  microsomal
    cAMP-dependent phosphorylation, role in lipid peroxidation increase in response to hormone (rat liver), **166**, 787
    membrane topology: saturation transfer EPR and freeze-fracture electron microscopy studies, **171**, 175
  microsomal monooxygenases, metabolism of RU 38486 (rat liver), **167**, 1271
  mitochondrial, catalyzing 1α-, 24-, and 26-hydroxylations of 25-hydroxyvitamin D_3, separation and analysis (porcine kidney), **168**, 261
  ω-1 form, carboxy-terminal 28 residue replacement with corresponding P450(16α) residues: production of additional stereospecific hydroxylase activity (rabbit liver), **167**, 498
  role in defluorination of 1,1,1,2-tetrafluoroethane by hepatocytes (rat), **166**, 1390
  –thiolate complexes, bis(glutathione dimethyl ester)–hemin complex as model for, hyperporphyrin spectrum, **169**, 22
  type NMa, nasal microsomal, high nicotine oxidase activity (rabbit), **166**, 945
Cytochrome P_3450
  promoter, expression of chloramphenicol acetyltransferase reporter gene in hepatoma cell cultures (mouse, rat), **172**, 1109
Cytochrome $P450_{11\beta}$
  variants, identification by molecular cloning and expression of aldosterone synthase cDNAs (rat), **169**, 245
Cytochrome $P450_{17\alpha}$
  molecular model, **171**, 1160
Cytochrome $P450_{26}$
  mitochondrial, oxidation of 5β-cholestane-3α,7α,12α-triol to 3α,7α,12α-trihydroxy-5β-cholestanoic acid (rat liver), **167**, 391
Cytochrome $P450_{\text{aldo}}$
  associated with primary aldosteronism, cDNA cloning and

  - expression (human), **173**, 309
- Cytochrome $P450_{soy}$
  - containing *Streptomyces griseus*, activation of promutagenic chemicals, **166**, 743
  - enriched *Streptomyces griseus*, oxidation of (+)camphor, lack of regio- and stereospecificity, **170**, 456
- Cytokeratin 19
  - identification as endodermal cytoskeletal protein C (mouse), **167**, 644
- Cytomegalovirus
  - stimulation of arachidonic acid metabolism, role of phospholipase A_2 and protein kinase C (human), **166**, 953
- Cytopathogenicity
  - HIV-1, inhibition by synthetic soluble catecholamine melanins *in vitro* (human lymphoblastoid cells), **168**, 200
- Cytoplasm
  - and nucleus, changes in CDC2 kinase activity during cell cycle, comparison (murine FM3A cells), **172**, 371
  - streaming in plasmodium, associated vesicle movement, velocity measurement, **172**, 1236
- Cytosine
  - transamination, in biotinylation of double-stranded DNA, **170**, 243
- Cytotoxicity
  - adenovirus E1a protein in yeast, strain specificity, **170**, 470
  - bifunctional toxin TGFα–anti-Tac(Fv)–PE40 for cells with epidermal growth factor or interleukin-2 receptors, **171**, 1
  - lymphokine-activated killer cell-mediated against tumor cells, effect of adsorbed 20-kDa homologous restriction factor, **171**, 717
  - peptidyl fluoromethyl ketones against trypanosomes, analysis, **170**, 923
  - selective, β-carotene in epidermal carcinoma, associated induction of 70-kDa protein (human), **169**, 941
  - tumor necrosis factor-induced, resistance induced by 1,25-dihydroxyvitamin D_3 (U-937 cells), **170**, 73

D

- Dactinomycin
  - effect on gel mobility of bent DNA fragment, **171**, 1064
- Daunomycin, *see* Daunorubicin
- Daunorubicin
  - radicals, generation on outer side of erythrocyte membrane (human), **168**, 240
  - transport in multidrug-resistant CHO cells, fast kinetic analysis with pulsed quench-flow apparatus, **167**, 48
- DDT
  - monoclonal and polyclonal antibodies, preparation and characterization (mouse, rabbit), **166**, 1228
- Deamidase
  - carboxy-terminal, and esterase and acid carboxypeptidase, simultaneous deficiency in galactosialidosis (human), **172**, 1175
- Decapitation
  - effect on inositol phosphate levels in brain (rat), **167**, 1294
- Decarboxylation
  - spontaneous, α-ketoacids, role in experiments with peroxide (rat), **170**, 1281
- Defluorination
  - 1,1,1,2-tetrafluoroethane by hepatocytes, role of cytochrome P450 (rat), **166**, 1390
- Degranulation
  - neutrophils, activation by polymeric analogs of *N*-formyl peptides (human), **171**, 266
- Delta sleep-inducing peptide
  - degrading aminopeptidase, purification from cerebrospinal fluid and characterization (human), **167**, 1256
- Deltorphin I
  - and analogs, conformational properties, **169**, 617
- Denaturation
  - reversible transition occurring in irreversibly denaturing membrane spanning protein, characterization (human erythrocytes), **166**, 1365
  - vicilin, associated properties (*Cajanus cajan*), **166**, 1446
- Dentin
  - collagen, high-resolution solid-state nuclear magnetic resonance spectra (bovine), **167**, 761
- Deoxycholate
  - mode of stimulatory action in signal transduction system of isolated pancreatic acini (rat), **170**, 111
- 2′-Deoxycoformycin, *see* Pentostatin
- Deoxycorticosterone acetate
  - –salt, induced hypertension, associated plasma levels of endothelin-1 (rat), **167**, 941
- 2′-Deoxyguanosine 3′-monophosphate
  - phosphoester linkage to phosphoramide mustard, formation of phosphoester adduct, **163**, 843; *erratum*, **166**, 1508
- 1-Deoxymannojirimycin
  - and other oligosaccharide-processing inhibitors, differential effects on thyrotropin secretion from dispersed pituitary cells (rat), **165**, 788; *erratum*, **167**, 381
- 1-Deoxynojirimycin
  - and other oligosaccharide-processing inhibitors, differential effects on thyrotropin secretion from dispersed pituitary cells (rat), **165**, 788; *erratum*, **167**, 381
- Deoxyribonuclease I
  - hypersensitive sites, identification on 3′ end of apolipoprotein B gene (human), **171**, 162
  - pancreatic, tight binding to DNA fragments: possible misidentification as endogenous nuclear protein covalently bound to DNA (bovine), **166**, 443
  - in pyocin S2 complex from *Pseudomonas aeruginosa*, analysis, **172**, 455
- Dermenkephalin
  - conformational meaning of δ-address in, examination, **173**, 521
  - precursor processing products, detection in brain, stomach, and intestine (rat), **170**, 30
- Dermorphin
  - precursor processing products, detection in brain, stomach, and intestine (rat), **170**, 30
- Δ^{22}-Desaturase
  - inhibition and substrate specificity (yeast), **173**, 60
- Desmethoxyverapamil
  - inhibition of secretory chloride channels in intestinal epithelial cells (human), **171**, 1022

7-Desmethyl-microcystin-RR
  cyanobacterial, induced hepatocyte deformation, role of protein phosphatase inhibition, **173**, 1347
Desmin
  phosphorylation by Ca^{2+}-calmodulin-dependent protein kinase II, analysis (rat brain), **169**, 896
Desmoglein
  cDNA cloning and characterization: extensive homology with cadherins (bovine), **173**, 1224
Desulfovibrio salexigens
  flavodoxin gene, identification, sequencing, and expression, **168**, 809
Detergents
  ionic, treated nuclei, chromatin disassembly into ≅50-kb units (human, mouse), **169**, 706
Deuteration
  selective, 4-*N*-methylcytosines, **169**, 517
Dexamethasone
  effects on
    neutral sphingomyelinase activity and sphinogosine levels (3T3-L1 fibroblasts), **167**, 607
    6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase mRNA in hepatocyte primary cultures (rat), **169**, 406
  induction of tyrosine aminotransferase
    in cultured hepatocytes, modulation by metyrapone (rat), **166**, 801
    and tryptophan oxygenase, inhibition by sphingosine (rat hepatocytes), **168**, 823
  prevention of nitric oxide synthase induction by endotoxin and associated effects on vascular tone (rat), **173**, 541
Diabetes
  accelerated atherogenesis, free radical generation by early glycation products as mechanism, **173**, 932
  associated down-regulation of calmodulin gene expression (rat), **168**, 1007
  chronic, effect on Ca^{2+},Mg^{2+}-ATPase response to atrial natriuretic peptide in renal cortical basolateral membranes (rat), **169**, 537
  type 2, and associated amyloid, genesis, implications of canine islet amyloid polypeptide cDNA sequence, **169**, 502
Diacylglycerol
  in vitro and *in vivo* primed neutrophils, alteration of O$_2^-$/H$_2$O$_2$ production ratio (human), **167**, 970
  loading from fat body by lipophorin, inhibition by trehalose (locust), **172**, 588
  permeant, secretory responses of pituitary gonadotrophs to, role of voltage-sensitive calcium channels (rat), **170**, 359
  and phosphatidic acid, generated by phospholipase D, role in activation of NADPH oxidase by FMLP (human neutrophils), **168**, 320
  production during acrosomal exocytosis, analysis (sheep), **172**, 8
  production in adipose cells
    coupling to cholesterol efflux, **173**, 1361
    Ob1771 preadipocyte, growth hormone-induced, role of phosphatidylcholine breakdown (mouse), **173**, 840
  release from neutrophils, receptor-mediated effects of hepoxilin A$_3$ (human), **171**, 944
Diacylglycerol lipase, *see* Lipoprotein lipase
4′,6-Diamidino-2-phenylindole
  in solution and bound to polydeoxynucleotides, time-resolved fluorescence, **170**, 270
4,6-Diamino-5-formamidopyrimidine
  detection in DNA from neoplastic liver of English sole exposed to carcinogens, **173**, 614
cis-Diamminedichloroplatinum(II), *see* Cisplatin
Diaphragm
  insulin-stimulated glucose transport, effects of amylin and calcitonin gene-related peptide (rat), **169**, 451
Diazo-2
  photolysis, in analysis of striated muscle relaxation (scallop), **168**, 295
2,3-Dibenzylbutane-1,4-diol
  priming effect on superoxide production in neutrophils (human), **168**, 194
3,5-Dibromo-4-nitrosobenzene sulfonate
  spin trapping of superoxide radicals, analysis, **166**, 807
Dibutylnitrosamine
  interaction with nicotinic acetylcholine receptor (*Torpedo fuscomaculata*), **167**, 1383
Dibutyryl cyclic AMP
  effects on 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase mRNA in hepatocyte primary cultures (rat), **169**, 406
Dicoumarol, *see* Dicumarol
Dicumarol
  sensitive NAD(P)H:quinone reductase, photoaffinity labeling with synthesized 3-(4-azido-5-iodosalicylamido)-4-hydroxycoumarin (rat liver), **172**, 415
N,N′-Dicyclohexylcarbodiimide
  identification as specific reversible inhibitor of proline-β-naphthylamidase (porcine intestinal mucosa), **168**, 1001
  sensitive Na$^+$/H$^+$-antiporter, solubilization and functional reconstitution (*Halobacterium halobium*), **170**, 1339
Diet
  lipidic
    modulation of pancreatic lipase gene expression at transcriptional level (rat), **166**, 358
    regulation of pancreatic colipase mRNA (rat), **167**, 130
  protein content, effect on hepatic *N*-acetylglutamate synthetase (rat), **172**, 1239
  regulation of pyruvate kinase L–chloramphenicol acetyltranferase fusion gene expression (mouse), **171**, 243
Diethylether
  and temperature, equivalence in effects on spontaneous electrical oscillation of artificial membrane, **167**, 450
Diethylnitrosamine, *see N*-Nitrosodiethylamine
Diethyl pyrocarbonate, *see* Pyrocarbonic acid diethyl ester
Differentiation
  F9 cells, induction by transient exposure to retinoic acid, **170**, 147
  HL-60 cells
    associated alterations in insulin receptor kinase activity, **172**, 676
    associated increase in cytosolic protein kinase C activity, analysis, **168**, 1253

associated induction of PAF-acether transfer activity, **171**, 548
induction by
growth inhibition caused by serum depletion, **168**, 959
protein kinase C inhibitor K252a, **170**, 1151
immediate-early, related mRNAs, isolation by enzymatic amplification of subtracted cDNA from endothelial cells (human), **167**, 637
K562 cells, effect of erythroid differentiation factor, **168**, 1149
medullary thyroid carcinoma cells, oncogene-induced, associated increase in c-jun transcription factor levels (human), **170**, 140
melanoma-specific, and macromolecular interactions with tyrosinase gene 3′ region, regulation by cell adhesion, **172**, 638
monocyte leukemia cells, induction by monoclonal antibodies to antigen 710F (human), **168**, 898
neural, embryonal carcinoma cells
associated increase in Alzheimer amyloid β-protein precursor gene expression (mouse), **171**, 204
inhibition by activin (mouse), **173**, 193
Differentiation-enhancing factor
secretion by vincristine-resistant murine erythroleukemia cell line, **173**, 156
Digitalis-like factor
urinary, indistinguishable from digoxin, isolation (human), **173**, 1093
Digitonin
permeabilized fibroblasts, peroxisomal acyl-CoA:dihydroxyacetonephosphate acyltransferase latency in, effects of ATP and ATPase inhibitors (human), **170**, 1135
Diglycerides
optically active, CD spectra: determination of stereospecificity of lipase-catalyzed hydrolysis of achiral triacylglycerols, **168**, 506
production in neutrophils, role of phorbol-12-myristate-13-acetate activation of phospholipase D (human), **170**, 1197
Dihydrofolate reductase
amplified genes, replication timing (CHOC 400 cells), **170**, 134
Dihydroleukotriene B_4
identification and biological activity (human lung), **170**, 23
Dihydrolipoamide dehydrogenase
superoxide-dependent mobilization of iron from ferritin, **168**, 389
8,15-Dihydroperoxy-5,9,11,13-eicosatetraenoic acid
effect on positional specificity of lipoxygenase (*Lupinus albus*), **172**, 985
Dihydropryidine
sensitive Ca^{2+} channel partially purified from cardiac muscle in reconstituted system, activation, role of endothelin-1 (pig), **171**, 1205
Dihydropyridine receptors
and high-affinity ω-conotoxin receptors, identification as different molecules (bovine, rabbit brain), **173**, 483
Dihydroxyindole-2-carboxylic acid
dopachrome conversion factor-catalyzed formation from dopachrome, mechanism (murine melanoma cells), **166**, 1328
1,25-Dihydroxyvitamin D_3
and calcipotriol, comparative effects on induction of osteoclast-like cell formation in bone marrow cultures (human), **171**, 1056
effect on osteoblast-like osteosarcoma cell response to parathyroid hormone (human), **168**, 889
growth inhibitory effects on keratinocytes cultured in serum-free medium (human), **166**, 916
induction of mitochondrial superoxide dismutase and resistance to tumor necrosis factor cytotoxicity (U-937 cells), **170**, 73
rapid enhancement of Ca^{2+} transport in perfused duodenum, mimicry by Ca^{2+}-channel agonist Bay K 8644 (chicken), **166**, 217
1α,25-Dihydroxyvitamin D_3
effect on activin A/erythroid differentiation factor gene expression (human promyelocytic leukemia cells), **167**, 654
1,25-Dihydroxyvitamin D receptors
intestinal, up-regulation during hypervitaminosis D: comparison of vitamins D_2 and D_3 (rat), **169**, 910
1,25-Dihydroxyvitamin D_3 receptors
affinity of 22-oxa-1,25-dihydroxyvitamin D_3 for, and effects on osteocalcin synthesis (human osteosarcoma cells), **169**, 629
cDNA transcription and translation *in vitro* (human), **173**, 1129
developmental changes (rat kidney), **170**, 65
Diltiazem
effect on intracellular calcium control of osteoclast function (rat), **167**, 183
inhibition of secretory chloride channels in intestinal epithelial cells (human), **171**, 1022
Dimethylaniline monooxygenase (*N*-oxide-forming)
N-terminus determination: FAD- and NADP-binding domain mapping by tandem mass spectrometry (porcine liver), **170**, 937
Dimethylarsine
induced DNA damage, role of peroxyl radical (human alveolar epithelial cells), **168**, 58
7,12-Dimethylbenzanthracene
promutagenic, activation by *Streptomyces griseus* containing cytochrome $P450_{SOY}$, analysis, **166**, 743
Dimethyldioxirane
preferential modification of guanine bases in DNA, application to DNA sequencing, **169**, 87
Dimethylnitrosamine, *see* *N*-Nitrosodimethylamine
5,5-Dimethyl-1-pyrroline-*N*-oxide
spin trapping of hydroxyl radicals in presence of ferric ion, cautionary note, **172**, 1073
Dimethylsphingosine
effects on protein kinase C and platelets, comparison with D-erythro-sphingosine and commercial sphingosine (human platelets), **172**, 683

4,4-Dimethyl sterol 4-demethylase
  microsomal, demethylation of 24-methylene cycloartanol (corn), **172**, 98
Dimethylsulfoxide
  effect on activin A/erythroid differentiation factor gene expression (human promyelocytic leukemia cells), **167**, 654
Diminazene aceturate
  and netropsin and distamycin, differential interaction with high-affinity binding site for high-mobility group protein HMG-I, **166**, 1110
Diolein
  phosphatidic acid-stimulated protein kinase C activity in presence of, calcium concentration-dependent inhibition, **171**, 487
Dioxin, *see* 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin
Dioxygenase
  associated activity of lipoxygenase, potent activation by hydrogen peroxide (soybean), **166**, 417
Dipalmitoylphosphatidylcholine
  –gramicidin mixtures, acyl chain conformation, quantitative infrared determination, **168**, 85
  stimulation of phospholipase A_2 in amniotic membrane (human), **170**, 328
Dipeptides
  specific inhibitory conformation for chymotrypsin, analysis (bovine), **166**, 1460
Dipeptidyl carboxypeptidase I
  encoding genes, genomic DNA 5′ to, identification of regions of conserved sequence (human, mouse), **167**, 1128
  recessed active site, indication by binding characteristics of biotin-spacer-inhibitor enzymes (mouse kidney), **167**, 310
  role in brain natriuretic peptide metabolism *in vivo* (rat), **173**, 265
Diphenylethylenes
  hydroxylated, dual action on protein kinase C (rat brain), **166**, 1471
Diphenylnitrosamine
  interaction with nicotinic acetylcholine receptor (*Torpedo fuscomaculata*), **167**, 1383
Dipropylnitrosamine
  interaction with nicotinic acetylcholine receptor (*Torpedo fuscomaculata*), **167**, 1383
Disodium palmityl phosphonoformate
  anti-HIV activity, physical properties, and interaction with plasma proteins, **171**, 458
Distamycin
  effect on gel mobility of bent DNA fragment, **171**, 1064
  and netropsin and berenil, differential interaction with high-affinity binding site for high-mobility group protein HMG-I, **166**, 1110
Disulfide bonds
  glia maturation factor β isoforms with, analysis (human), **171**, 746
  non-native, introduction into lysozyme by cysteine scanning mutagenesis (human), **173**, 1194
  three, experimental determination of all possible arrangements in proteins, literature review, **172**, 1364
1,3-Di-*o*-tolylguanidine
  ^{3}H-labeled, binding sites in pineal gland, characterization (sheep), **171**, 875
DNA
  aldolase B promoter region, binding of different hepatic HNK1-like transcription activators (rat), **173**, 1337
  altered configuration, induction by inversion rearrangement in 5′-flanking DNA of U1 RNA gene (chicken), **172**, 402
  amplification by polymerase chain reaction with single specfic primer (*Escherichia coli*), **167**, 504
  amplified, from buffy coat specimens, in identification of mutation in HbE-β-thalassemia (human), **170**, 698
  angiongenin, isolation and sequencing (mouse), **171**, 988
  base stacking, role of electron donors and acceptors, **171**, 97
  bent fragment, gel mobility, effects of sequence-selective drugs, **171**, 1064
  benzylic adducts, formation in liver by 6-sulfooxymethylbenzo[*a*]pyrene (mouse), **172**, 85
  binding domain of glucocorticoid receptor, absence of phosphorylation *in vivo* (murine pituitary tumor cells), **166**, 931
  binding homeodomain in histone H1 of Antp protein, structural comparison with chicken histone 1 globular domain (*Drosophila antennapedia*), **168**, 254; *erratum*, **170**, 1377
  binding properties of mutant c-erbAβ receptor associated with generalized thyroid hormone resistance (human placenta), **171**, 575
  binding proteins, stable, capacity for locating specific binding sites in presence of high urea levels (*Drosophila melanogaster*), **169**, 840
  binding to chromatin-associated *ras*-related protein Yp20, properties (yeast), **167**, 628
  B and Z forms, binding of anthramycin, molecular mechanics study, **167**, 477
  charges, approximately 85% neutralization, associated transition of chromatin higher-order structure (rat liver), **172**, 1129
  chloroplast, thylakoid-bound, enrichment for replication forks (spinach), **172**, 204
  cleavage in thymocytes, cAMP-triggered induction, potentiation by phorbol ester (mouse), **171**, 827
  complementary
    α-*N*-acetylgalactosaminidase, two species for, molecular cloning and expression in COS cells (human), **170**, 231
    acid β-galactosidase, cloning: sequence analysis, expression of catalytic activity, and comparison with human enzyme (mouse), **173**, 141
    acidic fibroblast growth factor, sequencing: alternative upstream exons in aFGF mRNA (human), **171**, 7
    adenylate cyclase-stimulating peptide, cloning and characterization (human testis, ovine hypothalamus), **166**, 81
    aldosterone synthase, molecular cloning and expression: variants of cytochrome $P450_{11β}$ (rat), **169**, 245
    arachidonate 12-lipoxygenase, cloning and expression (human), **172**, 1230

aromatic-L-amino acid decarboxylase, cloning (guinea pig), **170**, 1229
atrial natriuretic peptide clearance receptor, isolation and functional expression (human), **171**, 796
basic fibroblast growth factor receptor, shorter form, deduction of amino acid sequence from (human), **169**, 680
bilirubin UDP-glucuronosyltransferase, isolation and sequencing: possible alternate splicing of common primary transcript (rat liver), **169**, 260
calpastatin, in analysis of functional domains (human), **166**, 1485
catalase from acatalasemic mutant, sequence analysis (mouse), **173**, 1043
cell adhesion protein expressed in squamous carcinoma cells, cloning (human), **166**, 984
color visual pigment, cloning, sequencing, and amino acid sequence deduction (chicken), **173**, 1212
complex II iron–sulfur subunit of hepatic mitochondria, cloning (human), **166**, 101
component C8 of proteasomes, cloning (rat hepatoma cells), **171**, 676
2′,3′-cyclic-nucleotide 3′-phosphodiesterase, isolation and sequencing: evidence for alternative splicing (murine brain), **170**, 1074
cysteine dioxygenase, isolation and characterization (rat liver), **168**, 473
cytochrome $P450_{aldo}$ associated with primary aldosteronism, cloning and expression (human), **173**, 309
desmoglein, cloning and characterization: extensive homology with cadherins (bovine), **173**, 1224
1,25-dihydroxyvitamin D_3 receptor, *in vitro* transcription and translation (human), **173**, 1129
dopamine receptor D2, identification by sequence analysis as variant gene (rat brain), **166**, 109
estrogen receptor, transfection into HeLa cells, effects on cell growth and estrogen responsiveness of endogenous cathepsin D gene, **169**, 109
ferrochelatase, cloning and sequencing (human placenta), **173**, 748
N-formyl peptide receptor, isolation with *N*-formyl peptide derivative (human), **168**, 1103
glutathione *S*-transferase, cloning and expression in *Escherichia coli* (*Issatchenkia orientalis*), **172**, 669
glycine decarboxylase from nonketotic hyperglycinemia patient, deletion of one of two genomic copies at 5′ region, **173**, 801
growth hormone, cloning and sequencing (mink pituitary), **173**, 1200
growth hormone-dependent insulin-like growth factor-binding protein IGFBP-3, cloning and characterization (rat), **166**, 892
with G→T point mutation at cleavage site of insulin receptors, transfection in COS 7 cells, **167**, 1073
hepatitis C virus: detection of two major types in Japan, **170**, 1021
hepatocyte growth factor, clones encoding different HGF forms, isolation and expression (human leukocytes), **172**, 321
high-molecular-weight protein, identity of carboxy-terminal product with hepatic nonspecific lipid transfer protein (rat), **168**, 631
hydroxysteroid sulfotransferase a, deduced amino acid sequence, homology with senescence marker protein SMP-2 (rat liver), **166**, 1494
import precursor of H^+-ATP synthase
  coupling factor 6, cloning and sequencing (rat liver mitochondria), **171**, 1079
  subunit B, cloning and sequencing (rat), **169**, 136
insulin enhancer binding protein, identification of helix–loop–helix structure (rat), **170**, 314
insulin-like growth factor II, expression in NIH-3T3 cells (human), **169**, 832
interferon-γ-inducible indoleamine 2,3-dioxygenase, molecular cloning, sequencing, and expression (human fibroblasts), **168**, 1
intestinal mucin gene-derived, molecular cloning (human), **171**, 407
islet amyloid polypeptide, sequencing: implications for diabetogenesis and amyloidogenesis in type 2 diabetes (dog), **169**, 502
leukocyte elastase/medullasin, cloning and functional expression in COS-1 cells (human), **167**, 1326
luteinizing hormone/choriogonadotropin receptor, cloning and sequencing (human), **172**, 1049
murine c-*jun* proto-oncogene, estrogen-induced expression in immature and mature rat uterus, **168**, 721
NAD(P)H:quinone oxidoreductase, expression and site-directed mutagenesis (rat liver), **169**, 1087
nonspecific cross-reacting antigen member of CEA gene family, cloning and characterization (human leukocytes), **166**, 1063
ornithine transcarbamylase, complementation of *arg B1* mutation in *Aspergillus nidulans* (rat liver), **168**, 1280
osteoblast-specific protein OSF-1, isolation and sequence analysis (human, mouse), **173**, 246
ovarian lactogen receptor species, isolation and characterization (rat), **168**, 415
p58 protein kinase, transient expression in COS cells, enhancement of glycosyltransferase activity, **171**, 196
pancreastatin, clone characterization and regulation (rat), **167**, 1079
pancreatic colipase, sequencing (rat), **167**, 130
peptidylglycine α-amidating monooxygenase, cloning and functional expression of truncated form in COS cells, **169**, 551
pituitary adenylate cyclase activating polypeptide precursor, cloning and characterization (rat), **173**, 1271
pregnancy-specific glycoproteins in submandibular salivary gland, cloning and sequencing (human), **169**, 203
pro-opiomelanocortin, isolation and characterization (*Rana ridibunda*), **173**, 653
RDC8, coding for adenosine A2 receptor with physiological constitutive activity, **173**, 1169
ret activated in papillary thyroid carcinoma cells, characterization (human), **168**, 402
Rieske iron-sulfur protein of cardiac mitochondrial ubiquinol–cytochrome-*c* reductase, cloning and sequencing (bovine), **167**, 575

rig, sequence analysis: conservation of encoded protein during vertebrate evolution (chicken, mouse, *Xenopus laevis*), **166**, 1501
serine-rich neutrophil protein, clone for, isolation and characterization (pig), **170**, 915
smg p21B, cloning (bovine brain), **166**, 1010
subtracted from endothelial cells, enzymatic amplification for isolation of immediate-early differentiation mRNA (human), **167**, 637
thyroid stimulating hormone receptor, cloning, sequencing, and expression in COS-7 cells (human), **166**, 394
thyroid peroxidase: evidence for alternative mRNA splicing in Graves' disease (human), **170**, 735
turkey growth hormone, nucleotide sequence, **173**, 967
cruciform, interaction with bovine adenosine diphosphoribosyl transferase, analysis (*Escherichia coli*), **167**, 842
damage induced by dimethylarsine, role of peroxyl radical (human alveolar epithelial cells), **168**, 58
deletion and duplication mutations, rapid mapping by polymerase chain reaction, **170**, 416
deletion mutants, selection by polymerase chain reaction, **173**, 1344
1,25-dihydroxyvitamin D_3 receptor binding to, developmental changes (rat kidney), **170**, 65
double-stranded
biotinylation after cytosine transamination, **170**, 243
casein kinase II selective binding, **173**, 862
elements promoting transcription of glucose-6-phosphate dehydrogenase gene, analysis (human), **170**, 1203
endogenous retroviral long terminal repeat sequence, transcription (human lung cancer cells), **166**, 1
etoposide-induced fragmentation, inhibition by zinc ion (HL-60 cells), **169**, 1172
fragments, tight binding of pancreatic DNase I: possible misidentification as endogenous nuclear proteins covalently bound to DNA (bovine), **166**, 443
genomic, 5′ to angiotensin-converting enzyme genes, identification of regions of conserved sequence (human, mouse), **167**, 1128
α-globin gene domain including replication origin and permanent nuclear matrix attachment site, sequencing (chicken fibroblasts), **168**, 9
guanine bases, preferential modification by dimethyldioxirane, application to DNA sequencing (bovine), **169**, 87
high-affinity binding site for high-mobility group protein HMG-I, differential interaction with netropsin, distamycin, and berenil (mouse), **166**, 1110
HIV type 1 provirus, assay with polymerase chain reaction (human lymphocytes), **167**, 1
–homeodomain complex of engrailed protein, crystallization and X-ray diffraction study (*Drosophila melanogaster*), **171**, 257
hypersensitive, from B16 melanoma cells, c-*myc* sequence enrichment and preferential reactivity with malignant genomic DNA, **169**, 352
hypervariable region close to apolipoprotein B gene, amplification: application to forensic problems (human), **170**, 616
interaction with mithramycin, role of Mg^{2+}, **173**, 689
invertebrate genomes, presence of sequences characterized by repetition of triplet CCPurine (*Owenia fusiformis*), **166**, 66
M13mp19, closed-circular single-stranded, reversible binding of benzo[*a*]pyrene metabolites, nonintercalative complexes formed from, evidence, **168**, 1095
methylation, inhibition of HIV-1 transcription, **168**, 141
mitochondrial
deleted region, striatal accumulation in Parkinson's disease and senescence (human), **170**, 1044
deleted relative to normal, quantitation in parkinsonian striatum by kinetic PCR analysis, **172**, 483
genotypic shift in family with Leber's hereditary optic neuropathy, **170**, 994
identically deleted, different copy numbers in tissues from Kearns–Sayre syndrome patient, detection by polymerase chain reaction, **169**, 1007
maternal transmission in ducks, **168**, 188
multiple deletions
decrease in patient with familial mitochondrial myopathy, **167**, 680
detection in cardiomyocytes of patients with hypertrophic or dilated cardiomyopathy, **170**, 830
point mutation inducing myoclonic epilepsy with ragged red fibers, analysis by mispairing polymerase chain reaction (human), **173**, 561
rat-derived, transcription promoter regions utilized by bacterial RNA polymerase, identification, **172**, 1282
mouse mammary tumor virus long terminal repeat, U3 sequences, interaction with c-Jun/Fos-related protein factor, **172**, 348
from neoplastic liver of English sole exposed to carcinogens, detection of 4,6-diamino-5-formamidopyrimidine, 8-hydroxyguanine, and 8-hydroxyadenine, **173**, 614
nicked doubled-stranded circular and linear duplex DNAs, homologous pairing *in vitro* initiation by DNA synthesis, **169**, 302
nuclear, coded subunits of complexes involved in oxidative phosphorylation, expression and assembly, effects of ethidium bromide treatment (murine fibroblasts), **167**, 216
nuclear matrix complexes, tightly bound to proteins, identification of specific small-size RNA in complex (mouse), **169**, 95
nucleosomal fragments, electrical polarizability, linear contour length dependence: implications for DNA flexibility (rat liver), **166**, 1140
plasmid, *see* Plasmids
replication forks, breakage in leading and lagging strand induced by camptothecin exposure, **168**, 135
ribosomal, primary structure of non-transcribed spacer region and flanking sequences: comparison with other organisms (*Neurospora crassa*), **170**, 187
simian virus 40, replication *in vitro*, inhibition by primate p53, **168**, 604
spermatozoal, specific organization in relation to nuclear matrix (hamster), **173**, 20
strand breakage by adenosine deaminase inhibitors, pre-

  vention by niacin (human lymphocytes), **167**, 514
  X-irradiated, 8-hydroxydeoxyguanosine 5′-monophosphate in, detection and quantitation by fluorescence postlabeling (bovine thymus), **167**, 419
  Z-, local conformations, detection with electron paramagnetic spin probe, **166**, 1435
DNA adenine methylase
  effect on *Escherichia coli* sensitivity to near-uv radiation and hydrogen peroxide, **169**, 64
DNA assay
  diagnostic, for β-protein mutation in hereditary cerebral hemorrhage Dutch type, development (human), **170**, 301
DNA ligase I
  related polypeptides, identification in liver and thymus cells and lymphoblasts (human), **169**, 888
DNA polymerase
  cytoplasmic, utilizing poly(rA)•oligo(dT), characterization (mouse), **170**, 627
  hepatitis B virus, translation from internal AUG codon, **171**, 1130
  PRD1, site-specific mutagenesis: mutations in highly conserved regions of family B DNA polymerase, **170**, 1294
  RNA-directed, *see* RNA-directed DNA polymerase
  from *Sulfolobus acidocaldarius*, evaluation as thermophilic and thermoresistant enzyme for automated polymerase chain reaction, **167**, 1341
DNA polymerase α
  –DNA primase complex, subunits, peptide mapping (mouse), **170**, 589
DNA polymerase β
  distribution among various organs, similarity to poly(ADP-ribose) polymerase (mouse), **172**, 377
  gene 5′ flanking region, structural similarity to human poly(ADP-ribose) polymerase gene 5′-flanking region (human, mouse), **167**, 701
DNA primase
  –DNA polymerase α complex, subunits, peptide mapping (mouse), **170**, 589
DNA probes
  androgen receptor cDNA probes, isolation and sequencing (dog, frog, guinea pig), **171**, 697
DNase I, *see* Deoxyribonuclease I
DNA sequencing
  chemical, application of *m*-chloroperoxybenzoic acid, **173**, 272
DNA synthesis
  cellular, inhibition by 2-chloroacetal and 2-chloroacetaldehyde, mechanism (bird, mouse, rat), **167**, 457
  EGF-, phorbol ester-, and insulin-stimulated, inhibition by pertussis toxin: evidence for post-receptor activation of $G_{i\alpha}$ (Balb/c3T3 cells), **167**, 1369
  in hepatoma cells, regulation, interactive effects of insulin and phorbol esters (rat), **172**, 759
  IGF-I-stimulated, enhancement by IGF-binding protein-1 (human fetal skin fibroblasts), **173**, 408
  induced by
    epidermal growth factor with insulin, priming for, role of protein kinase C activation (rat hepatocytes), **171**, 1093
    platelet-derived growth factor in vascular smooth muscle cells, stimulation by angiotensin II (rabbit), **168**, 350
  inhibition by high levels of human acidic fibroblast growth factor produced by *Escherichia coli* (rat mammary fibroblasts), **171**, 963
  initiation of homologous pairing *in vitro*, **169**, 302
  relationship to poly(ADP-ribose) polymerase activity (rat hepatocytes), **171**, 1037
  stimulation
    role of immediate-early gene activation by estrogen (rat uterus), **171**, 287
    by vasoactive intestinal contractor peptide (Swiss 3T3 cells), **167**, 161
  synergistic enhancement by extracellular ATP combined with growth factors or neurotransmitters in murine cells, **166**, 251
  in vascular endothelial cells, autocrine effect of endothelin (human), **168**, 537
  in vascular smooth muscle, stimulated by platelet-derived growth factor BB, potentiation by angiotensin II and noradrenaline (rat), **166**, 580
DNA topoisomerase
  type II, *see* DNA topoisomerase (ATP-hydrolyzing)
DNA topoisomerase (ATP-hydrolyzing)
  thymus, structure and partial amino acid sequence: comparison with other type II enzymes (bovine), **170**, 763
Docosahexaenoic acid
  hydroxyalkenals formed from, identification, **169**, 75
Dopachrome
  conversion to dihydroxyindole-2-carboxylic acid by dopachrome conversion factor, mechanism (murine melanoma cells), **166**, 1328
Dopa decarboxylase, *see* Aromatic-L-amino-acid-decarboxylase
Dopamine
  comparative effects on cAMP production and aldosterone secretion in adrenal glomerulosa cells (rat), **172**, 1100
  synthesis in neuronal cultures, effect of angiotensin II (rat brain), **167**, 492
Dopamine receptors
  D_1
    coupled adenylate cyclase, inhibition by iron via G proteins in caudate nucleus (rat), **171**, 1372
    functional, identification and characterization in neuroblastoma cell line (human), **166**, 574
  D_2, second cDNA encoding, identification by sequence analysis (rat brain), **166**, 109
Doxorubicin
  perfused heart, detection of paramagnetic species, reappraisal (rat), **169**, 30
  resistant tumor cells
    detection of 300-kDa membrane protein by monoclonal antibody MRK18 (human), **169**, 686
    HL-60, detection of protein kinase C-γ, **166**, 723
    MCF-7, and sensitive MCF-7 cells, metabolic differences: combined ^{1}H and ^{31}P NMR of cell extracts, **169**, 383

Drugs
  cytochrome P450-dependent metabolism in brain, regional and subcellular distribution (monkey), **169**, 858
DSIP, *see* Delta sleep-inducing peptide
DuP 753
  in detection of two angiotensin II binding sites in brain (rat), **171**, 813
  ^{3}H-labeled, identification as specific radioligand for angiotensin II-1 receptor subtype (rat), **172**, 1195
Dyad symmetry element
  role in transcriptional activation by transforming growth factor β1 in cultured cells (mink, mouse), **168**, 1074
Dystrophin
  expression in developing heart (rat), **172**, 824
  identification in cardiac sarcolemmal vesicles (bovine, dog), **169**, 565
  N-terminal portion, antiserum to, in detection of fast isoform of C-protein (human), **169**, 57

E

E-64-c
  and papain substrate ZPACK, mode of binding to papain: comparison of complex crystal structure, **171**, 711
Early pregnancy factor
  action in rosette inhibition assay, mimicry by leukotrienes (murine spleen cells), **167**, 535
α-Ecdysone
  induced 16S complexes, molecular analysis (*Drosophila melanogaster* S3 cells), **168**, 314
β-Ecdysone
  cytochrome P450-catalyzed formation in larval mitochondria (housefly), **166**, 1372
Ecdysteroids
  effects on yield of recombinant protein produced in baculovirus insect cell expression system, **167**, 1154
Echinomycin
  effect on gel mobility of bent DNA fragment, **171**, 1064
Eclosion hormone
  silkworm, gene expression in yeast, **173**, 1065
Ecto-ATPase
  hepatocyte plasma membrane, identity with pp120/HA4 (rat), **166**, 562
Edetic acid
  and Chelex-100, buffer system with, comparison in determination of pH and temperature effects on fluorescent calcium indicators, **171**, 102
EDTA, see Edetic acid
EGF, *see* Epidermal growth factor
Eggs, *see also* Oocytes
  identification of phosphorylcholine methyl ester (sea urchin), **172**, 855
Eicosapentaenoic acid
  hydroxyalkenals formed from, identification, **169**, 75
Elastin
  crosslinks, collagenous protein from Descemet's membrane with, relationship to type VIII collagen (sheep), **171**, 260
  hydrolysate, derived crosslinking amino acid allodesmosine, isolation and characterization (bovine), **170**, 713
  synthesis in aortic smooth muscle cells, preferential inhibition by epidermal growth factor (chicken embryo), **168**, 850
Electrical charge
  delocalization, role in carrier-independent entry of 1-methyl-4-phenylpyridinium into adrenal chromaffin cells (bovine), **168**, 1143
  trypsin α, β, and ψ forms, in electrospray ionization mass spectrometric resolution (bovine), **173**, 927
Electrical fields
  stimulated relaxation of corpus cavernosum smooth muscle, role of nitric oxide and cGMP formation (rabbit), **170**, 843
Electrical polarizability
  nucleosomal DNA fragments, linear contour length dependence: implications for DNA flexibility (rat liver), **166**, 1140
Electrical potential
  artificial liquid membrane, spontaneous oscillations, effects of temperature and volatile anesthetic, **167**, 450
Electrofusion
  oriented yeast cells through apical protoplast protuberances, **166**, 113
Electron donor–acceptor interactions
  role in base stacking in DNA and RNA, **171**, 97
Electron microscopy
  freeze-fracture, in study of membrane topology of microsomal cytochrome P450, **171**, 175
Electron paramagnetic resonance
  detection of complexes between L-arginine-derived nitric oxide and non-heme iron proteins in interferon-γ-activated macrophages (mouse), **166**, 119
  low-frequency, in monitoring pharmacokinetics of pyrrolidine nitroxide in whole mouse, **166**, 168
  low-temperature spectra of ferric cytochromes *c*′, temperature dependence (*Achromobacter xylosoxidans* strains), **169**, 1235
  saturation transfer, in study of membrane topology of microsomal cytochrome P450, **171**, 175
  spin probe, in detection of local Z-DNA conformations, **166**, 1435
Electrons
  donation by periplasmic *c*-type cytochrome to plasma membrane-bound cytochrome oxidase (*Nostoc* sp.), **169**, 492
  radiolytically generated, one-electron reduction of chloroperoxidase (*Caldariomyces fumago*), **168**, 1311
Electron spin resonance
  hemoprotein–fatty acid peroxide complex: coordination structure, **166**, 924; *erratum*, **168**, 886
  measurement of nitroxide radicals in liver, bladder, and blood (mouse), **172**, 1342
Electron transfer
  intramolecular long-range, in hemerythrin monomer, pulse radiolysis study (sipunculid worm), **166**, 867
Electron transport
  transplasma membrane, role of coenzyme Q (rat liver), **172**, 979

- Electropermeabilization
  - in analysis of Mg.ATP effect on neutrophil superoxide-generating responses (guinea pig), **170**, 194
- Electroporation
  - cell membrane, effect of resting membrane potential (NIH 3T3 cells), **172**, 282
  - pituitary cell lines, optimal parameters and effects on endogenous hormone production (GH$_1$2C$_1$, GH$_3$ cells), **171**, 1029
  - subsequent cell survival and transfection efficiency, improvement by serum addition, **171**, 752
- ELISA, *see* Enzyme-linked immunosorbent assay
- Embryos
  - axolotl, white and dark, developmental regulation of lectins, **166**, 695
- Encephalomyopathies
  - mitochondrial, MELAS disorders, derived mitochondrial tRNA^{Leu}(UUR) gene, detection of point mutation (human), **173**, 816
- Endo-α-*N*-acetylgalactosaminidase
  - *Alcaligenes*-derived, release of T-antigen from human erythrocytes and native gastric carcinoma cells, **172**, 341
  - from *Alcaligenes* sp. and *Diplococcus pneumoniae*, action on amino acid-*O*-glycans, comparison, **169**, 751
- Endo-β-*N*-acetylglucosaminidase, *see* Mannosyl-glycoprotein endo-β-*N*-acetylglucosaminidase
- Endocytosis
  - ricin labeled with fluorescein isothiocyanate (A431, CHO cells), **169**, 602
- Endo-β-galactosidase
  - degrading linkage region between chondroitin sulfate chain and proteoglycan core peptide, detection in midgut (*Patnopecten*), **169**, 15
- Endogenous digitalis-like factor
  - human urinary, stimulation of endothelin release from bovine vascular endothelial cells, **172**, 178
- Endo-1,4-β-glucanase, *see* Cellulase
- Endometrial cells
  - cAMP response to recombinant relaxin: *in vitro* relaxin bioassay (human), **170**, 214
- Endometrium
  - phospholipid bilayer, fluidity at time of blastocyst implantation (mouse), **167**, 561
- Endooligopeptidase A
  - selective assay with enkephalin-related fluorogenic substrate (rabbit brain), **173**, 647
- Endopeptidase
  - cleaving recombinant enkephalin precursor in bovine chromaffin granules, *in vitro* studies, **167**, 722
- Endopeptidase 24.11, *see* Membrane metallo-endopeptidase
- Endoplasmic reticulum
  - cerebral, calcium stores, discrimination by inositol trisphosphate and thapsigargin (rat), **172**, 811
  - –sarcoplasmic reticulum, associated Ca^{2+}-ATPase, cDNA cloning and chromosomal location (*Drosophila melanogaster*), **173**, 872
- Endoribonuclease
  - 2-5A-dependent, binding of 3′-fluoro-3′-deoxy analogs of 2-5A 5′-monophosphate (mouse, rabbit), **167**, 20
- β-Endorphin
  - agonist-induced secretion in anterior pituitary cells, potentiation by interleukin-1 (rat), **173**, 988
- Endosomes
  - role in transport of lysosomal acid phosphatase to lysosomes (rat liver), **166**, 1176
- Endothelial cells
  - aortic
    - c-fos and c-myc mRNA levels, effects of ATP (bovine), **172**, 306
    - endothelin converting enzyme activities in soluble fraction, characterization (bovine), **169**, 1138
    - endothelin release
      - stimulation by calf serum and porcine follicular fluid (bovine), **173**, 807
      - suppression by phosphoramidon, role of inhibition of big endothelin-1-converting enzyme (pig), **171**, 669
    - extract, conversion of big endothelin to endothelin (pig), **167**, 203
    - intracellular amino acid concentrations, substrate-dependent regulation (bovine), **173**, 940
    - metabolism of N^G-monomethyl-L-arginine to L-citrulline and L-arginine (bovine, rabbit, rat), **167**, 1037
    - spontaneous migration, inhibition by human platelet factor 4 (bovine), **172**, 595
  - carotid artery, conversion of big endothelin-1 by membrane-bound metalloendopeptidase *in vitro* (bovine), **171**, 1192
  - cell-surface thrombomodulin affinity for thrombin, effect of β-D-xyloside treatment (human), **169**, 177
  - cerebral, different subpopulations, γ-glutamyl-transpeptidase and Na$^+$,K$^+$-ATPase activities, responses to glial stimulation (rat), **168**, 358
  - dependent adhesion of monocytic tumor U937 cells, effect of 14,15-epoxyeicosatrienoic acid (human), **167**, 137
  - endothelin converting activity, identification and characterization (bovine), **168**, 1128
  - exposed to increased perfusion flow rate, release of endothelin, ATP, and arginine vasopressin, analysis (rabbit), **170**, 649
  - hepatic, hepatocyte growth factor gene expression in damaged liver, *in situ* hybridization study (rat), **173**, 42
  - intracellular calcium increase, stimulation by aggregating platelets through release of adenine nucleotides (human), **166**, 909
  - and macrophages, nitric oxide synthesis: cell-type selective inhibition by N^G-aminoarginine, N^G-nitroarginine, and N^G-methylarginine (bovine, mouse), **170**, 96
  - and monocytes and fibroblasts, interleukin-8 gene expression, differential regulation by interleukin-4 (human), **171**, 531
  - pepstatin-sensitive conversion of big endothelin-1 to endothelin-1, evidence (pig), **167**, 860
  - permeability in monolayer culture, regulation by atrial natriuretic peptide, mediation by cGMP (bovine), **172**, 793
  - production of endothelin-1, interleukin-1-induced increase (porcine heart), **166**, 324

proliferation, specific inhibition by thrombospondin (bovine, human, rabbit), **170**, 867
pulmonary artery, endothelin release, effects of endogenous digitalis-like factor and ouabain (bovine), **172**, 178
umbilical vein
activated, enhanced expression of intercellular adhesion molecule-1, effects of protein kinase C inhibitors (human), **172**, 1273
apoptosis after fibroblast growth factor deprivation, analysis (human), **168**, 1194; *erratum*, **169**, 1248
basal and stimulated endothelin-1 production, inhibition by atrial natriuretic peptide, nitroglycerine, and nitroprusside (human), **173**, 514
hyperadhesiveness for neutrophils, induction by leukotriene B_4 (human), **166**, 848
inositol-1,4,5-trisphosphate levels, shear stress-induced increase (human), **170**, 281
migration in wound assays, stimulation by tissue plasminogen activator (human), **171**, 1326
serum-depleted, apoptosis, inhibition by fibroblast growth factor, role of protein kinase C (human), **172**, 1081
transduced by retroviral vectors, recombinant gene expression (human), **170**, 209
vascular
27-kDa protein kinase C substrate, relationship to heat shock protein family (bovine), **168**, 527
DNA synthesis, autocrine effect of endothelin (human), **168**, 537
endothelin secretion, characterization (bovine), **167**, 294
intracellular Ca^{2+} stores, refilling system (human), **167**, 933
Endothelin
autocrine effect on DNA synthesis in vascular endothelial cells (human), **168**, 537
big, conversion to endothelin by
aspartic protease pepsin (pig), **166**, 436
extract from aortic endothelial cells (pig), **167**, 203
electrophysiological effects on cardiac tissues (dog), **173**, 457
mRNA expression and peptide secretion, induction in cultured vascular smooth muscle cells (human), **168**, 1303
pituitary site of action: selective inhibition of prolactin release *in vitro* (rat), **169**, 737
related peptides, induced phosphoinositide hydrolysis in cerebellar astrocytes and granule cells and C_6-glioma cells, comparison (rat), **168**, 512
release from vascular endothelial cells
characterization (bovine), **167**, 294
effects of
endogenous digitalis-like factor and ouabain (bovine), **172**, 178
exposure to increased perfusion flow rate (rabbit), **170**, 649
stimulating activity in calf serum and porcine follicular fluid (bovine), **173**, 807
type 1
big
biological actions, inhibition by phosphoramidon (guinea pig, porcine heart, rat), **172**, 391
conversion by membrane-bound metalloendopeptidase in cultured endothelial cells (bovine carotid artery), **171**, 1192
digestion by cathepsin D, analysis (human), **172**, 883
evidence for pepstatin-sensitive conversion to endothelin-1 by endothelial cell extract (pig), **167**, 860
immunoreactive, distribution and molecular form in tissues (pig), **170**, 497
proteolytic processing by cathepsin D, analysis (pig), **173**, 1218
common receptor with vasoactive intestinal contractor peptide (Swiss 3T3 cells), **167**, 161
contractile action, effect of extracellular calcium (rat aorta), **171**, 301
dose-dependent stimulation of release of preloaded [^{3}H]D-aspartate from cultured cerebellar granule cells (rat), **167**, 593
effects on cultured calvarial osteoblastic cells (rat), **170**, 998
enhancement of superoxide anion generation in neutrophils stimulated by *N*-formyl-methionyl-leucyl-phenylalanine (human), **173**, 496
^{125}I-labeled, tissue distribution and plasma half-life, role of pulmonary clearance (rat), **167**, 1191
induction of phosphoinositide turnover, effects of pertussis and cholera toxins and phorbol ester (rat cardiac myocytes), **171**, 949
plasma levels
effect of cold pressor test (human), **169**, 217
and vasocontractile effects in spontaneously and deoxycorticosterone acetate-salt hypertensive rats, **167**, 941
potentiation of venous responses to nerve stimulation in perfused superior mesenteric vascular bed (rat), **172**, 745
production by cultured endothelial cells
basal and stimulated, inhibition by atrial natriuretic peptide, nitroglycerine, and nitroprusside (human), **173**, 514
interleukin-1-induced increase (porcine heart), **166**, 324
production by cultured mesangial cells, analysis (rat kidney), **169**, 462
related immunoreactivity, detection in cerebrospinal fluid (human), **166**, 1274
release from
cultured endothelial cells, suppression by phosphoramidon, role of inhibition of big endothelin-1-converting enzyme (pig), **171**, 669
renal epithelial cells, induction by cytokines (pig), **169**, 578
resistance vessels in response to hypoxia, analysis (rat), **169**, 973
role in activation of dihydropyridine-sensitive Ca^{2+} channel partially purified from cardiac muscle in re-

    constituted system (pig), **171**, 1205
  stimulation of arachidonate 15-lipoxygenase activity and oxygen radical formation in distal lung (rat), **168**, 485
  and types 2 and 3, biological activity in fibroblast cell lines, comparison (human, mouse), **166**, 608
 type 2
  effects on cultured calvarial osteoblastic cells (rat), **170**, 998
  and types 1 and 3, biological activity in fibroblast cell lines, comparison (human, mouse), **166**, 608
 type 3
  effects on cultured calvarial osteoblastic cells (rat), **170**, 998
  induction of phosphoinositide turnover, effects of pertussis and cholera toxins and phorbol ester (rat cardiac myocytes), **171**, 949
  low dose, vasodilating effects on mesenteric arteries, inhibition by L-N^{G}-monomethyl arginine (rat), **167**, 739
  plasma levels, determination: increase in hemodialysis patients, **169**, 809
  secretion from cultured anterior pituitary cells, stimulation by insulin-like growth factor I (rat), **172**, 661
  and types 1 and 2, biological activity in fibroblast cell lines, comparison (human, mouse), **166**, 608
 vascular smooth muscle response, effect of phorbol ester pretreatment (human), **166**, 1213
Endothelin converting enzyme
 characterization (rat lung), **171**, 1291
 in cultured endothelial cells, identification and characterization (bovine), **168**, 1128
 putative, purification and characterization: evidence for identification as cathepsin D-like enzyme (bovine adrenal medulla), **168**, 1230
 in soluble fractions of cultured endothelial cells, characterization (bovine aorta), **169**, 1138
Endothelin receptors
 binding of ET-1 and ET-2, differential kinetics (Swiss 3T3 cells), **172**, 126
 monoclonal antibodies for characterization, isolation (rat lung), **172**, 503
 native form in placental membranes, solubilization and binding properties (human), **167**, 280
 pulmonary plasma membrane, solubilization in non-aggregated state and size estimation (bovine), **172**, 576
 purification from placental membrane (human), **167**, 251
 sustained down-regulation in vascular smooth muscle cells, promotion by phorbol ester (human), **166**, 1213
 type 1, cardiac, solubilization and characterization (rat), **166**, 299
Endothelium
 dependent vasorelaxation
  inhibition by oxidized low-density lipoproteins, role of lysosphosphatidylcholine (rabbit), **168**, 301
  in isolated arterial rings, L-arginine-mediated, antagonism by N^{G}-amino-L-arginine (bovine), **168**, 458
  in perfused mesenteric vascular bed, effect of N^{G}-monomethyl-L-arginine (rat), **169**, 873
 expression of monocyte chemotactic protein gene, regulation by phorbol ester (human), **169**, 346
Endothelium-derived relaxing factor
 aortic release
  effect of vascular stretch (rabbit), **173**, 1038
  inhibition by L-glutamine (rabbit), **172**, 143
  inhibitory effects of N^{G}-monomethyl-L-arginine and N^{ω}-nitro-L-arginine, comparison in cultured endothelial cells (bovine), **167**, 1037
 –nitric oxide-synthesizing enzymes, regional distribution in brain (rat), **168**, 727
 related intermediate, receptor-mediated generation, detection by spin trapping (N1E-115 cells), **170**, 1177
Endotoxin
 induction of nitric oxide synthase
  and associated effects on vascular tone, prevention by dexamethasone (rat), **173**, 541
  inhibition by anti-inflammatory glucocorticoids in lung, liver, and aorta (rat), **172**, 1042
 mediated shock, reversal by N^{G}-methyl-L-arginine (dog), **172**, 1132
δ-Endotoxin
 formation of cation-selective channels in planar lipid bilayers (*Bacillus thuringiensis*), **169**, 765
Enkephalin
 containing peptides, expression in cultured fibroblasts (rat), **171**, 722
 recombinant precursor, cleavage by endoproteolytic activity in chromaffin granules (bovine), **167**, 722
Enolase
 neuron-specific, gene expression in *Escherichia coli*, **173**, 231
Enterotoxin A
 staphylococcal, binding to human and murine cells, inhibition by I-A^{b}_{β} region, **168**, 696
Enzyme immunoassay
 in analysis of negative regulator of pluripotent hematopoietic stem cell proliferation in white blood cells and plasma (human), **170**, 986
Enzyme-linked immunosorbent assay
 trypsin–antibody sandwich, amyloid β-protein precursor with active form of proteinase inhibitor domains in cerebrospinal fluid of Alzheimer patients, **166**, 1453
Eosinophils
 normodense, phospholipase D activation (human), **170**, 540
Epidermal cell differentiation inhibitor
 purification and characterization (*Staphylococcus aureus*), **173**, 92
Epidermal growth factor
 binding to WISH cells, inhibition by tumor necrosis factor, relationship to TNF-induced protein kinase C translocation to membranes (human), **168**, 690
 effect on sialyltransferase in cultured hepatocytes (rat), **171**, 132
 eluted as polydisperse macromolecular moiety, detection in saliva from cystic fibrosis patients, **170**, 1144
 induced phospholipase C activation, inhibition by erbstatin (A431 cells), **173**, 208
 inhibition of fibroblast growth in presence of arachidonic acid (human), **169**, 959
 and insulin, induced DNA synthesis, priming for, role of

protein kinase C activation (rat hepatocytes), **171**, 1093
and partial hepatectomy, similar effects on epidermal growth factor receptor induction *in vivo* (rat), **166**, 661
precursor and high-molecular-weight forms, identification in adult urine (mouse), **173**, 902
preferential inhibition of elastin synthesis in aortic smooth muscle cells (chicken embryo), **168**, 850
stimulated DNA synthesis in Balb/c3T3 cells, inhibition by pertussis toxin: evidence for post-receptor activation of $G_{i\alpha}$ (mouse), **167**, 1369
stimulation of
  anchorage-independent growth of squamous cell carcinomas overexpressing EGF receptors (human), **168**, 905
  serine phosphorylation of fibroblast 350-kDa microtubule-associated protein MAP1A (mouse), **166**, 827
and transforming growth factor α, induction of differential processing of epidermal growth factor receptor (NIH-3T3 cells), **166**, 615
transmembrane signal protein kinase FA, regulation (porcine brain), **166**, 267
treated A431 and MA-10 cells, phosphatidylinositol 3′ kinase in, precipitation with anti-phosphotyrosine antibodies, **173**, 289

Epidermal growth factor receptors
associated tyrosine kinase, antibody-induced activation, role of detergent (A431 cells), **171**, 882
autophosphorylation in plasma membranes, GM3-dependent inhibition, role of lysophosphatidylcholine (A431 cells), **172**, 77
cells with, cytotoxicity of bifunctional toxin TGFα–anti-Tac(Fv)–PE40, **171**, 1
degradation and recycling, differential effects of epidermal growth factor and transforming growth factor α (NIH-3T3 cells), **166**, 615
gene expression in cancer cells, analysis by intron-differential RNA/polymerase chain reaction method (human), **170**, 569; *erratum*, **172**, 1407
hepatic, induction *in vivo*, similar effects of epidermal growth factor and partial hepatectomy (rat), **166**, 661
monoclonal antibody 425, inhibition of transforming growth factor α-induced second messengers (human), **172**, 471
overexpressing squamous cell carcinomas, anchorage-independent growth, stimulation by epidermal growth factor (human), **168**, 905
sequences, expression as fusion proteins in *Escherichia coli* and application in study of tyrosine kinase function, **166**, 90

Epilepsy
myoclonic, with ragged red fibers, inducing point mutation, analysis by mispairing polymerase chain reaction (human), **173**, 561

Epinephrine
and carbachol, simultaneous administration in dispersed parotid acini, effects on inositol trisphosphate and cytosolic Ca^{2+} levels (rat), **166**, 967

Epithelial cells
bile ductular, expression of 17β-hydroxysteroid UDP-glucuronosyl transferase under physiological conditions (rat), **173**, 1001
breast tumor, associated membrane antigen, multiple protein forms, generation by alternative splicing and induction by hormonal stimulation (human), **170**, 1331
digestive tract, identification of 65-kDa cell surface receptor common to pancreatic polypeptide, neuropeptide Y, and peptide YY (rat), **171**, 330
efflux of bis-carboxyethyl-carboxyfluorescein: ATP-dependent transport mechanism (dog, human), **172**, 262
intestinal
  exposed to hypotonic medium, volume regulation, role of Ca^{2+}-induced Ca^{2+} release (human), **167**, 287
  secretory chloride channels, inhibition by Ca^{2+} channel blockers (human), **171**, 1022
L-132, DNA damage induced by dimethylarsine, role of peroxyl radical (human), **168**, 58
mammary, malignant and nonmalignant, cultured in collagen gel matrix, effects of transforming growth factor β (human), **173**, 1239
renal, $LLCPK_1$, endothelin-1 release, induction by cytokines (pig), **169**, 578
submandibular gland, 12S adenoviral E1A-immortalized, establishment and characterization (rat), **170**, 336
tracheal, synthesis of proline-rich protein in primary culture (pig), **172**, 1304

Epitopes
conserved, in minor nucleocapsid protein of human papillomavirus types 6b, 16, and 18, evolutionary differences, **172**, 1378
cysteine-rich, role in immunological relatedness of homologous restriction factor, perforin, and complement components C8 and C9 (human, mouse), **166**, 648
different, on human chorionic gonadotropin, affinity enhancement with bispecific antibody, **173**, 795
$I\text{-}A^b_\beta$ region, identification as binding site for staphylococcal enterotoxin A (human, mouse), **168**, 696
located in nuclear lamin A tail domain, differential accessibility in interphase and mitotic cells (human), **173**, 363
monoclonal antibody NK2-binding, reconstruction within sequence of human leukocyte interferon-αF by site-directed mutagenesis, **169**, 1061
T- and B-cell, of immunogenic peptide, relative positioning and effect on antibody response (mouse), **169**, 803

Epoxidation
fatty acids, soybean peroxygenase-catalyzed, stereochemistry, **173**, 1354

14,15-Epoxyeicosatrienoic acid
effects on
  blood pressure after infusion in normal and hypertensive rats, **167**, 977
  endothelial cell-dependent adhesion of monocytic tumor cells (human), **167**, 137

EPR, *see* Electron paramagnetic resonance
Equine infectious anemia virus
  inhibitory activity of hypericin and related analogs, **172**, 149
Erbstatin
  inhibition of EGF-induced phospholipase C activation (A431 cells), **173**, 208
Erucamide
  isolation as major angiogenic lipid in mesentery (bovine), **168**, 423
Erythrocytes
  Ca^{2+} influx and cytosolic levels, modulation by external Ca^{2+} and nicardipine (human), **173**, 954
  embryonic, and oviducts, transferrin receptors, comparison (chicken), **171**, 26
  glucokinase-loaded, glucose utilization, anomeric preference (human), **173**, 201
  lipid composition, effects of aging and acetyl-L-carnitine (rat), **170**, 621
  membranes
    fluidity, relationship to protein glycation (human), **170**, 1107
    generation of daunomycin radicals on outer side (human), **168**, 240
  Plasmodium falciparum-infected, parasite isoprenoid metabolism, analysis, **173**, 849
  release of T-antigen by *Alcaligenes* endo-α-*N*-acetylgalactosaminidase (human), **172**, 341
  stomatocytic or discoidal ghosts containing only spectrin, isolation (human), **168**, 1318
Erythro-9-(2-hydroxy-3-nonyl) adenine
  induced DNA strand breakage, prevention by niacin (human lymphocytes), **167**, 514
Erythroid differentiation factor, *see* Activin
Erythropoietin
  rapid activation of protein kinase C in nuclei isolated from erythroid progenitor cells (mouse), **168**, 490
Erythropoietin receptors
  expression by MM-S1 cells, demonstration (human), **170**, 1128
D-Erythro-sphingosine
  inhibition of protein kinase C and platelets: comparison with dimethylsphingosine and commercial preparation (human), **172**, 683
Escherichia coli
  chlJ gene, sequence similarity to nitrogen fixation-related *nifC* gene in *Clostridium pasteurianum*, **169**, 1122
  chromosomal *cysE* locus, structure and *in vivo* expression of *cysX* gene, **167**, 948
  cloning of
    endoglucanase genes from *Clostridium thermocellum*, **167**, 1057; *erratum*, **168**, 1326
    thermostable exoglucanase genes from *Clostridium thermocellum*, **169**, 1055
  cysB gene and encoded product, analysis by gene fusion method, **167**, 962
  expressed hepatitis C virus structural protein, facilitation of viral detection in human serum, **172**, 511
  expressed human β-adrenergic receptors, replica filter assay, **173**, 680
  expression of
    catalytically active polypeptide of calmodulin-dependent protein kinase II α subunit, **170**, 705
    flavodoxin gene from *Desulfovibrio salexigens*, **168**, 809
    human parathyroid hormone, **166**, 50
    neuron-specific enolase gene, **173**, 231
    pectin lyase gene from *Erwinia carotovora*, **168**, 801
    porcine growth hormone by vector containing phage λ P_L promoter and *N* gene untranslated region, **173**, 711
    simian virus 40 large T antigens with vectors based on regulatable *rac* promoter, **169**, 1129
    thermostable exoglucanase-encoding genes from *Clostridium thermocellum*, **169**, 1055
    yeast glutathione *S*-transferase, **172**, 669
  F_1-ATPase, structural asymmetry, role of minor subunits, **166**, 431
  fusion proteins, expression of epidermal growth factor receptor sequences as, application in study of tyrosine kinase function, **166**, 90
  high-level expression of flavin domain of corn leaf NADH:nitrate reductase: comparison to human NADH:cytochrome B_5 reductase, **168**, 1285
  high-level production of human acidic fibroblast growth factor: inhibition of DNA synthesis in rat mammary fibroblasts, **171**, 963
  identification of serine inhibition target, **168**, 1211
  incorporation of intrinsic photolabel 4-thiouridine *in vivo* into RNAs, **166**, 29
  membrane permeability after near-uv stress, effect of catalase hydroperoxidase I, **171**, 1224
  mutants with enhanced β-galactosidase catalytic rates, selection in chemostats at changing dilution rates, **166**, 1245
  N_2-fixing, oxygen resistant strain, analysis, **168**, 288
  and phage T4, DNA-binding proteins, interactions during presynapsis in homologous recombination, **172**, 804
  produced insecticidal proteins of *Bacillus thuringiensis* var. *tenebrionis*, purification and characterization, **170**, 665
  RNA polymerase, induced transcription initiation intermediates, detection by chemical nuclease activity of 5-phenyl-1,10-phenanthroline–copper ion, **168**, 756
  sensitivity to near-uv radiation and hydrogen peroxide, effect of DNA adenine methylase, **169**, 64
  transcriptional activity of yeast 3-phosphoglycerokinase promoter, temperature dependence, **170**, 1
Esterase
  and carboxy-terminal deamidase and acid carboxypeptidase, simultaneous deficiency in galactosialidosis (human), **172**, 1175
  types I and II, activation of tissue prokallikrein in submandibular gland (rat), **166**, 231
Esterification
  cholesterol, effect of low-density lipoproteins (murine macrophages), **171**, 123
Estradiol
  effect on secretion of lysosomal pro-enzymes by MCF7 cells, **171**, 972

Estradiol-16α
  activation of immediate-early genes, role in stimulation of DNA synthesis in uterus (rat), **171**, 287
Estradiol-17β
  activation of
    G_{D3} synthase in cultured hepatocytes (rat), **171**, 1188
    immediate-early genes, role in stimulation of DNA synthesis in uterus (rat), **171**, 287
  induction of c-*jun* proto-oncogene expression in immature and mature uterus (rat), **168**, 721
Estriol
  activation of immediate-early genes, role in stimulation of DNA synthesis in uterus (rat), **171**, 287
Estrogen
  modulation of hepatocyte membrane potential (human, rat), **172**, 1163
  responsiveness of endogenous cathepsin D gene, induction by transfection with estrogen receptor cDNA (HeLa cells), **169**, 109
Estrogen receptors
  cDNA, tranfection into HeLa cells, effects on cell growth and estrogen responsiveness of endogenous cathepsin D gene, **169**, 109
  encoding gene, amplification, detection in estrogen receptor-positive breast tumors (human), **166**, 601
  uterine, hormone-binding domain, localization of aprotinin binding site (bovine), **170**, 930
Estrogen synthetase
  encoding gene, structural characterization (human), **166**, 365
  expression during adipose differentiation of 3T3-L1 cells, analysis, **169**, 531
Ethanol
  effects on
    $[Ca^{2+}]_i$ and inositol 1,4,5-trisphosphate (rat hepatocytes), **173**, 774
    mitochondrial membrane fluidity and activity, in analysis of mitochondrial contact sites, **173**, 878
  hepatic metabolism, associated generation of chemotactic activity for human neutrophils, role of glutathione and glutathione peroxidase (rat), **167**, 1170
Ethidium bromide
  effects on
    expression and assembly of nuclear-coded subunits of complexes involved in oxidative phosphorylation (murine fibroblasts), **167**, 216
    gel mobility of bent DNA fragment, **171**, 1064
Ethyl carbamate, *see* Urethan
N-Ethylmaleimide
  and colored analog, specific inactivation of class π glutathione *S*-transferases (human, mouse, rat), **167**, 331
Etoposide
  induced DNA fragmentation and activation of poly(ADP-ribose) synthesis, inhibition by zinc ion (HL-60 cells), **169**, 1172
Evolution
  molecular, human leukotriene A_4 hydrolase, analysis, **171**, 216
Exocytosis
  acrosomal, associated production of diacylglycerol and phosphatidate, analysis (sheep), **172**, 8
  rate in basophilic leukemia cells, regulation by microfilaments (rat), **171**, 222
Exoglucanases
  thermostable, from *Clostridium thermocellum*, cloning and expression in *Escherichia coli*, **169**, 1055
Exo-1,4-β-D-glucosidase, *see* Glucan 1,4-β-glucosidase
Extracellular matrix
  gene expression in dermal fibroblasts, persistent effect of transforming growth factor β (human), **169**, 232
  susceptibility to human mast cells: role of mast cells as effectors of connective tissue degradation (rat), **171**, 1272
Exudation
  induction of CR1 receptor clustering at surface of polymorphonuclear leukocytes (human), **172**, 1203
Eye
  expression pattern of acidic and basic fibroblast growth factor genes (adult rat), **168**, 343

F

Fabry disease
  associated α-galactosidase A gene, detection of partial deletion: direct repeat sequences as cause of slipped mispairing (human), **170**, 296
β-Factor XII_A
  inhibition by serine proteinase inhibitors isolated from squash family (human), **166**, 1406
FAD (flavin adenine dinucleotide)
  binding domain, of flavin-containing monooxygenase N-terminus, mapping by tandem mass spectrometry (porcine liver), **170**, 937
  covalently bound, detection in catalytically active human hepatic monoamine oxidase type A expressed in yeast, **173**, 1205
  and glutathione, role in macrophage synthesis of nitric oxide (mouse), **168**, 558
Farnesyl pyrophosphate synthetase
  hepatic, mRNA levels, effect of thyroid hormone in hypophysectomized rats, **172**, 1150
Fat, *see* Adipose tissue
Fatty acid peroxides
  –hemoprotein complex, model, demonstration by ESR, **166**, 924; *erratum*, **168**, 886
Fatty acids
  effect on lipolysis in 3T3-L1 adipocytes after chronic treatment, **171**, 46
  incorporation into membrane phospholipids, palmitoyl-L-carnitine as metabolic intermediate (human erythrocytes), **173**, 212
  metabolism in hepatocytes, acute effects of interleukin-1α and IL-6 (rat), **169**, 623
  n-3
    dietary, modulation of leukotriene C_5 synthesis in peritoneal macrophages (mouse), **171**, 764
    polyunsaturated, enhancement of cholesterol efflux from cultured fibroblasts (human), **173**, 566
  required for B-lymphocyte activation *in vitro*, analysis (mouse), **166**, 879

  - soybean peroxygenase-catalyzed epoxidation, stereochemistry, **173**, 1354
  - very-long-chain, β-oxidation, in complementation analysis of peroxisomal disorders (human), **172**, 364
- *N*-Fatty acyl compounds
  - blockage of myristoylation of pp$60^{c\text{-}src}$ in colon adenocarcinoma cells: suppression of colony formation (human), **173**, 894
- Fc receptors
  - $Fc_{\gamma1/\gamma2}R$
    - structural differences among macrophages, neutrophils, and lymphocytes (guinea pig), **172**, 835
    - structure and expression (guinea pig), **168**, 683
  - $Fc_{\gamma}R$-I, mRNA expression in macrophages and neutrophils, induction by interferon-γ (human), **170**, 582
  - for IgG, two distinct types on macrophages, activation of NADPH oxidase via different signal transduction pathways (guinea pig), **172**, 223
- Ferredoxin II
  - 7Fe, purification and characterization (*Rhodobacter capsulatus*), **171**, 273
- Ferritin
  - heavy chain
    - induction by interleukin-1 in muscle cells (human), **169**, 289
    - mRNA expression, transcriptional regulation, role of thyroid hormone (rat), **167**, 1279
  - superoxide-mediated release of iron by flavoenzymes, **168**, 389
- Ferrochelatase
  - cDNA cloning and sequencing (human placenta), **173**, 748
- Ferrous ions
  - and glucose, lens crystallins in presence of, glycosylation and high-molecular-weight aggregate formation (camel), **173**, 823
- Fever
  - inducing activity, interleukin-1β analogs with marked reduction of, stimulation of adrenocorticotropin secretion (rat), **167**, 103
- Fibrin
  - induced plasmin formation by tissue plasminogen activator, role of vitronectin: specific binding of plasminogen by vitronectin, **168**, 966
- Fibrinogen
  - amino-terminal sequence, common ancestry with vitellogenins (spiny lobster), **167**, 16
  - induced plasmin formation by tissue plasminogen activator, role of vitronectin: specific binding of plasminogen by vitronectin, **168**, 966
  - synthetic peptide segments, inhibition of thrombin clotting activity, **169**, 437
- Fibroblast growth factor
  - acidic
    - binding affinity for cloned human FGF receptors bek and flg, heparin effects, **172**, 107
    - encoding gene
      - expression pattern in adult eye (rat), **168**, 343
      - utilization of two upstream exons alternatively spliced to first coding exon (human), **171**, 7
    - high-level production in *Escherichia coli*: inhibition of DNA synthesis in rat mammary fibroblasts (human), **171**, 963
    - mRNA, expression in skeletal muscle satellite cells (bovine), **166**, 1205
  - basic
    - binding to receptor, inhibition by human platelet factor 4 (mouse), **172**, 595
    - copurification with proteases (bovine), **170**, 769
    - gene expression pattern in adult eye (rat), **168**, 343
    - inhibition of Δ^5-3β-hydroxysteroid dehydrogenase-isomerase activity in cultured immature Leydig cells (rat), **168**, 248
    - levels and distribution in Alzheimer brain (human), **171**, 690
    - mRNA, expression in skeletal muscle satellite cells (bovine), **166**, 1205
    - pituitary forms, limited proteolysis by copurifying proteases, protective effects of calcium, **173**, 1116
  - deprivation, associated apoptosis of vascular endothelial cells, analysis (human), **168**, 1194; *erratum*, **169**, 1248
  - effect on β-amyloid precursor mRNA in glial and neuronal cells (rat), **167**, 96
  - inhibition of apoptosis in serum-depleted vascular endothelial cells, role of protein kinase C (human), **172**, 1081
- Fibroblast growth factor receptors
  - basic
    - high and low affinity, content in placenta (mouse), **169**, 272
    - shorter form, complete amino acid sequence (human), **169**, 680
  - cloned human, bek and flg, acidic FGF binding affinity for, heparin effects, **172**, 107
  - plasma membrane, binding of basic FGF to, inhibition by human platelet factor 4 (NIH 3T3 cells), **172**, 595
- Fibroblasts
  - BALB/3T3
    - 40-kDa protein induction by heat shock and other stresses, **166**, 642
    - transformation by *ras* oncogene, effects on cytosolic and nuclear protein kinase C activities, **173**, 528
  - BALB/c 3T3
    - basic calcium phosphate crystal-induced mitogenesis, inhibition by phosphocitrate, **171**, 20
    - EGF-, phorbol ester-, and insulin-stimulated DNA synthesis, inhibition by pertussis toxin: evidence for postreceptor activation of $G_{i\alpha}$, **167**, 1369
    - mitogenesis and proliferation, inhibition by nitric oxide-generating vasodilators, role of cGMP, **171**, 474
  - and blood monocytes and endothelial cells, interleukin-8 gene expression, differential regulation by interleukin-4 (human), **171**, 531
  - CEF
    - 40-kDa protein induction by heat shock and other stresses, **166**, 642
    - Rous sarcoma virus-transformed, detection of myristoylated *src*-oncogene products by monoclonal antibody to N-terminal myristoyl tetrapeptide, **170**, 657

C3H10T1/2, differentiation into osteoblasts, induction by recombinant human bone morphogenetic protein-2, **172**, 295
dermal
  binding of low-density lipoproteins, effect of tumor necrosis factor (human), **172**, 1022
  cultured
    cholesterol efflux, enhancement by n-3 polyunsaturated fatty acids (human), **173**, 566
    from globoid cell leukodystrophy-affected humans and mice, galactosylceramide and galactosylsphingosine loading studies, **166**, 1053
  lysosomal carboxypeptidase activity, deficiency associated with galactosialidosis (human), **168**, 22
  extracellular depolymerization of hyaluronic acid in cultures (human), **172**, 70
  extracellular matrix gene expression, persistent effect of transforming growth factor β (human), **169**, 232
  fetal, IGF-I surface binding and DNA synthesis stimulation, differential effects of IGF-binding protein-1 (human), **173**, 408
  from Mennonite maple syrup urine disease patients, A-to-T substitution in branched-chain α-keto acid dehydrogenase complex E$_1\alpha$ subunit gene, **172**, 646
digitonin-permeabilized, peroxisomal acyl-CoA:dihydroxyacetonephosphate acyltransferase latency in, effects of ATP and ATPase inhibitors (human), **170**, 1135
effects of microcystins and nodularin (human), **171**, 867
expression of proenkephalin A mRNA and enkephalin-containing peptides *in vitro* (rat), **171**, 722
FS-4, biological activities of endothelins 1, 2, and 3, comparison with Swiss 3T3 cells, **166**, 608
from galactosialidosis patients, detection of simultaneous deficiency of esterase, carboxy-terminal deamidase, and acid carboxypeptidase, **172**, 1175
gingival, persistently spread on OPN or collagen, enhanced expression of constitutive and inducible heat shock proteins HSP47 and HSP70, **172**, 135
glycolytic flux, insulin effect, reproduction by phospho-oligosaccharide (human), **166**, 765; *erratum*, **168**, 886
growth inhibition by epidermal growth factor in presence of arachidonic acid (human), **169**, 959
I-cell, *see* I-cells
interphase and mitotic CDC2 histone H1 kinases, identification by nondenaturing gel electrophoresis and peptide assays (mouse), **168**, 763
intracellular calcium and pH, elevation by low-density lipoproteins without mediation of LDL receptor (human), **167**, 353
L
  hydroxyurea-resistant, amplification of genes for ribonucleotide reductase components, **167**, 258
  transfected CD8α, phosphorylation by protein kinase C *in vivo*, **170**, 10
low-density lipoprotein receptors, enhanced binding of apolipoprotein E mutant APO E5 (human), **168**, 409
mammary, DNA synthesis, inhibition by high levels of human acidic fibroblast growth factor produced by *Escherichia coli* (rat), **171**, 963
MK gene-transfected, secretion of heparin-binding protein, **171**, 603
MRC5, oxygen radical-transformed, translocation of chromosomes 16 and 18 in, analysis, **169**, 70
NIH 3T3
  basic fibroblast growth factor binding to plasma membrane receptor, inhibition by human platelet factor 4, **172**, 595
  DNA synthesis, inhibition by 2-chloroacetal and 2-chloroacetaldehyde, **167**, 457
  expression of human insulin-like growth factor II cDNA, **169**, 832
  Ha-*ras* oncogene-transformed, elevated gelsolin and α-actin expression in flat revertant R1, **171**, 852
  plasma membrane electroporation, effect of resting membrane potential, **172**, 282
  processing of epidermal growth factor receptor, differential effects of EGF and transforming growth factor α, **166**, 615
  serum growth factor-induced activation of Na^+/H^+ antiporter and mobilization of intracellular Ca^{2+}, interrelationship, **167**, 1206
from osteogenesis imperfecta patient, collagen synthesis: direct visualization of abnormal molecules, **172**, 217
5P, ethidium bromide treatment, effects on expression and assembly of nuclear-coded subunits of complexes involved in oxidative phosphorylation, **167**, 216
from patient with heritable insulin-resistance, insulin receptor autophosphorylation and kinase activity, constitutive increase in culture, **167**, 1229
production of tissue inhibitor of metalloproteinase and matrix metalloproteinases, effect of interleukin-6 (human), **170**, 824
queuine uptake
  interferon-induced inhibition (human), **171**, 384
  modulation by protein kinase C (human), **171**, 393
ras-transformed, increased tyrosine phosphorylation prior to appearance of transformed phenotype (mouse), **170**, 526
Rat-1, malignant transformation by human *rho* gene, **168**, 114
Swiss 3T3
  biological activities of endothelins 1, 2, and 3, comparison with human FS-4 cells, **166**, 608
  differential receptor kinetics for endothelin-1 and -2 binding, **172**, 126
  DNA synthesis and Ca^{2+} mobilization, stimulation by vasoactive intestinal contractor peptide, **167**, 161
  expressing constitutively active $G_{s\alpha}$, increased mitogenic responsiveness, **168**, 1184
Swiss 3T6, DNA synthesis, synergistic enhancement by extracellular ATP combined with growth factors or neurotransmitters, **166**, 251
3T3, transcriptional activation of c-*fos* protooncogene, induction by heat shock, **168**, 1013
3T3-L1
  adipose differentiation, associated estrogen synthetase expression, analysis, **169**, 531
  heat shock response, effect of adipose differentiation, **172**, 1

    microtubule-associated protein MAP1A, identification as 350-kDa species undergoing mitogen-stimulated serine phosphorylation, **166**, 827
  testicular, with lysosomal high-uptake enzyme forms, deficiency of lysosomal tartrate-sensitive acid phosphatase (bovine), **167**, 520
  TK ts13, serum-deprived, activity of proliferating cell nuclear antigen gene promoter, **169**, 509
  transformation by membrane-associated and cytoplasmic oncogenes, intracellular glycerophosphoinositol increase as biological marker (mouse, rat), **171**, 14
  transformed with α_1 subunit of rabbit skeletal muscle L-type Ca^{2+} channel, binding of [^{3}H]PN200-110 (mouse), **169**, 825
  transforming growth factor α-induced mitogenesis, inhibition by anti-epidermal growth factor receptor antibody 425 (human), **172**, 471
  transketolase activity in cultured cell lines, abnormalities associated with Alzheimer's disease (human), **172**, 396
  transport of anionic amino acids, stimulation by phorbol esters (human), **173**, 1304
  WI38, SV40-transformed, loss of insulin binding and insulin receptor mRNA levels, assessment, **169**, 978
  3Y1
    fos-transferred highly metastatic, augmented excretion of procathepsin L, **168**, 520
    release of soluble factors including proteinases, initiation of wound healing process, **168**, 1163
Fibronectin
  effect on steady-state level of 67-kDa high-affinity metastasis-associated laminin receptor mRNA in cancer cells (human), **168**, 1110
  RGD receptor domain, mimicry by RYD sequence in streptavidin (CHO cells), **170**, 1236
Fibrosis
  hepatic, experimental, associated synthesis of lysyl oxidase, analysis (rat), **166**, 1201
Filaments
  actin, bundling, divergent effects of filamin and tropomyosin (rabbit muscle), **167**, 1109
Filamin
  related 250-kDa membrane protein, cAMP-dependent phosphorylation, enhancement of GTP-γ-S binding activity (human platelets), **172**, 256
  and tropomyosin, divergent effects on actin filament bundling (rabbit muscle), **167**, 1109
Flagellins
  conserved N-terminal sequences, comparison in various archaebacteria, **167**, 154
Flavin
  catalytically active domain of corn leaf NADH:nitrate reductase, high-level expression in *Escherichia coli* and comparison to human NADH:cytochrome B_5 reductase, **168**, 1285
Flavodoxin
  encoding gene, identification, sequencing, and expression, **168**, 809
Flavonoids
  stimulation of tyrosine uptake into cultured adrenal chromaffin cells (bovine), **171**, 1199
Fluo-3
  application in studies of mitochondrial matrix calcium control (rat), **167**, 148
  effects of pH and temperature on, determination with Chelex-100 and EDTA buffer systems, **171**, 102
Fluorescein isothiocyanate
  labeled ricin, binding and internalization (A431, CHO cells), **169**, 602
Fluorescence
  intrinsic, tryptophan residues in recombinant interferon-αA and interferon-β1 (human), **169**, 282
  terbium(III), effect of phosphotyrosine, **168**, 267
  time-resolved, 4′,6-diamidino-2-phenylindole in solution and bound to polydeoxynucleotides, **170**, 270
  tyrosinate, lifetimes for oxytocin and vasopressin in receptor-simulating environments, relationship to biological activity and ^{1}H NMR data, **171**, 996
Fluorescence-activated cell sorting
  purified single beta and alpha cells from pancreatic islets, secretagogue effects on cytoplasmic Ca^{2+} (rat), **166**, 813
Fluorescence anisotropy
  in detection of lamellar to hexagonal phase transitions in phosphatidylethanolamine liposomes, **168**, 987
Fluorescence postlabeling
  in detection and quantitation of 8-hydroxydeoxyguanosine 5′-monophosphate in X-irradiated DNA (bovine thymus), **167**, 419
5-Fluoro-2′-deoxyuridine
  glycosidic bond cleavage by aminoacyl-tRNA synthetase, **173**, 731
Fluorometric assay
  endooligopeptidase A with enkephalin-related fluorogenic substrate (rabbit brain), **173**, 647
5′-Fluorouracil
  plasma, spectrophotometric detection, **169**, 1153
5-Fluorouridine
  glycosidic bond cleavage by aminoacyl-tRNA synthetase, **173**, 731
Fluspirilene
  inhibition of secretory chloride channels in intestinal epithelial cells (human), **171**, 1022
Fluvastatin
  and CI-981, responses of HepG2 cells and primary rat hepatocytes, comparison, **170**, 726
FMLP, *see* Formyl-methionyl-leucyl-phenylalanine
Follicular fluid
  stimulation of endothelin release in bovine aortic endothelial cells (pig), **173**, 807
Follistatin
  gonadal and extragonadal expression and evidence for alternative splicing (rat), **173**, 401
Formyl-methionyl-leucyl-phenylalanine
  activation of NADPH oxidase in neutrophils, functional linkage to phosphatidic acid generated by phospholipase D (human), **168**, 320
  calmodulin-dependent stimulation of free radical generation in leukocytes (human), **167**, 1030
  in vitro and *in vivo* stimulated primed neutrophils, altera-

tion of O_2^-/H_2O_2 production ratio (human), **167**, 970
  polymeric analogs, potent activation of degranulation and superoxide production by neutrophils (human), **171**, 266
  stimulated neutrophils, superoxide anion generation, enhancement by endothelin-1 (human), **173**, 496
  stimulation of
    neutrophil respiratory burst, effects of staurosporine (human), **168**, 65
    neutrophils, associated increase of cytosolic Ca^{2+}, inhibition by tauroursodeoxycholic acid (human), **171**, 1115
N-Formyl peptide receptors
  cDNA, isolation with *N*-formyl peptide derivative (human), **168**, 1103
Forskolin
  induced cAMP production in renal papillary collecting tubule cells in culture, augmentation by ouabain (rat), **166**, 411
Forsythia intermedia
  cell-free extract, formation of (−)secoisolariciresinol, **171**, 1008
Free radicals, *see specific types*
Friend viruses
  induced erythroleukemia, genes highly expressed in early and late stages, isolation (mouse), **170**, 39
Frog virus 3
  RNA translational efficiency: outcompetition of tobacco mosaic virus RNA *in vitro*, **172**, 1357
Fructose
  protection of hepatocytes from lethal injury by mitochondrial inhibitors, ionophores, and oxidant chemicals (rat), **167**, 600
Fructose-2,6-bisphosphatase
  –6-phosphofructo-2-kinase, gene expression in cultured hepatocytes, multihormonal regulation (rat), **169**, 406
Fructose 1,6-bisphosphate
  allosteric activation of 2′,5′ A synthetase (rabbit reticulocytes), **169**, 1198
Fructose-bisphosphate aldolase
  isozyme B, promoter region, binding of different hepatic HNK1-like transcription activators (rat), **173**, 1337
Fucose
  –protein linkage, identification in recombinant pro-urokinase (human), **171**, 401
α-L-Fucosidase
  –galaptin conjugates, metabolic correction of fucosidosis lymphoid cells (human), **172**, 335
Fucosidosis
  lymphoid cells, metabolic correction by galaptin–α-L-fucosidase conjugates (human), **172**, 335
Fucosyltransferase
  intestinal, endogenous cytosolic protein inhibitor, detection (rat), **166**, 1024
Fura-2
  effects of pH and temperature on, determination with Chelex-100 and EDTA buffer systems, **171**, 102
β-(2-Furyl)acryloyl phosphate
  hydrolysis by Na^+,K^+-ATPase isozymes, analysis (rat brain, kidney), **172**, 1055
Fusicoccin
  modulation of inositol-1,4,5-trisphosphate levels in roots and coleoptiles, measurement by $[^3H]IP_3$ binding assay (maize), **168**, 1041

G

Galactose
  derivatized surfaces, coenzyme A transfer to, mediation by hepatocytes (chicken, rat), **167**, 67
  induced cataractogenesis, effects of allopurinol and butylated hydroxytoluene (rat), **168**, 939
  specific carbohydrate-binding protein, isolation and characterization from lymphoblastic cells (human), **173**, 1079
Galactosialidosis
  fibroblasts from patients, simultaneous deficiency of esterase, carboxy-terminal deamidase, and acid carboxypeptidase, **172**, 1175
  infantile and juvenile, associated deficient lysosomal carboxypeptidase activity (human fibroblasts), **168**, 22
α-Galactosidase A
  encoding gene, partial deletion in Fabry disease: direct repeat sequences as cause of slipped mispairing (human), **170**, 296
β-Galactosidase
  acid, cDNA cloning: sequence analysis, expression of catalytic activity, and comparison with human enzyme (mouse), **173**, 141
  catalytic rate, increase by selection in chemostats at changing dilution rates (*Escherichia coli*), **166**, 1245
  expression, glycosylation, and intracellular distribution in recombinant baculovirus-infected *Spodoptera frugiperda* cells (human), **167**, 746
  lysosomal pro-enzyme, secretion by MCF7 cells, effect of estradiol, **171**, 972
  –α-neuraminidase complex, photolabeling with photoreactive neuraminidase inhibitor (human placenta), **173**, 13
  site-specific mutant, Mg^{2+} binding, role of Tyr-503 and Glu-461, **171**, 33
Galactosylceramide
  and galactosylsphingosine, loading studies in cultured dermal fibroblasts in globoid cell leukodystrophy (human, mouse), **166**, 1053
Galactosyl receptors
  functional, on isolated hepatocytes, identification as hetero-oligomers (rat), **170**, 1308
Galactosylsphingosine
  and galactosylceramide, loading studies in cultured dermal fibroblasts in globoid cell leukodystrophy (human, mouse), **166**, 1053
β-1,4-Galactosyltranferase
  enhancement by transient expression of p58 protein kinase (COS cells), **171**, 196
Galanin
  binding and biological activity in RINm5F insulinoma cells, structural requirements, **172**, 268
  solution conformation, ^1H NMR study (rat), **166**, 1102

Galaptin
  –α-L-fucosidase conjugates, metabolic correction of fucosidosis lymphoid cells (human), **172**, 335
Gangliosides
  depletion in plasma membrane and direction to internal membranes of hepatomas: evidence for glycolipid sorting defect in hepatocarcinogenesis (rat), **169**, 192
Gastrin
  big, N-terminal hexapeptide, purification from urine (human), **172**, 1392
  mRNA, from carcinoma cell lines, polymerase chain reaction cloning and sequencing (human), **170**, 691
  sulfation in gastric mucosa, identification of catalyzing enzyme (rat), **170**, 1170
GDP (guanosine 5′-diphosphate)
  dissociation from *rho* proteins, stimulator protein from brain cytosol, partial purification and characterization (bovine), **169**, 652
GDP dissociation inhibitor
  smg p25A, recognition of small G protein in platelet membranes and related protein detection in platelet cytosol (human), **168**, 1244
GD3 synthase
  activation by sex steroid hormones in cultured hepatocytes (rat), **171**, 1188
  purification to homogeneity (rat brain), **166**, 387
Gelatinase
  92-kDa, –type IV collagenase, induction and stimulation by tumor necrosis factor α in tumor cells, **171**, 610
Gel electrophoresis
  combined denaturing and nondenaturing, in subunit composition analysis of skeletal muscle L-type calcium channels (rabbit), **172**, 751
  nondenaturing, in identification of interphase and mitotic CDC2 histone H1 kinases (murine fibroblasts), **168**, 763
Gelsolin
  actin-binding, homology with amyloid protein in familial amyloidosis (Finnish type), **167**, 927
  and α-actin, elevated expression in flat revertant R1 of Ha-*ras* oncogene-transformed NIH/3T3 cells, **171**, 852
Gene fusion
  in analysis of *cysB* gene and encoded product (*Escherichia coli*), **167**, 962
  pyruvate kinase L–chloramphenicol acetyltranferase, tissue-specific expression in transgenic mice and regulation by diet and insulin, **171**, 243
Genes
  32, bacteriophage T_4, antigenic determinants of encoded protein, sharing with reconstituted heterogeneous nuclear ribonucleoproteins of HeLa cells, **167**, 1196
  acrosin, expression in meiotic and postmeiotic spermatogenic cells, analysis (mouse), **173**, 240
  activin A/erythroid differentiation factor, inducible expression, analysis (human promyelocytic leukemia cells), **167**, 654
  adenoviral 12S E1A protein-encoding, immortalized submandibular gland epithelial cell line, establishment and characterization (rat), **170**, 336
  adenovirus-2 major late promoter, interaction with human and wheat transcription factor IIA, comparison, **168**, 498
  alkaline phosphatase, liver/bone/kidney-type, 5′-flanking region, characterization: evidence for two kinds of mRNA from single gene (human), **168**, 993
  Alzheimer amyloid β-protein precursor
    expression increase upon neural differentiation (murine embryonal carcinoma cells), **171**, 204
    promoter region, genomic sequencing with Taq polymerase in study of methylation status (human), **169**, 46
  Alzheimer β-protein, normal and variant alleles, expression in amyloid of hereditary cerebral hemorrhage Dutch type (human), **170**, 301
  angiotensin-converting enzyme, genomic DNA 5′ to, identification of regions of conserved sequence (human, mouse), **167**, 1128
  apolipoprotein B
    3′ end, identification of DNase I hypersensitive sites (human), **171**, 162
    proximate hypervariable region, amplification: application to forensic problems (human), **170**, 616
  apolipoprotein E, expression, induction in atherosclerotic lesions (human, rabbit), **168**, 733
  α-L-arabinofuranosidase, cloning and expression in *Escherichia coli* (*Clostridium stercorarium*), **170**, 368
  botulinum type C_1 toxin, in c-st phage genome, complete nucleotide sequence, **171**, 1304
  branched-chain α-keto acid dehydrogenase complex $E_1\alpha$ subunit, A-to-T substitution in cell lines from Mennonite maple syrup urine disease patients, **172**, 646
  calcitonin, expression during migration (Pacific salmon), **173**, 788
  calmodulin, down-regulation of expression in diabetic rats, **168**, 1007
  carcinoembryonic antigen family
    expression in submandibular salivary gland: demonstration of pregnancy-specific glycoproteins by cDNA cloning (human), **169**, 203
    related nonspecific cross-reacting antigen member, cDNA cloning and characterization (human leukocytes), **166**, 1063
  CDC4, product association with nuclear skeleton (yeast), **172**, 1324
  cdc25$^+$, encoded protein, regulation by cell cycle (fission yeast), **167**, 301
  CDC25, overexpression for immunological identification and characterization of encoded protein (yeast), **172**, 61
  c-*fos*
    and c-*myc*, expression in aortic endothelial cells, effects of ATP (bovine), **172**, 306
    expression in L6 myoblasts, induction by neurokinin A (rat), **173**, 1322
    temporally defined induction in pineal gland (rat), **166**, 589
    transcriptional activation, induction by heat shock (murine 3T3 fibroblasts), **168**, 1013
  c-Ha-*ras* and c-*myc*, mRNA, differential induction by

    peroxisome proliferators (rat), **173**, 855
chemotactic cytokine, disparate expression by mononuclear phagocytes (human), **166**, 886
chemotactic factor, disparate expression by human neutrophils, **173**, 725
chloroplast
  expression during light–dark cell cycle, translational regulation, role of ATP/energy supply (*Chlamydomonas reinhardtii*), **170**, 1082
  specified proteins, homology to nuclear-coded 31-kDa subunit of complex 1 (*Neurospora crassa*), **171**, 1168
cholesterol oxidase, isolation and identification (*Brevibacterium sterolicum*), **172**, 721; *erratum*, **173**, 1383
c-*jun*
  estrogen-induced expression in immature and mature rat uterus, **168**, 721
  expression in L6 myoblasts, induction by neurokinin A (rat), **173**, 1322
c-*myc*
  and c-*fos*, expression in aortic endothelial cells, effects of ATP (bovine), **172**, 306
  and c-Ha-*ras*, mRNA, differential induction by peroxisome proliferators (rat), **173**, 855
  expression in
    cancer cells, analysis by intron-differential RNA/polymerase chain reaction method (human), **170**, 569; *erratum*, **172**, 1407
    L6 myoblasts, induction by neurokinin A (rat), **173**, 1322
  sequences, enrichment in hypersensitive DNA from B16 melanoma cells, **169**, 352
β-γ crystallin super gene family-related
  isolation and characterization (*Xenopus laevis*), **171**, 1333
  structure and expression (*Xenopus laevis*), **171**, 1338; *erratum*, **173**, 481
C-type natriuretic peptide, nucleotide sequence (pig), **172**, 627
CYP2E1, transcriptional control in perivenous liver region and during starvation (rat), **173**, 331
cysB, and encoded product, analysis by gene fusion method (*Escherichia coli*), **167**, 962
cysX, on *cysE* locus of chromosome, structure and expression *in vivo* (*Escherichia coli*), **167**, 948
dihydrofolate reductase, amplified, replication timing (CHOC 400 cells), **170**, 134
DNA polymerase β 5′-flanking region, structural similarity to human poly(ADP-ribose) polymerase gene 5′-flanking region (human, mouse), **167**, 701
Duchenne muscular dystrophy, encoding gene, small frame-shifting deletion within exon 19, molecular characterization (human), **170**, 963
endogenous cathepsin D, estrogen responsiveness, induction by transfection with estrogen receptor cDNA (HeLa cells), **169**, 109
endoglucanase, from *Clostridium thermocellum*, cloning in *Escherichia coli*, **167**, 1057; *erratum*, **168**, 1326
endo-1,4-β-glucanase, *engA*, *engB*, and *engC*, cloning (*Clostridium cellulovorans*), **169**, 667
epidermal growth factor receptor, expression in cancer cells, analysis by intron-differential RNA/polymerase chain reaction method (human), **170**, 569; *erratum*, **172**, 1407
estrogen receptor, amplification, detection in estrogen receptor-positive breast tumors (human), **166**, 601
estrogen synthetase, structural characterization (human), **166**, 365
extracellular matrix, expression in dermal fibroblasts, persistent effect of transforming growth factor β (human), **169**, 232
facilitative glucose transporter, over-expression in cancer (human), **170**, 223
fibroblast growth factor
  acidic form, encoding of two upstream exons alternatively spliced to first coding exon (human), **171**, 7
  expression patterns in adult eye (rat), **168**, 343
flavodoxin, identification, sequencing, and expression (*Desulfovibrio salexigens*), **168**, 809
follistatin, alternative splicing in rat tissues, analysis, **173**, 401
fragments from siblings with familial amyloidotic polyneuropathy, nucleotide sequence: deduction of variant transthyretin, **169**, 143
gag-pol of HTLV-I, unspliced mRNA accumulation in human T cells, blockage by H-7, **169**, 469
α-galactosidase A, partial deletion in Fabry disease: direct repeat sequences as cause of slipped mispairing (human), **170**, 296
germination, identification in *Bacillus megaterium*, **167**, 402
GLG6, lignin peroxidase-encoding, characterization (*Phanerochaete chrysosporium*), **173**, 994
glioblastoma-derived T-cell suppressor factor/transforming growth factor β2 promoter region, sequence analysis: comparison with TGF-β1 and TGF-β3 genes (human), **171**, 1145
α-globin, domain with replication origin and permanent nuclear matrix attachment site, sequencing (chicken fibroblasts), **168**, 9
glucagon, expression in intact islets, regulation by arginine, role of protein kinase C (rat), **171**, 898
glucose-6-phosphate dehydrogenase, transcription-promoting DNA elements, analysis (human), **170**, 1203
glutathione *S*-transferase π class, transfection of CHO cells, effect on resistance to *cis*-diamminedichloroplatinum(II) (human), **166**, 1358
glyceraldehyde-3-phosphate dehydrogenase, and Ig-binding glucose-regulated protein BiP/GRP78 gene, coordinated induction by A23187 (human), **171**, 431
group II phospholipase A_2, structure (rat), **168**, 1059
Ha-*ras*, transformed NIH/3T3 cells, elevated gelsolin and α-actin expression in flat revertant R1 (mouse), **171**, 852
Harvey *ras*, medullary thyroid carcinoma cells differentiated by, increase in c-jun transcription factor levels (human), **170**, 140
H-$2D^k$, coding sequence changes in metastatic cells, role in immunogenic abnormality of encoded antigen, **171**, 1395

- heme oxygenase, stress-induced activation in hepatoma cells (human), **166**, 1429
- hepatitis B virus DNA polymerase, translation from internal AUG codon, **171**, 1130
- hepatocyte growth factor, expression in endothelial and Kupffer cells of damaged liver, *in situ* hybridization study (rat), **173**, 42
- heterologous reporter, thyrotropin responsiveness in transfection experiments, conferral by thyroid peroxidase gene promoter (canine thyrocytes), **166**, 1257
- highly expressed in early and late stages of Friend virus-induced erythroleukemia, isolation (mouse), **170**, 39
- hsp 70
  - promoter, inducible activity in trout liver cell line (*Drosophila melanogaster*), **173**, 1311
  - stress-induced activation in hepatoma cells (human), **166**, 1429
- *hsp 70*-related, expressed in spermatids, cloning (mouse), **166**, 43
- Ig-binding glucose-regulated protein BiP/GRP78, and glyceraldehyde-3-phosphate dehydrogenase gene, coordinated induction by A23187 (human), **171**, 431
- immediate-early, activation by estrogen, role in stimulation of DNA synthesis in uterus (rat), **171**, 287
- insulin-like growth factor I, evidence for two different nonallelic types (*Xenopus laevis*), **166**, 223
- insulin-like growth factor I receptor, proximal promoter region, cloning and characterization (rat), **169**, 1021
- insulin receptor, expression in
  - IM9 lymphocytes, multifactorial control (human), **170**, 1184
  - lymphocytes and tumor cells, inhibition by glucose starvation and glycosylation inhibitors (human), **169**, 397
- interferon-β promoter, positive regulatory domain II, uv crosslinking of proteins (human tumor cells), **167**, 1086
- interleukin-8, expression in blood monocytes, endothelial cells, and fibroblasts, differential regulation by interleukin-4 (human), **171**, 531
- ion channel, distantly related, isolation with polymerase chain reaction technique (rat brain), **167**, 174; *erratum*, **168**, 887
- iso-rANP, B-type natriuretic peptide, organization (rat), **171**, 416
- lactate dehydrogenase-A mutant, associated with LDH-A deficiency, isolation and characterization (human), **168**, 677
- lac UV-5 promoter, RNA polymerase-induced conformational changes, detection by chemical nuclease activity of 5-phenyl-1,10-phenanthroline–copper ion (*Escherichia coli*), **168**, 756
- leukocyte integrin CD18 subunit cDNA, retroviral-mediated transfer (human), **171**, 787
- leukotriene A$_4$ hydrolase, expression in Raji cells, **161**, 740; *erratum*, **167**, 1413
- lipopolysaccharide-inducible early, in peritoneal macrophages, sequence analysis and identification as homolog of human IP-10 gene (mouse), **168**, 1261
- lipoprotein lipase, expression upon stimulation with growth hormone, inhibition by serum components (Ob 1771 cells), **166**, 1118
- 5-lipoxygenase, expression, analysis in Raji cells, **161**, 740; *erratum*, **167**, 1413
- loci of mouse mammary tumor virus in mammary tumor-prone mouse strain SHN, analysis, **166**, 336
- *luxA* and *luxB*, nucleotide sequence (*Xenorhabdus luminescens* HM), **170**, 407
- *mdr*, increased expression in colonic cancer cell line resistant to hydrophobic drugs (human), **172**, 842
- *mdr*1/P-glycoprotein, segments from leukemic cell lines with different multidrug resistance patterns, analysis (human), **169**, 796
- medium-chain acyl-CoA dehydrogenase, mutation, identification in patients with MCAD deficiency, **171**, 498
- MEKA, encoding retina-specific protein, isolation and analysis (human), **170**, 951
- metallothionein I, and other glucocorticoid-responsive genes, transcription, differential induction in cultured hepatocytes (rat), **166**, 133
- methylamine dehydrogenase small subunit, cloning and sequencing (*Methylobacterium extorquens AM1)*, **172**, 211
- β-microseminoprotein, cloning and nucleotide sequence (human), **167**, 1184
- mitochondrial tRNA$^{\mathrm{Leu}}$(UUR), point mutation, detection in MELAS group mitochondrial encephalomyopathy patients, **173**, 816
- MK, retinoic acid-responsive, production of secreted protein with heparin-binding activity (embryonal carcinoma, L cells), **171**, 603
- monocyte chemotactic protein, structure and regulation by phorbol ester (human), **169**, 346
- mucin, derived cDNAs, cloning (human small intestine), **171**, 407
- MYCN, enhanced expression in neuroblastoma cells, effect on cell susceptibility to growth inhibition by tumor necrosis factor α (human), **170**, 1301
- myelin basic protein, brain-specific transcription, regulatory role of nuclear factor I-binding site in distal promotor (mouse), **167**, 648
- myosin heavy chain, expression in skeletal, cardiac, and uterine muscles of young and old rats, analysis, **168**, 71
- N, bacteriophage ϕ80, encoded transcription antitermination protein, interaction with 15-kDA host-coded protein, **168**, 972
- neomycin resistance, recombinant, expression in endothelial cells transduced by retroviral vectors (human umbilical vein), **170**, 209
- neuron-specific enolase, expression in *Escherichia coli*, **173**, 231
- nitrogen fixation-related *nifC*, in *Clostridium pasteurianum*, sequence similarity to *chlJ* of *Escherichia coli*, **169**, 1122
- N-myc, expression, reduction by antisense RNA, amplification by interferon: role of 2-5A system (human neuroblastoma cells), **170**, 1242
- *norA*, point mutation, role in quinolone resistance in *Staphylococcus aureus*, **172**, 1028

- oncogenic, membrane-associated and cytoplasmic, transformation of rodent fibroblasts, intracellular glycerophosphoinositol increase as biological marker, **171**, 14
- *p53*, in small cell lung carcinoma, point mutation resulting in splicing inhibition, **173**, 697
- pancreatic lipase, expression, modulation by lipid-rich diet at transcriptional level (rat), **166**, 358
- partial, encoding third subtype of α_2-adrenergic receptor, amplification by polymerase chain reaction (human), **172**, 817
- pectin lyase, cloning and expression in *Escherichia coli* (*Erwinia carotovora*), **168**, 801
- pepsinogen, expression and methylation during development of gastric mucosa, effects of hydrocortisone (rat), **172**, 1086
- phosphofructokinase
  - encoding M and L isozymes, expression and alternative RNA splicing, tissue specificity (human), **173**, 1317
  - mRNA with heterogeneous 5′ untranslated sequences, identification: evidence for alternative splicing and alternative promoters (human muscle), **166**, 637
- 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase, expression in primary hepatocyte cultures, multihormonal regulation (rat), **169**, 406
- phospho*enol*pyruvate carboxykinase, and other glucocorticoid-responsive genes, transcription, differential induction in cultured hepatocytes (rat), **166**, 133
- plasminogen, transcription initiation site, definition in liver and nonhepatic cell lines (human), **173**, 1013
- poly(ADP-ribose) polymerase, putative promotor region, characterization (human), **167**, 701
- polymorphic epithelial mucin, structure and expression: expressed VNTR unit (human), **173**, 1019
- *PPA1*, encoded protein, homology to proteolipid of chromaffin granule proton-ATPase and cell growth role (yeast), **168**, 574
- pregnancy-specific β_1 glycoprotein
  - expression during placental development (human), **166**, 1265
  - testicular expression (human), **166**, 622
  - tight linkage on chromosome 19 long arm and coordinate expression (human), **167**, 848; *erratum*, **168**, 1325
- proliferating cell nuclear antigen, promoter, activity in serum-deprived fibroblasts (hamster), **169**, 509
- protein disulfide-isomerase, expression in brain and liver during development, differential regulation (rat), **170**, 421
- pseudo-, *see* Pseudogenes
- *rac*, regulatable promoter, based vectors, in expression of simian virus 40 large T antigens in *Escherichia coli*, **169**, 1129
- RAD6, encoded E2 protein, relationship to multiple ubiquitin carrier proteins of rabbit reticulocytes (yeast), **171**, 705
- *ras*
  - related yeast protein Yp20
    - antibodies, reactivity with HeLa cell nuclear proteins, **168**, 580
    - chromatin-associated, DNA binding properties, **167**, 628
  - transformation of fibroblasts, effects on cytosolic and nuclear protein kinase C activities (mouse), **173**, 528
  - transformed fibroblasts, associated phenotype manifestation, prior increase in tyrosine phosphorylation (mouse), **170**, 526
- raw starch-digesting amylase, nucleotide sequence: homology to cyclodextrin glucanotransferase genes (*Bacillus* sp.), **166**, 630
- renin
  - differential expression in peripheral subcutaneous tissue (mouse, rat), **173**, 218
  - promotor-reporter construct, tissue- and cell-specific expression in transgenic mice, **170**, 344
- reporter, chloramphenicol acetyltransferase, expression
  - by *Cyp1a-2* promoter in hepatoma cell cultures (mouse, rat), **172**, 1109
  - regulation by angiotensin II via protein kinase C-dependent pathway, role of TPA responsive element (human, rat), **172**, 1189
- *ret* activated in papillary thyroid carcinoma cells, cDNA cloning and characterization (human), **168**, 402
- retinoic acid receptor α and β, expression in human tumor cell lines, **166**, 1300
- *rho*
  - amplification in and malignant transformation of rat cells (human), **168**, 114
  - encoded protein, identification as major GTP-binding protein in aortic smooth muscle cytosol (bovine), **170**, 673
- ribonucleotide reductase components, amplification in hydroxyurea-resistant mammalian cells, **167**, 258
- rig, sequence analysis: conservation during vertebrate evolution (chicken, mouse, *Xenopus laevis*), **166**, 1501
- rod photoreceptor cGMP-gated ion channel, developmental and tissue-specific expression (rat), **173**, 463
- serine dehydratase, expression regulation in kidney and liver (rat), **170**, 892
- *Shaker*, encoded K^+ channel subunits, formation of heteromultimeric channels (*Xenopus laevis*), **171**, 1361
- silkworm eclosion hormone, expression in yeast, **173**, 1065
- single-copy, encoded distinct vascular and intestinal smooth muscle myosin heavy chain mRNAs, characterization (chicken), **170**, 53
- α-skeletal actin, expression in skeletal, cardiac, and uterine muscles of young and old rats, analysis, **168**, 71
- specific organization in relation to sperm nuclear matrix (hamster), **173**, 20
- *src*
  - encoded myristoylated $pp60^{c\text{-}src}$, identification in colon cancer cells: suppression of colony formation by blockage of myristoylation (human), **173**, 894
  - myristoylated products, detection by monoclonal antibody to N-terminal myristoyl tetrapeptide (chicken, human), **170**, 657

sucrase-isomaltase, expression along crypt–villus axis of small intestine, regulation (rat), **173**, 765
sulfated glycoprotein-2, human homolog, chromosomal assignment, **172**, 160
tat, directed *trans*-activation, role in protein kinase inhibitor blockade of phorbol ester-mediated induction of HIV-1 from chronically infected promonocyte clone (human), **166**, 349; *erratum*, **167**, 382
thermostable exoglucanases from *Clostridium thermocellum*, cloning and expression in *Escherichia coli*, **169**, 1055
thymidine kinase, expression, post-transcriptional regulation during monocyte differentiation of HL-60 cells, **169**, 780
thyroid peroxidase, promoter
  conferral of thyrotropin responsiveness to heterologous reporter genes in transfection experiments (canine thyrocytes), **166**, 1257
  functional activity studies (rat thyroid cells, NIH-3T3 fibroblasts), **168**, 281
thyrotropin receptor, expression in oncogene-transfected thyroid cells, analysis (rat), **173**, 172
thyrotropin-releasing hormone prohormone, expression by fetal pancreatic islets in culture (rat), **168**, 952
trans-, *see* Transgenes
transfer by xenotropic and amphotropic pseudotyped recombinant retroviruses into cells of various species, evaluation, **169**, 8
transforming growth factor α and β1, expression in cancer cells, analysis by intron-differential RNA/polymerase chain reaction method (human), **170**, 569; *erratum*, **172**, 1407
transforming growth factor β1-induced expression, mediation by dyad symmetry element and TPA-responsive element (mink, mouse), **168**, 1074
transthyretin
  cloning and dual promoter region analysis (rat), **173**, 323
  Glu^{42} to Gly and Ser^{50} to Arg mutants, identification in Japanese kindreds with familial amyloidotic polyneuropathy, **169**, 1117
tRNA, specific interaction with partially purified *Xenopus* transcription factor IIIC, **172**, 692
tumor necrosis factor receptor of 55 kDa, constitutive expression in hematopoietic cells, modulation (human), **172**, 557
tyrosinase, 3′ region, macromolecular interactions, regulation by cell adhesion: correlation with pigmentation (B16-BL6 melanoma cells), **172**, 638
tyrosine aminotransferase, and other glucocorticoid-responsive genes, transcription, differential induction in cultured hepatocytes (rat), **166**, 133
U1 RNA, inversion rearrangement in 5′-flanking DNA, induction of altered DNA configuration (chicken), **172**, 402
urate oxidase, cloning and partial sequence analysis: stop codon within fifth exon (human), **171**, 641
variant, lactate dehydrogenase-B, detection of missense mutation (human), **168**, 672
versican proteoglycan, altered methylation in colon carcinoma (human), **171**, 1402
v-*fos*, transferred highly metastatic cell line, augmented excretion of procathepsin L (rat), **168**, 520
viral, promoters and enhancers, constitutive activities in trout liver cell line, **173**, 1311
vitronectin, polymorphism, correlation with vitronectin blood type (human), **167**, 1355
xylanase, cloning and expression in *Escherichia coli* (*Clostridium stercorarium*), **170**, 368
β-D-xylosidase, cloning and expression in *Escherichia coli* (*Clostridium stercorarium*), **170**, 368
Genistein
  effect on interleukin-1-stimulated prostaglandin E_2 production in mesangial cells (rat), **173**, 718
  effect on U46619-induced phosphoinositide phosphorylation (human platelets), **170**, 238
Germ cells
  haploid, G_s protein α subunit mRNA, identification of unique species (rat), **168**, 91
  testicular, protein phosphatase mRNA expression, unique features (rat), **171**, 230
Germination
  related gene, identification in *Bacillus megaterium*, **167**, 402
Ghilanten
  amino acid sequence (*Haementeria ghilianii*), **166**, 1384
Glia
  and neurons, P450-dependent monooxygenases, inducibility and specificity (rat), **170**, 441
Glial cells
  C6, β-amyloid precursor mRNA induction by fibroblast growth factor (rat), **167**, 96
  mixed primary cultures, mono- and diacylglycerol lipase activities, bradykinin effects (neonatal rat brain), **166**, 1001
  primary cultures, expression of β amyloid protein precursor (mouse), **167**, 54
Glia maturation factor β
  recombinant, disulfide isoforms (human), **171**, 746
Glibenclamide, *see* Glyburide
Globin
  synthesis *in vitro*, stimulatory effect of N^1,N^{12}-bis(ethyl)spermine, **172**, 715
α-Globin
  encoding gene, associated domain with replication origin and permanent nuclear matrix attachment site, sequencing (chicken fibroblasts), **168**, 9
Globulins
  corticosteroid-binding, *see* Corticosteroid-binding globulin
  sex hormone-binding, complexes with androgens, binding to placental syncytiotrophoblast membrane (human), **171**, 1279
  thyroxine-binding, hepatic biosynthesis, analysis (rat), **167**, 317
Glomerulosa cells
  adrenal, cAMP production and aldosterone secretion, comparative effects of dopamine (rat), **172**, 1100
Glucagon
  effect on sialyltransferase in cultured hepatocytes (rat), **171**, 132

gene expression in intact islets, regulation by arginine, role of protein kinase C (rat), **171**, 898
independent stimulation of cAMP and Ca^{2+} (MDCK cells), **167**, 1162
secretion from isolated pancreas, effect of islet amyloid polypeptide (rat), **167**, 1102
stimulation of guanine nucleotide-sensitive adenylylcyclase and effect on cell morphology (*Candida albicans*), **167**, 1177
synthesis and release by isolated islets, suppression by glucagon-like peptide-1 without, effect on mRNA level (rat), **167**, 431

Glucan 1,4-β-glucosidase
purified, cloned from cellulolytic bacterium *Ruminococcus albus* AR67, mode of action and substrate specificity, **171**, 777

Glucocorticoid receptors
DNA-binding domain, absence of phosphorylation *in vivo* (murine pituitary tumor cells), **166**, 931
–steroid complexes, transformation, associated dissociation of oligomers in intact HeLa cells, **170**, 1210

Glucocorticoids
anti-inflammatory, inhibition of nitric oxide synthase induction by endotoxin in lung, liver, and aorta (rat), **172**, 1042
effect on sialyltransferase in cultured hepatocytes (rat), **171**, 132
enhancement of adrenocortical cell responsiveness to adrenocorticotropin, mechanism (sheep), **166**, 1183
inhibition of nitric oxide synthase induction in J774 macrophages, **172**, 1246
–receptor complexes, transformation, associated dissociation of oligomers in intact HeLa cells, **170**, 1210
responsive genes, transcription in cultured hepatocytes, differential induction (rat), **166**, 133

Glucokinase
loaded human erythrocytes, glucose utilization, anomeric preference, **173**, 201

Glucose
augmentation of plasma islet amyloid polypeptide after oral administration (human), **169**, 713
deprivation, stabilization of glucose transporter mRNA (L6 myocytes), **171**, 210
effects on
  cytoplasmic Ca^{2+} in single beta and alpha cells purified from pancreatic islets (rat), **166**, 813
  insulin receptor gene expression, role of glycosylation (human lymphocytes, tumor cells), **169**, 397
and ferrous ions, lens crystallins in presence of, glycosylation and high-molecular-weight aggregate formation (camel), **173**, 823
insulin-stimulated transport in diaphragm, effects of amylin and calcitonin gene-related peptide (rat), **169**, 451
metabolism in *Halobacterium halobium*, ^{13}C NMR analysis, **173**, 358
stimulated insulin secretion
  from isolated islets, role of protein kinase A activation (rat), **173**, 833
  from isolated perfused pancreas, effect of islet amyloid polypeptide (rat), **170**, 1223
tolerance, impairment by islet amyloid polypeptide (cat), **167**, 507
utilization by glucokinase-loaded human erythrocytes, anomeric preference, **173**, 201

Glucose dehydrogenase
spectroscopic detection in *Halobacterium halobium*, **173**, 358

Glucose-6-phosphate dehydrogenase
encoding gene, transcription-promoting DNA elements, analysis (human), **170**, 1203

Glucose transporters
brain-type, mRNA, specific expression at blood–brain barrier (bovine), **166**, 174
erythrocyte/HepG2-type, detection in blood–tissue barriers (rat), **173**, 67
facilitative, encoding genes, over-expression in cancer (human), **170**, 223
GLUT-4
  increased expression in hyperthyroidism (rat), **171**, 182
  recruitment by insulin in diabetic muscle, analysis (rat), **172**, 728
  translocation in fat cells, induction by 12-*O*-tetradecanoylphorbol-13-acetate (rat), **168**, 1089
hepatic, mRNA levels, increase associated with liver regeneration (rat), **168**, 1274
mRNA, stabilization by insulin/insulin growth factor 1 and glucose deprivation (L6 myocytes), **171**, 210

Glucosylceramidase
catalytic activity, role of glycosylation (human), **168**, 771

Glutamate–cysteine ligase
induction by prostaglandin A_2 (murine L-1210 cells), **168**, 551

Glutamic acid
in conserved Asn–Glu–Pro sequence of highly divergent endo-β-1,4-glucanases, role in enzymatic activity (*Bacillus polymyxa*, *B. subtilis*), **169**, 1035

L-Glutamine
inhibition of endothelium-derived relaxing factor release from aorta (rabbit), **172**, 143

γ-Glutamylcysteine synthetase, *see* Glutamate–cysteine ligase

γ-Glutamyl-transpeptidase
and Na^+,K^+-ATPase, activities in different subpopulations of cloned cerebral endothelial cells, responses to glial stimulation (rat), **168**, 358

Glutaredoxin
amino acid sequence, comparison with yeast and porcine thioltransferases (*Escherichia coli*), **168**, 944
bacteriophage T_4, structure and fluctuations, modeling by molecular dynamics, **171**, 581

Glutathione
depletion, and formation of glutathione–protein mixed disulfide in mitochondria after oxidative stress (rat brain), **169**, 1075
and FAD, role in macrophage synthesis of nitric oxide (mouse), **168**, 558
reduced, inhibition of lipid peroxidation in hepatic microsomes, enhancement by glutathione disulfide (rat), **166**, 960

role in generation of chemotactic activity for human neutrophils during ethanol metabolism (rat hepatocytes), **167**, 1170
transport across mitochondrial membranes, analysis (rat liver), **167**, 367

Glutathione disulfide
enhancement of reduced glutathione inhibition of lipid peroxidation in hepatic microsomes (rat), **166**, 960

Glutathione peroxidase
role in generation of chemotactic activity for human neutrophils during ethanol metabolism (rat hepatocytes), **167**, 1170

Glutathione transferase
class μ, activation by active oxygen species (rat), **171**, 845; *erratum*, **173**, 1382
class π
encoding gene, transfection of CHO cells, effect on resistance to *cis*-diamminedichloroplatinum(II) (human), **166**, 1358
specific inactivation by SH-modifiers (human, mouse, rat), **167**, 331
isoenzymes, induction by protein A (rat liver), **169**, 476
mRNA induction, cDNA cloning, and expression in *Escherichia coli* (*Issatchenkia orientalis*), **172**, 669

Glutathionylcobalamin
role in biosynthesis of cobalamin coenzymes, **169**, 443

Glutethimide
and iron, synergistic induction of hepatic heme oxygenase (chicken embryo liver cells), **168**, 176

Glyburide
^{3}H-labeled, high- and low-affinity binding sites, identification in cardiac ventricular membranes (dog), **167**, 1400

Glycation
early products, free radical generation: mechanism for accelerated atherogenesis in diabetes, **173**, 932
protein, relationship to red blood cell membrane fluidity (human), **170**, 1107

Glyceraldehyde-3-phosphate dehydrogenase
and Ig-binding glucose-regulated protein BiP/GRP78, coordinated gene induction by A23187 (human), **171**, 431
in recovering dauer larvae, induction by increased levels of food source in recovery medium (*Caenorhabditis elegans*), **172**, 1013

Glycerophosphoinositol
intracellular, increased levels as biological marker for transformation by membrane-associated and cytoplasmic oncogenes (murine, rat fibroblasts), **171**, 14

Glycine
replacement of tryptophan-140 residue of aspartate aminotransferase, effects on function (*Escherichia coli*), **167**, 407

Glycine decarboxylase, *see* Glycine dehydrogenase (decarboxylating)

Glycine dehydrogenase (decarboxylating)
cDNA, deletion of one of two genomic copies at 5′ region in nonketotic hyperglycinemia patient, **173**, 801

Glycine receptors
subunit gene, isolation by polymerase chain reaction technique to identify distantly related members in multigene family (rat brain), **167**, 174; *erratum*, **168**, 887

Glycogen
metabolism in hepatocytes, acute effects of interleukin-1α and IL-6 (rat), **169**, 623

Glycolipids
sorting defect in hepatocarcinogenesis: ganglioside depletion in plasma membrane and direction to internal membranes of hepatomas (rat), **169**, 192

Glycolysis
factors affecting metabolic adjustments of rod photoreceptors to illumination (toad), **168**, 155
fibroblast, insulin effect, reproduction by phosphooligosaccharide (human), **166**, 765; *erratum*, **168**, 886

Glycopeptides
antifreeze, effect on porcine oocyte membrane potential changes at hypothermic temperatures (Antarctic fish), **173**, 1369

Glycoproteins
amyloid P component, identification of peptide supporting cell attachment for various cell types, **171**, 1284
CA-MOv18, binding to ovarian carcinoma cell membrane by phosphatidylcholine (human), **171**, 1051
with capacity to increase host-cell membrane permeability, *Trypanosoma cruzi*-excreted, purification, **166**, 736
connective tissue, procollagen C-proteinase enhancer identification as naturally occurring form (mouse, rat), **173**, 81
GP V, sequencing: leucine-rich segments related to adhesion (human platelets), **170**, 153
gp 120, HIV, activation of protein kinase C in nuclei from lymphocytes and brain (rat), **166**, 1133
HSV-1, transport and expression in tunicamycin-treated kidney cells, role of glycosylation (monkey), **167**, 1139
LAMP-1, identification as primary carrier of poly-*N*-acetyllactosamine chains and preferential binding by mammalian S-type lectin (CHO cells), **173**, 1123
myelin-associated, phosphorylation in peripheral nervous system (rat), **169**, 953
P-, *see* P-glycoprotein
platelet membrane Ia-IIa complex, evidence for divalent cation-dependent structure, **168**, 107
pregnancy specific
demonstration in submandibular salivary gland by cDNA cloning (human), **169**, 203
encoding genes, tight linkage on chromosome 19 long arm and coordinate expression (human), **167**, 848; *erratum*, **168**, 1325
type β_1, gene expression
during placental development (human), **166**, 1265
in testis, analysis (human), **166**, 622
type 7, identification, cloning, and sequencing (human fetal liver), **168**, 214
variant surface, mRNAs expressed in mixed population of *Trypanosoma brucei rhodesiense*, sequences, **169**, 730

Glycosaminoglycans
  structure and composition in reactive and neoplastic liver (human), **167**, 883
Glycosylation
  amyloid peptide precursor containing Kunitz protease inhibitor domain, effect on inhibition of trypsin (COS-1 cells), **171**, 1015
  and high-molecular-weight aggregate formation, lens crystallins in presence of ferrous ions and glucose (camel), **173**, 823
  human β-galactosidase in recombinant baculovirus-infected *Spodoptera frugiperda* cells, **167**, 746
  N-linked, effect on substrate preferences of UDP glucuronosyltransferases (COS cells), **166**, 1293
  role in
    catalytic activity of acid β-glucosidase (human), **168**, 771
    transport and expression of HSV-1 glycoproteins in tunicamycin-treated kidney cells (monkey), **167**, 1139
Glycosylation inhibitors
  inhibition of insulin receptor gene expression in lymphocytes and tumor cells (human), **169**, 397
Glycosyltransferases
  Golgi-localized, common structural motif: implication for localization, **170**, 879
Glycyrrhizic acid
  binding protein kinase from crude hepatic membrane fraction, characterization (rat), **167**, 876
Glycyrrhizin, *see* Glycyrrhizic acid
Glyoxylic acid
  prevention of NAD$^+$ and NADH depletion in K562 cells cultured at limiting dilution, **173**, 179
GM3 synthase
  partial purification (rat brain), **166**, 387
  solubilization with lauryldimethylamine oxide (rat liver), **172**, 165
Golgi apparatus
  localized glycosyltransferases, common peptide stretch, analysis: implication for localization, **170**, 879
Gonadotropin
  secretion in response to protein kinase C activators, role of voltage-sensitive calcium channels (rat pituitary cells), **170**, 359
Gonadotropin-releasing hormone
  binding sites in pituitary and testis, characterization (frog), **168**, 923
Gonadotropin-releasing hormone receptors
  evidence for coupling of different types to phospholipases C and A_2 in cultured luteal cells (rat), **168**, 328
Gossypol
  inhibitory effect on steroidogenic pathways in cultured luteal cells (bovine), **169**, 455
G proteins
  activation by insulin-like growth factor-II/mannose 6-phosphate receptors, ligand dependence (murine fibroblasts), **168**, 1201
  complex formation with membrane-associated nucleoside-diphosphate kinase (rat liver), **168**, 99
  coupling to adenosine A_1 receptors in coated vesicles from brain (bovine), **171**, 770
  crosslinking to prolactin receptors in Nb2 lymphoma cells (rat), **173**, 48
  detection in retinal rod outer segments (bovine), **170**, 719
  differential restriction to signal transduction sites (*Torpedo* electric organ), **173**, 388
  G_i
    isolation of three types from bovine spleen, **172**, 249
    pertussis toxin-sensitive, coupling to high-affinity bradykinin receptors in myometrial membrane (rat), **167**, 910
  $G_{i\alpha}$, evidence for post-receptor activation: pertussis toxin inhibition of EGF-, phorbol ester-, and insulin-stimulated DNA synthesis in BALB/c3T3 cells (mouse), **167**, 1369
  G_{IR}, human placental, binding to GTPγS, activation by insulin, **173**, 501
  $G_{s\alpha}$
    constitutively active, expression in Swiss 3T3 fibroblasts, effect on mitogenic responsiveness, **168**, 1184
    unique mRNA species for, identification in haploid germ cells (rat), **168**, 91
  –leukotriene B_4 receptor complex, solubilization and characterization (porcine spleen), **166**, 342
  low-molecular-weight
    development-dependent expression in embryonic brain (chicken), **172**, 633
    interaction with AG-1 monoclonal antibody, **171**, 1252
    multiple types, identification in erythrocyte membranes (human), **166**, 1398
  major 21K, in aortic smooth muscle cytosol, identification as *rho*A gene product (bovine), **170**, 673
  mediated inhibition by iron of D-1 dopamine receptor-coupled adenylate cyclase, analysis (rat caudate nucleus), **171**, 1372
  M_r 24,000, purification and characterization (rat liver), **169**, 816
  pertussis toxin-sensitive, role in
    α_1-adrenergic potentiation of β-adrenergic stimulation of cAMP accumulation in pinealocytes (rat), **168**, 871
    platelet activation by mastoparan (human), **170**, 779
    prostaglandin $F_{2\alpha}$-induced phosphoinositide hydrolysis in osteoblast-like MC3T3-E1 cells, **171**, 1229
  rac 1 and *rac* 2, low-molecular-mass, isoprenylation, role in membrane localization, **171**, 804
  rho, GDP dissociation stimulators in brain cytosol, partial purification and characterization (bovine), **169**, 652
  small, recognition by *smg* p25A GDP dissociation inhibitor in platelet membranes and detection of related molecule in platelet cytosol (human), **168**, 1244
Gramicidin D
  –dipalmitoylphosphatidylcholine mixtures, acyl chain conformation, quantitative infrared determination, **168**, 85
Granular-membrane protein
  mediated adhesive interaction of activated platelets and neutrophils: requirement of sialic acid on neutrophils (human), **172**, 1349
Granule cells
  and astrocytes, cerebellar, and C_6-glioma cells, comparative phosphoinositide hydrolysis induced by endothe-

lin-related peptides (rat), **168**, 512
  cerebellar, cultured, endothelin-1-stimulated release of preloaded [^{3}H]D-aspartate (rat), **167**, 593
Granulins
  leukocyte-associated, isolation and characterization (human), **173**, 1161
Granulocytes
  expressed nonspecific cross-reacting antigen, molecular heterogeneity (human), **166**, 701
  peritoneal, identification of factor I–cofactor complement C3b regulatory proteins (guinea pig), **170**, 504
Graves' disease
  IgG from patients, immunogenic regions in human thyrotropin receptors for, identification, **171**, 512
  thyroperoxidase mRNA from patients, evidence for alternative splicing, **170**, 735
GRF, *see* Growth hormone-releasing factor
Growth factor receptors
  and associated tyrosine kinase activity, alterations, role in 4-hydroxytamoxifen anti-growth factor activity in breast cancer cells (human), **173**, 919
Growth factors, *see also specific types*
  autocrine, related function of parathyroid hormone-related peptide in renal cell carcinoma, analysis (human), **167**, 1134
  and extracellular ATP, synergistic enhancement of DNA synthesis in murine cells, **166**, 251
  induction of endothelin mRNA expression and peptide secretion in culture vascular smooth muscle cells (human), **168**, 1303
  mitogenic activity in breast cancer cells, blocking by 4-hydroxytamoxifen, mechanisms (human), **173**, 919
  produced by *Paramecium tetraurelia*, purification and identification, **170**, 786
  serum, induction of Na^+/H^+ antiporter and mobilization of intracellular Ca^{2+} in NIH 3T3 fibroblasts, interrelationship, **167**, 1206
Growth hormone
  active sites for eliciting differentiation of preadipose 3T3-F442A to adipose cells, analysis, **172**, 357
  cDNA
    cloning and sequencing (mink pituitary), **173**, 1200
    nucleotide sequence (turkey), **173**, 967
  endogenous production, effect of electroporation (GH_12C_1, GH_3 cells), **171**, 1029
  GRF-induced release from dispersed pituitary cells, facilitation by somatostatin pretreatment (rat), **172**, 276
  immunoreactive, secretion by lymphocytes, augmentation by exogenous hormone (human), **168**, 396
  induced diacylglycerol production in Ob1771 preadipocytes, role of phosphatidylcholine breakdown (mouse), **173**, 840
  porcine, expression in *Escherichia coli* by vector containing phage λ P_L promoter and *N* gene untranslated region, **173**, 711
  production in differentiated pituitary tumor cells, specific antisense RNA inhibition (rat), **171**, 293
  related helical protein, synthesis and effect of secondary structure rearrangement on structure formation (human), **170**, 104
  secretion by cultured pituitary cells, antagonism by synthetic analogs of growth hormone-releasing factor (rat), **167**, 360
  stimulation of expression of lipoprotein lipase gene, inhibition by serum components (Ob 1771 cells), **166**, 1118
Growth hormone-releasing factor
  analogs with *in vitro* antagonistic activity to GRF secretion, synthesis (rat), **167**, 360
  induced GH release and $(Ca^{2+})_i$ increase in dispersed pituitary cells, facilitation by somatostatin pretreatment (rat), **172**, 276
Growth inhibitors
  autocrine, for lymphocytes, role of parathyroid hormone-related protein (human), **166**, 1088
GTP (guanosine 5′-triphosphate)
  analogs, stabilization of microtubules, analysis (bovine), **166**, 653
GTPγS [guanosine 5′-(γ-thio) triphosphate]
  augmentation of myofilament Ca^{2+} sensitivity in α-toxin-permeabilized arterial smooth muscle (rabbit), **157**, 677; *erratum*, **166**, 1061, 1508
  binding activity, enhancement by cAMP-dependent phosphorylation of filamin-like 250-kDa membrane protein (human platelets), **172**, 256
  binding to human placental G_{IR} protein, activation by insulin, **173**, 501
Guanidine
  denatured SecA dimer, quantitative renaturation (*Escherichia coli*), **172**, 1217
Guanidine chloride
  high concentrations, activation of lactate dehydrogenase in low-water media, **172**, 830
Guanine
  in DNA, preferential modification by dimethyldioxirane, application to DNA sequencing (bovine), **169**, 87
  N7 position, alkylation, lack of involvement in formation of phosphoramide mustard–nucleotide adduct, **163**, 843; *erratum*, **166**, 1508
Guanine nucleotides
  binding to platelet recombinant rap-2B protein, exchange rate properties, **171**, 319
  effects on insulin receptors, modulation by $MgCl_2$ (rat adipocytes), **171**, 53
  regulation of effect of substance P on striatal adenylate cyclase (rat), **167**, 211
  sensitive adenylylcyclase, stimulation by glucagon: effect of glucagon on cell morphology (*Candida albicans*), **167**, 1177
Guanylate cyclase
  serosal mast cell, stimulation: assay of L-arginine-derived nitric oxide-like factor synthesis (rat), **169**, 596
  soluble, activation by nitrovasodilators, inhibition by oxidized low-density lipoprotein (bovine), **172**, 614
  ultraviolet light-dependent activation in mesenteric arteries, effect of sodium nitrite (bovine), **169**, 129

H

H-7
  blockage of
    accumulation of unspliced *gag-pol* mRNA of HTLV-I (human T cells), **169**, 469
    phorbol ester-mediated induction of HIV-1 from chronically infected promonocyte clone, relationship to *tat*-directed *trans*-activation (human), **166**, 349; *erratum*, **167**, 382
  effect on cytomegalovirus-stimulated arachidonic acid metabolism (human), **166**, 953
  inhibition of
    interleukin-8-induced lymphocyte migration *in vitro* (human), **169**, 1099
    phosphorylase kinase, analysis, **171**, 148
    protein kinase C, effects on A23187-stimulated release of oleic, linoleic, and arachidonic acids in neutrophils (human), **167**, 168
H-8
  effect on cytomegalovirus-stimulated arachidonic acid metabolism (human), **166**, 953
HA1077
  inhibition of myosin light chain phosphorylation in cultured smooth muscle cells (rabbit aorta), **171**, 1182
Haloalkylation
  role in carbon tetrachloride-induced inactivation of protein kinase C (rat hepatocytes), **171**, 1353
Halobacterium halobium
  glucose metabolism, ^{13}C NMR analysis, **173**, 358
Haloperidol
  potentially neurotoxic pyridinium metabolite, identification (rat brain), **166**, 238
Heart, *see also* Myocardium
  adriamycin-perfused, detection of paramagnetic species, reappraisal (rat), **169**, 30
  derived tissues, electrophysiological effects of endothelin (dog), **173**, 457
  expression of dystrophin mRNA and protein during development (rat), **172**, 824
  isolated atria
    atrial natriuretic peptide release, effects of temperature and osmolality (rat), **167**, 1001
    perfused, atrial natriuretic peptide secretion, sequential mechanism (rabbit), **172**, 423
  and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377
  and other tissues from Kearns–Sayre syndrome patient, different copy numbers of identically deleted mitochondrial DNA, detection by polymerase chain reaction, **169**, 1007
  ventricular fibrillation, associated increase in urinary peptides of atrial natriuretic factor prohormone (dog), **173**, 1030
Heat shock
  induction of
    40-kDa protein in avian and mammalian cells, **166**, 642
    heme oxygenase and hsp 70 gene activation in hepatoma cells (human), **166**, 1429
    transcriptional activation of c-*fos* protooncogene (murine 3T3 fibroblasts), **168**, 1013
  responses of 3T3-L1 fibroblasts and differentiated adipocytes, comparison (mouse), **172**, 1
Heat shock proteins
  70-kDa, associated with selective cytotoxicity of β-carotene in epidermal carcinoma, induction (human), **169**, 941
  DnaK gene product, interaction with ATP: binding, hydrolysis, and Ca^{2+}-stimulated autophosphorylation (*Escherichia coli*), **166**, 1284
  HSP28 and HSP70 families, heat-induced preferential synthesis and redistribution (CHO cells), **172**, 119
  HSP47 and HSP70, constitutive and inducible, enhanced expression in fibroblasts persistently spread on OPN or collagen, **172**, 135
  hsp60, import into rat cardiac mitochondria, analysis (human), **169**, 391
  hsp70, encoding gene, stress-induced activation in hepatoma cells (human), **166**, 1429
  HSP70 family, related polypeptide binding substance P, isolation and characterization (horse salivary gland), **166**, 978
  small, comprised α-ecdysone-induced 16S complexes, molecular analysis (*Drosophila melanogaster* S3 cells), **168**, 314
HeLa cells
  40-kDa protein induction by heat shock and other stresses, **166**, 642
  cell growth and estrogen responsiveness of endogenous cathepsin D gene, effects of transfection with estrogen receptor cDNA, **169**, 109
  glucocorticoid–receptor complex transformation, associated dissociation of oligomers in intact cells, **170**, 1210
  identification of atrial natriuretic peptide receptors and analysis of cGMP responses (human), **168**, 148
  metaphase-specific phosphorylation of high-mobility-group I protein, **171**, 342
  nuclear poly(A) polymerases, relationships to hepatic and tumor-type enzymes, **169**, 325
  nuclear proteins, immunoreactivity with anti-yeast Yp20 *ras*-related antibodies, **168**, 580
  papillomavirus type 18 mRNA levels, selective suppression by interferon, **170**, 793
  phenotypic reversion of cisplatin resistance, association with reduced host cell reactivation of damaged plasmid, **170**, 851
  uv crosslinking of proteins to PRDII domain of interferon-β promoter, analysis, **167**, 1086
Helodermin
  effects on fetal bone metabolism *in vitro* (rat), **170**, 576
Hemagglutinin
  comparison with pertussis toxin lectin-like properties, **172**, 1224
Hematopoietic cells
  constitutive expression of 55-kDa tumor necrosis factor receptor gene, modulation (human), **172**, 557
  survival and transfection efficiency after electroporation, improvement by serum addition, **171**, 752

Heme
  efflux from isolated mitochondria, effect of heme-binding protein (rat liver), **167**, 528
Heme oxygenase
  hepatic, synergistic induction by glutethimide and iron (chicken embryo), **168**, 176
Heme oxygenase (decyclizing)
  encoding gene, stress-induced activation in hepatoma cells (human), **166**, 1429
Hemerythrin
  monomer, intramolecular long-range electron transfer in, pulse radiolysis study (sipunculid worm), **166**, 867
Hemin
  –bis(glutathione dimethyl ester) complex, model for cytochrome P450–thiolate complexes, hyperporphyrin spectrum, **169**, 22
  induction of heme oxygenase and hsp 70 gene activation in hepatoma cells (human), **166**, 1429
  role in regulation of outer membrane proteins in *Bacteroides gingivalis*, **166**, 1146
Hemodialysis
  association with increased plasma endothelin-3 levels (human), **169**, 809
Hemodynamics
  regional action of human α-calcitonin gene-related peptide *in vivo*, antagonistic effect of human α-CGRP [8–37] (rat), **171**, 938
Hemoglobin
  cooperative binding with chlorpromazine, equilibrium dialysis, fluorescence quenching, and oxygen release studies (human), **167**, 1146
  geminate recombination with methylisocyanide, effect of quaternary structure (carp), **171**, 306
  HbE variant, origin in northeast Thailand and molecular basis of associated HbE-β-thalassemia (human), **170**, 698
  induction of inositol trisphosphate release from vascular smooth muscle (rat), **171**, 506
Hemoproteins
  –fatty acid peroxide complex, model, demonstration by ESR, **166**, 924; *erratum*, **168**, 886
Heparin
  binding erythroid cell-stimulating serum factor, N-terminal sequence, identity with insulin-like growth factor II sequence (fetal bovine), **166**, 557
  binding protein, secretion, induction by retinoic acid-responsive gene MK (embryonal carcinoma, L cells), **171**, 603
  effect on binding affinity of acidic fibroblast growth factor for cloned human FGF receptors bek and flg, **172**, 107
  inhibition of BC3H-1 cell growth, relationship to decreased mitogenic signaling, **170**, 89
Heparin-binding neurotrophic factor
  cDNA isolation and sequencing: homology with murine MK protein (rat brain), **172**, 850
Heparin cofactor II
  synthetic peptide segments, inhibiton of thrombin clotting activity, **169**, 437
Hepatectomy
  partial, and epidermal growth factor, similar effects on EGF receptor induction *in vivo* (rat), **166**, 661
Hepatitis B virus
  DNA polymerase, translation from internal AUG codon, **171**, 1130
Hepatitis C virus
  detection of two major types in Japan, **170**, 1021
  structural protein expressed in *Escherichia coli*, facilitation of viral detection in human serum, **172**, 511
Hepatocyte growth factor
  cDNA clones encoding different forms, isolation and expression (human leukocytes), **172**, 321
  gene expression in endothelial and Kupffer cells of damaged liver, *in situ* hybridization study (rat), **173**, 42
  identity with fibroblast-derived tumor cytotoxic factor (human), **170**, 397
Hepatocyte growth factor receptors
  identification and partial characterization on hepatocytes (rat), **173**, 1179
Hepatocytes, *see also* Liver
  albumin synthesis, inhibition by transforming growth factor β (human), **171**, 647
  $[Ca^{2+}]_i$ and inositol 1,4,5-trisphosphate levels, ethanol-induced increase (rat), **173**, 774
  cell surface, role in transport of acid phosphatase to lysosomes (rat), **170**, 1067
  chemical hypoxia *in vitro*, associated cytosolic free Mg^{2+}, ATP, and blebbing, analysis (rat), **170**, 477
  defluorination of 1,1,1,2-tetrafluoroethane, role of cytochrome P450 (rat), **166**, 1390
  deformation induced by cyanobacterial toxins, role of protein phosphatase inhibition (rat), **173**, 1347
  detection of inducible cytosolic enzyme activity for nitrogen oxide formation from L-arginine (rat), **168**, 1034
  DNA synthesis *in vitro*, relationship to poly(ADP-ribose) polymerase activity (rat), **171**, 1037
  ethanol metabolism, associated generation of chemotactic activity for human neutrophils, role of glutathione and glutathione peroxidase (rat), **167**, 1170
  functional galactosyl receptors, identification as hetero-oligomers (rat), **170**, 1308
  glycogen and fatty acid metabolism, acute effects of interleukin-1α and IL-6 (rat), **169**, 623
  and HepG2 cells, differential responses to 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitors (rat), **170**, 726
  identification of
    65-kDa cell surface receptor common to pancreatic polypeptide, neuropeptide Y, and peptide YY (rat), **171**, 330
    DNA ligase I-related polypeptides (human), **169**, 888
    hepatocyte growth factor receptors: partial characterization (rat), **173**, 1179
  isolated
    cytochrome P450 levels, effect of interleukin-1 and role of IL-1 receptors (rat), **168**, 1217
    G_{D3} synthase activation by sex steroid hormones (rat), **171**, 1188
  lethal injury from mitochondrial inhibitors, ionophores, and oxidant chemicals, protective effects of acidotic pH and fructose (rat), **167**, 600

  mediation of coenzyme A transfer to specific carbohydrate-derivatized surfaces (chicken, rat), **167**, 67
  membrane potential, modulation by sex steroids (human, rat), **172**, 1163
  phosphatidylinositol labeling, effects of phorbol dibutyrate and phorbol myristate acetate (rat), **171**, 618
  6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase gene expression in primary cultures, multihormonal regulation (rat), **169**, 406
  phosphoinositide turnover and phosphorylase, stimulation by angiotensin II through AII-1 receptors (rat), **172**, 780
  proliferative activation, associated changes in calmodulin and actin levels in plasma membrane (rat), **173**, 1287
  RTL-4, constitutive and inducible expression of transgene directed by heterologous promoters (trout), **173**, 1311
  serine dehydratase mRNA expression, developmental and growth-related regulation (rat), **168**, 335
  sialyltransferase activities *in vitro*, effects of various hormones (rat), **171**, 132
  transcription of glucocorticoid-responsive genes *in vitro*, differential induction (rat), **166**, 133
  tyrosine aminotransferase induction
    in primary cultures, modulation by metyrapone (rat), **166**, 801
    and tryptophan oxygenase induction, by dexamethasone, inhibition by sphingosine (rat), **168**, 823
Hepoxilin A_3
  blockage of norepinephrine release from hippocampal slices (rat), **173**, 949
  receptor-mediated action in diacylglycerol and arachidonic acid release from neutrophils (human), **171**, 944
Herbimycin A
  effects on $p60^{v\text{-}src}$ kinase *in vitro*, comparison with various SH-reagents, **173**, 276
Hereditary cerebral hemorrhage
  Dutch type, expression of normal and variant Alzheimer's β-protein gene in amyloid, DNA and protein diagnostic assays (human), **170**, 301
Herpes simplex virus type 1
  glycoproteins, transport and expression in tunicamycin-treated kidney cells, role of glycosylation (monkey), **167**, 1139
  lysis of macrophages, prevention by macrophage-targeted 9-(2-phosphonylmethoxyethyl)adenine bound to mannosylated polymer (human), **167**, 1044
Hexanol
  effect on mitochondrial membrane fluidity and activity, in analysis of mitochondrial contact sites, **173**, 878

Hexokinase
  in recovering dauer larvae, induction by increased levels of food source in recovery medium (*Caenorhabditis elegans*), **172**, 1013

β-Hexosaminidase
  human lysosomal, expression in yeast vacuoles, **170**, 383

Hexoses
  bisphosphorylated, physiological concentrations, regulation of phosphofructokinase: effect of alkalinization (rat muscle), **172**, 328

High-performance liquid chromatography
  anion-exchange, in rapid purification of myosin light chain kinase (chicken gizzard), **167**, 1249
  with mass spectrometry, in rapid confirmation and revision of bovine serum albumin primary structure, **173**, 639
  in peptide mapping of subunits of DNA polymerase α–DNA primase complex (mouse), **170**, 589
Hirudin
  synthetic peptide segments, inhibiton of thrombin clotting activity, **169**, 437
Histamine
  induced secretion by chromaffin cells, inhibition by Na^+-dependent Ca^{2+} efflux (bovine), **166**, 1346
  intracellular, mediation of mast cell histamine release (rat), **167**, 665
Histamine receptors
  H_3, characterization and tissue distribution determination by N^{α}-methylhistamine (guinea pig), **168**, 979
Histidine
  identification as functional site of placental anticoagulant protein (human), **168**, 125
  residues, role in ampicillin acylase reaction, **166**, 904
Histidine decarboxylase
  and dopa decarboxylase, immuno-cross-reactivity (rat), **173**, 1299
Histone H1 kinase
  mitotic CDC2 and interphase, identification by nondenaturing gel electrophoresis and peptide assays (murine fibroblasts), **168**, 763
Histone 3 kinase
  chromatin-bound calmodulin-activated, identification and partial purification (calf thymus), **171**, 84
Histones
  binding with low-mobility-group proteins from chromatin, analysis by chemical cross-linking (rat liver), **166**, 11
  in chromatin, selective trypsinization: application of enzyme coupling method on calibrated nylon spheres (rat liver), **167**, 9
  H1
    binding to chromatin, stoichiometry, dependence on salt concentration (rat liver), **172**, 1129
    globular domain, structural comparison with DNA-binding homeodomain of *Drosophila* Antp protein (chicken), **168**, 254; *erratum*, **170**, 1377
  tails, accessibility and role in chromatin structure, analysis with immobilized enzyme and specific antibodies (rat liver), **168**, 637

HIV, *see* Human immunodeficiency virus
HMG-CoA reductase
  hepatic, mRNA levels, effect of thyroid hormone in hypophysectomized rats, **172**, 1150

Homeodomain
  DNA-binding, of histone H1 of Antp protein, structural comparison with chicken histone 1 globular domain (*Drosophila antennapedia*), **168**, 254; *erratum*, **170**, 1377
  engrailed protein, and homeodomain/DNA complex, crystallization and X-ray diffraction study (*Drosophila melanogaster*), **171**, 257

- Homologous restriction factor
  - 20-kDa, membrane-anchored, effect against LAK cell cytotoxicity (Raji cells), **171**, 717
  - immunological relatedness with complement components C8 and C9 and murine perforin through cysteine-rich domains (human), **166**, 648
- Homoserine dehydrogenase
  - inhibition, role in antifungal action of (*S*)-2-amino-4-oxo-5-hydroxypentanoic acid (yeast), **168**, 837
  - type I, identification as serine inhibition target in *Escherichia coli*, **168**, 1211
- Hormonal imprinting
  - in *Tetrahymena pyriformis*, mechanism, role of phosphoinositol system, **170**, 119
- Hormones
  - β-adrenergic, induced lipid peroxidation increase, mechanism: role of cAMP-dependent phosphorylation of hepatic microsomal P450 (rat), **166**, 787
- Horseradish peroxidase
  - –polylysine conjugates, transcytosis, role of proteolytic processing in nonlysosomal compartment (MDCK cells), **166**, 316
- HSV, *see* Herpes simplex virus
- HTLV-I, *see* Human T-cell leukemia virus type I
- Human chorionic gonadotropin
  - bispecific antibody against different epitopes in, preparation, **173**, 795
  - and pregnant mare serum gonadotropin, effects on expression of LH/hCG receptor (rat ovary), **172**, 786
  - specific high-affinity binding sites, detection in *Candida* species, **167**, 1050
- Human immunodeficiency virus, *see also* Acquired immune deficiency syndrome
  - envelope protein gp120, activation of protein kinase C in nuclei from lymphocytes and brain (rat), **166**, 1133
  - peptide T threonine-rich C-terminal pentapeptide with therapeutic potential against, conformational study, **171**, 596
  - protease
    - peptide substrate, conversion to selective inhibitor by substitution of proline with pipecolic acid at scissile bond, **169**, 310
    - selective phosphinate transition-state analog inhibitors, assessment, **169**, 1111
  - proteins and lipids, reconstitution into virosomes, **167**, 222
  - replication
    - enhancement *in vitro* by mycoplasma: role as cofactor in AIDS progression (MOLT-4 cells), **170**, 1365
    - and syncytia formation, effects of
      - azidothymidine-monophosphate-diglyceride (H9, MOLT-3 cells), **171**, 451
      - disodium palmityl phosphonoformate (H9, MOLT-3 cells), **171**, 458
  - type 1
    - from chronically infected promonocytes, phorbol ester-mediated induction, blockade by protein kinase inhibitors and relationship to *tat*-directed *trans*-activation (human), **166**, 349; *erratum*, **167**, 382
    - fusion peptides, interaction with artificial lipid membranes, **172**, 952
    - induction of P-glycoprotein expression (H9, U937 cells), **171**, 1002
    - integrase, internally initiated protein produced in *Escherichia coli*, characterization, **170**, 1061
    - protease
      - affinity purification from recombinant *Escherichia coli* strains with pepstatin–agarose, **171**, 60
      - cleavage of *gag* p17–p24, efficiency, effect of substitutions at p2′ site of junction, **167**, 554
      - cleavage site, identification within 66-kDa subunit of reverse transcriptase (*Escherichia coli*), **168**, 30
      - spectrophotometric assay, chromophoric peptide substrates for (*Escherichia coli*), **168**, 274
    - provirus DNA, assay with polymerase chain reaction (human lymphocytes), **167**, 1
    - replication and cytopathogenicity *in vitro*, inhibition by synthetic soluble catecholamine melanins (human lymphoblastoid cells), **168**, 200
    - replication inhibition by
      - azidothymidine *in vitro*, antagonism by tumor necrosis factor (MOLT-4 cells), **166**, 1095
      - phosphonoformate esters of 3′-azido-3′-deoxythymidine, **172**, 288
      - RNA transcribed in sense and antisense orientation from 5′-leader/*gag* region, **169**, 643
    - reverse transcriptase
      - p66, recombinant form, stabilization and activation (yeast), **167**, 673
      - produced in yeast, characterization, **171**, 589
      - ribonuclease H activity, endoribonucleolytic cleavage of RNA–oligodeoxynucleotide hybrids, **167**, 244
    - selective inhibition by (−)carbovir *in vitro* (human), **168**, 912
    - transcription, inhibition by DNA methylation, **168**, 141
  - type 2, protease, affinity purification from recombinant *Escherichia coli* strains with pepstatin–agarose, **171**, 60
- Human papillomavirus
  - types 6b, 16, and 18, minor nucleocapsid protein: evolutionary differences between conserved epitopes, **172**, 1378
- Human T-cell leukemia virus type I
  - unspliced *gag-pol* mRNA, accumulation in human T cells, blockage by H-7, **169**, 469
- Hyaluronic acid
  - extracellular depolymerization in skin fibroblast cultures (human), **172**, 70
- Hydrocortisone
  - effects on pepsinogen gene expression and methylation during development of gastric mucosa (rat), **172**, 1086
  - induction of multiple protein forms of epithelial membrane antigen associated with breast tumor (human), **170**, 1331
  - transmembrane transfer, effect of transcortin (human placental syncytiotrophoblasts), **173**, 961
- Hydrogen
  - –sodium antiporter, N,N′-dicyclohexylcarbodiimide-sensitive, solubilization and functional reconstitution (*Halobacterium halobium*), **170**, 1339

–sodium exchange
  and conductance, in apical plasma membrane vesicles formed from colon, demonstration (human), **167**, 438
  in pituitary cells, TRH-induced, priming effect of hyperosmotic stress (rat), **172**, 913
Hydrogen peroxide
  activation of
    dioxygenase activity of lipoxygenase (soybean), **166**, 417
    iron-containing B2 protein of ribonucleotide reductase (*Escherichia coli*), **167**, 813
  effect on plasminogen activator inhibitor 2, **166**, 993
  Escherichia coli sensitivity to, effect of DNA adenine methylase, **169**, 64
  formed by penicillamine autoxidation, reaction with myeloperoxidase, **169**, 1158
  generation machinery in thyroid: identification of tyrosine iodination-modulating system involving superoxide dismutase and superoxide radical (mouse), **169**, 1
  modification of recombinant human interferons αA and β in mapping of residues essential for antiviral activity, **167**, 74
  release by leukocytes, calmodulin-dependent stimulation by tumor necrosis factor 1α (human), **167**, 1030
  role in tyrosyl radical generation by high-valent iron-oxo complex in ribonucleotide reductase activation (*Escherichia coli*), **168**, 659
  –superoxide radical production ratio, alteration by neutrophils primed *in vitro* and *in vivo* (human), **167**, 970
  and vanadate, stimulation of platelet aggregation and protein-tyrosine phosphorylation (human), **170**, 259
Hydrolysis
  achiral triacylglycerols, lipase-catalyzed, CD-based determination of stereospecificity, **168**, 506
  ATP, DnaK-catalyzed, effects of Ca^{2+} and Mg^{2+} (*Escherichia coli*), **166**, 1284
  β-(2-furyl)acryloyl phosphate by Na^{+},K^{+}-ATPase isozymes, analysis (rat brain, kidney), **172**, 1055
  phosphatidylinositol monophosphate in fat cell membranes, insulin-stimulated, inhibition by phorbol ester (rat), **172**, 446
  phosphoinositides
    induced by endothelin-related peptides in cerebellar astrocytes and granule cells and C$_6$-glioma cells, comparison (rat), **168**, 512
    inhibition by lipoxin A$_4$ (human neutrophils), **167**, 1022
    role of tumor necrosis factor α activation of O$_2^{\cdot}$-generating system (human neutrophils), **166**, 308
  synthetic chromogenic peptide substrates by HIV-1 and HIV-2 proteinases, **171**, 439
Hydroperoxidase I
  effect on membrane permeability after near-uv stress (*Escherichia coli*), **171**, 1224
8-Hydroxyadenine
  detection in DNA from neoplastic liver of English sole exposed to carcinogens, **173**, 614
8-Hydroxydeoxyguanosine 5′-monophosphate
  detection and quantitation in X-irradiated thymus DNA by fluorescence postlabeling (bovine), **167**, 419
20-Hydroxyecdysone, *see* β-Ecdysone
Hydroxyeicosatetraenoic acids
  produced by basophilic leukemia cells, chirality (rat), **169**, 332
8-Hydroxyguanine
  detection in DNA from neoplastic liver of English sole exposed to carcinogens, **173**, 614
4-Hydroxyhexanal
  identification as omega-3 fatty acid decomposition product, **169**, 75
Hydroxy(hydroperoxy)octadecadienoic acid
  products of linoleic acid oxidation catalyzed by potato and soybean lipoxygenases, stereochemical nature, comparison, **170**, 491
3-Hydroxyisoscopoletin
  direct preparation from coumarins with Cu^{2+}–ascorbic acid–O$_2$ system, analysis, **168**, 169
Hydroxylase
  stereospecific, production of additional activity by replacement of P450(ω-1) 28 carboxy-terminal residues with corresponding P450(16α) residues (rabbit liver), **167**, 498
Hydroxylation
  bentazon *in vitro* by microsomes from naphthalic anhydride-treated corn shoots, **168**, 206
  25-hydroxyvitamin D$_3$ at positions 1α-, 24-, and 26-, catalyzing mitochondrial cytochromes P450, separation and analysis (porcine kidney), **168**, 261
  lauric acid by hepatic cytochrome P450 isozymes, regiospecificity (rainbow trout), **171**, 537
  phenylalanine in absence of hydratase, associated formation of 7-substituted pterins, **172**, 1060
  phenytoin at position 4 by rabbit hepatic P450IIC3: identification of orthologs in human hepatic microsomes, **166**, 860
Hydroxyl radicals
  induced oxidative cleavage of prolyl peptides, mechanism, **169**, 265
  protection against, role of ascorbic acid metabolism: radiation model (human colon), **169**, 430
  spin trapping with 5,5-dimethyl-1-pyrroline-*N*-oxide in presence of ferric ion, cautionary note, **172**, 1073
3-Hydroxy-3-methylglutaryl-CoA reductase inhibitors
  differential responses of HepG2 cells and primary rat hepatocytes, **170**, 726
Hydroxymethylglutaryl-CoA reductase (NADPH)
  inhibitors, biotransformation, regioselectivity and stereoselectivity (rat liver microsomes), **166**, 1155
3-Hydroxy-3-methylglutaryl-CoA synthase
  inhibition by antibiotic 1233A and other β-lactones (rat), **169**, 610
2-Hydroxy-5-nitrobenzylbromide
  modification of recombinant human interferons αA and β in mapping of residues essential for antiviral activity, **167**, 74
4-Hydroxynona(2,6)dienal
  identification as omega-3 fatty acid decomposition product, **169**, 75

4-Hydroxynonenal
  identification as omega-3 fatty acid decomposition product, **169**, 75
3-Hydroxyscopoletin
  direct preparation from coumarins with Cu^{2+}–ascorbic acid–O$_2$ system, analysis, **168**, 169
Δ-3β-Hydroxysteroid dehydrogenase
  in cultured immature Leydig cells, inhibition by platelet-derived growth factor (rat), **169**, 1229
Δ^5-3β-Hydroxysteroid dehydrogenase-isomerase
  in cultured immature Leydig cells, inhibition by basic fibroblast growth factor (rat), **168**, 248
Hydroxysteroid sulfotransferase a
  sharing strong amino acid sequence homology with senescence marker protein SMP-2, cDNA cloning (rat liver), **166**, 1494
17β-Hydroxysteroid UDP-glucuronosyl transferase
  expression in bile ductular epithelial cells under physiological conditions (rat), **173**, 1001
4-Hydroxytamoxifen
  anti-growth factor activity in breast cancer cells, mechanisms (human), **173**, 919
Hydroxyurea
  resistant mammalian cells, amplification of genes for ribonucleotide reductase components, **167**, 258
25-Hydroxyvitamin D$_3$, *see* Calcifediol
Hyperglycemia
  inducing peptide, with molt-inhibiting activity, amino acid sequence (lobster), **171**, 818
Hyperglycinemia
  nonketotic, glycine decarboxylase cDNA from patient, deletion of one of two genomic copies at 5′ region, **173**, 801
Hypericin
  and related analogs, antiretroviral activity, **172**, 149
Hyperosmolality
  associated stress, priming effect on TRH-induced activation of Na$^+$/H$^+$ exchange (rat pituitary cells), **172**, 913
Hyperplasia
  focal nodular, associated alterations of glycosaminoglycan composition, analysis (human), **167**, 883
Hypertension
  associated nephrosclerosis, cholinergic vasodilatory effect of imidazoindole (rat), **170**, 448
  blood pressure of affected rats, effect of 14,15-epoxyeicosatrienoic acid, **167**, 977
  development, role of brain natriuretic peptide (rat), **173**, 632
  effect on kinetics of Ca^{2+} uptake into brush border membrane vesicles (rat), **170**, 742
  plasma from borderline patients, purification of Na$^+$,K$^+$-ATPase inhibitor, **169**, 360
  spontaneous and deoxycorticosterone acetate-salt-induced, associated plasma levels of endothelin-1 (rat), **167**, 941
Hyperthyroidism
  associated increase in glucose transporter protein expression (rat), **171**, 182
Hypervitaminosis D
  associated up-regulation of intestinal 1,25-dihydroxyvitamin D receptor: comparison of vitamins D$_2$ and D$_3$ (rat), **169**, 910
Hypochlorite
  effect on plasminogen activator inhibitor 2, **166**, 993
Hyponatremia
  rapid correction, induction of protein oxidation and myelinolysis in brain (rat), **172**, 92
Hypo-osmolality
  related stress, associated sorbitol release from inner medullary collecting duct cells, role of Ca^{2+} (rat), **170**, 563
Hyposmolarity
  induced prolactin secretion, effects of [Ca^{2+}]$_i$ dynamics (GH$_4$C$_1$ cells), **170**, 968
Hypothyroidism
  experimental, associated up-regulation of thyroxine-binding globulin, mechanism (rat), **167**, 317
Hypotonic medium
  exposed epithelial cells, volume regulation, role of Ca^{2+}-induced Ca^{2+} release (human), **167**, 287
Hypoxia
  associated endothelin-1 release from resistance vessels, analysis (rat), **169**, 973
  chemical, in cultured hepatocytes, analysis of associated cytosolic free Mg^{2+}, ATP, and blebbing (rat), **170**, 477

I

Icaria chemotactic peptide
  solution conformation analysis by ^{1}H NMR and physiological function, effect of Pro-to-Lys substitution at position 7, **168**, 596
I-cells
  collagen degradation, comparison with normal fibroblasts (human), **168**, 479
Image analysis
  automated, in demonstration of correlation between ras p21 expression and glioma severity (human), **169**, 482
Imidazoindole
  cholinergic vasodilatory effect in hypertensive nephrosclerosis (rat), **170**, 448
Immortalization
  submandibular gland epithelial cells by 12S adenoviral E1A gene product (rat), **170**, 336
Immunoassay
  bioluminescent, utilization of fusion protein of protein A and photoprotein aequorin, **171**, 169
  membrane-based, application of thermally reversible polymer–antibody conjugate, **172**, 652
Immunofluorescence
  quantitative, measurement of anti-*ras* p21 antibody specificity and cellular oncoprotein levels in colon carcinoma cells, **167**, 464
Immunogenicity
  human thyrotropin receptors for IgG of Graves' disease patients, identification of associated regions of TSH receptor, **171**, 512

Immunoglobulins
  IgG
    Fc receptor for, two distinct types on macrophages, activation of NADPH oxidase via different signal transduction pathways, **172**, 223
    from Graves' disease patients, immunogenic regions in human thyrotropin receptors for, identification, **171**, 512
    monomeric, high-affinity receptor, mRNA expression in macrophages and neutrophils, induction by interferon-γ (human), **170**, 582
  thyrotropin binding inhibitor, possible binding site on human TSH receptor different from TSH binding site, **172**, 529
IMP dehydrogenase inhibitors
  stimulation of phosphorylation of 2′,3′-dideoxyguanosine, **171**, 1297; *erratum*, **173**, 481
Implantation
  blastocyst into endometrium, associated fluidity of phospholipid bilayer (mouse), **167**, 561
Indo-1
  effects of pH and temperature on, determination with Chelex-100 and EDTA buffer systems, **171**, 102
Indoleamine 2,3-dioxygenase, *see* Indole 2,3-dioxygenase
Indole 2,3-dioxygenase
  interferon-γ-inducible, cDNA cloning, sequencing, and expression (human fibroblasts), **168**, 1
Indomethacin
  effects on laminin surface binding sites and metastatic potential of 3LL tumor cells (mouse), **167**, 731
  inhibition of insulin endocytosis and degradation in liver (rat), **173**, 127
Inflammation
  acute-phase response, protein kinase C distribution and activity during, analysis (rat liver), **167**, 345
Influenza virus
  H1 subtype, rapid detection by polymerase chain reaction, **167**, 425
  infection, inhibition by synthetically polymerized phenylpropenoids, **172**, 1267
  type A/WSN, replication, inhibition by 6-amidino-2-naphthyl *p*-guanidinobenzoate (MDCK cells), **169**, 148
Inhibitor-1
  interaction with protein phosphatases 1 and 2A, effect of enzyme catalytic subunit modification, fluorescence study, **169**, 559
Inhibitor-2
  interaction with protein phosphatases 1 and 2A, effect of enzyme catalytic subunit modification, fluorescence study, **169**, 559
Initiation factors
  eIF-2, α-subunit, phosphorylating protein kinase, purification (bovine brain), **166**, 1237
Inorganic pyrophosphatase
  H^+-translocating vacuolar, oligomeric structure (mung bean), **168**, 1157
  purification and characterization (*Desulfovibrio vulgaris*), **171**, 313
Inositol 1,4-bisphosphate
  production in cultured pituitary cells, stimulation by cGMP: implications for signal transduction (rat), **167**, 982
Inositol diphosphate
  production in differentiated NG108-15 hybrid cells, effects of angiotensins II and III, **167**, 1200
Inositol hexakisphosphate
  ^{3}H-labeled, specific binding to brain regions and cerebellar membranes, characterization (rat), **167**, 819
Inositol monophosphate
  hydrolysis in neutrophils, inhibition by lipoxin A_4 (human), **167**, 1022
  production in
    cultured pituitary cells, stimulation by cGMP: implications for signal transduction (rat), **167**, 982
    differentiated NG108-15 hybrid cells, effects of angiotensins II and III, **167**, 1200
Inositol pentakisphosphate
  formation by ovarian follicles from metabolism of inositol (1,4,5)trisphosphate and inositol (1,3,4,5)tetrakisphosphate and from receptor activation (*Xenopus laevis*), **166**, 380
Inositol phosphates
  cerebral levels, effect of decapitation (rat), **167**, 1294
  production in CHO cells expressing rat muscarinic acetylcholine receptor subtypes m1 and m3, analysis, **173**, 666
Inositol 1,4,5-tetrakisphosphate
  metabolism, in formation of inositol pentakisphosphate by ovarian follicles (*Xenopus laevis*), **166**, 380
Inositol trisphosphate
  and cytosolic Ca^{2+}, levels in dispersed parotid acini, effects of simultaneous stimulation at muscarinic and α_1-adrenergic receptors (rat), **166**, 967
  hemoglobin-induced release from vascular smooth muscle (rat), **171**, 506
  hydrolysis in neutrophils, inhibition by lipoxin A_4 (human), **167**, 1022
  production in differentiated NG108-15 hybrid cells, effects of angiotensins II and III, **167**, 1200
  stimulation in melanoma cells by autocrine motility factor (human), **166**, 757
Inositol 1,4,5-trisphosphate
  analogs, effects on Ca^{2+} release from isolated vacuoles: receptor specificity for 1,5-bisphosphate position (*Neurospora crassa*), **166**, 1319
  based affinity chromatography, analysis as method for protein purification (rat brain), **168**, 379
  binding to hepatic microsomes, effects of Cibacron blue and Patent blue (rat), **166**, 1334; *erratum*, **168**, 387
  and $[Ca^{2+}]_i$, ethanol-induced increase (rat hepatocytes), **173**, 774
  calcium-free, stimulation of protein phosphorylation in nuclei isolated from mitogen-treated Swiss 3T3 cells, **173**, 149
  high concentration in sea urchin sperm, **172**, 932
  inhibition by anti-epidermal growth factor receptor antibody 425 (human), **172**, 471

- levels in
  - endothelial cells, shear stress-induced increase (human), **170**, 281
  - leukocytes, competition binding assay (human), **170**, 755
  - roots and coleoptiles, endogenous, and modulation by fusicoccin, measurement by [^{3}H]IP$_3$ binding assay (maize), **168**, 1041
  - vascular smooth muscle, effect of phenylephrine, measurement by protein binding assay (rat), **173**, 1258
- metabolism, in formation of inositol pentakisphosphate by ovarian follicles (*Xenopus laevis*), **166**, 380
- production in cultured pituitary cells, stimulation by cGMP: implications for signal transduction (rat), **167**, 982
- and thapsigargin, selective effects on cerebral endoplasmic reticulum calcium stores (rat), **172**, 811

Inositol 1,4,5-trisphosphate 3-kinase
- phosphorylation by protein kinase C, regulatory effects (human platelets), **170**, 1371

Inositol 1,4,5-trisphosphate 5′-phosphatase
- hepatic microsomal, effects of Cibacron blue and Patent blue (rat), **166**, 1334; *erratum*, **168**, 387

Inositol 1,4,5-trisphosphorothioate
- effects on Cl$^-$ current pattern and intracellular Ca^{2+} in oocytes (*Xenopus laevis*), **172**, 229

Insulin
- activation of GTPγS binding to human placental G$_{IR}$ protein, **173**, 501
- binding
  - loss in transformed fetal fibroblast cell line, assessment (human), **169**, 978
  - and induced receptor formation in *Tetrahymena*, effect of 5-azacytidine, **168**, 709
- degradation by insulin-degrading enzyme, natural regulatory mechanisms (rat), **170**, 1325
- effects on
  - 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase mRNA in hepatocyte primary cultures (rat), **169**, 406
  - phosphoinositide breakdown in intact renal glomeruli and proximal tubules (rat), **166**, 373
  - sialyltransferase in cultured hepatocytes (rat), **171**, 132
  - target size of plasma membrane peripheral and integral cGMP-stimulated cyclic AMP phosphodiesterases *in situ*, **169**, 377
- endocytosis and degradation in liver, inhibition by indomethacin (rat), **173**, 127
- and epidermal growth factor, induced DNA synthesis, priming for, role of protein kinase C activation (rat hepatocytes), **171**, 1093
- imprinting in *Tetrahymena pyriformis*, mechanism, role of phosphoinositol system, **170**, 119
- induction of
  - multiple protein forms of epithelial membrane antigen associated with breast tumor (human), **170**, 1331
  - protein kinase C translocation, associated increase in adipocyte M-kinase (rat), **169**, 966
- –insulin growth factor 1, stabilization of glucose transporter mRNA (L6 myocytes), **171**, 210
- islet amyloid-derived, amino acid sequence (degu), **169**, 571
- and phorbol esters, interaction, effects on regulation of DNA synthesis in hepatoma cells (rat), **172**, 759
- recruitment of GLUT-4 glucose transporters in diabetic muscle, analysis (rat), **172**, 728
- regulation of pyruvate kinase L–chloramphenicol acetyltranferase fusion gene expression (mouse), **171**, 243
- resistance, heritable, cultured fibroblasts from affected patient, constitutive increase of insulin receptor autophosphorylation and kinase activity, **167**, 1229
- secretion
  - in adrenalectomized rats, inhibition by recombinant human interleukin-1β, role of prostaglandin, **173**, 1280
  - from isolated islets, glucose-stimulated, role of protein kinase A activation (rat), **173**, 833
  - from isolated perfused pancreas
    - effect of islet amyloid polypeptide (rat), **167**, 1102
    - glucose-stimulated, effect of islet amyloid polypeptide (rat), **170**, 1223
  - from purified beta cells, role of microfilaments (rat), **171**, 424
- sensitive cAMP phosphodiesterase, stimulation by ATP-dependent soluble factor from insulin-treated adipocytes (rat), **167**, 614
- sensitive glucose carrier, translocation in fat cells, induction by 12-*O*-tetradecanoylphorbol-13-acetate (rat), **168**, 1089
- stimulated DNA synthesis in Balb/c3T3 cells, inhibition by pertussis toxin: evidence for post-receptor activation of G$_{i\alpha}$ (mouse), **167**, 1369
- stimulated glucose transport in diaphragm, effects of amylin and calcitonin gene-related peptide (rat), **169**, 451
- stimulated phosphatidylinositol monophosphate hydrolysis in fat cell membranes, inhibition by phorbol ester (rat), **172**, 446
- stimulation of
  - glycolytic flux in fibroblasts, reproduction by phospho-oligosaccharide (human), **166**, 765; *erratum*, **168**, 886
  - serine phosphorylation of 350-kDa microtubule-associated protein MAP1A (murine adipocytes), **166**, 827
- superactive analogs, preparation, **173**, 982
- transmembrane signal protein kinase FA, regulation (porcine brain), **166**, 267
- treated liver, soluble fraction, with ATP, cell-free stimulation of insulin-sensitive cAMP phosphodiesterase (rat), **170**, 533

Insulin-degrading enzyme
- degradation of insulin, natural regulatory mechanisms (rat), **170**, 1325

Insulin-like growth factor
- binding proteins
  - IGFBP-1, differential effects on IGF-I cell surface binding and DNA synthesis stimulation in fetal skin fibroblasts (human), **173**, 408
  - IGFBP-3, growth hormone-dependent, cloning and characterization (rat), **166**, 892

circulating levels, pregnancy-associated increase (human), **170**, 1157
Insulin-like growth factor I
  cell surface binding and DNA synthesis stimulation in fetal skin fibroblasts, differential effects of IGF-binding protein-1 (human), **173**, 408
  effect on phosphoinositide breakdown in intact renal glomeruli and proximal tubules (rat), **166**, 373
  encoding genes, evidence for two different nonallelic types (*Xenopus laevis*), **166**, 223
  induction of adipose fatty acid-binding protein (3T3-L1 preadipocytes), **173**, 87
  –insulin, stabilization of glucose transporter mRNA (L6 myocytes), **171**, 210
  stimulation of endothelin-3 secretion from cultured anterior pituitary cells (rat), **172**, 661
  support of embryonic nerve cell survival in culture (chicken), **172**, 54
Insulin-like growth factor II
  binding by insulin-like growth factor-II/mannose 6-phosphate receptors, activation of G proteins (murine fibroblasts), **168**, 1201
  cDNA, expression in NIH-3T3 cells (human), **169**, 832
  N-terminal sequence, identity with sequence of heparin-binding erythroid cell-stimulating factor from fetal bovine serum, **166**, 557
  stimulation of signal from type I receptor, inhibition by monoclonal antibody αIR-3 without inhibition of receptor–IGF-II binding, **171**, 1244
Insulin-like growth factor I receptors
  gene proximal promoter region, cloning and characterization (rat), **169**, 1021
  signal stimulation by insulin-like growth factor II, inhibition by monoclonal antibody αIR-3 without inhibition of receptor–IGF-II binding, **171**, 1244
Insulin-like growth factor II receptors
  –mannose 6-phosphate receptors
    ligand-dependent activation of GTP-binding proteins (murine fibroblasts), **168**, 1201
    mRNA, developmental regulation (rat), **172**, 775
Insulin receptors
  autophosphorylation and kinase activity, constitutive increase in fibroblasts cultured from patient with heritable insulin resistance, **167**, 1229
  cleavage site, G→T point mutation, cDNA with, transfection in COS 7 cells, **167**, 1073
  gene expression in lymphocytes
    multifactorial control (human), **170**, 1184
    and tumor cells, inhibition by glucose starvation and glycosylation inhibitors (human), **169**, 397
  guanine nucleotide effects, modulation by $MgCl_2$ (rat adipocytes), **171**, 53
  insulin-induced formation in *Tetrahymena*, effect of 5-azacytidine, **168**, 709
  mRNA levels, loss in transformed fetal fibroblast cell line, assessment (human), **169**, 978
  mutated, binding kinetics in transfected CHO cells grown in suspension culture, **164**, 191; *erratum*, **168**, 387
  tyrosine kinase
    analysis during HL-60 cell differentiation, **172**, 676
    expression, purification, and characterization of 41-kDa cytoplasmic domain (*Spodoptera frugiperda* cells), **168**, 616
    identification of hepatocyte plasma membrane ecto-ATPase as substrate (rat), **166**, 562
Integrase
  HIV-1-associated, internally initiated protein produced in *Escherichia coli*, characterization, **170**, 1061
Integrins
  leukocyte, CD18 subunit, retroviral-mediated gene transfer (human), **171**, 787
Intercellular adhesion molecule-1
  enhanced expression by activated vascular endothelial cells, effects of protein kinase C inhibitors (human), **172**, 1273
Intercellular communication
  junctional, effect of okadaic acid (hamster embryo cells), **167**, 1302
Interferon-α
  binding to its receptor, prevention by aurin tricarboxylic acid, **172**, 1298
  selective suppression of human papillomavirus type 18 mRNA levels (HeLa cells), **170**, 793
Interferon-αII
  N-terminal sequencing and purification from Sendai virus-stimulated leukocytes (human), **168**, 16
Interferon-αA
  recombinant
    chemical modification mapping of residues for antiviral activity (human), **167**, 74
    leukocyte, intrinsic fluorescence of tryptophan residues (human), **169**, 282
Interferon-αF
  epitope binding murine monoclonal antibody NK2, reconstruction by site-directed mutagenesis (human), **169**, 1061
Interferon-β
  gene promoter, PRDII domain, uv crosslinking of proteins (human tumor cells), **167**, 1086
  recombinant, chemical modification mapping of residues for antiviral activity (human), **167**, 74
Interferon-β1
  fibroblast, recombinant, intrinsic fluorescence of tryptophan residues (human), **169**, 282
Interferon-γ
  activated macrophages, complexes between L-arginine-derived nitric oxide and non-heme iron proteins, EPR detection (mouse), **166**, 119
  effect on activin A/erythroid differentiation factor gene expression (human promyelocytic leukemia cells), **167**, 654
  and endotoxin, induction of arginine-derived relaxing factor production in EMT 6 cells (mouse), **173**, 1
  inducible indoleamine 2,3-dioxygenase, cDNA, molecular cloning, sequencing, and expression (human fibroblasts), **168**, 1
  induction of $Fc_{\gamma}R$-I mRNA expression in macrophages and neutrophils (human), **170**, 582
  selective suppression of human papillomavirus type 18 mRNA levels (HeLa cells), **170**, 793

Interferon receptors
  binding of interferon-α, prevention by aurin tricarboxylic acid, **172**, 1298
Interferons
  amplification of reduction of N-myc expression by antisense RNA: role of 2-5A system (human neuroblastoma cells), **170**, 1242
  induced inhibition of queuine uptake in cultured fibroblasts, analysis (human), **171**, 384
Interleukin-1
  activated vascular endothelial cells, enhanced expression of intercellular adhesion molecule-1, effects of protein kinase C inhibitors (human), **172**, 1273
  antiproliferative effect on A375 melanoma cells (human), **173**, 186
  augmentation of endothelin-1 production by cultured endothelial cells (porcine heart), **166**, 324
  effect on cytochrome P450 levels and role of interleukin-1 receptor on isolated hepatocytes (rat), **168**, 1217
  enhancement of norepinephrine turnover in spleen and lung (rat), **173**, 1266
  induction of
    ferritin heavy chain in muscle cells (human), **169**, 289
    interleukin-6 and prostaglandin E_2 in articular chondrocytes, independence (human), **166**, 1163
    proliferation and interleukin-6 mRNA expression in astrocytoma cell line, modulation by cholera toxin and cAMP (human), **167**, 1242
  inhibition of
    gastric acid secretion and ulcer formation via central nervous system (rat), **173**, 585
    gastric pepsin secretion after peripheral or central injection (rat), **167**, 956
  potentiation of
    agonist-induced secretion of β-endorphin in anterior pituitary cells (rat), **173**, 988
    angiotensin II- and A23187-stimulated prostaglandin E_2 synthesis in renal mesangial cells (rat), **169**, 585
  production by activated monocytes and macrophages, role of leukotrienes (human, mouse), **169**, 422
  responsiveness of HL-60 cells, induction by growth inhibition caused by serum depletion, **168**, 959
  stimulated prostaglandin E_2 production in mesangial cells, effect of genistein (rat), **173**, 718
Interleukin-1α
  acute effects on intermediary metabolism in freshly isolated hepatocytes (rat), **169**, 623
  and IL-1β, recombinant, differential effects on Leydig cell function (rat), **167**, 548
  induced prostaglandin E_2 synthesis, role in inhibition of osteocalcin synthesis by osteoblast-like cells (human), **167**, 194
Interleukin-1β
  analogs with markedly reduced pyrogenic activity, stimulation of secretion of adrenocorticotropin (rat), **167**, 103
  human recombinant
    effects on functional activity by bone-derived osteoblast-like cells, **166**, 208
    inhibited insulin secretion in adrenalectomized rats, role of prostaglandin, **173**, 1280
  and IL-1α, recombinant, differential effects on Leydig cell function (rat), **167**, 548
  induced prostaglandin E_2 synthesis, role in inhibition of osteocalcin synthesis by osteoblast-like cells (human), **167**, 194
  induction of endothelin-1 release from renal epithelial cells (pig), **169**, 578
  inhibition of Leydig cell steroidogenesis, enhancement by tumor necrosis factor α (rat), **166**, 1313
  mRNA, induction in brain by convulsants (rat), **171**, 832
Interleukin-2
  interactions with IL-2 receptor on solid support, analysis with proteolysis and direct N-terminal sequence analysis (human), **166**, 201
Interleukin-3
  and IL-5, induction of protein phosphorylation in IL-5-dependent murine cell line, **173**, 1102
Interleukin-4
  differential regulation of interleukin-8 gene expression in blood monocytes, endothelial cells, and fibroblasts (human), **171**, 531
  induction of CD4+/CD8− to CD8+/CD4− transformation of neonatal T cells via CD4+/CD8+ intermediate (human), **168**, 830
  role in inhibitory regulation of bone resorption (mouse), **172**, 1035
Interleukin-5
  and IL-3, induction of protein phosphorylation in IL-5-dependent murine cell line, **173**, 1102
Interleukin-6
  autocrine regulation of terminal differentiation in pluripotent leukemic cell line KU812, **169**, 184
  effects on
    N-acetylglucosaminyltransferase III, IV, and V activities and on surface oligosaccharide structure (human myeloma cells), **172**, 1260
    intermediary metabolism in freshly isolated hepatocytes (rat), **169**, 623
    synthesis of matrix metalloproteinases and tissue inhibitor of metalloproteinase (human fibroblasts), **170**, 824
  mRNA expression in astrocytoma cell line, induction by interleukin-1: modulation by cholera toxin and cAMP (human), **167**, 1242
  and prostaglandin E_2, independent induction by interleukin-1 in articular chondrocytes (human), **166**, 1163
  stimulation of U937 cells, subsequent exon exclusion in α_1-antitrypsin mRNA (human), **172**, 1116
Interleukin-8
  gene expression in blood monocytes, endothelial cells, and fibroblasts, differential regulation by interleukin-4 (human), **171**, 531
  induced lymphocyte migration *in vitro*, inhibition by cholera and pertussis toxins and protein kinase C inhibitors (human), **169**, 1099
  induction of
    complement receptor type 1 up-regulation in neutrophils (human), **166**, 187
    haptotactic migration of melanoma cells (human), **169**, 165

  and monocyte chemotactic protein, disparate gene expression by mononuclear phagocytes (human), **166**, 886
Interleukin-1 receptors
  expression in HL-60 cells, induction by growth inhibition caused by serum depletion, **168**, 959
  on isolated hepatocytes, role in effect of IL-1 on cytochrome P450 levels (rat), **168**, 1217
Interleukin-2 receptors
  cells with, cytotoxicity of bifunctional toxin TGFα–anti-Tac(Fv)–PE40, **171**, 1
  interactions with IL-2 on solid support, analysis with proteolysis and direct N-terminal sequence analysis (human), **166**, 201
Interleukin-5 receptors
  murine, expression on *Xenopus laevis* oocytes, **172**, 570
Intestine
  colon
    free radical effects, protective role of ascorbic acid: radiation model (human), **169**, 430
    proximal, descending relaxation, role of nitric oxide (rat), **172**, 1400
  detection of pro-dermorphin processing products (rat), **170**, 30
  1,25-dihydroxyvitamin D receptor up-regulation during hypervitaminosis D: comparison of vitamins D_2 and D_3 (rat), **169**, 910
  duodenum, perfused, Ca^{2+} transport, rapid enhancement by 1,25-dihydroxyvitamin D_3, mimicry by Ca^{2+}-channel agonist Bay K 8644 (chicken), **166**, 217
  ileum, autonomic neuroeffector transmission, modulation by nitric oxide (guinea pig), **173**, 106
  small, sucrase-isomaltase gene expression along crypt–villus axis, regulation (rat), **173**, 765
Intracisternal A-particles
  related transcripts, detection in normal and transformed cells (rat), **169**, 222
Iodination
  tyrosine
    modulating hydrogen peroxide generation machinery in thyroid: identification of system involving superoxide dismutase and superoxide radical (mouse), **169**, 1
    role of iodine activation into free radical intermediate by superoxide, **170**, 1026
Iodine
  activation into free-radical intermediate by superoxide, role in iodination of tyrosine (rabbit thyroid gland), **170**, 1026
Iodoacetamide
  induction of heme oxygenase and hsp 70 gene activation in hepatoma cells (human), **166**, 1429
Iodoacetate
  and KCN, induced hypoxia in cultured hepatocytes, analysis of associated cytosolic free Mg^{2+}, ATP, and blebbing (rat), **170**, 477
2-Iodosobenzoate
  role in tyrosyl radical generation by high-valent iron-oxo complex in ribonucleotide reductase activation (*Escherichia coli*), **168**, 659
Iodothyronine 5′-deiodinase
  purification and partial characterization from hepatic microsomes (rat), **173**, 6
  type I, identification as selenoenzyme (rat), **173**, 1143
Ion channels
  cation-selective, formation in planar lipid bilayers by δ-endotoxins (*Bacillus thuringiensis*), **169**, 765
  cGMP-gated, in rod photoreceptors, developmental and tissue-specific expression of encoding gene (rat), **173**, 463
  spheroplast, cooperative mechanosensitivity (*Escherichia coli*), **171**, 280
  stretch-activated composite, in protoplast membrane, characterization (*Bacillus subtilis*), **168**, 443
Ionomycin
  induced secretion by chromaffin cells, inhibition by Na^+-dependent Ca^{2+} efflux (bovine), **166**, 1346
  in vitro and *in vivo* primed neutrophils, alteration of O_2^-/H_2O_2 production ratio (human), **167**, 970
  stimulation of amyloid β-protein precursor release by platelets (human), **170**, 288
Ionophores, *see also specific types*
  induced lethal injury to hepatocytes, protection by acidotic pH and fructose (rat), **167**, 600
Iron
  B2 protein of ribonucleotide reductase with, activation by hydrogen peroxide (*Escherichia coli*), **167**, 813
  ferric, DMPO spin trapping of hydroxyl radicals in presence of, cautionary note, **172**, 1073
  and glutethimide, synergistic induction of hepatic heme oxygenase (chicken embryo liver cells), **168**, 176
  inhibition of D-1 dopamine receptor-coupled adenylate cyclase via G proteins in caudate nucleus (rat), **171**, 1372
  insoluble minerals with, induction of microsomal lipid peroxidation and oxy-radical formation (rat liver), **173**, 912
  non-heme proteins with, complexes with L-arginine-derived nitric oxide in interferon-γ-activated macrophages, EPR detection (mouse), **166**, 119
  role in regulation of outer membrane proteins in *Bacteroides gingivalis*, **166**, 1146
  –sulfur center in putidaredoxin, identification of coordinating cysteine residues, **169**, 1016
  –sulfur subunit of complex II of hepatic mitochondria, cDNA cloning (human), **166**, 101
  superoxide-mediated release from ferritin by flavoenzymes, **168**, 389
Iron-oxo complex
  high-valent, role in ribonucleotide reductase activation: tyrosyl radical generation by single oxygen donors (*Escherichia coli*), **168**, 659
Islet amyloid polypeptide
  cDNA sequence, implications for diabetogenesis and amyloidogenesis in type 2 diabetes (dog), **169**, 502
  effects on
    endocrine and exocrine pancreas (rat), **167**, 1102
    glucose-stimulated insulin secretion from isolated perfused pancreas (rat), **170**, 1223

    insulin-stimulated glucose transport in diaphragm (rat), **169**, 451
  identification in plasma: secretion in response to glucose stimulation (human), **169**, 713
  induction of impaired glucose tolerance (cat), **167**, 507
  regional distribution and molecular forms (rat), **169**, 788
3-Isobutyl-1-methylxanthine
  and RO 20-1724, differential effects on basal force of contraction and β-adrenoceptor-mediated response in ventricular myocardium (rat), **167**, 123
Isocitrate dehydrogenase
  in recovering dauer larvae, induction by increased levels of food source in recovery medium (*Caenorhabditis elegans*), **172**, 1013
Isoprenoids
  metabolism, analysis in *Plasmodium falciparum* during intraerythrocytic phase of malaria, **173**, 849
Isoprenylation
  low-molecular-mass GTP-binding proteins *rac* 1 and *rac* 2, role in membrane localization, **171**, 804
Isosorbide dinitrate
  effect on mitogenesis and proliferation in BALB/c 3T3 fibroblasts, **171**, 474
Isovalerylcarnitine
  specific activation of high-calcium-requiring calpain forms (rat), **167**, 373

K

K252a
  effect on proliferation of vascular smooth muscle cells (bovine), **173**, 976
  induction of HL-60 cell differentiation (human), **170**, 1151
  potent and selective inhibition of phosphorylase kinase (rabbit muscle), **171**, 148
Kainic acid
  induction of interleukin-1β mRNA in brain (rat), **171**, 832
Katacalcin
  mRNA, sequence analysis (rabbit), **171**, 1111
Kearns–Sayre syndrome
  tissues from affected patient, different copy numbers of identically deleted mitochondrial DNA, detection by polymerase chain reaction, **169**, 1007
Keratinocytes
  BALB/MK, DNA synthesis, synergistic enhancement by extracellular ATP combined with growth factors or neurotransmitters (mouse), **166**, 251
  cultured in serum-free medium, growth inhibitory effects of 1,25-dihydroxyvitamin D_3 (human), **166**, 916
  differentiation, sphingolipid effects: lipokeratinogenoside as epidermal marker (fetal rat), **170**, 162
  epidermal, hyper-phosphorylation of human papillomavirus type 16 E7 oncoprotein, relationship to casein kinase II activities (human, mouse), **172**, 958
α-Ketoacids
  spontaneous decarboxylation, role in experiments with peroxide (rat), **170**, 1281
6-Keto-prostaglandin $F_{1\alpha}$
  measurement during long-term incubation of neonatal murine calvaria, effects of experimental conditions, **169**, 545
Kidney
  293 cells, expression of recombinant human renin: purification and characterization (human), **171**, 375
  BSC-1 cells, tunicamycin-treated, transport and expression of HSV-1 glycoproteins, role of glycosylation, **167**, 1139
  COS cells
    expression of human α-*N*-acetylgalactosaminidase cDNAs, **170**, 231
    functional expression of peptidylglycine α-amidating monooxygenase cDNA truncated form, **169**, 551
  COS-1 cells
    functional expression of human leukocyte elastase/medullasin, **167**, 1326
    intracellular processing of complement pro-C3 and proalbumin, inhibition by transfected α_1-protease inhibitor mutant, **171**, 236
  COS-7 cells
    effects of transfection of cDNA with G→T point mutation at cleavage site of insulin receptors, **167**, 1073
    mutagenic properties of unique abasic site in, **173**, 704
  C_1-tetrahydrofolate synthase immunolocalization (rat), **168**, 625
  1,25-dihydroxyvitamin D_3 receptors, developmental changes (rat), **170**, 65
  disease, relevant antigen isolation and characterization (human), **172**, 439
  glomeruli
    attenuated responses to atrial natriuretic factor in low-sodium rats, prevention by theophylline, **170**, 596
    isolated, renin release, effect of atrial natriuretic peptide, role of calcium (rat), **168**, 37
    and proximal tubules, phosphoinositide breakdown, effects of angiotensin II and bradykinin, modulating role of phorbol ester (rat), **166**, 373
  Huk1P3 cells, long-term growth in cytosol-type electrolyte medium, assessment, **169**, 1217
  inner medullary collecting duct cells
    cGMP production, regulation by intracellular alkalinization (rat), **170**, 860
    sorbitol release under hypoosmotic stress, role of Ca^{2+} (rat), **170**, 563
  MDCK cells
    independent stimulation of cAMP and Ca^{2+} by glucagon and prostaglandin E_1, **167**, 1162
    protein–polylysine conjugate transcytosis, role of proteolytic processing in nonlysosomal compartment (dog), **166**, 316
  NRK cells
    40-kDa protein induction by heat shock and other stresses, **166**, 642
    phosphorylation of nuclear pp64 on serine/threonine and tyrosine, regulation by phorbol ester and platelet-derived growth factor, **167**, 918
  and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377

and other tissues
from Kearns–Sayre syndrome patient, different copy numbers of identically deleted mitochondrial DNA, detection by polymerase chain reaction, **169**, 1007
nonneuronal, and brain, L-DOPA decarboxylase mRNA, comparative and quantitative study (rat), **170**, 1006
papillary collecting tubule cells, forskolin-induced cAMP production, augmentation by ouabain (rat), **166**, 411
serine dehydratase gene expression regulation (rat), **170**, 892
tissue from hyper- and hypothyroid rats, ferritin heavy chain mRNA expression, transcriptional regulation, **167**, 1279
Killer cells
lymphokine-activated, lysis of tumor cells, effect of adsorbed 20-kDa homologous restriction factor, **171**, 717
Kinetics
drug transport in multidrug-resistant CHO cells, analysis with pulsed quench-flow apparatus, **167**, 48
stopped-flow, in analysis of phosphofructokinase regulation at physiological concentration (rabbit muscle, yeast), **167**, 1214
Kunitz domain
from Alzheimer's disease amyloid protein precursor, purification and protease specificity (*Escherichia coli*), **167**, 716
Kupffer cells
carcinoembryonic antigen binding, role of peptide at junction of N-terminal and first loop domains (rat), **170**, 391
hepatocyte growth factor gene expression in damaged liver, *in situ* hybridization study (rat), **173**, 42

L

α-Lactalbumin
caprine, expression and secretion as active protein in yeast, **173**, 741
Lactate dehydrogenase
activation by high concentrations of guanidine chloride in low-water media, **172**, 830
isozyme LDH-B processed pseudogene, nucleotide sequence and assignment to X chromosome (human), **171**, 67
single amino acid substitution, improvement of catalytic efficiency with alternative coenzyme (*Bacillus stearothermophilus*), **166**, 667
L-Lactate dehydrogenase
type A, deficiency, associated genetic mutation, molecular characterization (human), **168**, 677
type B, variant gene, detection of missense mutation (human), **168**, 672
Lactoferrin
bovine, effects on rat muscle growth *in vivo* and *in vitro*, **173**, 548
and transferrin, translocation on HT29-D4 cells, evidence for different mechanisms, **170**, 837
Lactogen receptors
ovarian, cDNA species, isolation and characterization (rat), **168**, 415
β-Lactones
1233A-related, inhibition of 3-hydroxy-3-methylglutaryl-CoA synthase (rat), **169**, 610
Lactoperoxidase
intermediates I and II, one-electron oxidation of benzylpenicillin G, evidence, **169**, 1211
Lactose
limited chemostats at changing dilution rates, in selection of mutants with enhanced β-galactosidase catalytic rates (*Escherichia coli*), **166**, 1245
Lamin A
nuclear, tail domain, differential accessibility in interphase and mitotic cells (human), **173**, 363
Laminin
A chain, 43-kDa fragment, identification of PC12 cell attachment promoting site (rat), **170**, 1314
effect on steady-state level of 67-kDa high-affinity metastasis-associated laminin receptor mRNA in cancer cells (human), **168**, 1110
putative binding protein aspartactin, amino-terminal sequence homology with skeletal muscle calsequestrin (chicken), **166**, 898
surface binding sites on 3LL tumor cells, effect of indomethacin (mouse), **167**, 731
Laminin receptors
67-kDa high-affinity metastasis-associated, mRNA, steady-state levels in cancer cells, increase by laminin and fibronectin (human), **168**, 1110
Lanthanum
effects on interactions of DnaK with ATP (*Escherichia coli*), **166**, 1284
Lanthionine ketimine
^{35}S-labeled, synthesis and binding to cerebral membranes (bovine), **171**, 480
Lauric acid
hydroxylation by hepatic cytochrome P450 isozymes, regiospecificity (rainbow trout), **171**, 537
Lauryldimethylamine oxide
solubilization of CMP-sialic acid:lactosylceramide α2-3 sialyltransferase (rat liver), **172**, 165
Leber's hereditary optic neuropathy
mitochondrial DNA of affected family, genotypic shift, analysis, **170**, 994
Lectins
calcium-dependent, preselected sequence, polyclonal antibodies to, prepration and characterization (rabbit), **169**, 880
developmental regulation in white mutant and dark axolotl embryos, **166**, 695
S-type, mammalian, high-affinity binding of LAMP-1 glycoprotein (CHO cells), **173**, 1123
Leishmania donovani
promastigotes, effect of phaseolinone, **168**, 43; *erratum*, **173**, 480
vector and host forms, killing by acivicin, **170**, 426
Leishmaniasis
visceral
potential therapeutic effects of acivicin (murine macrophages), **170**, 426

- treatment with sugar receptor-mediated drug delivery to macrophages (mouse), **166**, 404

Lens
- crystallins, glycosylation and high-molecular-weight aggregate formation in presence of ferrous ions and glucose (camel), **173**, 823
- NADPH and ζ-crystallin levels, correlation (guinea pig), **167**, 1221

l-Leucovorin
- optically pure, chemoenzymatic synthesis, **171**, 684

Leukoagglutinin
- comparison with pertussis toxin lectin-like properties, **172**, 1224

Leukocyte adherence deficiency
- EBV-transformed B cells from affected child, retroviral-mediated gene transfer of leukocyte integrin CD18 subunit, **171**, 787

Leukocyte elastase
- expression
  - effect of differentiation of U937 promonocytes by granulocyte-macrophage colony-stimulating factor (human), **167**, 659
  - functional, in COS-1 cells (human), **167**, 1326
- inhibition by peptidyl 1,2-dicarbonyl derivatives (human), **166**, 595

Leukocytes
- activated, interaction with corticosteroid-binding globulin *in vitro* (human), **172**, 172
- adhesion, associated endothelial cell molecule ELAM-1, blocking monoclonal antibody, description, **171**, 348
- associated granulins, isolation and characterization (human), **173**, 1161
- free radical generation, calmodulin-dependent stimulation by various agents (human), **167**, 1030
- inositol (1,4,5)-trisphosphate content, competition binding assay (human), **170**, 755
- polymorphonuclear, *see* Neutrophils

Leukodystrophy
- globoid cell, derived cultured dermal fibroblasts, galactosylceramide and galactosylsphingosine loading studies (human, mouse), **166**, 1053
- metachromatic, patients with variant form, detection of point mutation in sphingolipid activator protein-1 mRNA, **166**, 1017

Leukotriene A_4 hydrolase
- gene expression, analysis in Raji cells, **161**, 740; *erratum*, **167**, 1413
- identification as zinc-containing aminopeptidase (guinea pig, human), **173**, 620
- molecular evolution and detection of zinc ion-binding motif (human), **171**, 216
- peptidase activity, characterization (human leukocytes), **173**, 431
- zinc content (human), **172**, 965

Leukotriene B_4
- induction of hyperadhesiveness in endothelial cells for neutrophils (human), **166**, 848

Leukotriene B_4 receptors
- –GTP binding protein complex, solubilization and characterization (porcine spleen), **166**, 342

Leukotriene C_4
- role in interleukin-1 production by activated monocytes and macrophages (human, mouse), **169**, 422

Leukotriene C_4 synthase
- enhancement in thioglycollate-elicited peritoneal macrophages, analysis (rat), **171**, 1344

Leukotriene C_5
- synthesis in peritoneal macrophages, modulation by dietary n-3 fatty acids (mouse), **171**, 764

Leukotrienes
- mimicry of early pregnancy factor actions in rosette inhibition assay (murine spleen cells), **167**, 535

Leydig cells
- function, differential effects of recombinant interleukin-1α and -1β (rat), **167**, 548
- immature
  - Δ^5-3β-hydroxysteroid dehydrogenase-isomerase activity, inhibition by basic fibroblast growth factor (rat), **168**, 248
  - 5α-reductase and Δ-3β-hydroxysteroid dehydrogenase activities, inhibition by platelet-derived growth factor (rat), **169**, 1229
- steroidogenesis, inhibition by interleukin-1β, enhancement by tumor necrosis factor α (rat), **166**, 1313

Light
- induced metabolic adjustments of rod photoreceptors, control within glycolysis (toad), **168**, 155
- near-uv, membrane permeability after exposure, effect of catalase hydroperoxidase I (*Escherichia coli*), **171**, 1224
- uv, *see* Ultraviolet light

Lignin peroxidase
- gene *GLG6*, characterization (*Phanerochaete chrysosporium*), **173**, 994

Limb bud
- early, quantitation of retinoic acid receptors (chicken embryo), **168**, 544

Linoleic acid
- identification as sole fatty acid required for B-lymphocyte activation *in vitro* (mouse), **166**, 879
- oxidation, catalyzed by potato and soybean lipoxygenases, stereochemical nature of products, **170**, 491
- release in A23187-stimulated neutrophils, effect of H-7 inhibition of protein kinase C (human), **167**, 168

Linolenic acid hydroperoxide
- –hemoprotein complex, coordination structure, ESR analysis, **166**, 924; *erratum*, **168**, 886

N-(O-Linoleoyl) ω-hydroxy fatty acylsphingosyl glucose, *see* Lipokeratinogenoside

Lipase, *see* Triacylglycerol lipase

Lipid A
- biosynthesis, defective *Vibrio cholerae* mutants, isolation and partial characterization, **169**, 116

Lipid peroxidation
- microsomal
  - increase in response to hormone, role of cAMP-dependent P450 phosphorylation (rat liver), **166**, 787
  - induction by insoluble iron-containing minerals (rat liver), **173**, 912
  - inhibition by reduced glutathione, enhancement by

    glutathione disulfide (rat liver), **166**, 960
  mitochondrial membrane, inhibitory effect of celastrol (rat liver), **172**, 890
  NADH-dependent, in submitochondrial particles, enhancement by 1-methyl-4-phenylpyridinium (bovine heart), **170**, 1049
  role in carbon tetrachloride-induced inactivation of protein kinase C (rat hepatocytes), **171**, 1353
Lipids
  composition in
    neuroblastoma cell lines, effects of lysosphingolipids (mouse), **169**, 673
    plasma and erythrocytes, effects of aging and acetyl-L-carnitine (rat), **170**, 621
  diet with high levels, regulation of
    pancreatic colipase mRNA (rat), **167**, 130
    pancreatic lipase gene expression at transcriptional level (rat), **166**, 358
  membrane
    hexagonal phases, analysis by ^{2}H NMR spectroscopy, **173**, 1231
    interaction with actin, mechanism (rabbit), **167**, 40
    phase transitions similar to temperature effects, induction by superoxide radical (rabbit erythrocytes), **172**, 601
  methylation in cardiac sarcolemma, alteration by oleic acid (rat), **170**, 810
  planar bilayers, cation-selective channels, formation by δ-endotoxins (*Bacillus thuringiensis*), **169**, 765
  and proteins, HIV, reconstitution into virosomes, **167**, 222
  tetraether liposomal-forming fraction, purification and characterization (*Sulfolobus acidocaldarius*), **167**, 238
Lipoamide dehydrogenase, *see* Dihydrolipoamide dehydrogenase
Lipocytes
  hepatic, proteoglycan synthesis and proliferation, modulation by Kupffer cell-derived transforming growth factors β1 and α (rat), **171**, 1122
Lipokeratinogenoside
  as epidermal marker in studies of sphingolipid effects on keratinocyte differentiation (fetal rat), **170**, 162
Lipolysis
  in 3T3-L1 adipocytes, effect of chronic fatty acid treatment, **171**, 46
Lipophorin
  diacylglycerol loading from fat body, inhibition by trehalose (locust), **172**, 588
Lipopolysaccharide
  activated endothelial cells, enhanced expression of intercellular adhesion molecule-1, effects of protein kinase C inhibitors (human), **172**, 1273
  calmodulin-dependent stimulation of free radical generation in leukocytes (human), **167**, 1030
  effect on activin A/erythroid differentiation factor gene expression (human promyelocytic leukemia cells), **167**, 654
  induced vascular hyporeactivity, role of activation of L-arginine pathway (rat), **171**, 562
  inducible early gene in peritoneal macrophages, sequence analysis and identification as homolog of human IP-10 gene (mouse), **168**, 1261
  and interferon-γ, induction of arginine-derived relaxing factor production in EMT 6 cells (mouse), **173**, 1
  in vitro and *in vivo* primed neutrophils, alteration of O_2/H_2O_2 production ratio (human), **167**, 970
Lipoprotein lipase
  gene expression upon stimulation with growth hormone, inhibition by serum components (Ob 1771 cells), **166**, 1118
  stimulation by bradykinin in neural cell cultures (fetal mouse), **166**, 1001
Lipoprotein receptors
  low-density-lipoprotein
    enhanced binding of apolipoprotein E mutant APO E5 (human fibroblasts), **168**, 409
    hepatic, mRNA levels, effect of thyroid hormone in hypophysectomized rats, **172**, 1150
    role in LDL elevation of intracellular calcium and pH in rat vascular smooth muscle cells and human fibroblasts, **167**, 353
Lipoproteins
  binding of crosslinked type III collagen aminopropeptide and antigen fractions (human, rabbit blood), **170**, 519
  high-density, apolipoprotein AI from, characterization and amino-terminal sequence (bovine calf), **166**, 833
  low-density
    abnormal processing in lymphocytes from Niemann–Pick disease patients, **171**, 38
    binding to dermal fibroblasts, effect of tumor necrosis factor (human), **172**, 1022
    desialylated, isolation from blood of atherosclerotic patients: affinity chromatographic separation from native form, **167**, 1122
    elevation of intracellular calcium and pH in rat vascular smooth muscle cells and human fibroblasts without mediation of LDL receptor, **167**, 353
    oxidized, effects on free cholesterol and cholesterol esterification (murine macrophages), **171**, 123
    oxidized, inhibition of
      endothelium-dependent vasorelaxation, role of lysophosphatidylcholine (rabbit), **168**, 301
      soluble guanylate cyclase activation by nitrovasodilators (human), **172**, 614
  platelet adhesion to, analysis (human plasma), **172**, 113
Liposomes
  egg phosphatidylcholine, oxidized, characterization by differential scanning calorimetry, **168**, 1268
  forming tetraether lipid fraction, purification and characterization (*Sulfolobus acidocaldarius*), **167**, 238
  membranes
    clathrin molecular assembly on, role in induction of membrane fusion, **173**, 134
    potassium movement across, mechanism, **173**, 1008
  phosphatidylethanolamine, lamellar to hexagonal phase transitions, fluorescence anisotropy study, **168**, 987
Lipoxin A_4
  inhibition of phosphoinositide hydrolysis in neutrophils (human), **167**, 1022

Lipoxygenase
- catalyzed linoleic acid oxidation, associated products, stereochemical nature (potato, soybean), **170**, 491
- dioxygenase activity, potent activation by hydrogen peroxide (soybean), **166**, 417
- isozymes 1, 2a, 2b, and 2c, pyrrolo quinoline quinone content analysis (soybean), **172**, 1122
- positional specificity in relation to enzyme levels and effect of double dioxygenation product of arachidonic acid (*Lupinus albus*), **172**, 985

5-Lipoxygenase
- gene expression, analysis in Raji cells, **161**, 740; *erratum*, **167**, 1413

15-Lipoxygenase
- characterization and behavior during peanut cotyledonary senescence, **172**, 462
- purification and crystallization from reticulocytes (rabbit), **173**, 507

Lisinopril
- biotinylated derivatives, characteristics of binding to angiotensin-converting enzyme: implications for recessed enzyme active site, **167**, 310

Liver, *see also* Hepatocytes
- acute-phase response, associated distribution and activity of protein kinase C (rat), **167**, 345
- biosynthesis of thyroxine-binding globulins, analysis (rat), **167**, 317
- and brain, protein disulfide-isomerase gene expression, differential regulation during development (rat), **170**, 421
- carbon tetrachloride-induced injury, associated formation of acetaldehyde–collagen adducts (rat), **173**, 111
- damaged, hepatocyte growth factor gene expression in endothelial and Kupffer cells, *in situ* hybridization study (rat), **173**, 42
- diethylnitrosamine-induced carcinogenesis, associated enhanced expression of 27-kDa protein (rat), **170**, 908
- epidermal growth factor receptor induction *in vivo*, similar effects of EGF and partial hepatectomy (rat), **166**, 661
- experimental fibrosis, associated synthesis of lysyl oxidase, analysis (rat), **166**, 1201
- glutathione *S*-transferase isoenzyme induction by protein A (rat), **169**, 476
- heme oxygenase synergistic induction in cultured cells by glutethimide and iron (chicken embryo), **168**, 176
- and hepatic cell lines, plasminogen gene transcription initiation site, definition (human), **173**, 1013
- insulin endocytosis and degradation, inhibition by indomethacin (rat), **173**, 127
- insulin-treated, soluble fraction, with ATP, cell-free stimulation of insulin-sensitive cAMP phosphodiesterase (rat), **170**, 533
- neoplastic
  - from English sole exposed to carcinogens, detection of 4,6-diamino-5-formamidopyrimidine, 8-hydroxyguanine, and 8-hydroxyadenine in DNA, **173**, 614
  - and reactive, associated alterations of glycosaminoglycan composition (human), **167**, 883
- nitroxide radicals, *in vivo* ESR measurement (mouse), **172**, 1342
- and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377
- and other tissues
  - from Kearns–Sayre syndrome patient, different copy numbers of identically deleted mitochondrial DNA, detection by polymerase chain reaction, **169**, 1007
  - nonneuronal, and brain, L-DOPA decarboxylase mRNA, comparative and quantitative study (rat), **170**, 1006
- P450IIE1 induction by pyridine: role of protein synthesis in absence of transcriptional activation (rat), **166**, 1072
- perivenous region, transcriptional control of *CYP2E1* gene (rat), **173**, 331
- phosphocitrate enzymatic synthesis, *in vitro* evidence (rat), **170**, 251
- pregnancy-specific glycoprotein 7 identification, cloning, and sequencing (human fetus), **168**, 214
- pristanoyl-CoA oxidase identification: deficiency in Zellweger syndrome (human), **172**, 490
- regeneration, associated increase in hepatic glucose transporter mRNA levels (rat), **168**, 1274
- RNA synthesis, effect of gastric distension (neonatal chicken), **166**, 973
- serine dehydratase
  - gene expression regulation (rat), **170**, 892
  - mRNA expression, developmental and growth-related regulation (rat), **168**, 335
- 6-sulfooxymethylbenzo[*a*]pyrene carcinogenicity and mutagenicity, evaluation (mouse), **172**, 85

Lovastatin
- and CI-981, responses of HepG2 cells and primary rat hepatocytes, comparison, **170**, 726
- inhibition of *Trypanosoma cruzi* growth and sterol biosynthesis in culture, **166**, 1441

Luciferase
- bacterial, *see* Alkanal monooxygenase (FMN-linked)
- firefly, *see Photinus*-luciferin 4-monooxygenase (ATP-hydrolyzing)

Lung
- clearance of ^{125}I-endothelin, role in ^{125}I-ET-1 tissue distribution and plasma half-life (rat), **167**, 1191
- DC-3F cells, multi-drug-resistant, binding of α_1-adrenergic photoaffinity probe ^{125}I-arylazidoprazosin to specific peptide of P-glycoprotein, **166**, 259
- dihydroleukotriene identification and biological activity (human), **170**, 23
- distal, arachidonate 15-lipoxygenase activity and oxygen radical formation, stimulation by endothelin-1 (rat), **168**, 485
- embryonic, LU cells, cytomegalovirus stimulation of arachidonic acid metabolism, role of phospholipase A_2 and protein kinase C (human), **166**, 953
- and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377

Luteal cells
- steroidogenic pathways, inhibition by gossypol *in vitro* (bovine), **169**, 455

Luteinization
  ovary, associated induction of lutropin/choriogonadotropin receptor, analysis (rat), **171**, 525
Luteinizing hormone
  specific high-affinity binding sites, detection in *Candida* species (human), **167**, 1050
Luteinizing hormone/choriogonadotropin receptors
  cDNA, cloning and sequencing (human), **172**, 1049
  induction in ovary during luteinization (rat), **171**, 525
  regulation by gonadotropins (rat ovary), **172**, 786
  and TSH receptors, extracellular domain chimeras: demonstration of mid-region vital role in TSH binding, **173**, 1150
Lyme disease
  associated *Borrelia burgdorferi* peptidoglycan, isolation, preliminary chemical characterization, and biological activity, **167**, 89
Lymphoblasts
  cell line from Mennonite maple syrup urine disease patients, A-to-T substitution in branched-chain α-keto acid dehydrogenase complex E$_1$α subunit gene, **172**, 646
  identification of DNA ligase I-related polypeptides in cells (human), **169**, 888
Lymphocytes
  B, *see* B cells
  Ca^{2+}-activated potassium channels, voltage gating (human), **171**, 325
  DNA strand breakage by adenosine deaminase inhibitors, prevention by niacin (human), **167**, 514
  from fucosidosis patient, metabolic correction by galaptin–α-L-fucosidase conjugates, **172**, 335
  growth *in vitro*, stimulatory effect of N^1,N^{12}-bis(ethyl)spermine (bovine), **172**, 715
  HIV type 1 provirus DNA assay with polymerase chain reaction (human), **167**, 1
  IM9, insulin receptor gene expression
    effects of glucose starvation and mechanism (human), **169**, 397
    multifactorial control (human), **170**, 1184
  immunoreactive growth hormone secretion, augmentation by exogenous hormone (human), **168**, 396
  interleukin-8-induced migration *in vitro*, inhibition by cholera and pertussis toxins and protein kinase C inhibitors (human), **169**, 1099
  LA350, platelet-activating factor activation of phosphatidylinositol cycle and induction of calcium mobilization: evidence for PAF receptor (human), **166**, 1047
  and macrophages and neutrophils, Fc$_{\gamma1/\gamma2}$ receptors, structural differences (guinea pig), **172**, 835
  from Niemann–Pick disease patients, abnormal low-density lipoprotein processing, **171**, 38
  protein kinase C-independent phospholipase D activation by phorbol esters (bovine), **171**, 955
  specific binding sites, identification of carrier-immobilized derivatized lysoganglioside GM$_1$ as ligand (human blood), **169**, 239
  splenic, proliferation, effect of metoclopramide (rat), **171**, 1099
  T, *see* T cells
  thymic, rolipram-sensitive isoforms of cyclic nucleotide phosphodiesterase, stimulation by concanavalin A (rat), **169**, 864
Lysoganglioside
  type GM$_1$, carrier-immobilized derivatized, identification as ligand for specific binding sites in tumor cells and peripheral blood lymphocytes and monocytes (human), **169**, 239
Lysophosphatidylcholine
  accumulation in pancreatic islet cells after pretreatment with sodium fluoride (rat), **167**, 61
  role in
    GM3-dependent inhibition of epidermal growth factor receptor autophosphorylation in plasma membranes (A431 cells), **172**, 77
    inhibition of endothelium-dependent vasorelaxation by oxidized low-density lipoprotein (rabbit), **168**, 301
Lysophospholipase
  inhibition by cholesterol rabbit aorta, **167**, 143
Lysosomes
  acid phosphatase transport to
    mechanism (rat), **170**, 1067
    role of endosomes (rat liver), **166**, 1176
  carboxypeptidase activity, deficiency associated with galactosialidosis (human), **168**, 22
  β-hexosaminidase, expression in yeast vacuoles (human), **170**, 383
  tartrate-sensitive acid phosphatase, deficiency in cells with lysosomal high-uptake enzyme forms (bovine, human), **167**, 520
Lysosulfatide
  effect on cell growth, morphology, and lipid composition in neuroblastoma cell lines (mouse), **169**, 673
Lysozyme
  egg white, catalytic activity, effects of sucrose: reevaluation of hydration memory (chicken), **166**, 1039
  introduction of non-native disulfide bridge by cysteine scanning mutagenesis (human), **173**, 1194
Lysyl oxidase
  synthesis in experimental hepatic fibrosis (rat), **166**, 1201

M

Macrophages
  activated, interleukin-1 production, role of leukotrienes (mouse), **169**, 422
  cholesterol accumulation and esterification, effects of low-density lipoproteins (mouse), **171**, 123
  and endothelial cells, nitric oxide synthesis: cell-type selective inhibition by N^G-aminoarginine, N^G-nitroarginine, and N^G-methylarginine (bovine, mouse), **170**, 96
  Fc receptors
    Fc$_\gamma$R, two distinct types, activation of NADPH oxidase via different signal transduction pathways (guinea pig), **172**, 223
    Fc$_{\gamma1/\gamma2}$R, structure, comparison with neutrophils and lymphocytes (guinea pig), **172**, 835

    - Fc_{γ}R-I, mRNA expression, induction by interferon-γ (human), **170**, 582
  - interferon-γ-activated, complexes between L-arginine-derived nitric oxide and non-heme iron proteins, EPR detection (mouse), **166**, 119
  - J774, nitric oxide synthase induction, inhibition by glucocorticoids, **172**, 1246
  - lysis by HSV-1, preventive effects of macrophage-targeted 9-(2-phosphonylmethoxyethyl)adenine bound to mannosylated polymer (human), **167**, 1044
  - nitric oxide synthesis, role of FAD and glutathione (mouse), **168**, 558
  - peritoneal
    - leukotriene C_5 synthesis, modulation by dietary n-3 fatty acids (mouse), **171**, 764
    - lipopolysaccharide-inducible early gene, sequence analysis and identification as homolog of human IP-10 gene (mouse), **168**, 1261
    - thioglycollate-elicited, enhanced leukotriene C_4 synthase activity, analysis (rat), **171**, 1344
  - RAW 264.7, stimulation by soybean trypsin inhibitor and β-amylase, **173**, 296
  - sugar receptor-mediated drug delivery to, in therapy for experimental visceral leishmaniasis (mouse), **166**, 404
  - uptake of carcinoembryonic antigen, reduction by CEA-binding protein from ascites (rat), **171**, 633
- Magnesium
  - acceleration of erythrocyte membrane Ca^{2+},Mg^{2+}-ATPase phosphoenzyme formation via phosphorylation reaction (pig), **169**, 700
  - binding by β-galactosidase site-specific mutants, role of Tyr-503 and Glu-461, **171**, 33
  - cytosolic free, levels in
    - cardiac myocytes: identification of Mg^{2+} influx pathway (chicken embryo), **167**, 1406
    - cultured hepatocytes during chemical hypoxia (rat), **170**, 477
  - deficiency-induced cardiomyopathy, protective effect of vitamin E (hamster), **170**, 1102
  - effects on interactions of DnaK with ATP (*Escherichia coli*), **166**, 1284
  - role in
    - divalent cation-dependent structure of platelet membrane glycoprotein Ia-IIa complex, **168**, 107
    - mithramycin–DNA interaction, **173**, 689
- Magnesium chloride
  - with/without KSCN, in preparation of microvillus membrane vesicles, effects on vesicle composition and fluidity (rat intestine), **170**, 433
  - modulation of guanine nucleotide effects on insulin receptors (rat adipocytes), **171**, 53
- Magnetic fields
  - weak intermittent, effects on nocturnal pineal serotonin metabolism (mouse, rat), **169**, 102
- Malaria
  - intraerythrocytic phase, analysis of isoprenoid metabolism in *Plasmodium falciparum* during, **173**, 849
- Malonamate
  - role in nitrogen flow model of *Rhizobium*–soybean symbiosis, **169**, 692
- Malonamidases
  - soybean nodule, role in nitrogen flow by malonamate in *Rhizobium*–soybean symbiosis, **169**, 692
- Manganese
  - effects on interactions of DnaK with ATP (*Escherichia coli*), **166**, 1284
- Mannose 6-phosphate
  - binding by insulin-like growth factor-II/mannose 6-phosphate receptors, effect on G protein activation (murine fibroblasts), **168**, 1201
- Mannose 6-phosphate receptors
  - –insulin-like growth factor II receptors
    - differential response to ligand in G protein activation (murine fibroblasts), **168**, 1201
    - mRNA, developmental regulation (rat), **172**, 775
- β-Mannosidase deficiency
  - disease description (bovine), **173**, 491
- Mannosyl-glycoprotein endo-β-*N*-acetylglucosaminidase
  - hyaluronic acid-depolymerizing, detection in skin fibroblast cultures (human), **172**, 70
- Mannosyl receptors
  - mediated drug delivery to macrophages, in therapy of experimental visceral leishmaniasis (mouse), **166**, 404
- Maple syrup urine disease
  - cell lines from Mennonite patients, A-to-T substitution in $E_1\alpha$ subunit gene of branched-chain α-keto acid dehydrogenase complex, **172**, 646
- Mass spectrometry
  - electrospray ionization
    - for peptide mapping in protein structure analysis, description and demonstration (human), **167**, 686
    - trypsin, resolution of α, β, and ψ forms by charge state distributions (bovine), **173**, 927
  - with HPLC, in rapid confirmation and revision of bovine serum albumin primary structure, **173**, 639
  - tandem, mapping of flavin-containing monooxygenase FAD- and NADP-binding domains: N-terminus determination (porcine liver), **170**, 937
- Mast cells
  - histamine release, mediation by intracellular histamine (rat), **167**, 665
  - role as effectors of connective tissue degradation: susceptibility of rat cardiac smooth muscle cell-derived extracellular matrix (human), **171**, 1272
  - serosal, synthesis of nitric oxide-like factor from L-arginine, analysis (rat), **169**, 596
- Mastoparan
  - activation of platelets, role of pertussis toxin-sensitive GTP-binding proteins (human), **170**, 779
- Mechanosensitivity
  - adenylate cyclase in coronary vascular smooth muscle cells, analysis (pig), **171**, 143
  - cooperative, spheroplast ion channels (*Escherichia coli*), **171**, 280

Medullasin, *see* Leukocyte elastase
Meiosis
  maturational, oocytes *in vitro*, stimulation by activin A (rat), **166**, 1479
Melanins
  synthetic soluble catecholamine, inhibition of HIV-1 replication and cytopathogenicity *in vitro* (human lymphoblastoid cells), **168**, 200
Membrane fluidity
  microvillus membrane vesicles, effect of preparation method (rat intestine), **170**, 433
Membrane metallo-endopeptidase
  conversion of big endothelin-1 in cultured endothelial cells (bovine carotid artery), **171**, 1192
  detection of high concentration in hepatoma 3924A (rat), **169**, 81
  expression in osteoblastic cells and other marrow stromal cell types (mouse), **172**, 620
  role in brain natriuretic peptide metabolism *in vivo* (rat), **173**, 265
Membrane potential
  cells with very low values, long-term growth in cytosol-type electrolyte medium, assessment (human), **169**, 1217
  hepatocyte, modulation by sex steroids (human, rat), **172**, 1163
  oocyte, changes at hypothermic temperatures, effects of antifreeze glycopeptides from Antarctic fish (pig), **173**, 1369
  resting, effect on cell membrane electroporation (NIH 3T3 cells), **172**, 282
Membranes
  amniotic, *see* Amniotic membrane
  artificial lipid, interaction with HIV-1 fusion peptides, **172**, 952
  artificial liquid, spontaneous electrical oscillation, effects of temperature and volatile anesthetic, **167**, 450
  associated proteins
    25-kDa, myristoylation, inhibition by retinoic acid (HL-60 cells), **172**, 877
    300-kDa, detection in adriamycin-resistant tumor cells by monoclonal antibody MRK18 (human), **169**, 686
  Bacteroides gingivalis, outer, associated proteins, regulation by iron, **166**, 1146
  basolateral
    intestinal, calcium pump activity, stimulation by recombinant synthetic calbindin-D$_{9k}$ and specific mutants (rat), **170**, 603
    renal cortical, Ca^{2+},Mg^{2+}-ATPase response to atrial natriuretic peptide, effect of chronic diabetes (rat), **169**, 537
  brush border
    Ca^{2+} uptake kinetics into vesicles, effect of hypertension (rat duodenum), **170**, 742
    Na^{+}-phosphate cotransporter molecular size and Na^{+}-dependent binding of phosphonoformic acid, effect of X-linked *Hyp* mutation (murine kidney), **170**, 1288
  cardiac ventricular, identification of high- and low-affinity [^{3}H]glybenclamide binding sites (dog), **167**, 1400
  cellulose acetate, in immunoassay with thermally reversible polymer–antibody conjugate, **172**, 652
  cerebellar, specific binding of [^{3}H]inositol hexakisphosphate, characterization (rat), **167**, 819
  cerebral
    binding of
      H$_3$ histamine receptors, characterization by N$^{\alpha}$-methylhistamine (guinea pig), **168**, 979
      [^{35}S]lanthionine ketimine (bovine), **171**, 480
    Ca^{2+}-induced translocation of phospholipase A$_2$ from cytosol (rat), **170**, 484
    identification of receptor for pituitary adenylate cyclase activating polypeptide (bovine), **171**, 838
    insulin and epidermal growth factor transmembrane signal protein kinase FA, regulation (pig), **166**, 267
    vesicles, ion uptake, regulation by thiamine compounds (rat), **171**, 1137
  Descemet's, collagenous protein with elastin crosslinks, relationship to type VIII collagen (sheep), **171**, 260
  electric organ, signal transduction sites, differential localization of GTP-binding proteins (*Torpedo* sp.), **173**, 388
  erythrocyte
    Ca^{2+}-ATPase, effect of acylphosphatase (human), **168**, 651
    calpain-binding sites, relationship to membrane phospholipids (human), **171**, 625
    fatty acid incorporation into phospholipids, palmitoyl-L-carnitine as metabolic intermediate (human), **173**, 212
    fluidity, relationship to protein glycation (human), **170**, 1107
    identification of low-molecular-weight guanine nucleotide-binding proteins (human), **166**, 1398
    irreversibly denaturing spanning protein, reversible denaturational transition, characterization (human), **166**, 1365
    lipid phase transitions related to temperature-induced effects, induction by superoxide radical (rabbit), **172**, 601
    outer side, daunomycin radicals on, generation (human), **168**, 240
    stomatocytic or discoidal, containing only spectrin, isolation (human), **168**, 1318
  Escherichia coli
    permeability after near-uv stress, effect of catalase hydroperoxidase I, **171**, 1224
    spheroplast, patch-clamp analysis: cooperative mechanosensitive ion channels, **171**, 280
  fat cell, insulin-stimulated phosphatidylinositol monophosphate hydrolysis, inhibition by phorbol ester (rat), **172**, 446
  gill cell, adenylate cyclase activity, stimulation by calcitonin gene-related peptide (trout), **172**, 582
  glomerular basement, collagen IV α3 and α4 chains, evidence for collagenous domain (bovine), **170**, 322
  hepatic
    glycyrrhizin-binding protein kinase from crude fraction, characterization (rat), **167**, 876
    manganese-dependent protein kinase, activation by serine and tyrosine phosphorylation (rat), **171**, 75
  hepatoma cell
    internal, direction of plasma membrane gangliosides to:

evidence for glycolipid sorting defect in hepatocarcinogenesis (rat), **169**, 192
tyrosine protein kinase, inhibition by staurosporine (human), **170**, 1191
HIV, reconstitution into virosomes, **167**, 222
junctional face, of sarcoplasmic reticulum, region of calsequestrin binding, identification (rabbit muscle), **167**, 189
lipid hexagonal phases, analysis by ^{2}H NMR spectroscopy, **173**, 1231
lipids, interaction with actin, mechanism (rabbit), **167**, 40
liposomal
  clathrin molecular assembly on, role in induction of membrane fusion, **173**, 134
  potassium movement across, mechanism, **173**, 1008
localization of low-molecular-mass GTP-binding proteins *rac* 1 and *rac* 2, role of isoprenylation, **171**, 804
microsomal, with incorporated cytochrome P450, topology: saturation transfer EPR and freeze-fracture electron microscopy studies, **171**, 175
microvillus, vesicle composition and fluidity, effect of preparation method (rat intestine), **170**, 433
mitochondrial
  contact sites, characterization: effects of short-chain alcohols on membrane fluidity and activity, **173**, 878
  import of brown fat mitochondrial uncoupling protein (*Xenopus laevis* oocytes), **167**, 784
  inner, role in maturation of ornithine carbamyltransferase precursor (rat liver), **170**, 1273
  transport of glutathione across, analysis (rat liver), **167**, 367
myometrial, coupling of high-affinity bradykinin receptors to pertussis toxin-sensitive G_i proteins (rat), **167**, 910
ovarian carcinoma cell, binding of CA-MOv18 molecule by phosphatidylcholine (human), **171**, 1051
planar lipid bilayer, cation-selective channel formation by bacterial δ-endotoxins, **169**, 765
plasma, *see* Plasma membranes
platelet
  detection of intact amyloid β protein precursor: encoding by platelet mRNA, **173**, 1292
  glycoprotein Ia-IIa complex, evidence for divalent cation-dependent structure, **168**, 107
  small G proteins, recognition by *smg* p25A GDP dissociation inhibitor (human), **168**, 1244
protoplast, stretch-activated composite ion channels, characterization (*Bacillus subtilis*), **168**, 443
rhodopsin-containing recombinant, metarhodopsin I–metarhodopsin II equilibrium after photolysis, effect of pH (bovine), **169**, 1028
rod outer segment, phospholipase C activity, regulation by Ca^{2+} (bovine retina), **173**, 283
WISH cell, protein kinase C translocation, induction by tumor necrosis factor, relationship to inhibition of epidermal growth factor binding (human), **168**, 690
yolk sac, angiogenesis, induction by polyamines and inhibition by tissue inhibitors of metalloproteinases (chicken), **171**, 1264

Menthofuran
  hepatic microsomal metabolism *in vitro*, analysis (rat), **173**, 1086
Mercuric chloride
  effect on angiotensin II-induced $[Ca^{2+}]_i$ increase in early proximal tubules (rat kidney), **173**, 606
Mercury
  chelation by ouabain-sensitive and -resistant renal Na,K-ATPase (rabbit, rat), **167**, 1115
  interaction sites in photosystem II, determination with Stern–Volmer analysis modification (alga), **166**, 873
Mesangial cells
  endothelin-1 production *in vitro*, analysis (rat), **169**, 462
  prostaglandin E_2 synthesis
    angiotensin II- and A23187-stimulated, potentiation by interleukin-1 and tumor necrosis factor (rat), **169**, 585
    interleukin-1-stimulated, effect of genistein (rat), **173**, 718
Mesentery
  arterial bed, periarterial nerve stimulation-induced vasodilation, inhibition by calcitonin gene-related peptide and CGRP receptor desensitization (rat), **168**, 786
  isolation of fatty acid amide as angiogenic principle (bovine), **168**, 423
  perfused vascular bed, endothelium-dependent relaxations, effect of N^G-monomethyl-L-arginine (rat), **169**, 873
  superior, perfused, venous responses to nerve stimulation, potentiation by endothelin-1 and U46619 (rat), **172**, 745
Message amplification phenotyping
  inherited aminolevulinate dehydratase deficiency in family with acute hepatic porphyria, **172**, 237
Metalloendopeptidase
  endothelial cell-produced, with ability to remove COOH-terminal tripeptide from ^{125}I-atrial natriuretic factor, partial characterization (bovine aorta), **167**, 110
  membrane-bound, *see* Membrane metallo-endopeptidase
Metalloproteinase
  phosphoramidon-sensitive, evidence for role in conversion of big endothelin-1 in vascular endothelial cells (pig), **171**, 669
  secreted by glioma cells in serum-free culture, isolation and characterization (rat), **172**, 544
  tissue inhibitor
    inhibition of polyamine-induced angiogenesis in yolk-sac membrane (chicken), **171**, 1264
    mRNA, nucleotide sequence and expression in ovarian tissue (bovine), **171**, 250
    production by fibroblasts, effect of interleukin-6 (human), **170**, 824
    radioimmunoassay: matrix association in aortic tissue (human), **167**, 898
Metallothionein
  amino acid sequence, complete homology in two genera of ducks and hybrids, **168**, 182
Metarhodopsin
  MI–MII equilibrium of rhodopsin in recombinant membranes, effect of pH (bovine), **169**, 1028

Metastases
  potential of 3LL tumor cells, effect of indomethacin (mouse), **167**, 731
Methanol
  –chloroform or –toluene mixtures, phospholipid synthesis by extracellular phospholipase A$_2$ (bacteria, insect, mammals, snake), **168**, 644
Methotrexate
  sugar receptor-mediated delivery to macrophages, in therapy of experimental visceral leishmaniasis (mouse), **166**, 404
Methylamine dehydrogenase
  small subunit, gene cloning and sequencing (*Methylobacterium extorquens AM1*), **172**, 211
Methyl arachidonate
  and arachidonic acid, mediation of protein kinase C activation in intact platelets (human), **169**, 933
L-N^G-Methylarginine
  effect on endothelium-dependent relaxations in perfused mesenteric vascular bed (rat), **169**, 873
  inhibition of
    nitric oxide synthesis in endothelial cells and macrophages, comparison (bovine, mouse), **170**, 96
    vasodilating effects of low-dose endothelin-3 on mesenteric arteries (rat), **167**, 739
  metabolism by aortic endothelial cells to L-citrulline and L-arginine, implications for inhibitory potency (bovine, rabbit, rat), **167**, 1037
  reversal of endotoxin-mediated shock (dog), **172**, 1132
Methylation
  Alzheimer A4 precursor gene promoter region, analysis by genomic sequencing with Taq polymerase (human), **169**, 46
  DNA, inhibition of HIV-1 transcription, **168**, 141
  lipids in cardiac sarcolemma, alteration by oleic acid (rat), **170**, 810
  pepsinogen genes during development of gastric mucosa, effect of hydrocortisone (rat), **172**, 1086
  versican proteoglycan gene, alteration in colon carcinoma (human), **171**, 1402
Methyl 7-*O*-(4-azidobenzoyl)okadaate
  ^{3}H-labeled at position 27, in photoaffinity labeling of protein phosphatase 2A (bovine brain), **170**, 1359
S-(*N*-Methylcarbamoyl)glutathione
  characterization as reactive S-linked metabolite of methyl isocyanate (rat bile), **166**, 245
Methylcobalamin
  formation, role of glutathionylcobalamin as intermediate, **169**, 443
4-*N*-Methylcytosines
  selective deuteration, **169**, 517
24-Methylene cycloartanol
  oxidative C4-demethylation by cyanide-sensitive microsomal enzymatic system (corn), **172**, 98
N$^{\alpha}$-Methylhistamine
  in characterization of H$_3$ histamine receptors and determination of tissue distribution (guinea pig), **168**, 979
Methyl isocyanate
  reactive S-linked metabolite *S*-(*N*-methylcarbamoyl)glutathione, characterization (rat bile), **166**, 245
Methylisocyanide
  geminate recombination with hemoglobin, effect of quaternary structure (carp), **171**, 306
1-Methyl-4-phenylpyridinium
  4′-alkylated analogs, inhibition of mitochondrial respiration (murine liver), **169**, 758
  analogs as potent inhibitors of monoamine oxidase A, **172**, 1338
  carrier-independent entry into adrenal chromaffin cells, role of charge delocalization (bovine), **168**, 1143
  effects on NADH-dependent superoxide formation and lipid peroxidation in submitochondrial particles (bovine heart), **170**, 1049
  and rotenone, binding to same site in blockade of mitochondrial respiration, evidence, **169**, 123
4-Methylpyrazole
  stabilization of rabbit cytochrome P450IIE2 expressed in yeast, **172**, 1331
N-Methyltransferase
  converting phosphorylethanolamine to phosphorylcholine, detection in brain cytosol (rat), **171**, 758
Metoclopramide
  effect on spleen lymphocyte proliferation (rat), **171**, 1099
Metyrapone
  modulation of tyrosine aminotransferase induction by dexamethasone in cultured hepatocytes (rat), **166**, 801
Microcystins
  LR
    cyanobacterial, induced hepatocyte deformation, role of protein phosphatase inhibition, **173**, 1347
    and RR and YR, effects on murine skin and human fibroblasts, **171**, 867
Microfilaments
  regulation of exocytosis rate in basophilic leukemia cells (rat), **171**, 222
  role in insulin release from purified beta cells (rat), **171**, 424
β$_2$-Microglobulin
  purification and complete amino acid sequence (human), **168**, 1223
β-Microseminoprotein
  encoding gene, cloning and nucleotide sequence (human), **167**, 1184
Microsequencing
  in identification of proteins interacting with thyrotropin in rat FRTL-5 thyroid cells, **170**, 351
Microsomes
  antioxidant effects of ubiquinones, mediation by tocopherol recycling (rat), **169**, 851
  cardiac, cyclic nucleotide phosphodiesterase activity, modulation by phospholipid metabolism (rat), **170**, 800
  corn
    cyanide-sensitive enzymatic system, oxidative C4-demethylation of 24-methylene cycloartanol, **172**, 98
    from naphthalic anhydride-treated shoots, *in vitro* hydroxylation of bentazon, **168**, 206
  hepatic
    cAMP-dependent phosphorylation of P450, role in lipid peroxidation increase in response to hormone (rat), **166**, 787

    - inositol 1,4,5-trisphosphate binding and 5′-phosphatase activity, effects of Cibacron blue and Patent blue (rat), **166**, 1334; *erratum*, **168**, 387
    - lipid peroxidation
      - induction by insoluble iron-containing minerals (rat), **173**, 912
      - inhibition by reduced glutathione, enhancement by glutathione disulfide (rat), **166**, 960
    - metabolism of
      - hydroxymethylglutaryl-CoA reductase inhibitors, regioselectivity and stereoselectivity (rat), **166**, 1155
      - *R*(+)-pulegone and menthofuran *in vitro*: chemical basis for toxicity (rat), **173**, 1086
      - RU 38486 by P450 monooxygenases (rat), **167**, 1271
    - oxygenation of aldehydes to carboxylic acids (mouse), **166**, 1308
    - P450 IIC6, evidence for complexation by orphenadrine metabolite (rat), **166**, 772
    - phenytoin 4-hydroxylation, analysis (human, rabbit), **166**, 860
    - purification of cytochrome P450 isozyme belonging to P450 IIB subfamily (guinea pig), **172**, 607
  - incorporated cytochrome P450, membrane topology: saturation transfer EPR and freeze-fracture electron microscopy studies, **171**, 175
  - nasal, associated cytochrome P450 NMa, high nicotine oxidase activity (rabbit), **166**, 945
- Microtubules
  - associated protein kinase, stimulation by okadaic acid in PC-12 pheochromocytoma cells, (rat), **168**, 1237
  - stabilization by GTP analogs, analysis (bovine), **166**, 653
- Microvesicles
  - transmembrane transfer of cortisol, effect of transcortin (human placental syncytiotrophoblasts), **173**, 961
- Midgut gland
  - detection of endo-β-galactosidase degrading linkage region between chondroitin sulfate chain and core peptide of proteoglycan (*Patnopecten*), **169**, 15
- Mifepristone
  - metabolism by microsomal P450 monooxygenases (rat liver), **167**, 1271
- Minerals
  - iron-containing, insoluble, induction of microsomal lipid peroxidation and oxyradical formation (rat liver), **173**, 912
- Mithramycin, *see* Plicamycin
- Mitochondria
  - N-acetyl glutamate levels, correlation with urea synthesis stimulated by small initial dose of ammonium acetate: protective effect on subsequent lethal doses (mouse), **167**, 1263
  - antioxidant effects of ubiquinones, mediation by tocopherol recycling (rat), **169**, 851
  - cardiac
    - ATP synthetase complex low-molecular-weight protein, characterization (bovine), **169**, 339
    - Ca^{2+} exchange, effect of pH (ferret), **166**, 1352
    - import of human chaperonin hsp60 protein, analysis (rat), **169**, 391
    - oxidative phosphorylation of ADP, role of superoxide radical as electron donor (rat), **170**, 59
    - submitochondrial particles, NADH-dependent superoxide formation and lipid peroxidation, effects of 1-methyl-4-phenylpyridinium (bovine), **170**, 1049
    - ubiquinol–cytochrome-*c* reductase, derived Rieske iron-sulfur protein, encoding cDNA, cloning and sequencing (bovine), **167**, 575
  - cardiomyocyte, from patients with hypertrophic or dilated cardiomyopathy, detection of multiple DNA deletions, **170**, 830
  - cerebral
    - cytochrome P450-dependent drug metabolism, detection of high levels (monkey), **169**, 858
    - glutathione depletion and formation of glutathione–protein mixed disulfide after exposure to oxidative stress (rat), **169**, 1075
  - contact sites, characterization: effects of short-chain alcohols on membrane fluidity and activity, **173**, 878
  - DNA
    - deleted region, striatal accumulation in Parkinson's disease and senescence (human), **170**, 1044
    - genotypic shift in family with Leber's hereditary optic neuropathy, **170**, 994
    - identically deleted, different copy numbers in tissues from Kearns–Sayre syndrome patient, detection by polymerase chain reaction, **169**, 1007
    - maternal transmission in ducks, **168**, 188
    - with multiple deletions, decrease in patient with familial mitochondrial myopathy, **167**, 680
  - effects of intracellular chloride, analysis by alteration of K_{ATP} channels (rat), **168**, 1137
  - fibroblast, complexes involved in oxidative phosphorylation, nuclear-coded subunits, expression and assembly, effects of ethidium bromide treatment (mouse), **167**, 216
  - foliar, F_0F_1-ATPase, isolation and polypeptide composition (spinach), **170**, 1352
  - fungal, import of complex I 29/21-kDa subunit, analysis (*Neurospora crassa*), **166**, 280
  - hepatic
    - ATP synthetase complex low-molecular-weight protein, characterization (rat), **169**, 339
    - complex II iron–sulfur subunit, cDNA cloning (human), **166**, 101
    - cytochrome $P450_{26}$, oxidation of 5β-cholestane-3α,7α,12α-triol to 3α,7α,12α-trihydroxy-5β-cholestanoic acid (rat), **167**, 391
    - H^+-ATP synthase, chargerin II in, stoichiometric assay (rat), **168**, 226
    - inner membrane, role in maturation of ornithine carbamyltransferase precursor (rat), **170**, 1273
    - isolated, heme efflux, effect of heme-binding protein (rat), **167**, 528
    - lipid peroxidation, inhibitory effect of celastrol (rat), **172**, 890
    - phytanic acid oxidation: implication for characterization of Refsum's disease as peroxisomal disorder (human, monkey), **167**, 580
    - respiration, inhibition by 4′-alkylated analogs of 1-methyl-4-phenylpyridinium ion (mouse), **169**, 758

- - transport of glutathione across membranes, analysis (rat), **167**, 367
- inhibitors, induced lethal injury to hepatocytes, protective effects of acidotic pH and fructose (rat), **167**, 600
- isolated, uptake of mature aspartate aminotransferase, inhibition by N-terminal peptides, **170**, 609
- larval, cytochrome P450-catalyzed formation of 20-hydroxyecdysone (housefly), **166**, 1372
- renal, cytochromes P450 catalyzing 1α-, 24-, and 26-hydroxylations of 25-hydroxyvitamin D_3, separation and analysis (pig), **168**, 261
- respiration, blockage by 1-methyl-4-phenylpyridinium, mechanism: evidence for binding at same site as rotenone, **169**, 123
- skeletal muscle, assay of rotenone-sensitive NADH-cytochrome-*c* reductase (human), **173**, 26
- $tRNA^{Leu}$(UUR) gene, point mutation, detection in MELAS group mitochondrial encephalomyopathy patients, **173**, 816
- U-937 cell, superoxide dismutase, induction by 1,25-dihydroxyvitamin D_3, analysis, **170**, 73
- uncoupling protein of brown fat, expression in oocytes and import into mitochondrial membranes (*Xenopus laevis*), **167**, 784
- yeast
  - ATPase β-subunit, site-directed mutagenesis, **164**, 381; *erratum*, **170**, 405
  - and yeast cells, of porin-deficient mutants, respiration coupling status, **171**, 354

Mitochondrial matrix
- calcium control: studies with fluo-3 as fluorescent calcium indicator (rat liver), **167**, 148

Mitogenesis
- basic calcium phosphate crystal-induced, inhibition by phosphocitrate (BALB/c-3T3 cells), **171**, 20
- and proliferation, inhibition by nitric oxide-generating vasodilators, role of cGMP (BALB/c 3T3 cells), **171**, 474
- in response to cAMP-elevating agents, increase in Swiss 3T3 cells expressing constitutively active $G_{s\alpha}$, **168**, 1184
- stimulation by low-molecular-weight bone-derived peptides (murine osteoblasts), **173**, 382
- subsequent down-regulation of multiple tyrosine protein kinases structurally related to $p56^{lck}$ (human T cells), **170**, 127
- vascular smooth muscle cells, responses to angiotensin II, calf serum, and phorbol ester in genetically hypertensive rat strains, **170**, 1249

Mitogenicity
- rat adipose tissue-derived protein factor to murine 3T3-L1 and OB1771 preadipocytes, **171**, 905

M-kinase
- insulin-induced increase in adipocytes (rat), **169**, 966

Molecular dynamics
- in modeling bacteriophage T_4 glutaredoxin structure and fluctuations, **171**, 581

Molecular structure
- dermenkephalin: examination of conformational meaning of δ-address, **173**, 521
- low-populated peptide helices in solution, characterization by ^1H NMR conformational shifts, **167**, 1009
- peptide T threonine-rich C-terminal pentapeptide: conformation, **171**, 596
- quaternary
  - effect on geminate recombination of hemoglobin with methylisocyanide (carp), **171**, 306
  - vaccinia virus thymidine kinase, **169**, 1080
- secondary, bacteriophage T_4 glutaredoxin, and fluctuations, modeling by molecular dynamics, **171**, 581

Monoacylglycerol lipase, *see* Acylglycerol lipase

Monoamine oxidase, *see* Amine oxidase (flavin-containing)

Monoclonal antibodies
- 425, anti-epidermal growth factor receptor, inhibition of transforming growth factor α-induced second messengers (human), **172**, 471
- 710F, induction of differentiation of monocyte leukemia cells (human), **168**, 898
- A7, modification by polyethylene glycol, enhancement of tumor localization of A7 (mouse), **171**, 1387
- to ACTH peptide, recognition of adrenocorticotropic hormone receptor (rat adrenal cells), **168**, 1020
- AG-1, interaction with low-molecular-weight GTP-binding protein, **171**, 1252
- bispecific, against different epitopes in human chorionic gonadotropin, preparation, **173**, 795
- CD 9, mobilization of intracellular ionized Ca^{2+}, analysis (human platelets), **171**, 109
- to cytochrome P450 IA2, elicitation by synthetic peptide antigens (rat), **169**, 171
- to DDT, preparation and characterization (mouse), **166**, 1228
- endothelial–leukocyte adhesion molecule-1-blocking, description, **171**, 348
- to endothelin receptor, isolation for receptor characterization (rat lung), **172**, 503
- high-affinity interaction with low-molecular-weight protein of mitochondrial ATP synthetase complex (bovine heart, rat liver), **169**, 339
- IgM, –polymer conjugate, thermally reversible, in membrane-based immunoassay (human), **172**, 652
- αIR-3, inhibition of insulin-like growth factor II stimulation of signal from type I receptor without inhibition of receptor–IGF-II binding, **171**, 1244
- MRK18, detection of 300-kDa membrane protein in adriamycin-resistant tumor cells (human), **169**, 686
- NK5, binding epitopes, reconstruction within sequence of human leukocyte interferon-αF by site-directed mutagenesis (mouse), **169**, 1061
- to N-terminal myristoyl tetrapeptide, detection of myristoylated *src*-oncogene products (CEF, human carcinoma cells), **170**, 657
- to phospholipase A_2 in synovial fluid, analysis (human), **167**, 1309
- to Tn antigen, establishment and characterization (mouse), **170**, 981

Monocyte chemotactic protein
- encoding gene, structure and regulation by phorbol ester (human), **169**, 346
- identification in osteosarcoma cells and monocytes (human), **167**, 904

- and interleukin-8, disparate gene expression by mononuclear phagocytes (human), **166**, 886

Monocytes
- cytosols functionally and immunochemically deficient in 47- or 67-kDa NADPH oxidase cytosolic factors, production (human), **170**, 1114
- and endothelial cells and fibroblasts, interleukin-8 gene expression, differential regulation by interleukin-4 (human), **171**, 531
- identification of monocyte chemotactic protein (human), **167**, 904
- peripheral blood, activated, interleukin-1 production, role of leukotrienes (human), **169**, 422
- specific binding sites, identification of carrier-immobilized derivatized lysoganglioside GM$_1$ as ligand (human blood), **169**, 239
- U937, HIV-1-induced expression of P-glycoprotein, **171**, 1002

L-N^G-Monomethyl arginine, *see* L-N^G-Methylarginine

Mononuclear cells
- enhancement of neutrophil prostaglandin E$_2$ production, role of tumor necrosis factor α (human), **168**, 857

Monooxygenases
- cytochrome P450-dependent, in neuronal and glial cells, inducibility and specificity (rat), **170**, 441
- flavin-containing, *see* Dimethylaniline monooxygenase (*N*-oxide-forming)

Monoperoxyphthalate
- role in tyrosyl radical generation by high-valent iron-oxo complex in ribonucleotide reductase activation (*Escherichia coli*), **168**, 659

Mouse mammary tumor virus
- loci in genome of mammary tumor-prone mouse strain SHN, analysis, **166**, 336
- long terminal repeat, U3 sequences, interaction with c-Jun/Fos-related protein factor, **172**, 348

Mucin
- intestinal, encoding gene, molecular cloning of derived cDNAs (human), **171**, 407
- polymorphic epithelial, gene structure and expression: expressed VNTR unit (human), **173**, 1019

Mucosa
- gastric
  - expression and methylation of pepsinogen genes during development, effects of hydrocortisone (rat), **172**, 1086
  - sulfation of gastrin, identification of catalyzing enzyme (rat), **170**, 1170

Muscarinic receptors
- and α_1-adrenergic receptors, simultaneous stimulation in dispersed parotid acini, effects on inositol trisphosphate and cytosolic Ca^{2+} levels (rat), **166**, 967
- mediated generation of endothelium-derived relaxing factor-like intermediate, detection by spin trapping (N1E-115 cells), **170**, 1177

Muscle-derived relaxing factor
- vascular smooth, similarity to nitric oxide (bovine), **170**, 80

Muscles
- cardiac
  - expression of actin and myosin heavy chain genes in young and old rats, analysis, **168**, 71
  - permeabilized, contraction, inhibition by trifluoperazine (guinea pig, hamster, rabbit), **166**, 1421
- cerebroarterial, vasodilator nerve transmission of information to, role of nitric oxide (dog), **170**, 308
- derived BC3H-1 cells, growth inhibition by heparin, relationship to decreased mitogenic signaling, **170**, 89
- diabetic, recruitment of GLUT-4 glucose transporters by insulin, analysis (rat), **172**, 728
- growth *in vivo* and *in vitro*, effects of bovine lactoferrin (rat), **173**, 548
- skeletal
  - expression of actin and myosin heavy chain genes in young and old rats, analysis, **168**, 71
  - identification of endogenous activator of calpain (rat), **171**, 569
  - L-type calcium channel, subunit composition analysis by combined denaturing and nondenaturing gel electrophoresis (rabbit), **172**, 751
  - and other tissues from Kearns–Sayre syndrome patient, different copy numbers of identically deleted mitochondrial DNA, detection by polymerase chain reaction, **169**, 1007
  - permeabilized, contraction, inhibition by trifluoperazine (guinea pig, hamster, rabbit), **166**, 1421
  - satellite cells, expression of acidic and basic fibroblast growth factor mRNAs (bovine), **166**, 1205
- smooth
  - angiotensin I conversion to angiotensin II (rat aorta), **173**, 1137
  - arterial, α-toxin-permeabilized, myofilament Ca^{2+} sensitivity, augmentation by norepinephrine and GTP-γ-S (rabbit), **157**, 677; *erratum*, **166**, 1061, 1508
  - ATP-, calcium-, and voltage-sensitive potassium channel in dispersed cells, description (porcine coronary artery), **172**, 517
  - contraction, contrasting effects of phorbol dibutyrate and phorbol myristate acetate (rabbit aorta), **171**, 618
  - corpus cavernosum, electrical field-stimulated relaxation, role of nitric oxide and cGMP formation (rabbit), **170**, 843
  - cyclic GMP production in culture, stimulation by C-type natriuretic peptide (rat aorta), **170**, 201
  - detection of A1 and A2 adenosine receptor activity in cell culture (porcine coronary artery), **168**, 1297
  - elastin synthesis, preferential inhibition by epidermal growth factor (chicken embryo aorta), **168**, 850
  - endothelin mRNA expression and peptide secretion in cultured cells, induction by vasoconstrictors and growth factors (human omental vessels), **168**, 1303
  - inositol 1,4,5-trisphosphate levels, effect of phenylephrine, measurement by protein binding assay (rat aorta), **173**, 1258
  - inositol trisphosphate release in cultured cells, induction by hemoglobin (rat aorta), **171**, 506
  - intracellular calcium and pH, elevation by low-density lipoproteins without mediation of LDL receptor (rat), **167**, 353
  - major GTP-binding protein in cytosolic fraction, iden-

      tification as *rho*A gene product (bovine aorta), **170**, 673
    migration of cultured cells, bifunctional effects of transforming growth factor β (rat aorta), **169**, 725
    myosin light chain phosphorylation
      and force, desensitization and muscarinic resensitization to cytoplasmic Ca^{2+} (guinea pig), **172**, 1291
      inhibition by HA1077 (rabbit aorta), **171**, 1182
    permeabilized, contraction, inhibition by trifluoperazine (guinea pig, hamster, rabbit), **166**, 1421
    platelet-derived growth factor-induced cellular DNA synthesis, stimulation by angiotensin II (rabbit aorta), **168**, 350
    proliferation of cultured cells, effect of protein kinase inhibitor K252a (bovine carotid artery), **173**, 976
    uterine, expression of actin and myosin heavy chain genes in young and old rats, analysis, **168**, 71
    vascular
      adenylate cyclase activity, mechanosensitive activity (pig), **171**, 143
      $[\mathrm{Ca}^{2+}]_i$ levels, parathyroid hormone-induced transient increase (rat), **166**, 709
      endothelin receptor binding and cellular responses to endothelin, effect of phorbol ester pretreatment (human), **166**, 1213
      and intestinal, distinct myosin heavy chain mRNAs encoded by single-copy gene (chicken), **170**, 53
      mitogenesis induced by platelet-derived growth factor BB in cultured cells, potentiation by angiotensin II and noradrenaline (rat), **166**, 580
      mitogenic responses to angiotensin II, calf serum, and phorbol ester in genetically hypertensive rat strains, **170**, 1249
      Na^{+} kinetics, effect of arginine vasopressin (rat), **173**, 224
      stretching, activation of myosin light chain kinase (pig), **173**, 164
  striated, relaxation: fast force transients produced by photolysis of diazo-2 (scallop), **168**, 295
Muscular dystrophy
  Duchenne, encoding gene, small frame-shifting deletion within exon 19, molecular characterization (human), **170**, 963
Mutagenesis
  cysteine scanning, introduction of non-native disulfide bridge into lysozyme (human), **173**, 1194
  site-directed
    NAD(P)H:quinone oxidoreductase cDNA (rat liver), **169**, 1087
    PRD1 DNA polymerase: mutations in highly conserved regions of family B DNA polymerase, **170**, 1294
    in reconstruction of epitope binding murine monoclonal antibody NK2 within sequence of human interferon-αF, **169**, 1061
    thymidylate synthase: effects of alteration of Arg^{44} to Val^{44} on catalysis and nucleotide binding (mouse), **167**, 869
    yeast mitochondrial ATPase β-subunit, **164**, 381; *erratum*, **170**, 405
Mutagenicity
  6-sulfooxymethylbenzo[*a*]pyrene in murine liver, evaluation, **172**, 85
  vinyl carbamate epoxide, assessment, **169**, 1094
Mutants
  apolipoprotein E, APO E5, enhanced binding to fibroblast low-density lipoprotein receptors (human), **168**, 409
  calbindin-D_{9k}, stimulation of intestinal basolateral membrane calcium pump activity (rat), **170**, 603
  c-erbAβ thyroid hormone receptor, associated with generalized thyroid hormone resistance, T_3- and DNA-binding properties (human placenta), **171**, 575
  deletion, selection by polymerase chain reaction, **173**, 1344
  porin-deficient, status of coupling of cell and mitochondrial respiration (yeast), **171**, 354
  site-specific, β-galactosidase, Mg^{2+} binding, role of Tyr-503 and Glu-461, **171**, 33
  transthyretin-encoding genes, identification in Japanese kindreds with familial amyloidotic polyneuropathy, **169**, 1117
  Vibrio cholerae, lipid A, isolation and partial characterization, **169**, 116
  white, and normal dark form, endogenous lectins, developmental regulation (axolotl), **166**, 695
Mutations
  arg B1 in *Aspergillus nidulans*, complementation by ornithine transcarbamylase cDNA from rat liver, **168**, 1280
  A-to-T substitution in branched-chain α-keto acid dehydrogenase complex $\mathrm{E}_1\alpha$ subunit gene, detection in cell lines from Mennonite maple syrup urine disease patients, **172**, 646
  common in patients with medium-chain acyl-CoA dehydrogenase deficiency, identification, **171**, 498
  deletion
    and duplication, rapid mapping by polymerase chain reaction, **170**, 416
    partial, in α-galactosidase A gene in Fabry disease: direct repeat sequences as cause of slipped mispairing (human), **170**, 296
    small frame-shifting, within exon 19 of Duchenne muscular dystrophy gene, molecular characterization (human), **170**, 963
  genetic, in lactate dehydrogenase-A deficiency, molecular characterization (human), **168**, 677
  glycine decarboxylase cDNA from nonketotic hyperglycinemia patient, deletion of one of two genomic copies at 5′ region, **173**, 801
  insulin receptor, effects on binding kinetics in transfected CHO cells grown in suspension culture, **164**, 191; *erratum*, **168**, 387
  inversion, in 5′-flanking DNA of U1 RNA gene, induction of altered DNA configuration (chicken), **172**, 402
  involved in HbE-β-thalassemia, identification with amplified DNA from buffy coat specimens (human), **170**, 698
  missense, detection in lactate dehydrogenase-B variant gene (human), **168**, 672
  mitochondrial DNA, multiple deletions in cardiomyocytes

    of patients with hypertrophic or dilated cardiomyopathy, **170**, 830
  in plasmid DNA with unique abasic site, evaluation in mammalian cells, **173**, 704
  point
    detection in mitochondrial tRNA^{Leu}(UUR) gene of MELAS group mitochondrial encephalomyopathy patients, **173**, 816
    G→T, at cleavage site of insulin receptors, cDNA with, transfection in COS 7 cells, **167**, 1073
    inducing myoclonic epilepsy with ragged red fibers, analysis by mispairing polymerase chain reaction (human), **173**, 561
    in ligand-binding domain of androgen receptors, effects on binding characteristics and response to anti-androgens (human LNCaP cells), **173**, 534
    in *norA* gene, role in quinolone resistance in *Staphylococcus aureus*, **172**, 1028
    p53 gene in small cell lung carcinoma, induction of splicing inhibition, **173**, 697
    in sphingolipid activator protein-1 mRNA, detection in patients with variant form of metachromatic leukodystrophy, **166**, 1017
  responsible for case of plasmatic apolipoprotein CII deficiency, identification (human), **168**, 1118
  X-linked *Hyp*, effects on Na^{+}-phosphate cotransporter molecular size and Na^{+}-dependent binding of phosphonoformic acid in renal brush border membranes (mouse), **170**, 1288
Mycophenolic acid
  stimulation of phosphorylation of 2′,3′-dideoxyguanosine, **171**, 1297; *erratum*, **173**, 481
Mycoplasma
  enhancement of HIV replication *in vitro*: role as cofactor in AIDS progression (MOLT-4 cells), **170**, 1365
Myelin
  associated glycoprotein, phosphorylation in peripheral nervous system (rat), **169**, 953
  peripheral nerve, associated 2′,3′-cyclic-nucleotide 3′-phosphodiesterase, phosphorylation by phorbol ester-sensitive protein kinase (rat), **170**, 817
Myelin basic protein
  encoding gene, brain-specific transcription, regulatory role of nuclear factor I-binding site in distal promotor (mouse), **167**, 648
Myelinolysis
  cerebral, induction after rapid correction of hyponatremia (rat), **172**, 92
Myeloperoxidase
  extracellular precursor polypeptide in HL-60 cell cultures, isolation and characterization, **166**, 852
  reaction with penicillamine autoxidation products (bovine spleen), **169**, 1158
Myoblasts
  ferritin heavy chain induction by interleukin-1 (human), **169**, 289
  L6, expression of c-*fos*, c-*jun*, and c-*myc*, induction by neurokinin A (rat), **173**, 1322
Myocardium, *see also* Heart
  ventricular
    basal force of contraction and β-adrenoceptor-mediated response, differential effects of RO 20-1724 and isobutylmethylxanthine (rat), **167**, 123
    identification and characterization of angiotensin II receptor subtypes (rabbit), **173**, 416
Myocytes
  cardiac
    cytosolic free Ca^{2+} levels
      basal, reduction by atrial natriuretic peptide (guinea pig), **167**, 413
      effect of platelet release products (chicken), **170**, 1121
    cytosolic free Mg^{2+} levels: identification of Mg^{2+} influx pathway (chicken embryo), **167**, 1406
  L6, glucose transporter mRNA, stabilization by insulin/insulin growth factor 1 and glucose deprivation, **171**, 210
Myofilaments
  Ca^{2+} sensitivity, in α-toxin-permeabilized arterial smooth muscle, augmentation by norepinephrine and GTP-γ-S (rabbit), **157**, 677; *errata*, **166**, 1061, 1508
Myometrium
  membranes, coupling of high-affinity bradykinin receptors to pertussis toxin-sensitive G$_i$ proteins (rat), **167**, 910
Myopathy
  familial mitochondrial, mitochondrial DNA with multiple deletions in affected patient, marked decrease, **167**, 680
Myosin
  heavy chain
    gene expression in skeletal, cardiac, and uterine muscles of young and old rats, analysis, **168**, 71
    vascular and intestinal smooth muscle, distinct mRNAs encoded by single-copy gene (chicken), **170**, 53
  light chain
    and head portions of heavy chains, phosphorylation by protein kinase C (bovine brain), **169**, 1191
    phosphorylation in smooth muscle cells
      desensitization and muscarinic resensitization to cytoplasmic Ca^{2+} (guinea pig), **172**, 1291
      inhibition by HA1077 (rabbit aorta), **171**, 1182
Myosin light chain kinase
  in arterial smooth muscle, activation by muscle stretching (pig), **173**, 164
  direct inhibition by arachidonic acid in purified system (turkey gizzard), **171**, 369
  inhibition by synthetic peptide analogs of regulatory site, kinetics (turkey gizzard), **168**, 714
  rapid purification by anion exchange HPLC (chicken gizzard), **167**, 1249
Myotubes
  ferritin heavy chain induction by interleukin-1 (human), **169**, 289
Myristoylation
  25-kDa membrane protein, inhibition by retinoic acid (HL-60 cells), **172**, 877
  heparan sulfate proteoglycan and proteins, post-translational occurrence (human colon carcinoma cells), **172**, 905

pp60$^{c\text{-}src}$ in colon adenocarcinoma cells, blockage with *N*-fatty acyl compounds: suppression of colony formation (human), **173**, 894

N

NAD$^+$ (oxidized nicotinamide adenine dinucleotide)
  depletion in K562 cells cultured at limiting dilution, prevention by glyoxylic acid, **173**, 179
NAD$^+$ ADP-ribosyltransferase
  activity in cultured hepatocytes, relationship to DNA synthesis (rat), **171**, 1037
  distribution among various organs, similarity to DNA polymerase β (mouse), **172**, 377
  encoding gene, putative promotor region, characterization (human), **167**, 701
  interaction with cruciform plasmid DNA, analysis (bovine thymus), **167**, 842
NADH (reduced nicotinamide adenine dinucleotide)
  dependent superoxide formation and lipid peroxidation in submitochondrial particles, effects of 1-methyl-4-phenylpyridinium (bovine heart), **170**, 1049
  depletion in K562 cells cultured at limiting dilution, prevention by glyoxylic acid, **173**, 179
NADH-cytochrome-*c* reductase
  rotenone-sensitive, assay in skeletal muscle mitochondria (human), **173**, 26
NADH dehydrogenase (ubiquinone)
  29/21-kDa subunit, primary structure, *in vitro* expression, and import into mitochondria (*Neurospora crassa*), **166**, 280
  nuclear-coded 31-kDa subunit, primary structure and expression: homology to proteins specified by chloroplast genome (*Neurospora crassa*), **171**, 1168
NADH:nitrate reductase, *see* Nitrate reductase (NADH)
NADP (nicotinamide adenine dinucleotide phosphate)
  binding domain, of flavin-containing monooxygenase, mapping by tandem mass spectrometry (porcine liver), **170**, 937
NADP$^+$ (oxidized nicotinamide adenine dinucleotide phosphate)
  arylazido derivative, in photolabeling for characterization of multiple active forms of NADPH dehydrogenase component of peritoneal neutrophil oxidase complex (rabbit), **168**, 78
NADPH (reduced nicotinamide adenine dinucleotide phosphate)
  high lens levels, correlation with ζ-crystallin levels (guinea pig), **167**, 1221
  specificity of lactate dehydrogenase for, induction by single amino acid substitution in NADH-specific enzyme (*Bacillus stearothermophilus*), **166**, 667
NADPH dehydrogenase
  in oxidase complex from peritoneal neutrophils
    multiple active forms, characterization (rabbit), **168**, 78
    properties (rabbit), **167**, 790
NAD(P)H dehydrogenase (quinone)
  cDNA expression and site-directed mutagenesis (rat liver), **169**, 1087
  photoaffinity labeling with synthesized 3-(4-azido-5-iodosalicylamido)-4-hydroxycoumarin (rat liver), **172**, 415
NADPH oxidase
  47- or 67-kDa cytosolic factors, myeloid cell cytosols functionally and immunochemically deficient in, production (human), **170**, 1114
  activation
    in cell-free system, interference by neutrophil granule-derived protein (human), **169**, 198
    by FMLP in neutrophils, functional linkage to phosphatidic acid generated by phospholipase D (human), **168**, 320
    by two distinct types of Fc receptor for IgG via different signal transduction pathways (guinea pig macrophages), **172**, 223
  cytosolic components p47-*phox* and p67-*phox* in neutrophils, characterization (human), **173**, 376
NAD(P)H:quinone oxidoreductase, *see* NAD(P)H dehydrogenase (quinone)
Naphthalic anhydride
  treated corn shoots, microsomes from, *in vitro* hydroxylation of bentazon, **168**, 206
Natriuretic peptide receptors
  ANP-specific system, identification in SW-13 adrenal tumor cells (human), **173**, 886
Natriuretic peptides, *see specific types*
Necrosis
  lethal, production in cucumber mosaic virus-infected satellite RNA-transformed tomato plants, **170**, 548
Neophosphotransferase
  expression in endothelial cells transduced by retroviral vectors with recombinant neomycin resistance gene (human umbilical vein), **170**, 209
Nephrosclerosis
  in hypertensive rats, cholinergic vasodilatory effect of imidazoindole, **170**, 448
Nerve growth factor
  human, biologically active recombinant, production in CHO cells and purification and characterization, **171**, 116
Nerves
  periarterial, stimulation-induced vasodilation of mesenteric arterial bed, inhibition by calcitonin gene-related peptide and CGRP receptor desensitization (rat), **168**, 786
  sciatic, myelin-associated 2′,3′-cyclic-nucleotide 3′-phosphodiesterase, phosphorylation by phorbol ester-sensitive protein kinase (rat), **170**, 817
  stimulation in perfused superior mesenteric vascular bed, venous responses, potentiation by endothelin-1 and U46619 (rat), **172**, 745
  vasodilator, transmission of information to cerebroarterial muscle, role of nitric oxide (dog), **170**, 308
Nervous system
  central, *see* Central nervous system
  peripheral, myelin-associated glycoprotein, phosphorylation (rat), **169**, 953
Netropsin
  –acridine hybrid, nitoxide spin-labeled, subcellular distribution in living KB cells, electron spin resonance study, **167**, 798

- and distamycin and berenil, differential interaction with high-affinity binding site for high-mobility-group protein HMG-I, **166**, 1110

Neuraminidase
- identity with 60-kDa protein derived from prosaposin (human placenta), **173**, 449

α-Neuraminidase
- –β-galactosidase complex, photolabeling with photoreactive neuraminidase inhibitor (human placenta), **173**, 13

Neuraminidase inhibitors
- 9-PANP-Neu5Ac2en, photolabeling of α-neuraminidase–β-galactosidase complex (human placenta), **173**, 13

Neurites, *see* Axons

Neurofilaments
- 68-kDa subunit protein, assembly *in vitro*, effect of phosphorylation by cAMP-dependent protein kinase, **169**, 744
- assembly–disassembly *in vitro*, regulation, role of protein kinase C (porcine brain), **167**, 1316

Neurokinin A
- induction of c-*fos*, c-*jun*, and c-*myc* expression in L6 myoblasts (rat), **173**, 1322

Neurons
- catecholamine synthesis *in vitro*, effect of angiotensin II (rat brain), **167**, 492
- embryonic, survival in culture, support by insulin-like growth factor I (chicken), **172**, 54
- and glial cells, P450-dependent monooxygenases, inducibility and specificity (rat), **170**, 441
- identification of ζ-related protein kinase C in nuclei (rabbit brain), **168**, 161
- primary cultures
  - expression of β amyloid protein precursor (mouse), **167**, 54
  - protein kinase C, adrenergic and calcium-mediated subcellular redistribution (rat brain), **166**, 22
- trigeminal ganglion, voltage-dependent calcium currents, analysis (chicken), **167**, 1015

Neuropeptides
- corresponding to N-terminal 27 residues of 38-residue pituitary adenylate cyclase activating polypeptide, isolation (ovine), **170**, 643
- related to crustacean red-pigment-concentrating hormone, isolation and characterization (prosobranch mollusk), **167**, 273

Neuropeptide Y
- NPY-25, isolation from brain (pig), **169**, 1164
- and peptide YY and pancreatic polypeptide, identification of common 65-kDa cell surface receptor (rat), **171**, 330

Neurophysin
- –ocytocin precursor proteolytic processing site, model peptides reproducing, evidence for β-turn structure, **168**, 1066

Neurospora crassa
- Ca^{2+} release from isolated vacuoles, effects of inositol 1,4,5-trisphosphate analogs: receptor specificity for 1,5-bisphosphate position, **166**, 1319
- ribosomal DNA, primary structure of non-transcribed spacer region and flanking sequences: comparison with other organisms, **170**, 187

Neurotoxicity
- potential of pyridinium metabolite of haloperidol, evaluation (rat brain), **166**, 238

Neurotransmission
- peptidergic, in ileum, modulation by nitric oxide (guinea pig), **173**, 106

Neurotransmitters
- and extracellular ATP, synergistic enhancement of DNA synthesis in murine cells, **166**, 251
- uptake by brain synaptic vesicles, H^+-ATPase identification as primary pump (rat), **173**, 443

Neurotrophic factors
- heparin-binding, *see* Heparin-binding neurotrophic factor

Neutral endopeptidase, *see* Membrane metallo-endopeptidase

Neutral sphingomyelinase, *see* Sphingomyelin phosphodiesterase

Neutrophil elastase, *see* Leukocyte elastase

Neutrophils
- A23187-stimulated, release of oleic, linoleic, and arachidonic acids, effects of H-7 inhibition of protein kinase C (human), **167**, 168
- activation, inhibition by CI-949, mechanism (human), **167**, 828
- chemotactic activity for
  - assessment in N-terminal peptides from calpain small subunit (human), **169**, 1242
  - generation during ethanol metabolism by rat hepatocytes, role of glutathione and glutathione peroxidase (human), **167**, 1170
- chemotaxis, relationship to cell density (human), **172**, 1094
- complement receptor type 1 up-regulation, induction by neutrophil-activating peptide 1 (human), **166**, 187
- cytosolic calcium, increase associated with stimulation by formyl-methionyl-leucyl-phenylalanine, inhibition by tauroursodeoxycholic acid (human), **171**, 1115
- degranulation and superoxide production, activation by polymeric analogs of *N*-formyl peptides (human), **171**, 266
- detection of stabilizing factors for nitric oxide synthetase (rat), **172**, 705
- disparate chemotactic factor gene expression (human), **173**, 725
- electropermeabilized
  - oxidase activation, inhibition by clamping of polymerized actin (rat), **169**, 1222
  - superoxide-generating responses, effect of Mg.ATP (guinea pig), **170**, 194
- Fc receptor $Fc_{\gamma}R$-I mRNA expression, induction by interferon-γ (human), **170**, 582
- generation of nitric oxide and superoxide radicals, effect of cholesterol loading (human), **173**, 438
- GM-CSF-primed, platelet-activating factor production, role of protein synthesis and phospholipase A_2 activation (human), **170**, 556
- granules, derived protein, interference with NADPH oxidase activation in cell-free system (human), **169**, 198

- hyperadhesiveness of endothelial cells for, induction by leukotriene B_4 (human), **166**, 848
- and macrophages and lymphocytes, $Fc_{\gamma1/\gamma2}$ receptors, structural differences (guinea pig), **172**, 835
- NADPH oxidase activation by FMLP, functional linkage to phosphatidic acid generated by phospholipase D (human), **168**, 320
- O_2^--generating system, activation by tumor necrosis factor α, role of phosphoinositide hydrolysis and arachidonic acid release (human), **166**, 308
- peritoneal
  - NADPH dehydrogenase component of oxidase complex, properties (rabbit), **167**, 790
  - oxidase complex, multiple active forms of NADPH dehydrogenase component, characterization (rabbit), **168**, 78
- phosphatide and diglyceride production, role of phorbol 12-myristate 13-acetate activation of phospholipase D (human), **170**, 1197
- phosphoinositide hydrolysis, inhibition by lipoxin A_4 (human), **167**, 1022
- primed *in vitro* and *in vivo*, alteration of O_2^-/H_2O_2 production ratio (human), **167**, 970
- prostaglandin E_2 production, enhancement by mononuclear cells, role of tumor necrosis factor α (human), **168**, 857
- release of diacylglycerol and arachidonic acid, receptor-mediated effects of hepoxilin A_3 (human), **171**, 944
- respiratory burst
  - effects of selective inhibitors of protein kinse C (human), **171**, 1087
  - N-formyl peptide- and platelet activating factor-stimulated, effects of staurosporine (human), **168**, 65
- selective synthesis and secretion of 23-kDa protein after stimulation with granulocyte–macrophage colony-stimulating factor and tumor necrosis factor α (human), **172**, 1209
- stimulated by *N*-formyl-methionyl-leucyl-phenylalanine, superoxide anion generation, enhancement by endothelin-1 (human), **173**, 496
- stimulation and priming by granulocyte colony-stimulating factor and granulocyte–macrophage CSF, comparison (human), **171**, 491
- superoxide production, priming effect of 2,3-dibenzylbutane-1,4-diol (human), **168**, 194
- surface clustering of CR1 receptors, induction by exudation (human), **172**, 1203
- surface sialic acid, requirement for GMP-140-mediated adhesive interaction with activated platelets (human), **172**, 1349

Niacin
- prevention of DNA strand breakage by adenosine deaminase inhibitors (human lymphocytes), **167**, 514

Nicardipine
- modulation of Ca^{2+} influx and cytosolic levels (human erythrocytes), **173**, 954

Nicotine oxidase
- nasal microsomal, high levels, association with cytochrome P450 NMa (rabbit), **166**, 945

Niemann–Pick disease
- type C, abnormal low-density lipoprotein processing in lymphocytes from patients, **171**, 38

Nifedipine
- effect on intracellular calcium control of osteoclast function (rat), **167**, 183

Nitrate
- transport, regulation and energization in halophilic *Pseudomonas stutzeri*, **166**, 424; *erratum*, **169**, 323

Nitrate reductase (NADH)
- catalysis of molecular oxygen reduction (corn leaf), **172**, 1000
- flavin domain, high-level expression in *Escherichia coli* and comparison to human NADH:cytochrome B_5 reductase (corn leaves), **168**, 1285

Nitredipine
- inhibition of secretory chloride channels in intestinal epithelial cells (human), **171**, 1022

Nitric oxide
- activation of soluble guanylate cyclase, inhibition by oxidized low-density lipoproteins, **172**, 614
- L-arginine-derived, complexes with non-heme iron proteins in interferon-γ-activated macrophages, EPR detection (mouse), **166**, 119
- –endothelium-derived relaxing factor-synthesizing enzymes, regional distribution in brain (rat), **168**, 727
- evidence for synthesis in T lymphocytes (mouse), **173**, 660
- formation, role in electrical field-stimulated relaxation of corpus cavernosum smooth muscle (rabbit), **170**, 843
- generating vasodilators, inhibition of mitogenesis and proliferation, role of cGMP (BALB/c 3T3 cells), **171**, 474
- generation by neutrophils, effect of cholesterol loading (human), **173**, 438
- modulation of ileal autonomic neuroeffector transmission (guinea pig), **173**, 106
- related factor
  - release by cultured astrocytoma cells in inhibition of platelet aggregation, **172**, 564
  - synthesis from L-arginine by serosal mast cells, analysis (rat), **169**, 596
- role in
  - descending relaxation in proximal colon (rat), **172**, 1400
  - endotoxin-mediated shock (dog), **172**, 1132
  - transmitting information from vasodilator nerve to cerebroarterial muscle (dog), **170**, 308
- similarity to vascular smooth muscle-derived relaxing factor (bovine), **170**, 80
- synthesis by macrophages
  - and endothelial cells: cell-type selective inhibition by N^G-aminoarginine, N^G-nitroarginine, and N^G-methylarginine (bovine, mouse), **170**, 96
  - role of FAD and glutathione (mouse), **168**, 558

Nitric oxide synthase
- induction by endotoxin
  - and associated effects on vascular tone, prevention by dexamethasone (rat), **173**, 541
  - inhibition by anti-inflammatory glucocorticoids in lung, liver, and aorta (rat), **172**, 1042
- induction in J774 macrophages, inhibition by glucocorticoids, **172**, 1246

  stabilizing factors in cytosol (rat neutrophils), **172**, 705
Nitrile hydratase
  inactivated photoresponsive, purification (*Rhodococcus* sp. N-771), **168**, 437
L-N^{G}-Nitroarginine
  inhibition of nitric oxide synthesis in endothelial cells and macrophages, comparison (bovine, mouse), **170**, 96
2-Nitrobenzenesulfenyl chloride
  modification of recombinant human interferons αA and β in mapping of residues essential for antiviral activity, **167**, 74
Nitrogen
  fixation, related *nifC* gene in *Clostridium pasteurianum*, sequence similarity to *chlJ* of *Escherichia coli*, **169**, 1122
  fixing *Escherichia coli*, oxygen resistant strain, analysis, **168**, 288
  transport in *Rhizobium*–soybean symbiosis, model: role of malonamate, **169**, 692
Nitrogen oxides
  production from L-arginine in hepatocytes, detection of inducible cytosolic enzyme activity for (rat), **168**, 1034
Nitroglycerine
  inhibition of basal and stimulated endothelin-1 production by cultured endothelial cells (human), **173**, 514
p-Nitrophenyl phosphorylcholine phosphodiesterase
  partial purification and characterization (murine brain), **172**, 1317
Nitroprusside
  inhibition of basal and stimulated endothelin-1 production by cultured endothelial cells (human), **173**, 514
Nitrosamine
  formation, catalyzing enzyme, isolation (*Neisseria mucosae*, *Pseudomonas aeruginosa*), **171**, 655
S-Nitroso-*N*-acetylpenicillamine
  effect on mitogenesis and proliferation in BALB/c 3T3 fibroblasts, **171**, 474
N-Nitrosodiethylamine
  induced hepatocarcinogenesis, associated enhanced expression of 27-kDa protein (rat), **170**, 908
N-Nitrosodimethylamine
  interaction with nicotinic acetylcholine receptor (*Torpedo fuscomaculata*), **167**, 1383
  promutagenic, activation by *Streptomyces griseus* containing cytochrome P450$_{SOY}$, **166**, 743
S-Nitrosoglutathione
  activation of soluble guanylate cyclase, inhibition by oxidized low-density lipoproteins, **172**, 614
Nitrous oxide reductase
  high-activity pink form, isolation (*Achromobacter cycloclastes*), **166**, 729
Nitroxide
  spin-labeled netropsin-acridine hybrid, subcellular distribution in living KB cells, ESR study, **167**, 798
Nitroxide radicals
  ESR measurement in liver, bladder, and blood (mouse), **172**, 1342
  pharmacokinetics, monitoring by low-frequency electron paramagnetic resonance (mouse), **166**, 168
Nodularin
  cyanobacterial, induced hepatocyte deformation, role of protein phosphatase inhibition, **173**, 1347
  effects on murine skin and human fibroblasts, **171**, 867
Nogalamycin
  effect on gel mobility of bent DNA fragment, **171**, 1064
Noradrenaline, *see* Norepinephrine
Norepinephrine
  and angiotensin II, effects on smooth muscle mitogenesis induced by platelet-derived growth factor isoforms AB and BB (rat), **166**, 580
  augmentation of myofilament Ca^{2+} sensitivity in α-toxin-permeabilized arterial smooth muscle (rabbit), **157**, 677; *erratum*, **166**, 1061, 1508
  release from hippocampal slices, blockage by hepoxilin A_3 (rat), **173**, 949
  synthesis in neuronal cultures, effect of angiotensin II (rat brain), **167**, 492
  turnover in spleen and lung, enhancement by interleukin-1 (rat), **173**, 1266
Norsolorinic acid dehydrogenase
  associated with aflatoxin biosynthesis, preparation by affinity chromatography (*Aspergillus parasiticus*), **166**, 38
NP-40
  role in antibody-induced activation of epidermal growth factor receptor tyrosine kinase (A431 cells), **171**, 882
Nuclear factors
  type I, binding site in distal promotor of myelin basic protein gene, role in regulation of brain-specific transcription (mouse), **167**, 648
Nuclear magnetic resonance
  ^{13}C, analysis of glucose metabolism in *Halobacterium halobium*, **173**, 358
  combined ^{1}H and ^{31}P, MCF-7 breast cancer cell extracts: metabolic differences between drug-sensitive and -resistant cells, **169**, 383
  ^{1}H
    in conformational shift analysis of low-populated peptide helical structures in solutions, **167**, 1009
    and ^{15}N, in spectroscopic analysis of ATP and AMP binding to *Escherichia coli* adenylate kinase, **172**, 432
    solution conformations of
      Icaria chemotactic peptide and [Lys^{7}] analog, **168**, 596
      neuropeptide galanin (rat), **166**, 1102
    two-dimensional exchange spectral detection of proline isomerase activity in FK506-binding protein (human), **171**, 445
  ^{2}H, analysis of lipid hexagonal phases in membranes, **173**, 1231
  high-resolution solid-state, bone and dentin collagen (bovine),**167**, 761
  ^{17}O, in analysis of cerebral oxygen utilization (rat), **169**, 153
  ^{31}P, demonstration of two conformational forms of chloroacetol phosphate-bound triose-phosphate isomerase (chicken muscle), **173**, 736

Nuclear matrix
  DNA, tightly bound to proteins, identification of specific small-size RNA in complex (mouse), **169**, 95
  permanent attachment site in α-globin gene domain, sequencing (chicken fibroblasts), **168**, 9
  spermatozoal, genes in relation to, specific organization (hamster), **173**, 20
Nuclease
  degradation by, resistance in sugar-modified oligonucleotides: α- and β-L-octathymidylates, **172**, 537
  related activity of 5-phenyl-1,10-phenanthroline–copper complex, detection of intermediates in transcription initiation by RNA polymerase (*Escherichia coli*), **168**, 756
Nuclei
  associated protein kinase, calpain II-dependent solubilization at micromolar Ca^{2+} concentrations (rat liver), **168**, 589
  chromatin, disassembly into ≅50-kb units by detergent (human, mouse), **169**, 706
  and cytoplasm, changes in CDC2 kinase activity during cell cycle, comparison (murine FM3A cells), **172**, 371
  heat-induced preferential redistribution of heat shock protein families HSP28 and HSP70 (CHO cells), **172**, 119
  isolated from
    erythroid progenitor cells, rapid activation of protein kinase C by erythropoietin (mouse), **168**, 490
    mitogen-treated Swiss 3T3 cells, protein phosphorylation in, stimulation by calcium-free inositol 1,4,5-trisphosphate, **173**, 149
  lymphocyte and brain, protein kinase C activation by HIV protein gp120 (rat), **166**, 1133
  nerve cell, identification of ζ-related protein kinase C (rabbit brain), **168**, 161
  phosphorylation and processing of androgen receptor, **171**, 336
  skeleton, association with *CDC4* gene product (yeast), **172**, 1324
Nucleoli
  localization of casein kinase I (murine ascites tumor cells), **167**, 471
Nucleoproteins
  endogenous, covalently bound to DNA, possibile confusion with DNase I bound very tightly to DNA fragments (bovine), **166**, 443
  immunoreactivity with anti-yeast Yp20 *ras*-related antibodies (HeLa cells), **168**, 580
  pp64, phosphorylation on serine/threonine and tyrosine, regulation by phorbol ester and platelet-derived growth factor (NRK cells), **167**, 918
  ventral prostate, ADP-ribosylation during aging, analysis (rat), **170**, 900
Nucleoside-diphosphate kinase
  membrane-associated, evidence for complex formation with G_s protein (rat liver), **168**, 99
Nucleosomes
  associated DNA fragments, electrical polarizability, linear contour length dependence: implications for DNA flexibility (rat liver), **166**, 1140
5′-Nucleotidase
  soluble and membrane-bound forms, characterization (human placenta), **172**, 1371
Nucleotides
  binding by thymidylate synthase, effect of alteration of Arg^{44} to Val^{44} (mouse), **167**, 869
Nucleotide sequence
  α-*N*-acetylgalactosaminidase cDNA (human), **170**, 231
  acid β-galactosidase cDNA (mouse), **173**, 141
  acidic fibroblast growth factor cDNA clones: alternative upstream exons in aFGF mRNA (human), **171**, 7
  α_2-adrenergic receptor partial gene encoding third subtype (human), **172**, 817
  aldosterone synthase cDNA, variant of cytochrome $P450_{11\beta}$ (rat), **169**, 245
  alkaline phosphatase gene: 5′-flanking region of liver/bone/kidney isozyme gene (human), **168**, 993
  Alzheimer's A4 precursor gene promoter region: use of Taq polymerase for study of methylation status (human), **169**, 46
  androgen receptor cDNA (frog, dog, guinea pig, mouse), **171**, 697
  angiogenin genomic DNA (mouse), **171**, 988
  α1-antitrypsin $W_{bethesda}$ allele (human), **170**, 1013
  apolipoprotein B mRNA editing region, interspecific comparison, **173**, 74
  aromatic-L-amino acid decarboxylase cDNA (guinea pig), **170**, 1229
  atrial natriuretic peptide clearance receptor cDNA (human), **171**, 796
  bilirubin UDP-glucuronosyltransferase cDNA (rat liver), **169**, 260
  botulinum type C_1 toxin-encoding gene in c-st phage genome, **171**, 1304
  cAMP-dependent protein kinase type I_α regulatory subunit cDNA (human testis), **167**, 323
  color visual pigment cDNA (chicken), **173**, 1212
  component C8 cDNA of proteasomes (rat hepatoma cells), **171**, 676
  β-γ crystallin super gene family-related gene (*Xenopus laevis*), **171**, 1338; *erratum*, **173**, 481
  C-type natriuretic peptide gene (pig), **172**, 627
  2′,3′-cyclic-nucleotide 3′-phosphodiesterase cDNAs (murine brain), **170**, 1074
  cysB gene (*Escherichia coli*), **167**, 962
  cystatin C cDNA (mouse), **172**, 945
  cysX gene of chromosomal *cysE* locus (*Escherichia coli*), **167**, 948
  cytochrome $P450_{aldo}$ cDNA (human), **173**, 309
  desmoglein cDNA (bovine), **173**, 1224
  DNA clones with sequences characterized by repetition of triplet CCPurine:phylogenetic distribution (*Owenia fusiformis*), **166**, 66
  dopamine receptor D2 cDNA: identification as variant gene (rat brain), **166**, 109
  Duchenne muscular dystrophy gene deletion within exon 19 (human), **170**, 963
  α-ecdysone-induced 16S complex cDNA (*Drosophila melanogaster* S3 cells), **168**, 314
  endogenous retroviral long terminal repeat, transcription

(human lung cancer cells), **166**, 1
estrogen synthetase gene 5′-promoter region, structural characterization (human placenta), **166**, 365
ferrochelatase cDNA (human placenta), **173**, 748
flavodoxin gene (*Desulfovibrio salexigens*), **168**, 809
N-formyl peptide chemoattractant receptor cDNA (human), **168**, 1107
α-galactosidase A gene region of partial deletion associated with Fabry disease (human), **170**, 296
gastrin mRNA from carcinoma cell lines (human), **170**, 691
gene encoding region altering apolipoprotein CII protein in Apo CII deficiency case (human), **168**, 1118
gene fragments from siblings with familial amyloidotic polyneuropathy: deduction of variant transthyretin, **169**, 143
genomic DNA 5′ to angiotensin-converting enzyme genes (human, mouse), **167**, 1128
glioblastoma-derived T-cell suppressor factor/transforming growth factor β2 promoter region, comparison with TGF-β1 and TGF-β3 genes (human), **171**, 1145
α-globin gene domain fragment with replication origin and permanent nuclear matrix attachment site (chicken fibroblasts), **168**, 9
group II phospholipase A_2 gene (rat), **168**, 1059
growth hormone cDNA from
  mink pituitary, **173**, 1200
  turkey, **173**, 967
H^+-ATP synthase subunit B import precursor cDNA (rat), **169**, 136
hepatitis C virus cDNAs in Japan, **170**, 1021
hsp70-related gene expressed in spermatids (mouse), **166**, 43
import precursor cDNA for H^+-ATP synthase coupling factor 6 (rat liver mitochondria), **171**, 1079
influenza virus H1 DNA, **167**, 425
insulin enhancer binding protein cDNA (rat), **170**, 314
insulin-like growth factor I receptor gene proximal promoter region (rat), **169**, 1021
interferon-γ-inducible indoleamine 2,3-dioxygenase cDNA (human fibroblasts), **168**, 1
islet amyloid polypeptide cDNA (dog), **169**, 502
iso-rANP gene (rat), **171**, 416
lactate dehydrogenase-A mutant gene exon 6 and flanking regions (human), **168**, 677
lactate dehydrogenase-B
  mutant gene single base substitution (human), **168**, 672
  processed pseudogene (human), **171**, 67
leukocyte elastase/medullasin cDNA (human), **167**, 1326
lignin peroxidase gene *GLG6* (*Phanerochaete chrysosporium*), **173**, 994
lipopolysaccharide-inducible early gene cDNA in peritoneal macrophages, comparison with human IP-10 gene (mouse), **168**, 1261
luxA and *luxB* genes of *Xenorhabdus luminescens* HM, **170**, 407
luteinizing hormone/choriogonadotropin receptor cDNA (human), **172**, 1049
*mdr*1/P-glycoprotein gene segments from leukemic cell lines with different multidrug resistance patterns (human), **169**, 796
MEKA gene encoding retina-specific protein (human), **170**, 951
methylamine dehydrogenase small subunit gene (*Methylobacterium extorquens AM1)*, **172**, 211
β-microseminoprotein gene (human), **167**, 1184
muscle 6-phosphofructokinase heterogeneous mRNA species(human), **166**, 637
monocyte chemotactic factor gene (human), **169**, 346
muscle 6-phosphofructokinase heterogeneous mRNA species (human), **166**, 637
osteoblast-specific protein OSF-1 cDNA (human, mouse), **173**, 246
ovarian lactogen receptor cDNA (rat), **168**, 415
pancreatic colipase cDNA (rat), **167**, 130
partial, coding region for parvalbumin identifed as avian thymic hormone (chicken thymus), **167**, 1286
phosphofructokinase mRNA 5′ untranslated region, diversity (rabbit muscle), **170**, 1056
pituitary adenylate cyclase-stimulating peptide cDNA (human testis, ovine hypothalamus), **166**, 81
plasminogen promoter and 5′ flanking region (human), **173**, 1013
poly(ADP-ribose) polymerase gene 5′-flanking region (human), **167**, 701
polymorphic epithelial mucin gene (human), **173**, 1019
PPA1 gene encoding protein homologous to proteolipid of chromaffin granule proton-ATPase (yeast), **168**, 574
pregnancy-specific β1 glycoprotein cDNA
  human salivary gland, **169**, 203
  human testis, **166**, 622
  type 7 from human fetal liver, **168**, 214
pro-opiomelanocortin cDNA (*Rana ridibunda*), **173**, 653
protein phosphatase 2Aβ type-*L* and type-*S* cDNA (rat testis), **170**, 169
raw starch-digesting amylase gene: homology to cyclodextrin glucanotransferase genes (*Bacillus* sp.), **166**, 630
rDNA non-transcribed spacer region and flanking sequences, comparison with other organisms (*Neurospora crassa*), **170**, 187
ret cDNA from papillary thyroid carcinoma cells (human), **168**, 402
Rieske iron-sulfur protein cDNA (bovine cardiac mitochondria), **167**, 575
rig cDNAs (chicken, mouse, *Xenopus laevis*), **166**, 1501
specific small-size RNA in nuclear matrix DNA complexes tightly bound to proteins (mouse), **169**, 95
thyroid peroxidase
  cDNA clones derived from Graves' disease patient thyroid, **170**, 735
  gene 5′-region (human), **166**, 1257
  gene promoter region (human), **168**, 281
tyrosine hydroxylase cDNA: multiple mRNAs (monkey), **173**, 1331
urate oxidase gene (human), **171**, 641
variant surface glycoprotein cDNAs (*Trypanosoma brucei rhodesiense*), **169**, 730

Nylon spheres
  calibrated, in enzyme coupling method: application to selective trypsinization of histones in chromatin (rat liver), **167**, 9

O

Octathymidylates
  α-L- and β-L-forms, synthesis, nuclease resistance, and base pairing properties, **172**, 537
Octreotide
  inhibition of basal and angiotensin II-stimulated [^{3}H]thymidine uptake by adrenal gland (rat), **166**, 1171
Ocytocin, *see* Oxytocin
Oils
  marine, partially hydrogenated, and clofibrate, differential effects on regulation of hepatic peroxisomal β-oxidation activity (rat), **166**, 780
Okadaic acid
  effects on morphological transformation and junctional communication (hamster embryo cells), **167**, 1302
  interaction with protein phosphatase 2A, demonstration by photoaffinity labeling with [27-^{3}H]methyl 7-*O*-(4-azidobenzoyl)okadaate (bovine brain), **170**, 1359
  stimulation of microtubule-associated protein kinase in PC-12 pheochromocytoma cells (rat), **168**, 1237
Oleic acid
  alteration of lipid methylation in cardiac sarcolemma (rat), **170**, 810
  release in A23187-stimulated neutrophils, effect of H-7 inhibition of protein kinase C (human), **167**, 168
Olfactory bulb
  cytochrome P450-dependent drug metabolism, detection of high levels (monkey), **169**, 858
Oligodeoxynucleotides
  –RNA hybrids, endoribonucleolytic cleavage by ribonuclease H activity of HIV-1 reverse transcriptase, **167**, 244
Oligoglycines
  H_α chemical shift, theoretical variation with molecular conformation and environment, **171**, 1211
Oligomerization
  role in regulation of phospho*enol*pyruvate carboxylase (maize), **168**, 778
Oligonucleotides
  sugar modification: synthesis, nuclease resistance, and base pairing properties of α- and β-L-octathymidylates, **172**, 537
Oligosaccharides
  cathepsin E, analysis (rat), **166**, 1032
  cell-surface, structure, alteration by interleukin-6 (human myeloma cells), **172**, 1260
  processing inhibitors, differential effects on thyrotropin secretion from dispersed pituitary cells (rat), **165**, 788; *erratum*, **167**, 381
  in thyroglobulin preferential hormonogenic domain, characterization (human), **166**, 937
Oligo-α-thymidylates
  α-anomerie, associated structural features, **166**, 293
Omeprazole
  binding site in gastric H^+,K^+-ATPase, analysis (hog), **167**, 754
Oncomodulin
  low-level expression by human tumor cell lines, **169**, 905
Oncoproteins
  ras p21, cellular levels, measurement with quantitative immunofluorescence in colon carcinoma cells, **167**, 464
Oocytes, *see also* Eggs
  Cl^- current pattern and intracellular Ca^{2+}, effects of inositol 1,4,5-trisphosphorothioate (*Xenopus laevis*), **172**, 229
  expression of
    biologically active platelet-derived growth factor receptor type B (*Xenopus laevis*), **166**, 154
    brown fat mitochondrial uncoupling protein (*Xenopus laevis*), **167**, 784
    functional thrombin receptors after injection with human endothelial cell mRNA (*Xenopus laevis*), **171**, 913
    murine interleukin-5 receptors (*Xenopus laevis*), **172**, 570
  meiotic maturation *in vitro*, stimulation by activin A (rat), **166**, 1479
  membrane potential changes at hypothermic temperatures, effects of antifreeze glycopeptides from Antarctic fish (pig), **173**, 1369
  sodium channel, effect of sodium azide (*Xenopus laevis*), **172**, 300
Opioid receptors
  type δ, binding features: implications of conformational properties of deltorphin I analogs, **169**, 617
Organic acids
  role in catabolite regulation of phenylacetyl-CoA ligase (*Pseudomonas putida*), **167**, 891
Ornithine carbamoyltransferase
  cDNA, complementation of *arg B1* mutation in *Aspergillus nidulans* (rat liver), **168**, 1280
  precursor, maturation, role of mitochondrial inner membrane (rat liver), **170**, 1273
Ornithine decarboxylase
  spermidine-mediated decay in erythroleukemia cells, effects of ATP depletion and phenanthroline, **172**, 939
  synthesis *in vitro*, stimulatory effect of N^1,N^{12}-bis(ethyl)spermine, **172**, 715
Ornithine transcarbamylase, *see* Ornithine carbamoyltransferase
Orphenadrine
  metabolite, evidence for complexation of P450 IIC6 (rat liver), **166**, 772
Osmolality
  effect on release of atrial natriuretic peptide (rat atria), **167**, 1001
Osteoblasts
  calvarial, effects of endothelin family peptides *in vitro* (rat), **170**, 998
  differentiation from C3H10T1/2 cells, induction by recombinant human bone morphogenetic protein-2 (mouse), **172**, 295
  mitogenesis, stimulation by low-molecular-weight bone-derived peptides (mouse), **173**, 382

  and other marrow stromal cell types, neutral endopeptidase expression, analysis (mouse), **172**, 620
  related cells
    bone-derived, functional activity, effect of interleukin-1β (human), **166**, 208
    MC3T3-E1
      proliferation, differentiation, and morphology, effects of osteogenin (mouse), **166**, 750
      prostaglandin $F_{2\alpha}$-induced phosphoinositide hydrolysis, role of pertussis toxin-sensitive GTP-binding protein, **171**, 1229
    osteocalcin synthesis, inhibitory role of prostaglandin E_2 in response to cytokines and systemic hormones (human), **167**, 194
    urokinase amino-terminal fragment mitogenic for, isolation from prostate cancer cell line (human), **173**, 1058
Osteocalcin
  production by
    osteoblast-like cells
      bone-derived, effects of interleukin-1β (human), **166**, 208
      inhibitory role of prostaglandin E_2 in response to cytokines and systemic hormones (human), **167**, 194
    osteosarcoma cells, effects of 22-oxa-1,25-dihydroxyvitamin D_3 (human), **169**, 629
Osteoclasts
  function, control by intracellular calcium
    effect of verapamil (rat), **167**, 807
    voltage insensitivity and effects of nifedipine, BAY K 8644, and diltiazem (rat), **167**, 183
  proton transport, inhibition by bafilomycin A_1, associated abolition of bone resorption (rat), **168**, 309
  related cells, formation induction in bone marrow cultures, comparative effects of 1,25-dihydroxyvitamin D_3 and calcipotriol (human), **171**, 1056
Osteogenesis imperfecta
  fibroblasts from affected patient, collagen synthesis: direct visualization of abnormal molecules, **172**, 217
Osteogenin
  effects on proliferation, differentiation, and morphology in murine osteoblast-like cells, **166**, 750
Osteopontin
  fibroblasts persistently spread on, enhanced expression of constitutive and inducible heat shock proteins HSP47 and HSP70, **172**, 135
  mammalian, similarity to phosphoprotein isolated from chicken bone, **173**, 471
Ouabain
  augmentation of forskolin-induced cAMP production in renal papillary collecting tubule cells in culture (rat), **166**, 411
  effect on endothelin release from bovine vascular endothelial cells, **172**, 178
  senstive and resistant Na,K-ATPase, chelation of mercury (rabbit, rat kidney), **167**, 1115
Ovary
  derived cells and tissues, expression of tissue inhibitor of metalloproteinase mRNA (bovine), **171**, 250
  expression of LH/hCG receptor, regulation by gonadotropins (rat), **172**, 786
  follicles, formation of inositol pentakisphosphate from metabolism of inositol (1,3,4,5)tetrakisphosphate and inositol (1,4,5)trisphosphate (*Xenopus laevis*), **166**, 380
  luteinization, induction of lutropin/choriogonadotropin receptor during, analysis (rat), **171**, 525
  from pseudopregnant rat, detection of endogenous inhibitor of protein kinase C, **168**, 609; *erratum*, **169**, 323
Oviducts
  and embryonic erythrocytes, transferrin receptors, comparison (chicken), **171**, 26
22-Oxa-1,25-dihydroxyvitamin D_3
  affinity for 1,25-dihydroxyvitamin D receptors and effects on osteocalcin synthesis (human osteosarcoma cells), **169**, 629
Oxidants
  chemical, induced lethal injury to hepatocytes, protection by acidotic pH and fructose (rat), **167**, 600
Oxidase
  activation in electropermeabilized neutrophils, inhibition by clamping polymerized actin (rat), **169**, 1222
  peritoneal neutrophil, NADPH dehydrogenase component
    multiple active forms, characterization (rabbit), **168**, 78
    properties (rabbit), **167**, 790
Oxidation
  aldehydes to carboxylic acids by hepatic microsomes, analysis (mouse), **166**, 1308
  (+)camphor by $P450_{soy}$-enriched *Streptomyces griseus*, lack of regio- and stereospecificity, **170**, 456
  cerebral proteins after rapid correction of hyponatremia (rat), **172**, 92
  5β-cholestane-3α,7α,12α-triol to 3α,7α,12α-trihydroxy-5β-cholestanoic acid by mitochondrial cytochrome $P450_{26}$ (rabbit liver), **167**, 391
  linoleic acid, catalyzed by potato and soybean lipoxygenases, stereochemical nature of products, **170**, 491
  low-density lipoproteins by copper, associated inhibition of endothelium-dependent vasorelaxation, role of lysosphosphatidylcholine (rabbit), **168**, 301
  mitochondrial, phytanic acid: implication for characterization of Refsum's disease as peroxisomal disorder (human, monkey liver), **167**, 580
  one-electron, benzylpenicillin G by lactoperoxidase compounds I and II, evidence, **169**, 1211
β-Oxidation
  hepatic peroxisomal, regulation, differential effects of clofibrate and partially hydrogenated marine oil (rat), **166**, 780
  very-long-chain fatty acids, in complementation analysis of peroxisomal disorders (human), **172**, 364
Oxidative stress
  induction of glutathione depletion and formation of glutathione–protein mixed disulfide in mitochondria (rat brain), **169**, 1075
2-Oxoisovalerate dehydrogenase (lipoamide)
  $E_1\alpha$ subunit gene, A-to-T substitution in cell lines from Mennonite maple syrup urine disease patients, **172**, 646
  hepatic, effect of clofibrate (rat), **172**, 243

Oxygen
  –ascorbic acid–Cu^{2+} system, in direct preparation of 3-hydroxycoumarins from coumarins, **168**, 169
  cerebral, utilization, analysis by ^{17}O NMR (rat), **169**, 153
  evolving activity of photosystem 2 particles, role of plantacyanin (cucumber, goosefoot, spinach chloroplasts), **168**, 232
  molecular, as electron acceptor in NADH-nitrate reductase system (corn leaf), **172**, 1000
  reactive species, activation of latent neutrophil collagenase (human), **171**, 979
  resistance, analysis in N_2-fixing *Escherichia coli*, **168**, 288
  singlet, role in chloroaluminum phthalocyanine tetrasulfonate phototoxicity, **173**, 34
Oxygen radicals
  formation in distal lung, stimulation by endothelin-1 (rat), **168**, 485
  transformed pulmonary fibroblasts, translocation of chromosomes 16 and 18 in, analysis (human), **169**, 70
Oxy-radicals
  formation, induction by insoluble iron-containing minerals, **173**, 912
Oxytocin
  –neurophysin precursor proteolytic processing site, model peptides reproducing, evidence for β-turn structure, **168**, 1066
  in receptor-simulating environments, tyrosinate fluorescence lifetimes, relationship to biological activity and ^1H NMR data, **171**, 99

P

PAF-acether, *see* Platelet-activating factor
Palmitoyl-L-carnitine
  function as metabolic intermediate of fatty acid incorporation into membrane phospholipids (human erythrocytes), **173**, 212
Pancreas
  acinar cells, identification of 65-kDa cell surface receptor common to pancreatic polypeptide, neuropeptide Y, and peptide YY (rat), **171**, 330
  cellular trans-Golgi network, identification as site of initiation of prosomatostatin II processing (anglerfish), **170**, 1263
  endocrine and exocrine, effects of islet amyloid polypeptide (rat), **167**, 1102
  islets
    arginine regulation of glucagon gene expression, role of protein kinase C (rat), **171**, 898
    glucose-stimulated insulin secretion, role of protein kinase A activation (rat), **173**, 833
    identification of 65-kDa cell surface receptor common to pancreatic polypeptide, neuropeptide Y, and peptide YY (rat), **171**, 330
    lysophosphatidylcholine accumulation after pretreatment with sodium fluoride (rat), **167**, 61
    preproglucagon mRNA levels and glucagon synthesis and release, effects of glucagon-like peptide-1 (rat), **167**, 431
    purified single beta and alpha cells, secretagogue effects on cytoplasmic Ca^{2+} (rat), **166**, 813
    thyrotropin-releasing hormone prohormone gene expression *in vitro* (fetal rat), **168**, 952
  isolated acini
    receptor binding of cholecystokinin analogs (rat), **166**, 286
    signal transduction system, mode of stimulatory action by deoxycholate (rat), **170**, 111
  isolated perfused, glucose-stimulated insulin secretion, effect of islet amyloid polypeptide (rat), **170**, 1223
  purifed beta cells, insulin release, role of microfilaments (rat), **171**, 424
  secretion of circulating islet amyloid polypeptide in response to glucose (human), **169**, 713
Pancreastatin
  biological activity, characterization, **173**, 1157
  cDNA clone, characterization and regulation (rat), **167**, 1079
  producing cell line derived from human pancreatic islet cell tumor, characterization, **168**, 741
Pancreatic colipase
  nucleotide sequence of cDNA and nutritional regulation of mRNA by lipidic diet (rat), **167**, 130
Pancreatic lipase, *see* Triacylglycerol lipase
Pancreatic trypsin inhibitor
  identification in adrenal medullary chromaffin cells (bovine), **167**, 543
Papain
  complexes with substrate and inhibitor, crystal structures: comparison of binding modes, **171**, 711
  inhibition by analogs of synthetic peptide mimicking cystatin inhibitory site, **167**, 117
Papillomavirus type 16
  human, E7 oncoprotein hyper-phosphorylation in epidermal keratinocytes, relationship to casein kinase II activities (human, mouse), **172**, 958
Papillomavirus type 18
  mRNA, levels in HeLa cells, selective suppression by interferon (human), **170**, 793
Paramagnetic species
  detection in adriamycin-perfused heart, reappraisal (rat), **169**, 30
Parathyroid hormone
  fragment [3-34], stimulation of protein kinase C in rat osteosarcoma and murine T-lymphoma cells, **171**, 1105
  human, expression in *Escherichia coli*, **166**, 50
  induced prostaglandin E_2 synthesis, role in inhibition of osteocalcin synthesis by human osteoblast-like cells (bovine), **167**, 194
  induction of transient rise in $[Ca^{2+}]_i$ in vascular smooth muscle cells (rat), **166**, 709
  osteoblast-like osteosarcoma cell response, effect of 1,25-dihydroxyvitamin D_3 (human), **168**, 889
  related peptide, role in autocrine regulation of growth in renal cell carcinoma (human), **167**, 1134
  related protein, role as autocrine growth inhibitor for lymphocytes (human), **166**, 1088
Parkinson's disease
  striatum of affected patients

accumulation of deleted mitochondrial DNA, **170**, 1044
quantitation of deleted relative to normal mitochondrial DNA by kinetic PCR analysis, **172**, 483

Parvalbumin
identifed as avian thymic hormone, partial nucleotide sequence (chicken thymus), **167**, 1286

Patent blue
and Cibacron blue, competition for inositol 1,4,5-trisphosphate binding to hepatic microsomes: effects on 5′-phosphatase activity (rat), **166**, 1334; *erratum*, **168**, 387

Pectin lyase
encoding gene from *Erwinia carotovora*, cloning and expression in *Escherichia coli*, **168**, 801

Penicillamine
autoxidation products, reaction with myeloperoxidase, **169**, 1158

Penicillin acylase
catalytic site, presence of arginine residue (*Escherichia coli*), **173**, 317

Penicillins
binding proteins, identification in *Vibrio cholerae*, **171**, 1175
and cephalosporins, initial enzyme unique to biosynthesis of, purification from *Cephalosporium acremonium*, **169**, 1145

Pentostatin
induced DNA strand breakage, prevention by niacin (human lymphocytes), **167**, 514

Pentylenetetrazol
induction of interleukin-1β mRNA in brain (rat), **171**, 832

Pepsin
conversion of big endothelin to 21-residue endothelin (pig), **166**, 436
gastric secretion, inhibition by peripherally or centrally injected interleukin-1 (rat), **167**, 956
N-terminal domain, as model for retroviral dimeric aspartyl protease, analysis (pig), **167**, 339

Pepsinogen
genes, expression and methylation during development of gastric mucosa, effects of hydrocortisone (rat), **172**, 1086

Pepstatin
–agarose, in affinity purification of HIV-1 and HIV-2 proteases from recombinant *Escherichia coli*, **171**, 60
sensitive aspartic protease, role in conversion of big endothelin to endothelin by endothelial cell extract (porcine aorta), **167**, 203, 860

Pepstatin A, *see* Pepstatin

Peptidase
associated activity, demonstration in leukotriene A_4 hydrolase (human leukocytes), **173**, 431

Peptide mapping
with electrospray ionization mass spectrometry for protein structure analysis, description and demonstration (human), **167**, 686
subunits of DNA polymerase α–DNA primase complex (mouse), **170**, 589

Peptide receptors
65-kDa cell-surface, common to pancreatic polypeptide, neuropeptide Y, and peptide YY, identification (rat), **171**, 330

Peptides
N-acetyl-Ser-Asp-Lys-Pro, negative regulator of pluripotent hematopoietic stem cell proliferation, enzyme immunoassay in white blood cells and plasma (human), **170**, 986
ACTH, monoclonal antibody, recognition of adrenocorticotropic hormone receptor (rat adrenal cells), **168**, 1020
amidation, catalyzing enzyme activities in 108-kDa precursor of peptidylglycine α-amidating monooxygenase, identification (bovine), **171**, 926
amyloid, precursor containing Kunitz protease inhibitor domain, glycosylation, effect on inhibition of trypsin (COS-1 cells), **171**, 1015
angiotensin II mRNA-derived, binding and pharmacologic properties (human, rat), **170**, 462
big gastrin N-terminal hexapeptide, purification from urine (human), **172**, 1392
bone-derived, low-molecular-weight, stimulation of osteoblast mitogenesis (mouse), **173**, 382
brain natriuretic peptide-like, amino acid sequence and biological activity (eel brain), **170**, 883
calcitonin gene-related, *see* Calcitonin gene-related peptide
carcinoembyronic antigen, at junction of N-terminal and first loop domains, role in CEA binding to rat Kupffer cells, **170**, 391
cardio-excitatory, isolated from atria, analysis (*Achatina fulica*), **167**, 777
chromogenic, hydrolysis by HIV-1 and HIV-2 proteinases, **171**, 439
chromophoric, as substrates in spectrophotometric assay of HIV-1 protease, characterization, **168**, 274
with C-terminal residues, specific absorption by apocarboxypeptidase B–Sepharose (porcine pancreas), **166**, 330
with C-terminal tyrosine amide, isolation and characterization (porcine brain), **172**, 1167
endothelin-related, induced phosphoinositide hydrolysis in cerebellar astrocytes and granule cells and C_6-glioma cells, comparison (rat), **168**, 512
enkephalin-containing, expression in cultured fibroblasts (rat), **171**, 722
enkephalin-related, fluorogenic, in assay for endooligopeptidase A (rabbit brain), **173**, 647
epidermal growth factor receptor sequences, expression as *Escherichia coli* fusion proteins and application of study of tyrosine kinase function, **166**, 90
glucagon-like, GLP-1, suppression of glucagon synthesis and release and effect on preproglucagon mRNA levels in isolated islets (rat), **167**, 431
HIV-1 fusion, interaction with artificial lipid membranes, **172**, 952
HIV proteinase substrate, conversion to selective inhibitor by substitution of proline with pipecolic acid at scissile bond, **169**, 310
hypotensive, purification and characterization (chicken), **169**, 916

Icaria chemotactic, *see Icaria* chemotactic peptide
immunogenic, T- and B-cell determinants, relative positioning and effect on antibody response (mouse), **169**, 803
KDEL, modified cystatin C, retention in transfected CHO cells, **172**, 1384
leukocyte-associated, isolation and characterization (human), **173**, 1161
low-populated, in solution, helical structures, characterization by ^{1}H NMR conformational shifts, **167**, 1009
with molt-inhibiting and hyperglycemic activities, amino acid sequence (lobster), **171**, 818
natriuretic, *see specific types*
neuro-, *see* Neuropeptides
N-terminal
  from calcitonin polyprotein precursor, predicted structure (rabbit), **171**, 1111
  from calpain small subunit, neutrophil chemotactic activity (human), **169**, 1242
  inhibition of uptake of mature aspartate aminotransferase by isolated mitochondria, **170**, 609
opioid, deltorphin I analogs, conformational properties, **169**, 617
parathyroid hormone-related, role in autocrine regulation of growth in renal cell carcinoma (human), **167**, 1134
P-glycoprotein specific, binding to α_1-adrenergic photoaffinity probe [^{125}I]arylazidoprazosin in multidrug-resistant Chinese hamster lung cells, **166**, 259
pro-dermorphin processing products, detection in rat tissues, **170**, 30
prolyl, oxidative cleavage, hydroxyl radical-induced, mechanism, **169**, 265
proteoglycan core, linkage with chondroitin sulfate chain, detection of linkage region-degrading endo-β-galactosidase (*Patnopecten*), **169**, 15
reproducing pro-ocytocin/neurophysin proteolytic binding site, evidence for β-turn structure, **168**, 1066
serum, heparin-binding erythroid cell-stimulating, N-terminal sequence, identity with insulin-like growth factor II sequence (fetal bovine), **166**, 557
SPAI, inhibiting Na$^+$,K$^+$-ATPase, allocation of four disulfide bonds (pig), **172**, 42
src, N-terminal myristoyl-Gly–Ser–Ser–Lys, monoclonal antibody, detection of myristoylated *src*-oncogene products (chicken, human), **170**, 657
stimulating adenylate cyclase, cDNAs, cloning and characterization (human testis, ovine hypothalamus), **166**, 81
structural motif common among Golgi-localized glycosyltransferases, analysis, **170**, 879
as substrate for CDC2 histone H1 kinase, in identification of mitotic and interphase H1 kinases (murine fibroblasts), **168**, 763
supporting cell attachment for various cell types, identification in amyloid P component, **171**, 1284
synthetic
  analogs of myosin light chain kinase regulatory site, mode of kinase inhibition (turkey gizzard), **168**, 714
  antibodies, specific immunodetection of benzoate-para-hydroxylase (*Aspergillus niger*), **167**, 33
  antigens, cytochrome P450 IA2-derived, elicitation of monoclonal and polyclonal antibodies to P450 IA2 (rat), **169**, 171
  in characterization of PDGF β-receptor kinase (human), **167**, 1333
  corresponding to
    avian N-cadherin conserved cytoplasmic domain, antibodies to, identification of mammalian and invertebrate N-cadherin analogs, **172**, 313
    residues 137–157 of p60$^{v\text{-}src}$, inhibition of tyrosine-specific protein kinases, **171**, 1152
  designed mimicry of inhibitory site of chicken cystatin, **167**, 117
  I-A$_\beta^b$ region, inhibition of staphylococcal enterotoxin A binding to cells (human, mouse), **168**, 696
  RGD- and RYD-containing, displacement of streptavidin bound to cell surfaces (CHO cells), **170**, 1236
  ribosomal protein S6-derived, site-specific phosphorylation by human placental protein kinases, **173**, 673
  segments of thrombin inhibitors and substrates, inhibition of enzyme clotting activity, **169**, 437
  as substrate for selective assay of protein kinase C, evaluation (rat brain), **166**, 1220
T, threonine-rich C-terminal pentapeptide of, conformational study, **171**, 596
urokinase amino-terminal fragment mitogenic for osteoblast-like cells, isolation from prostate cancer cell line (human), **173**, 1058
vasoactive intestinal contractor, sharing of receptor with endothelin 1 and stimulation of Ca^{2+} mobilization and DNA synthesis (Swiss 3T3 cells), **167**, 161
wasp chemotactic, role of lysine residue at 7th position, **168**, 844

Peptide YY
  and pancreatic polypeptide and neuropeptide Y, identification of common 65-kDa cell surface receptor (rat), **171**, 330
Peptidoglycan
  isolation, preliminary chemical characterization, and biological activity (*Borrelia burgdorferi*), **167**, 89
Peptidylarginine deiminase
  mRNA, pituitary levels, estrous cycle-dependent regulation (rat), **172**, 28
Peptidyl 1,2-dicarbonyl derivatives
  inhibition of neutrophil elastase and cathepsin G (human), **166**, 595
Peptidyl fluoromethyl ketones
  lysis of trypanosomes, **170**, 923
Peptidylglycine α-amidating enzyme
  37- and 53-K, catalyzing two separate amidation reaction steps, synthesis from single mRNA (rat pituitary), **172**, 197
Peptidylglycine α-amidating monooxygenase
  108-kDa precursor, identification of two separable enzymatic activities involved in peptide amidation (bovine), **171**, 926
  catalyzed reaction, evidence for two-step mechanism involving stable intermediate at neutral pH (rat brain), **169**, 524

  - cDNA, cloning and functional expression of truncated form in COS cells, **169**, 551
- 1-Perdeuteriopalmitoyl-2-linoleoyl-*sn*-glycero-3-phosphoethanolamine
  - hexagonal phases, analysis by ^{2}H NMR spectroscopy, **173**, 1231
- Perforin
  - immunological relatedness with human homologous restriction factor through cysteine-rich domains (mouse), **166**, 648
- Perfusion
  - isolated aortic endothelial cells, increased flow rate, associated rapid release of endothelin and ATP (rabbit), **170**, 649
- Periostea
  - folded, from fetal calavaria, as *in vitro* culture system for quantification of biomineralization (chicken), **170**, 1216
- Peroxidation
  - lipids, *see* Lipid peroxidation
- Peroxides
  - experiments with, role of spontaneous α-ketoacid decarboxylation (rat), **170**, 1281
- Peroxisomal disorders
  - complementation analysis using β-oxidation of very-long-chain fatty acids (human), **172**, 364
- Peroxisomes
  - acyl-CoA:dihydroxyacetonephosphate acyltransferase, latency in digitonin-permeabilized fibroblasts, effects of ATP and ATPase inhibitors (human), **170**, 1135
  - hepatic, β-oxidation activity, regulation, differential effects of clofibrate and partially hydrogenated marine oil (rat), **166**, 780
  - proliferators, differential induction of proto-oncogene mRNA (rat), **173**, 855
  - renal, detection of alanine–glyoxylate aminotransferase 1 (guinea pig), **166**, 1467
- Peroxygenase
  - catalyzed epoxidation of fatty acids, stereochemistry (soybean), **173**, 1354
- Peroxyl radicals
  - role in dimethylarsine-induced DNA damage (human alveolar epithelial cells), **168**, 58
- Pertussis toxin
  - catalyzed ADP-ribosylation
    - in detection of G proteins in coated cerebral vesicles (bovine), **171**, 770
    - of transducin α subunit, stimulation by specific $\beta\gamma$ subunit (bovine), **167**, 1235
  - effect on
    - α_1-adrenergic potentiation of β-adrenergic stimulation of cAMP accumulation in pinealocytes (rat), **168**, 871
    - phosphoinositide turnover induced by endothelin/sarafotoxin receptors (rat cardiac myocytes), **171**, 949
  - inhibition of
    - EGF-, phorbol ester-, and insulin-stimulated DNA synthesis in Balb/c3T3 cells: evidence for post-receptor activation of $G_{i\alpha}$ (mouse), **167**, 1369
    - interleukin-8-induced lymphocyte migration *in vitro* (human), **169**, 1099
  - lectin-like properties, comparison with plant lectins, **172**, 1224
  - sensitive G proteins
    - of G_i family, coupling to high-affinity bradykinin receptors in myometrial membrane (rat), **167**, 910
    - GTP-binding, role in prostaglandin $F_{2\alpha}$-induced phosphoinositide hydrolysis in osteoblast-like MC3T3-E1 cells, **171**, 1229
    - role in platelet activation by mastoparan (human), **170**, 779
- P-glycoprotein
  - HIV-1-induced expression, analysis (H9, U937 cells), **171**, 1002
  - –*mdr*1 gene segments from leukemic cell lines with different multidrug resistance patterns, analysis (human), **169**, 796
  - mediated multidrug resistance in KB cells, effects of modulators in plasma (human), **166**, 74
  - phosphorylation, correlation with protein kinase C translocation and reduced drug accumulation in drug-resistant KB cells (human), **169**, 253
  - recombinant fragments, use in production of antibodies to multidrug transporter (human), **166**, 180
  - specific peptide, binding to α_1-adrenergic photoaffinity probe [^{125}I]arylazidoprazosin in multidrug-resistant Chinese hamster lung cells, **166**, 259
- pH
  - acidotic, protection of hepatocytes from lethal injury by mitochondrial inhibitors, ionophores, and oxidant chemicals (rat), **167**, 600
  - alkaline, effect on low spin form of sulfite reductase hemeprotein subunit (*Escherichia coli*), **169**, 39
  - effect on
    - Ca^{2+} exchange in cardiac mitochondria (ferret), **166**, 1352
    - fluorescent calcium indicators, determination with Chelex-100 and EDTA buffer systems, **171**, 102
    - metarhodopsin I–metarhodopsin II equilibrium of rhodopsin in recombinant membranes (bovine), **169**, 1028
  - elevation in rat vascular smooth muscle cells and human fibroblasts by low-density lipoproteins without mediation of LDL receptor, **167**, 353
  - increasing values, effect on phosphofructokinase regulation by physiological concentrations of bisphosphorylated hexoses (rat muscle), **172**, 328
  - intracellular, effect on cGMP production in inner medullary collecting duct cells (rat), **170**, 860
- Phagocytes
  - mononuclear, disparate gene expression of chemotactic cytokines (human), **166**, 886
- Phalloidin
  - clamping of polymerized actin in electropermeabilized neutrophils, associated inhibition of oxidase activation (rat), **169**, 1222
- Pharmacokinetics
  - pyrrolidine nitroxide in whole mouse, low-frequency electron paramagnetic resonance monitoring, **166**, 168

Phaseolinone
  effect on *Leishmania donovani* promastigotes, **168**, 43; *erratum*, **173**, 480
  inhibition of RNA polymerases other than RNA polymerase II (rat liver), **168**, 51
Phase transitions
  lamellar to hexagonal, in phosphatidylethanolamine liposomes, fluorescence anisotropy study, **168**, 987
  lipid, in erythrocyte membranes, induction by superoxide radical: similarity to temperature effects (rabbit), **172**, 601
1,10-Phenanthroline, *see* *o*-Phenanthroline
o-Phenanthroline
  effect on spermidine-mediated decay of ornithine decarboxylase (Friend erythroleukemia cells), **172**, 939
Phenol
  derivatives, intracellular binding in intestine, role of fatty acid-binding proteins as carriers (rat), **168**, 1053
Phenotyping
  message amplification, *see* Message amplification phenotyping
Phenylacetyl-CoA ligase
  carbon catabolite regulation, analysis (*Pseudomonas putida*), **167**, 891
Phenylalanine
  hydroxylation in absence of hydratase, associated formation of 7-substituted pterins, **172**, 1060
  plasma levels, moderate increases, inhibition of cerebral protein synthesis (rat), **168**, 1177
  replacement of typtophan-140 residue of aspartate aminotransferase, effects on function (*Escherichia coli*), **167**, 407
Phenylephrine
  effect on inositol 1,4,5-trisphosphate levels in vascular smooth muscle, measurement by protein binding assay (rat), **173**, 1258
5-Phenyl-1,10-phenanthroline
  –copper ion, chemical nuclease activity, detection of intermediates in transcription initiation by RNA polymerase (*Escherichia coli*), **168**, 756
Phenylpropenoids
  synthetically polymerized, anti-influenza virus activity, **172**, 1267
Phenytoin
  4-hydroxylation by rabbit hepatic P450IIC3: identification of orthologs in human hepatic microsomes, **166**, 860
Pheromones
  a-factor
    mating-associated, isolation of biologically active form (yeast), **170**, 182
    total *in vitro* maturation (yeast), **172**, 1310
Phorbol dibutyrate
  and phorbol myristate acetate, effects on phosphatidylinositol labeling and contraction, comparison (rabbit aorta, rat hepatocytes), **171**, 618
  stimulated DNA synthesis in Balb/c3T3 cells, inhibition by pertussis toxin: evidence for post-receptor activation of $G_{i\alpha}$ (mouse), **167**, 1369
Phorbol 12,13-dibutyrate
  effect on transport of anionic amino acids in cultured fibroblasts (human), **173**, 1304
  formation of phosphatidylinositol 3,4-bisphosphate in platelets, mediation by protein kinase C (human), **168**, 466
  interaction with insulin, effects on regulation of DNA synthesis in hepatoma cells (rat), **172**, 759
Phorbol 12,13-didecanoate
  potentiation of interferon-induced inhibition of queuine uptake in cultured fibroblasts (human), **171**, 384
Phorbol esters
  mediated induction of HIV-1 from chronically infected promonocytes, blockade by protein kinase inhibitors and relationship to *tat*-directed *trans*-activation (human), **166**, 349; *erratum*, **167**, 382
  protein kinase C-independent activation of phospholipase D in lymphocytes (bovine), **171**, 955
  secretory responses of pituitary gonadotrophs, role of voltage-sensitive calcium channels (rat), **170**, 359
Phorbol 12-myristate 13-acetate
  activation of phospholipase D
    in neutrophils, role in production of phosphatides and diglycerides (human), **170**, 1197
    in normodense eosinophils (human), **170**, 540
  calmodulin-dependent stimulation of free radical generation in leukocytes (human), **167**, 1030
  inhibition of CD3-mediated Ca^{2+} mobilization in Jurkat cells independently of protein kinase C activation, **173**, 396
  interaction with insulin, effects on regulation of DNA synthesis in hepatoma cells (rat), **172**, 759
  modulation of effect of bradykinin and angiotensin II on phosphoinositide breakdown in intact renal glomeruli and proximal tubules (rat), **166**, 373
  and phorbol dibutyrate, effects on phosphatidylinositol labeling and contraction, comparison (rabbit aorta, rat hepatocytes), **171**, 618
  promotion of sustained down-regulation of endothelin receptors and cellular responses to endothelin in vascular smooth muscle cells (human), **166**, 1213
  sensitive protein kinase, phosphorylation of 2′,3′-cyclic-nucleotide 3′-phosphodiesterase in peripheral nerve myelin (rat), **170**, 817
Phosphatase
  type 1, aggregation, effect of NaF (rabbit muscle), **171**, 362
Phosphate
  –Na^+ cotransporter, molecular size in renal brush border membranes, effect of X-linked *Hyp* mutation (mouse), **170**, 1288
  naturally occurring methyl ester methyl-phosphorylcholine, identification in sea urchin eggs, **172**, 855
  and/or vitamin K, effects on enhancement of sulfotransferase activity (murine brain), **169**, 927
Phosphatidate
  production during acrosomal exocytosis, analysis (sheep), **172**, 8
Phosphatides
  production in neutrophils, role of phorbol-12-myristate-13-acetate activation of phospholipase D (human), **170**, 1197

Phosphatidic acid
  counter-regulatory effects on protein kinase C activity in presence of calcium and diolein, **171**, 487
  generated by phospholipase D in neutrophils, functional linkage to activation of NADPH oxidase by FMLP (human), **168**, 320
6-Phosphatidyl-L-ascorbic acid
  antioxidant activity, analysis, **172**, 385
Phosphatidylcholine
  bound CA-MOv18 molecule to ovarian carcinoma cell membrane, analysis (human), **171**, 1051
  breakdown, role in growth hormone-induced diacylglycerol production in Ob1771 preadipocytes (mouse), **173**, 840
  egg yolk, oxidized liposomes, characterization by differential scanning calorimetry, **168**, 1268
  synthesis, catalysis by extracellular phospholipase A_2 in organic solvents (bacteria, insect, mammals, snake), **168**, 644
Phosphatidylethanolamine
  liposomes, lamellar to hexagonal phase transitions, fluorescence anisotropy study, **168**, 987
Phosphatidylinositol
  labeling in aorta and hepatocytes, contrasting effects of phorbol dibutyrate and phorbol myristate acetate (rabbit, rat), **171**, 618
  platelet activating factor-induced hydrolysis in lymphoblastoid B cells: evidence for PAF receptor (human), **166**, 1047
Phosphatidylinositol 3,4-bisphosphate
  formation by phorbol 12,13-dibutyrate in platelets, mediation by protein kinase C (human), **168**, 466
Phosphatidylinositol 3′ kinase
  precipitation with anti-phosphotyrosine antibodies from cells treated with epidermal growth factor, **173**, 289
Phosphatidylinositol monophosphate
  insulin-stimulated hydrolysis in fat cell membranes, inhibition by phorbol ester (rat), **172**, 446
1-Phosphatidylinositol phosphodiesterase
  characterization in melanoma tissue (human), **166**, 715
Phosphatidylinositol phospholipase C, *see* 1-Phosphatidylinositol phosphodiesterase
Phosphatidylserine
  differential inhibition of protein kinase C subtypes (bovine adrenocortical tissue, rat brain), **169**, 1040
Phosphinate
  selective transition-state analog inhibitors of HIV protease, assessment, **169**, 1111
Phosphocitrate
  enzymatic synthesis *in vitro* (rat liver), **170**, 251
  inhibition of basic calcium phosphate crystal-induced mitogenesis (BALB/c-3T3 cells), **171**, 20
(2′-5′)Phosphodiesterase
  degradation of 3′-fluoro-3′-deoxy analogs of 2-5A 5′-monophosphate, analysis (mouse, rabbit), **167**, 20
Phosphofructokinase
  muscle, photooxidative cleavage and inactivation, promotion by vanadate, **172**, 919
  in recovering dauer larvae, induction by increased levels of food source in recovery medium (*Caenorhabditis elegans*), **172**, 1013
  regulation at physiological concentration, analysis by stopped-flow measurements (rabbit muscle, yeast), **167**, 1214
6-Phosphofructokinase
  M and L isozymes, gene expression and alternative RNA splicing, tissue specificity (human), **173**, 1317
  mRNA
    evidence for alternative splicing and alternative promoter control at gene 5′ untranslated region (human muscle), **166**, 637
    5′ untranslated region, sequence diversity (rabbit muscle), **170**, 1056
  regulation by physiological concentrations of bisphosphorylated hexoses: effect of alkalinization (rat muscle), **172**, 328
6-Phosphofructo-2-kinase
  –fructose-2,6-bisphosphatase, gene expression in cultured hepatocytes, multihormonal regulation (rat), **169**, 406
3-Phosphoglycerokinase
  yeast, gene promoter transcriptional activity in *Escherichia coli*, temperature dependence, **170**, 1
Phosphoinositides
  breakdown in intact renal glomeruli and proximal tubules, effects of angiotensin II and bradykinin, modulating role of phorbol ester (rat), **166**, 373
  dependent stimulus-response coupling in neutrophils, effect of CI-949, mechanism (human), **167**, 828
  hydrolysis
    prostaglandin $F_{2\alpha}$-induced, in osteoblast-like MC3T3-E1 cells, role of pertussis toxin-sensitive GTP-binding protein, **171**, 1229
    role in tumor necrosis factor α-induced activation of neutrophil O_2-generating system (human), **166**, 308
  metabolism in adrenal chromaffin cells, stimulation by arachidonic acid (bovine), **169**, 773
  phosphorylation in platelets, U46619-induced, effect of genistein (human), **170**, 238
  turnover
    endothelin-related peptide-induced, in cerebellar astrocytes and granule cells and C_6-glioma cells, comparison (rat), **168**, 512
    endothelin/sarafotoxin receptor-induced, effects of pertussis and cholera toxins and phorbol ester (rat cardiac myocytes), **171**, 949
    and phosphorylase, stimulation by angiotensin II through AII-1 receptors (rat hepatocytes), **172**, 780
    stage-specific capacity in intrathymic T cells after CD2 triggering (human), **168**, 665
Phosphoinositol
  role in mechanism of hormonal imprinting (*Tetrahymena pyriformis*), **170**, 119
Phospholipase A_2
  activation, role in platelet activating factor production in GM-CSF-primed neutrophils (human), **170**, 556
  amniotic membrane, stimulation by dipalmitoylphosphatidylcholine (human), **170**, 328
  cerebral, Ca^{2+}-induced translocation from cytosol to membranes (rat), **170**, 484

- extracellular, catalysis of phospholipid synthesis in organic solvents (bacteria, insect, mammals, snake), **168**, 644
- group II, encoding gene, structure (rat), **168**, 1059
- and phospholipase C, evidence for coupling to different gonadotropin-releasing hormone receptors in cultured luteal cells (rat), **168**, 328
- role in cytomegalovirus stimulation of arachidonic acid metabolism (human), **166**, 953
- synovial fluid, monclonal antibodies, analysis (human), **167**, 1309
- treated low-density lipoproteins, inhibition of endothelium-dependent vasorelaxation, role of lysosphosphatidylcholine (rabbit), **168**, 301

Phospholipase C
- activation in A431 cells, EGF-induced, inhibition by erbstatin, **173**, 208
- associated reaction in isolated pancreatic acini, stimulation by deoxycholate, mechanism (rat), **170**, 111
- Ca^{2+}-regulated activity in rod outer segments (bovine retina), **173**, 283
- insulin-dependent, evidence for modulation by protein kinase C in fat cell membranes (rat), **172**, 446
- and phospholipase A_2, evidence for coupling to different gonadotropin-releasing hormone receptors in cultured luteal cells (rat), **168**, 328
- type γ_2, cytosolic phosphoinositide-specific, purification and characterization (human platelets), **167**, 396

Phospholipase D
- activation by phorbol 12-myristate 13-acetate in neutrophils, role in production of phosphatides and diglycerides (human), **170**, 1197
- generated phosphatidic acid, functional linkage to activation of NADPH oxidase by FMLP in neutrophils (human), **168**, 320
- in normodense eosinophils, activation (human), **170**, 540
- protein kinase C-independent activation by phorbol esters in lymphocytes (bovine), **171**, 955

Phospholipids
- acyl chain conformation in gramicidin–dipalmitoylphosphatidylcholine mixtures, infrared determination, **168**, 85
- bilayer, endometrial, fluidity at time of blastocyst implantation (mouse), **167**, 561
- binding site of placental anticoagulant protein, role of histidine residue (human), **168**, 125
- fatty acyl composition, effects on sarcolemmal and sarcoplasmic reticular cation transporters (dog, rabbit), **168**, 917
- membrane
  - fatty acid incorporation, palmitoyl-L-carnitine as metabolic intermediate (human erythrocytes), **173**, 212
  - relationship to calpain-binding sites on erythrocyte membranes (human), **171**, 625
- metabolism, modulation of cyclic nucleotide phosphodiesterase in cardiac microsomes (rat), **170**, 800
- and proteins, composition in microvillus membrane vesicles, effect of preparation method (rat intestine), **170**, 433
- synthesis, catalysis by extracellular phospholipase A_2 in organic solvents (bacteria, insect, mammals, snake), **168**, 644
- vesicles, chloride conductivity, reconstitution by stilbene-sensitive chloride channel (chicken), **171**, 920

Phosphonoformic acid
- esters of 3′-azido-3′-deoxythymidine, inhibition of HIV-1 replication, **172**, 288
- Na^+-dependent binding in renal brush border membranes, effect of X-linked *Hyp* mutation (mouse), **170**, 1288

9-(2-Phosphonylmethoxyethyl)adenine
- macrophage-targeted, anti-HSV-1 activity, effect of binding to mannosylated polymer (human), **167**, 1044

Phospho-oligosaccharide
- reproduction of insulin stimulatory effect on glycolytic flux (human fibroblasts), **166**, 765; *erratum*, **168**, 886

Phosphopeptides
- *src*-, phosphorylation by casein kinase-1 and -2, role of phosphotyrosine, **170**, 635; *erratum*, **171**, 1414

Phosphoprotein phosphatase
- inhibiting microcystins and nodularin, effects on murine skin and human fibroblasts, **171**, 867
- inhibition, role in hepatocyte deformation induced by cyanobacterial toxins (rat), **173**, 1347
- serine/threonine, isoenzymes, tissue-specific expression: possible role in spermatogenesis (rat), **171**, 230
- type 2A
  - catalytic subunit, inactivation of cytosolic protamine kinase (bovine kidney), **166**, 449
  - photoaffinity labeling by [27-^{3}H]methyl 7-*O*-(4-azidobenzoyl)okadaate (bovine brain), **170**, 1359
  - and type 1, interactions with inhibitors 1 and 2 after catalytic subunit modification, fluorescence study, **169**, 559
- type 2Aβ, mRNA, shorter form, production by alternative poly(A) addition (rat testis), **170**, 169

Phosphoproteins
- Rex, HTLV-I, function, role of phosphorylation, analysis with protein kinase inhibitor H-7 (human T cells), **169**, 469
- two types isolated from chicken bone, comparison and similarities to mammalian osteopontin and bone sialoprotein II, **173**, 471

Phospho*enol*pyruvate carboxykinase (GTP)
- gene transcription in cultured hepatocytes, differential induction (rat), **166**, 133

Phospho*enol*pyruvate carboxylase
- oligomerization and regulation, relationship (maize), **168**, 778

Phosphoramide mustard
- –nucleotide adduct, formation by phosphoester linkage to 2′-deoxyguanosine 3′-monophosphate, **163**, 843; *erratum*, **166**, 1508

Phosphoramidon
- inhibition of biological actions of big endothelin-1 (guinea pig, pig, rat), **172**, 391
- suppression of endothelin-1 secretion from cultured endothelial cells, role of inhibition of big endothelin-1-converting enzyme (pig), **171**, 669

5-Phosphoribosyl-1-pyrophosphate synthetase
- conversion of 9-β-D-arabinofuranosyladenine 5′-mono-

phosphate to antivirally active $5'$-triphosphate form, **173**, 781
Phosphorus
  biomineralization-associated, quantification in tissue culture system by total reflection x-ray fluorescence (chicken), **170**, 1216
Phosphorylase
  and phosphoinositide turnover, , stimulation by angiotensin II through AII-1 receptors (rat hepatocytes), **172**, 780
Phosphorylase kinase
  inhibition by K252a and other protein kinase inhibitors (rabbit muscle), **171**, 148
Phosphorylation
  acetyl-CoA carboxylase from yeast by mammalian and yeast protein kinases *in vitro*, **169**, 369
  androgen receptor in human LNCaP cells, analysis, **166**, 193
  auto-, *see* Autophosphorylation
  calcineurin, effect on calmodulin binding, **172**, 551
  cAMP-dependent
    filamin-like 250-kDa membrane protein, enhancement of GTP-γ-S binding activity (human platelets), **172**, 256
    hepatic microsomal P450, role in lipid peroxidation increase in response to hormone (rat), **166**, 787
  CD8α, direct mediation by protein kinase C (murine fibroblasts, thymocytes), **170**, 10
  cell proliferation-associated nucleolar protein p120 (human), **173**, 423
  $2',3'$-cyclic-nucleotide $3'$-phosphodiesterase in peripheral nerve myelin by phorbol ester-sensitive protein kinase (rat), **170**, 817
  $2',3'$-dideoxyguanosine, stimulation by inhibitors of IMP dehydrogenase, **171**, 1297; *erratum*, **173**, 481
  erythrocyte membrane Ca^{2+},Mg^{2+}-ATPase, acceleration by Mg^{2+} (pig), **169**, 700
  glucocorticoid receptor DNA-binding domain *in vivo*, analysis (murine pituitary tumor cells), **166**, 931
  hyper-, human papillomavirus type 16 E7 oncoprotein in epidermal keratinocytes, relationship to casein kinase II activities (human, mouse), **172**, 958
  inositol 1,4,5-trisphosphate 3-kinase by protein kinase C, regulatory effects (human platelets), **170**, 1371
  intracellular proteins in protoplasts by phytochrome action, role of protein kinase C (*Avena sativa*), **169**, 1185
  metaphase-specific, high-mobility-group I protein (HeLa cells), **171**, 342
  myelin-associated glycoprotein in peripheral nervous system, demonstration (rat), **169**, 953
  myosin light chain in smooth muscle cells
    desensitization and muscarinic re-sensitization to cytoplasmic Ca^{2+} (guinea pig), **172**, 1291
    inhibition by HA1077 (rabbit aorta), **171**, 1182
  myosin light chains and head portions of heavy chains by protein kinase C (bovine brain), **169**, 1191
  neurofilament proteins
    68-kDa NF subunit protein by cAMP-dependent protein kinase, effect on assembly *in vitro*, **169**, 744
    by protein kinase C, role in regulation of neurofilament assembly–disassembly *in vitro* (porcine brain), **167**, 1316
  nonepithelial intermediate filament proteins by Ca^{2+}-calmodulin-dependent protein kinase II, analysis (rat brain), **169**, 896
  nuclear androgen receptors, analysis, **171**, 336
  nuclear pp64 on serine/threonine and tyrosine, regulation by phorbol ester and platelet-derived growth factor (NRK cells), **167**, 918
  oxidative
    ADP in cardiac mitochondria, role of superoxide radical as electron donor (rat), **170**, 59
    associated complexes, expression and assembly of nuclear-coded subunits, effects of ethidium bromide treatment (murine fibroblasts), **167**, 216
  phosphoinositides in platelets, U46619-induced, effect of genistein (human), **170**, 238
  protein kinase-dependent differentiation-specific, cytosolic 44- and 32-kDa proteins in HL-60 cells, induction by retinoic acid, **168**, 1253
  proteins in
    interleukin-5-dependent murine cell line, induction by IL-5 and IL-3, **173**, 1102
    nuclei isolated from mitogen-treated Swiss 3T3 cells, stimulation by calcium-free inositol 1,4,5-trisphosphate, **173**, 149
  protein-tyrosine, stimulation by vanadate with hydrogen peroxide (human platelets), **170**, 259
  rap1-b by protein kinase A in intact platelets (human), **170**, 944
  ribosomal protein S6, stimulation by 12-*O*-tetradecanoylphorbol-13-acetate (Ehrlich cells), **166**, 1340
  serine
    mitogen-stimulated, 350-kDa microtubule-associated protein MAP1A (murine 3T3-L1 cells), **166**, 827
    and tyrosine, activation of manganese-dependent membrane protein kinase (rat liver), **171**, 75
  site-specific, synthetic peptide derived from ribosomal protein S6 by human placental protein kinases, **173**, 673
  src-phosphopeptides by casein kinase-1 and -2, role of phosphotyrosine, **170**, 635; *erratum*, **171**, 1414
  sulfotransferase, role of vitamin K (murine brain), **169**, 927
  tyrosine
    38-kDa protein, vasopressin dependence (human platelets), **168**, 566
    effects of elevation of cAMP and cGMP (human platelets), **171**, 738
    in erythrocyte cytosolic proteins by cytosolic tyrosine kinase (human), **166**, 1378
    in *ras*-transformed fibroblasts, increase prior to appearance of transformed phenotype (mouse), **170**, 526
Phosphorylcholine
  binding protein, interaction with platelet activating factor (rat serum), **167**, 444
  N-methyltransferase activity converting phosphorylethanolamine to, detection in brain cytosol (rat), **171**, 758
Phosphorylcholine methyl ester
  identification in sea urchin eggs, **172**, 855

Phosphorylethanolamine
  conversion to phosphorylcholine, associated N-methyltransferase activity, detection in brain cytosol (rat), **171**, 758
Phosphoserine
  evaluation as substrate determinant for casein kinase II, **172**, 190
Phosphotyrosine
  antibodies, precipitation of phosphatidylinositol 3′ kinase from cells treated with epidermal growth factor, **173**, 289
  effect on terbium(III) fluorescence, **168**, 267
  role in phosphorylation of *src*-phosphopeptides by casein kinase-1 and -2, **170**, 635; *erratum*, **171**, 1414
Phosphotyrosine protein phosphatase
  magnesium-dependent, inhibited by micromolar concentrations of calcium, characterization (bovine brain), **167**, 621
Photinus-luciferin 4-monooxygenase (ATP-hydrolyzing)
  enzymatic activity, effect of removal of twelve C-terminal amino acids, **172**, 477
Photoaffinity labeling
  cytosolic and nuclear Ah receptors with [^{3}H]TCDD, in molecular mass determination (murine hepatoma cells), **172**, 698
  NAD(P)H:quinone reductase with synthesized 3-(4-azido-5-iodosalicylamido)-4-hydroxycoumarin (rat liver), **172**, 415
  α-neuraminidase–β-galactosidase complex with photoreactive neuraminidase inhibitor (human placenta), **173**, 13
Photolysis
  diazo-2, in analysis of striated muscle relaxation (scallop), **168**, 295
Photooxidation
  associated cleavage and inactivation of muscle phosphofructokinase, promotion by vanadate, **172**, 919
Photoreceptors
  rod, cGMP-gated ion channel, developmental and tissue-specific expression of encoding gene (rat), **173**, 463
Photosystem II
  identification of plantacyanin and role in oxygen-evolving activity of PS2 particles (cucumber, goosefoot, spinach chloroplasts), **168**, 232
  mercury interaction sites, determination with Stern–Volmer analysis modification (alga), **166**, 873
Phototoxicity
  chloroaluminum phthalocyanine tetrasulfonate-mediated, role of singlet oxygen, **173**, 34
Phthalate
  derivatives, intracellular binding in intestine, role of fatty acid-binding proteins as carriers (rat), **168**, 1053
Phytanic acid
  mitochondrial oxidation: implication for characterization of Refsum's disease as peroxisomal disorder (human, monkey liver), **167**, 580
Phytochrome
  effect on cytosolic cholinesterase activity (oat cells), **169**, 159
  phosphorylation of intracellular proteins in protoplasts, role of protein kinase C (*Avena sativa*), **169**, 1185
Phytohemagglutinin
  lysis of S49 T-lymphoma cells, role of cAMP generation and of increase in cytosolic calcium (mouse), **170**, 1035
Pigments
  visual, one form present in chicken, cDNA cloning, sequencing, and amino acid sequence deduction, **173**, 1212
Pineal gland
  [^{3}H]-1,3-di-*o*-tolylguanidine binding sites, characterization (sheep), **171**, 875
  nocturnal serotonin metabolism, effects of weak intermittent magnetic fields (mouse, rat), **169**, 102
  temporally defined induction of c-*fos* (rat), **166**, 589
Pinealocytes
  β-adrenergic-stimulated cAMP accumulation, α_1-adrenergic potentiation, effect of pertussis toxin (rat), **168**, 871
  cGMP levels, β-adrenergic regulation (rat), **167**, 835
Pipecolic acid
  substitution of proline at scissile bond in peptide substrate of HIV proteinase: conversion to selective inhibitor, **169**, 310
Pituitary
  anterior
    agonist-induced β-endorphin secretion in cultured cells, potentiation by interleukin-1 (rat), **173**, 988
    dispersed cells, GRF-induced growth hormone release and (Ca^{2+})$_i$ increase, facilitation by somatostatin pretreatment (rat), **172**, 276
    endothelin-3 secretion from cells in primary culture, stimulation by insulin-like growth factor I (rat), **172**, 661
    growth hormone secretion in cell monolayers, antagonism by synthetic analogs of growth hormone-releasing factor (rat), **167**, 360
  GH_4C_1 cells, TRH-induced activation of Na^+/H^+ exchange, priming effect of hyperosmotic stress (rat), **172**, 913
  GH_12C_1 and GH_3 cells, electroporation, optimal parameters and effects on endogenous hormone production (rat), **171**, 1029
  gonadotrophs, [Ca^{2+}]$_i$ and secretory responses to activators of protein kinase C, role of voltage-sensitive calcium channels (rat), **170**, 359
  gonadotropin-releasing hormone binding sites, characterization (frog), **168**, 923
  inositol phosphate production in cultured cells, stimulation by cGMP: implications for signal transduction (rat), **167**, 982
  peptidylarginine deiminase mRNA levels, estrous cycle-dependent regulation (rat), **172**, 28
  site of endothelin action: selective inhibition of prolactin release *in vitro* (rat), **169**, 737
  thyrotropin secretion by dispersed cells, differential effects of oligosaccharide-processing inhibitors (rat), **165**, 788; *erratum*, **167**, 381
Pituitary adenylate cyclase-activating polypeptide
  cerebral receptors

molecular identification (bovine), **171**, 838
solubilization (bovine), **172**, 709
demonstration of specific binding sites in astrocytes (rat), **168**, 1027
precursor protein, molecular cloning and characterization (rat), **173**, 1271
response of adrenal pheochromocytoma PC12h cells (rat), **173**, 252

Placenta
detection of epithelial scatter protein (human), **168**, 1082
expression of pregnancy-specific β_1 glycoprotein genes during development (human), **166**, 1265
high- and low-affinity binding sites for basic fibroblast growth factor, analysis (mouse), **169**, 272

Plantacyanin
identification in photosystem 2 particles and role in oxygen-evolving activity (cucumber, goosefoot, spinach chloroplasts), **168**, 232

Plasma, *see also* Blood, Serum
β-amyloid protein precursor soluble forms, detection (human), **167**, 1094
from borderline hypertensives, purification of Na^+,K^+-ATPase inhibitor, **169**, 360
calcium levels, effects of calcitonin gene-related peptide (chicken), **169**, 846
cholesteryl ester transfer protein, deficiency in subjects homozygous and heterozygous for intron 14 splicing defect (human), **170**, 1346
endothelin-1 levels
effect of cold pressor test (human), **169**, 217
in spontaneously and deoxycorticosterone acetate-salt hypertensive rats, **167**, 941
endothelin-3 levels, determination: increase in hemodialysis patients, **169**, 809
extracted immunoreactive prohormone atrial natriuretic peptides 1–30 and 31–67: existence of single circulating amino-terminal peptide (human), **166**, 794
5′-fluorouracil, spectrophotometric detection, **169**, 1153
high-density lipoproteins, apolipoprotein AI from, characterization and amino-terminal sequence (bovine calf), **166**, 833
islet amyloid polypeptide identification: secretion in response to glucose stimulation (human), **169**, 713
lipid composition, effects of aging and acetyl-L-carnitine (rat), **170**, 621
modulatory effect on multidrug transporter P-glycoprotein in KB cells (human), **166**, 74
phenylalanine levels, moderate increases, inhibition of cerebral protein synthesis (rat), **168**, 1177
proteins, interaction with
azidothymidine-monophosphate-diglyceride (bovine, human), **171**, 451
disodium palmityl phosphonoformate (bovine, human), **171**, 458
transforming growth factor α detection (human), **167**, 1065

Plasma membranes, *see also* Membranes
A431 cell, GM3-dependent inhibition of epidermal growth factor receptor autophosphorylation, role of lysophosphatidylcholine, **172**, 77
apical, vesicles formed from colon, demonstration of Na^+ and H^+ conductances and Na^+/H^+ exchange (human), **167**, 438
erythrocyte, Ca^{2+},Mg^{2+}-ATPase phosphoenzyme, Mg^{2+}-accelerated formation via phosphorylation reaction (pig), **169**, 700
fibroblast, electroporation, effect of resting membrane potential (mouse), **172**, 282
HeLa cell, permeability-increasing protein excreted by *Trypanosoma cruzi*, purification, **166**, 736
hepatic
associated nucleoside-diphosphate kinase, evidence for complex formation with G_s protein (rat), **168**, 99
ecto-ATPase, identity with pp120/HA4 (rat), **166**, 562
electron transport, role of coenzyme Q (rat), **172**, 979
inhibition of protein kinase C activation *in vitro*, effect on DNA synthesis induced by epidermal growth factor with insulin (rat), **171**, 1093
peripheral and integral cGMP-stimulated cyclic AMP phosphodiesterases, target size *in situ*, insulin effects, **169**, 377
hepatocyte, actin and calmodulin concentrations, decrease during proliferative activation (rat), **173**, 1287
hepatoma, ganglioside depletion and direction to internal membranes: evidence for glycolipid sorting defect in hepatocarcinogenesis (rat), **169**, 192
Nostoc, bound cytochrome-*c* oxidase, identification of periplasmic *c*-type cytochrome as electron donor, **169**, 492
placental syncytiotrophoblast
binding of sex hormone-binding globulin–androgen complexes (human), **171**, 1279
derived microvesicles, transmembrane transfer of cortisol, effect of transcortin (human), **173**, 961
pulmonary, endothelin receptors, solubilization in nonaggregated state and size estimation (bovine), **172**, 576

Plasmids
DNA repair ability-associated, damaged, host cell reactivation, reduction in cisplatin resistance-revertant HeLa cells, **170**, 851
unique abasic site, mutagenic properties in mammalian cells, **173**, 704

Plasmin
fibrin(ogen)-induced formation by tissue plasminogen activator, role of vitronectin, evidence: specific binding of plasminogen by vitronectin, **168**, 966

Plasminogen
gene transcription initiation site, definition in liver and nonhepatic cell lines (human), **173**, 1013
specific binding to vitronectin: evidence for role of vitronectin in fibrin(ogen)-induced plasmin formation by tissue plasminogen activator, **168**, 966

Plasminogen activator
active and pro-PA, detection on surface of bladder cancer cells derived from high-grade invasive tumor (human), **172**, 870
production by bone-derived osteoblast-like cells, effects of interleukin-1β (human), **166**, 208

- tissue-type
  - fibrin(ogen)-induced formation of plasmin, role of vitronectin, evidence: specific binding of plasminogen by vitronectin, **168**, 966
  - stimulation of endothelial cell migration in wound assays (human umbilical vein), **171**, 1326
- urokinase-type
  - N-terminal fragment mitogenic for osteoblast-like cells, isolation from prostate cancer cell line (human), **173**, 1058
  - recombinant precursor Pro-UK, carbohydrate composition and presence of fucose–protein linkage (human), **171**, 401

Plasminogen activator inhibitor 2
- sensitivity to oxidants releasable from activated neutrophils, **166**, 993

Plasmin receptors
- carcinoma cell, solubilization (human), **170**, 748

Plasmodium
- cytoplasmic streaming, associated vesicle movement, velocity measurement, **172**, 1236

Plasmodium falciparum
- isoprenoid metabolism, analysis during intraerythrocytic phase of malaria, **173**, 849

Platelet-activating factor
- and collagen, cooperativity in aggregation of platelets (bovine), **168**, 1292
- effect on [^{14}C]aminopyrine uptake by isolated parietal cells (guinea pig), **168**, 1047
- interaction with serum phophorylcholine-binding protein (rat), **167**, 444
- production in GM-CSF-primed neutrophils, role of protein synthesis and phospholipase A_2 activation (human), **170**, 556
- stimulation of neutrophil respiratory burst, effects of staurosporine (human), **168**, 65
- transfer activity in HL-60 cells, induction during differentiation, **171**, 548

Platelet-activating factor receptors
- lymphoblastoid B cell, evidence: activation of phosphatidylinositol cycle and induction of calcium mobilization (human), **166**, 1047

Platelet-derived growth factor
- induced DNA synthesis in vascular smooth muscle cells, stimulation by angiotensin II (rabbit), **168**, 350
- inhibition of 5α-reductase and Δ-3β-hydroxysteroid dehydrogenase in cultured immature Leydig cells (rat), **169**, 1229
- isoform BB, stimulated DNA synthesis in vascular smooth muscle, potentiation by angiotensin II and noradrenaline (rat), **166**, 580
- regulation of phosphorylation of nuclear pp64 on serine/threonine and tyrosine residues (NRK cells), **167**, 918

Platelet-derived growth factor receptors
- type β, kinase activity, characterization with synthetic peptides (human), **167**, 1333
- type B, biologically active, expression in oocytes (*Xenopus laevis*), **166**, 154
- type BB, on vascular smooth muscle cells, augmentation by angiotensin II and noradrenaline (rat), **166**, 580

Platelet factor 4
- blocking of basic fibroblast growth factor binding to receptor and inhibition of vascular endothelial cell spontaneous migration (human), **172**, 595

Platelets
- activated, GMP-140-mediated adhesive interaction with neutrophils: requirement of sialic acid on neutrophils (human), **172**, 1349
- activation by mastoparan, role of pertussis toxin-sensitive GTP-binding proteins (human), **170**, 779
- adhesion to plasma lipoproteins, analysis (human), **172**, 113
- aggregating, stimulation of intracellular calcium increase in endothelial cells through release of adenine nucleotides (human), **166**, 909
- aggregation
  - cooperative induction by platelet activating factor and collagen (bovine), **168**, 1292
  - inhibition by
    - cultured astrocytoma cells by release of nitric oxide-like factor (human), **172**, 564
    - serosal mast cells: assay of L-arginine-derived nitric oxide-like factor synthesis (rat), **169**, 596
  - and protein-tyrosine phosphorylation, stimulation by vanadate with hydrogen peroxide (human), **170**, 259
- cytosol, detection of GDP dissociation inhibitor for small G protein recognized by *smg* p25A GDI in membranes (human), **168**, 1244
- GTP-γ-S binding activity, enhancement by cAMP-dependent phosphorylation of filamin-like 250-kDa membrane protein (human), **172**, 256
- inhibition by D-erythro-sphingosine: comparison with dimethylsphingosine and commercial preparation (human), **172**, 683
- intracellular Ca^{2+} mobilization by CD 9 monoclonal antibody, analysis (human), **171**, 109
- with lysosomal high-uptake enzyme forms, deficiency of lysosomal tartrate-sensitive acid phosphatase (human), **167**, 520
- membranes, detection of intact amyloid β protein precursor: encoding by platelet mRNA, **173**, 1292
- phosphatidylinositol 3,4-bisphosphate formation, mediation by protein kinase C (human), **168**, 466
- release products, effect on cytosolic calcium levels in cardiac myocytes (chicken), **170**, 1121
- stimulated release of amyloid β-protein precursor (human), **170**, 288
- thrombin-stimulated tyrosine phosphorylation, effects of elevation of cAMP and cGMP (human), **171**, 738
- U46619-induced phosphoinositide phosphorylation, effect of genistein (human), **170**, 238
- vasopressin-dependent tyrosine phosphorylation of 38-kDa protein (human), **168**, 566

Plicamycin
- effect on gel mobility of bent DNA fragment, **171**, 1064
- interaction with DNA, role of Mg^{2+}, **173**, 689

PN200-110
- ^{3}H-labeled, binding in murine fibroblast cell line transformed with α_1 subunit of rabbit skeletal muscle L-type Ca^{2+} channel, **169**, 825

Pollen
  major allergen subfractions, isolation and N-terminal amino acid sequence (*Olea europa*), **172**, 523
Poly(A) addition
  alternative, in production of shorter mRNA for protein phosphatase 2Aβ (rat testis), **170**, 169
Poly-*N*-acetyllactosamine chains
  LAMP-1 glycoprotein as primary carrier in CHO cells, **173**, 1123
Polyacrylamide gels
  cyanogen bromide cleavage of proteins *in situ*, in internal amino acid sequencing (tobacco), **166**, 139
  mobility of bent DNA fragment in, effects of sequence-selective drugs, **171**, 1064
Polyadenylation
  different site signals for cAMP-dependent protein kinase type I_{α} regulatory subunit, associated generation of two mRNA forms (human testis), **167**, 323
Poly(ADP-ribose)
  etoposide-induced synthesis, inhibition by zinc ion (HL-60 cells), **169**, 1172
Poly(ADP-ribose) polymerase, *see* NAD$^+$ ADP-ribosyltransferase
Poly(A) polymerase
  nuclear, liver-type and tumor-type, tissue and species distribution (human, pig, rat, yeast), **169**, 325
Polydeoxynucleotides
  bound 4′,6-diamidino-2-phenylindole, time-resolved fluorescence, **170**, 270
Polyethylene glycol
  modification of monoclonal antibody A7, enhancement of tumor localization of A7 (mouse), **171**, 1387
Poly (*N*-isopropylacrylamide)
  –antibody conjugate, thermally reversible, application in membrane-based immunoassay, **172**, 652
Poly-L-lysine
  –protein conjugates, transcytosis, role of proteolytic processing in nonlysosomal compartment (MDCK cells), **166**, 316
Polymerase chain reaction
  amplification of
    DNA with single specific primer (*Escherichia coli*), **167**, 504
    partial gene encoding third subtype of α_2-adrenergic receptor (human), **172**, 817
  in assay of HIV type 1 provirus DNA (human lymphocytes), **167**, 1
  automated, DNA polymerase from *Sulfolobus acidocaldarius* as thermophilic and thermoresistant enzyme for, evaluation, **167**, 1341
  detected gastrin mRNA in carcinoma cell lines, sequencing (human), **170**, 691
  detection of different copy numbers of identically deleted DNA in tissues from patient with Kearns–Sayre syndrome, **169**, 1007
  enzymatic, subtracted cDNA from endothelial cells, in isolation of immediate-early differentiation mRNAs (human), **167**, 637
  identification of calbindin D_{28K} pre-messenger RNA sequences (chicken), **168**, 430
  intron-differential RNA/PCR method, in survey of oncogene and growth factor/receptor gene expression in cancer cells (human), **170**, 569; *erratum*, **172**, 1407
  in isolation of distantly related members in multigene family (rat brain), **167**, 174; *erratum*, **168**, 887
  in kinetic analysis of deleted relative to normal mitochondrial DNA in parkinsonian striatum, **172**, 483
  mispairing, in analysis of point mutation inducing myoclonic epilepsy with ragged red fibers (human), **173** 561
  in rapid detection of influenza virus H1, **167**, 425
  in rapid mapping of deletion and duplication mutations, **170**, 416
  in selection of deletion mutants, **173**, 1344
Polymers
  mannosylated, binding to macrophage-targeted drug 9-(2-phosphonylmethoxyethyl)adenine, effect on anti-HSV-1 activity (human), **167**, 1044
Polyneuropathy
  familial amyloidotic
    gene fragments from affected siblings, nucleotide sequence: deduction of variant transthyretin, **169**, 143
    Japanese kindreds with, identification of transthyretin variants, **169**, 1117
Polynucleotide adenylyltransferase
  allosteric activation by fructose 1,6-bisphosphate (rabbit reticulocytes), **169**, 1198
Polypeptides
  catalytically active, of calmodulin-dependent protein kinase II α subunit, expression in *Escherichia coli*, **170**, 705
  COOH-terminal tripeptides of ^{125}I-atrial natriuretic factor, removal by endothelial cell-produced metalloendopeptidase (bovine aorta), **167**, 110
  DNA ligase I-related, identification in liver and thymus cells and lymphoblasts (human), **169**, 888
  islet amyloid, *see* Islet amyloid polypeptide
  in mitochondrial F_0F_1-ATPase, composition (spinach leaf), **170**, 1352
  myeloperoxidase precursor, in HL-60 cell culture supernatant, isolation and characterization, **166**, 852
  neutrophil-chemotactic, isolation and partial sequencing (human platelets), **172**, 898
  pancreatic, and neuropeptide Y and peptide YY, identification of common 65-kDa cell surface receptor (rat), **171**, 330
  pituitary adenylate cyclase-activating, *see* Pituitary adenylate cyclase-activating polypeptide
  substance P-binding, 78-kDa, isolation and identification as member of heat shock protein 70 family (horse salivary gland), **166**, 978
Polyproteins
  gag p17–p24, p2′ site subsitutions, effect on efficiency of polyprotein cleavage by HIV-1 protease, **167**, 554
Poly(rA) • oligo(dT)
  utilizing cytoplasmic DNA polymerases, characterization (mouse), **170**, 627
Polyribosomes
  P450IIE1 mRNA distribution: evidence for increased trans-

lational efficiency in P450IIE1 induction by solvents (rat), **172**, 767

Porin
  deficient yeast mutants, coupling of cell and mitochondrial respiration, status, **171**, 354

Porphobilinogen synthase
  inherited deficiency in family with acute hepatic porphyria, message amplification phenotyping, **172**, 237

Porphyria
  acute hepatic, inherited aminolevulinate dehydratase deficiency in affected family, message amplification phenotyping, **172**, 237

Potassium
  depolarizing, induced prolactin secretion, effects of [Ca^{2+}]$_i$ dynamics (GH$_4$C$_1$ cells), **170**, 968
  movement across liposomal membrane, mechanism, **173**, 1008
  –sodium–chloride cotransport, role of atrial natriuretic peptide receptors (HeLa cells), **168**, 148
  transport, calcium-dependent, activating cytoplasmic protein calpromotin, purification and measurement (human erythrocytes), **166**, 146

Potassium channels
  ATP-sensitive
    in analysis of intracellular chloride effects on cytoplasmic ATP levels and mitochondria (rat), **168**, 1137
    and calcium- and voltage-sensitive, in coronary artery smooth muscle cells, description (pig), **172**, 517
  blocker charybdotoxin, solution synthesis, **170**, 684
  Ca^{2+}-activated, voltage gating (human lymphocytes), **171**, 325
  Shaker gene-encoded subunits, formation of heteromultimeric channels (*Xenopus laevis*), **171**, 1361

Potassium cyanide
  and iodoacetate, induced hypoxia in cultured hepatocytes, analysis of associated cytosolic free Mg^{2+}, ATP, and blebbing (rat), **170**, 477

Potassium thiocyanate
  in microvillus membrane vesicle preparation, effect on vesicle composition and fluidity (rat intestine), **170**, 433

Pravastatin
  and CI-981, responses of HepG2 cells and primary rat hepatocytes, comparison, **170**, 726

Preadipocytes
  Ob1771
    cholesterol efflux, coupling to diacylglycerol production and protein kinase C activation, **173**, 1361
    growth hormone-induced diacylglycerol production, role of phosphatidylcholine breakdown, **173**, 840
    lipolipase gene expression upon stimulation by growth hormone, inhibition by serum components, **166**, 1118
    and 3T3-L1, proliferation, effects of rat adipose tissue-derived protein factor, **171**, 905
  3T3-F442A, growth hormone-induced differentiation to adipose cells: analysis of GH active sites, **172**, 357

Pregnancy
  associated changes in circulating levels of insulin-like growth factors and molecular forms of serum IGF-binding proteins, analysis (human), **170**, 1157

Pregnant mare serum gonadotropin
  and hCG, effects on expression of LH/hCG receptor (rat ovary), **172**, 786

Pressure
  hydrostatic, elevation, reversible inhibition of *Eco*RI, **170**, 775

Presynapsis
  in homologous recombination, interactions between phage T4 and *Escherichia coli* DNA-binding proteins during, **172**, 804

Pristanoyl-CoA oxidase
  identification in liver and deficiency in Zellweger syndrome (human), **172**, 490

Proalbumin
  intracellular processing, inhibition by α_1-protease inhibitor Met^{352}→Arg variant in transfected cells, **171**, 236

Procathepsin L
  excretion, augmentation in *fos*-transferred highly metastatic cell line (rat), **168**, 520

Procollagen
  type III
    arterial, and antigen fractions, crosslinked, lipoprotein binding (human, rabbit plasma), **170**, 519
    tyrosine sulfation, inhibition by chlorate, effect on protein secretion and processing (human fibroblasts), **170**, 264

Procollagen C-proteinase
  enhancer, identification as naturally occurring connective tissue glycoprotein (mouse, rat), **173**, 81

Proenkephalin A
  mRNA, expression in cultured fibroblasts (rat), **171**, 722

Profilin
  Tetrahymena, purification and characterization, **170**, 957

Progesterone
  activation of G$_{D3}$ synthase in cultured hepatocytes (rat), **171**, 1188
  synthesis pathway in cultured luteal cells, inhibition by gossypol (bovine), **169**, 455

Proinsulin
  fused in frame with *Bacillus amyloliquefaciens* α-amylase signal sequence, processing by *B. subtilis* cells (human), **169**, 297

Prokallikrein
  tissue, activation by arginine esterases in submandibular gland (rat), **166**, 231

Prolactin
  endogenous production, effect of electroporation (GH$_1$2C$_1$, GH$_3$ cells), **171**, 1029
  release from pituitary GH$_4$C$_1$ cells
    induced by depolarizing K$^+$ or hyposmolarity, effects of [Ca^{2+}]$_i$ dynamics (rat), **170**, 968
    selective inhibition by endothelin (rat), **169**, 737

Prolactin receptors
  crosslinking to G proteins in Nb2 lymphoma cells (rat), **173**, 48

Proline
  in peptide substrate of HIV proteinase, replacement with pipecolic acid at scissile bond: conversion to selective inhibitor, **169**, 310

  residues in bacteriorhodopsin, conformation (*Halobacterium halobium*), **172**, 862
Proline isomerase
  detection in FK506-binding protein by 2D ^{1}H NMR exchange spectroscopy (human), **171**, 445
Proline-β-naphthylamidase
  specific reversible inhibition by *N,N′*-dicyclohexylcarbodiimide (porcine intestinal mucosa), **168**, 1001
Promastigotes
  Leishmania donovani, effect of phaseolinone, **168**, 43; *erratum*, **173**, 480
Promonocytes
  HIV-1 chronically infected, phorbol ester-mediated induction, blockade by protein kinase inhibitors and relationship to *tat*-directed *trans*-activation (human), **166**, 349; *erratum*, **167**, 382
Promoters
  dual, of transthyretin gene, analysis (rat), **173**, 323
  from rat mtDNA, utilized by bacterial RNA polymerase, identification, **172**, 1282
Promutagens
  activation by *Streptomyces griseus* containing cytochrome $P450_{SOY}$, **166**, 743
Pro-opiomelanocortin
  cDNA isolation and characterization (*Rana ridibunda*), **173**, 653
Prosaposin
  derived 60-kDa protein, identity with human placental neuraminidase, **173**, 449
Prosomatostatin II
  processing, intitiation in trans-Golgi network of pancreatic cells (anglerfish), **170**, 1263
Prostaglandin A_2
  induction of γ-glutamylcysteine synthetase synthesis (murine L-1210 cells), **168**, 551
Prostaglandin E_1
  independent stimulation of cAMP and Ca^{2+} (MDCK cells), **167**, 1162
Prostaglandin E_2
  angiotensin II- and A23187-stimulated synthesis in renal mesangial cells, potentiation by interleukin-1 and tumor necrosis factor (rat), **169**, 585
  and interleukin-6, independent induction by interleukin-1 in articular chondrocytes (human), **166**, 1163
  measurement during long-term incubation of neonatal mouse calvaria, effects of experimental conditions, **169**, 545
  production in
    bone-derived osteoblast-like cells
      effects of interleukin-1β (human), **166**, 208
      in response to cytokines and systemic hormones, inhibitory role in osteocalcin synthesis (human), **167**, 194
    mesangial cells, interleukin-1-stimulated, effect of genistein (rat), **173**, 718
    neutrophils, enhancement by mononuclear cells, role of tumor necrosis factor α (human), **168**, 857
Prostaglandin $F_{2\alpha}$
  induced phosphoinositide hydrolysis in osteoblast-like MC3T3-E1 cells, role of pertussis toxin-sensitive GTP-binding protein, **171**, 1229
Prostaglandin synthesis
  role in insulin secretion inhibition by recombinant human interleukin-1β in adrenalectomized rats, **173**, 1280
Prostate,
  ventral, ADP-ribosylation of nucleoproteins during aging, analysis (rat), **170**, 900
Protamine kinase
  cytosolic, inactivation by catalytic subunit of protein phosphatase 2A (bovine kidney), **166**, 449
α_1-Protease inhibitor
  $Met^{352}\rightarrow Arg$ variant, inhibition of intracellular processing of complement pro-C3 and proalbumin in transfected cells, **171**, 236
Proteases, *see* Proteinases
Proteasomes
  component C8, cDNA cloning (rat hepatoma cells), **171**, 676
Protein A
  –aequorin fusion protein, in bioluminescent immunoassay, **171**, 169
  induction of glutathione *S*-transferase isoenzymes (rat liver), **169**, 476
Proteinase inhibitors
  active domains, amyloid β-protein precursor with, determination in cerebrospinal fluid of Alzheimer patients by trypsin–antibody sandwich ELISA, **166**, 1453
  peptidyl fluoromethyl ketones, lysis of trypanosomes, **170**, 923
Proteinases
  collagenolytic, isolation from hepatopancreas and partial characterization (crab), **166**, 1411
  HIV
    peptide substrate, conversion to selective inhibitor by substitution of proline with pipecolic acid at scissile bond, **169**, 310
    selective phosphinate transition-state analog inhibitors, assessment, **169**, 1111
  HIV-1
    chromophoric peptide substrates for spectrophotometric assay (*Escherichia coli*), **168**, 274
    cleavage site, identification within 66-kDa subunit of reverse transcriptase (*Escherichia coli*), **168**, 30
    and HIV-2
      affinity purification from recombinant *Escherichia coli* strains with pepstatin–agarose, **171**, 60
      hydrolysis of synthetic chromogenic peptide substrates, **171**, 439
  limited proteolysis of copurifying pituitary basic fibroblast growth factors, protective effects of calcium, **173**, 1116
  ompT, cleavage of SecY protein of *Escherichia coli*, **167**, 711
  serine- and thiol-, copurification with basic fibroblast growth factor (bovine), **170**, 769
  specificity of Kunitz inhibitor domain of Alzheimer's disease amyloid protein precursor (*Escherichia coli*), **167**, 716
  and wounding factors, release from damaged cells, role in initiation of wound healing process (rat), **168**, 1163

Protein assay
  diagnostic, development for β-protein mutation in hereditary cerebral hemorrhage Dutch type (human), **170**, 301
Protein C
  endodermal cytoskeletal, identification as cytokeratin 19 (mouse), **167**, 644
Protein disulfide-isomerase
  gene expression, regulation in brain and liver during development (rat), **170**, 421
Protein factor
  adipose tissue-derived, effects on proliferation in 3T3-L1 and OB1771 preadipocytes (rat), **171**, 905
Protein-glutamine γ-glutamyltransferase
  catalyzed reactions, role in growth and development of filarial parasite *Brugia malayi*, **173**, 1051
Protein kinase
  ATP-dependent, soluble, stimulation of insulin-sensitive cAMP phosphodiesterase (rat adipocytes), **167**, 614
  calcium-activated, purification from soluble and membrane fractions of coleoptiles (maize), **170**, 17
  cAMP-dependent
    phosphorylation of 68-kDa neurofilament subunit protein, effect on assembly *in vitro*, **169**, 744
    type I_α regulatory subunit mRNA
      different forms, generation by different polyadenylation site signals (human testis), **167**, 323
      stimulation by protein kinase C activation (HT-29 cells), **172**, 409
  glycyrrhizin-binding, from crude hepatic membrane fraction, characterization (rat), **167**, 876
  mammalian and yeast, phosphorylation of yeast acetyl-CoA carboxylase *in vitro*, **169**, 369
  manganese-dependent membrane-associated, activation by serine and tyrosine phosphorylation (rat liver), **171**, 75
  microtubule-associated, stimulation by okadaic acid in PC-12 pheochromocytoma cells (rat), **168**, 1237
  nuclear, calpain II-dependent solubilization at micromolar Ca^{2+} concentrations (rat liver), **168**, 589
  p58, cDNA, transient expression in COS cells, enhancement of mammalian glycosyltransferase, **171**, 196
  phorbol ester-sensitive, phosphorylation of 2′,3′-cyclic-nucleotide 3′-phosphodiesterase in peripheral nerve myelin (rat), **170**, 817
  phosphorylating α-subunit of eukaryotic initiation factor 2, purification (bovine brain), **166**, 1237
  placental forms, site-specific phosphorylation of synthetic peptide derived from ribosomal protein S6 (human), **173**, 673
  role in intracellular signal transduction pathways for activation and adaptation of adenylate cyclase (*Dictyostelium discoideum*), **167**, 767
  tyrosine-specific, inhibition by synthetic peptide corresponding to residues 137–157 of $p60^{v\text{-}src}$, **171**, 1152
  various types, specific binding sites for [^{3}H]staurosporine, characterization, **171**, 189
Protein kinase II
  Ca^{2+}/calmodulin-dependent
    phosphorylation of nonepithelial intermediate filament proteins (rat brain), **169**, 896
    α-subunit, expression and characterization with baculovirus expression system (mouse), **173**, 578
  calmodulin-dependent, catalytically active polypeptide of α subunit, expression in *Escherichia coli*, **170**, 705
Protein kinase A
  activation, role in glucose-stimulated insulin secretion from isolated islets (rat), **173**, 833
  phosphorylation of rap1-b protein in intact platelets (human), **170**, 944
Protein kinase C
  27- and 28-kDa substrates in vascular endothelial and MCF-7 cells, relationship to heat shock protein family (bovine, human), **168**, 527
  activating factor, identification in MEL cells: characterization of activation kinetics, **172**, 1006
  activation
    in adipose cells, coupling to cholesterol efflux, **173**, 1361
    in erythroid progenitor cell nuclei by erythropoietin (mouse), **168**, 490
    in intact platelets, mediation by arachidonic acid and methyl ester (human), **169**, 933
    in lymphocyte and brain cell nuclei by HIV protein gp120 (rat), **166**, 1133
    role in priming for DNA synthesis induced by epidermal growth factor with insulin and inhibition by plasma membrane (rat hepatocytes), **171**, 1093
    stimulation of mRNA levels of cAMP-dependent protein kinase RIα subunit (HT-29 cells), **172**, 409
  activators, secretory responses of voltage-sensitive calcium channels in pituitary gonadotrophs (rat), **170**, 359
  Ca^{2+}-independent isozyme nPKC ε, role in TRH-stimulated signal transduction (GH_4C_1 cells), **172**, 184
  and calmodulin, modulation of smooth muscle calponin, **171**, 933
  chelerythrine as specific and potent inhibitor (rat brain), **172**, 993
  creatine phosphokinase B identification as substrate (murine skin), **173**, 351
  cytosolic and nuclear activities in fibroblasts, effects of *ras* oncogene transformation (mouse), **173**, 528
  differentiation-specific phosphorylation of cytosolic 44- and 32-kDa proteins in HL-60 cells, induction by retinoic acid, **168**, 1253
  distribution and activity in liver during acute-phase response, analysis (rat), **167**, 345
  effects of hydroxylated diphenylethylene estrogens (rat brain), **166**, 1471
  inactivation by carbon tetrachloride: role of CCl_4 metabolic activation and prooxidant effect (rat hepatocytes), **171**, 1353
  inhibition by
    D-erythro-sphingosine: comparison with dimethylsphingosine and commercial preparation (human platelets), **172**, 683
    H-7, effects on release of oleic, linoleic, and arachidonic acid in A23187-stimulated neutrophils (human), **167**, 168

  insulin-induced translocation, associated increase in adipocyte M-kinase (rat), **169**, 966
  isoform γ, detection in adriamycin-resistant HL-60 cells, **166**, 723
  mediation of
    gene expression regulation by angiotensin II: role of TPA responsive element (human, rat), **172**, 1189
    phosphatidylinositol 3,4-bisphosphate formation (human platelets), **168**, 466
  modulation of
    insulin-dependent phospholipase C in fat cell membranes (rat), **172**, 446
    queuine uptake in cultured fibroblasts (human), **171**, 393
  phosphatidic acid counter-regulatory effects in presence of calcium and diolein, **171**, 487
  phosphorylation of
    CD8α (murine fibroblasts, thymocytes), **170**, 10
    inositol 1,4,5-trisphosphate 3-kinase, regulatory effects (human platelets), **170**, 1371
    myosin light chains and head portions of heavy chains (bovine brain), **169**, 1191
  regulation of creatine phosphokinase B in intact cells and cell-free system (murine skin), **173**, 346
  role in
    activation of phospholipase D by phorbol esters in lymphocytes (bovine), **171**, 955
    arginine regulation of glucagon gene expression (rat islets), **171**, 898
    Ca^{2+}-independent secretory mechanism of thyrotropin-releasing hormone (rat pituitary cells), **173**, 571
    cytomegalovirus stimulation of arachidonic acid metabolism (human), **166**, 953
    fibroblast growth factor inhibition of apoptosis in serum-depleted vascular endothelial cells (human), **172**, 1081
    neurofilament assembly–disassembly regulation *in vitro* (porcine brain), **167**, 1316
    phorbol ester inhibition of CD3-mediated Ca^{2+} mobilization in Jurkat cells, **173**, 396
    phosphorylation of intracellular proteins in protoplasts by phytochrome action (*Avena sativa*), **169**, 1185
  stimulation by parathyroid hormone fragment [3-34] in rat osteosarcoma and murine T-lymphoma cells, **171**, 1105
  subcellular redistribution in primary neuronal cultures, adrenergic and calcium-mediated, analysis (rat), **166**, 22
  subspecies, identification in estrogen receptor-positive and -negative breast cancer cell lines (human), **171**, 1071
  subtype β, substrate specificity of neuron-specific F1/GAP-43 protein, analysis (bovine), **171**, 1236
  synthetic peptide substrate in selective assay for, evaluation (rat brain), **166**, 1220
  translocation
    correlation with P-glycoprotein phosphorylation and reduced drug accumulation in drug-resistant KB cells (human), **169**, 253
    to membranes, induction by tumor necrosis factor, role in inhibition of epidermal growth factor binding (human WISH cells), **168**, 690
  types I, II, and III, differential inhibition (bovine adrenocortical tissue, rat brain), **169**, 1040
  ζ-related, identification in nerve cell nuclei (rabbit brain), **168**, 161
Protein kinase C inhibitors
  effects on enhanced expression of intercellular adhesion molecule-1 by activated vascular endothelial cells (human), **172**, 1273
  endogenous, detection in pseudopregnant rat ovary, **168**, 609; *erratum*, **169**, 323
  inhibition of interleukin-8-induced lymphocyte migration *in vitro* (human), **169**, 1099
  K252a, induction of HL-60 cell differentiation (human), **170**, 1151
  selective, effect on neutrophil respiratory burst (human), **171**, 1087
Protein kinase FA
  associated with transmembranal signaling of insulin and epidermal growth factor, regulation (porcine brain), **166**, 267
  induction by cAMP during NG108-15 hybrid cell differentiation (mouse), **169**, 921
Protein kinase inhibitors
  blockade of phorbol ester-mediated induction of HIV-1 from chronically infected promonocyte clone, relationship to *tat*-directed *trans*-activation (human), **166**, 349; *erratum*, **167**, 382
Protein phosphatase, *see* Phosphoprotein phosphatase
Proteins
  15-kDa internally initiated integrase produced in *Escherichia coli*, characterization, **170**, 1061
  23-kDa, selective synthesis and secretion by neutrophils stimulated by granulocyte–macrophage colony-stimulating factor and tumor necrosis factor α (human), **172**, 1209
  27-kDa, enhanced expression during diethylnitrosamine-induced hepatocarcinogenesis (rat), **170**, 908
  27- and 28-kDa protein kinase C substrates in vascular endothelial and MCF-7 cells, relationship to heat shock protein family (bovine, human), **168**, 527
  32- and 44-kDa, cytosolic, protein kinase-dependent differentiation-specific phosphorylation in HL-60 cells, induction by retinoic acid, **168**, 1253
  38-kDa, vasopressin-dependent tyrosine phosphorylation (human platelets), **168**, 566
  40-kDa, induction by heat shock and other stresses in avian and mammalian cells, **166**, 642
  41-kDa, involved in peptidylglycine α-amidating reaction, purification (rat brain), **169**, 524
  47- or 67-kDa NADPH oxidase cytosolic factors, myeloid cell cytosols functionally and immunochemically deficient in, production (human), **170**, 1114
  55-kDa, containing nonspecific lipid-transfer protein at 3′ end, amino acid sequence (rat liver), **168**, 631
  adenosine-binding, isolation and characterization (bovine brain), **168**, 702
  amyloid, *see* Amyloid
  Antp, DNA-binding homeodomain, comparison with chicken histone 1 globular domain (*Drosophila antennapedia*), **168**, 254; *erratum*, **170**, 1377

B2, iron-containing, of ribonucleotide reductase, activation by hydrogen peroxide (*Escherichia coli*), **167**, 813
bacteriophage ϕ80 transcription antitermination complex, molecular mechanism: interaction of 15-kDa host-coded protein with gene N transcription antitermination protein, **168**, 972
bacteriophage T4 gene 32-encoded, antigenic determinants, sharing with reconstituted heterogeneous nuclear ribonucleoproteins of HeLa cells, **167**, 1196
band 3, irreversibly denaturing, reversible denaturational transition in, characterization (human erythrocytes), **166**, 1365
C-, *see* C-protein
C8-binding, *see* Homologous restriction factor
calcium-binding, SPARC, purification from Sertoli cell-enriched culture medium (rat), **167**, 1393
calmodulin-binding, subcellular distribution (yeast), **166**, 681
carbohydrate-binding, galactose-specific, isolation and characterization from lymphoblastic cells (human), **173**, 1079
CDC4 gene-encoded, association with nuclear skeleton (yeast), **172**, 1324
CDC25
  immunological identification and characterization by overexpression of encoding gene (yeast), **172**, 61
  regulation by cell cycle (yeast), **167**, 301
cell adhesion-associated, expressed in squamous carcinoma cells, cDNA cloning (human), **166**, 984
cellular retinoic acid-binding, spatial and temporal expression along anteroposterior axis in embryonic central nervous system (mouse), **169**, 991
cerebral
  oxidation after rapid correction of hyponatremia (rat), **172**, 92
  synthesis, inhibition by moderate increases in plasma phenylalanine (rat), **168**, 1177
Ch21, amino-terminal sequence homology with low-molecular-weight proteins binding hydrophobic molecules (chicken), **168**, 933
cholesteryl ester transfer, plasma deficiency in subjects homozygous and heterozygous for intron 14 splicing defect (human), **170**, 1346
c-Jun/Fos-related, interaction with U3 sequences of mouse mammary tumor virus long terminal repeat, **172**, 348
collagenous, with elastin crosslinks, from Descemet's membrane, relationship to type VIII collagen (sheep), **171**, 260
complement C3b regulatory, factor I–cofactor, identification on peritoneal granulocytes (guinea pig), **170**, 504
complex I 29/21-kDa subunit, primary structure, *in vitro* expression, and import into mitochondria (*Neurospora crassa*), **166**, 280
CORA, carcinoembryonic antigen-binding, effect on CEA uptake by rat macrophages (human ascites), **171**, 633
cyanogen bromide cleavage in polyacrylamide gels for internal amino acid sequence (tobacco), **166**, 139
cytoplasmic
  activating calcium-dependent potassium transport, purification and measurement (human erythrocytes), **166**, 146
  tyrosine phosphorylation by cytosolic tyrosine kinase (human erythrocytes), **166**, 1378
dietary, regulation of hepatic *N*-acetylglutamate synthetase (rat), **172**, 1239
DNA-binding
  of phage T4 and *Escherichia coli*, interactions during presynapsis in homologous recombination, **172**, 804
  stable, capacity for locating specific binding sites in presence of high urea levels (*Drosophila melanogaster*), **169**, 840
E1a, adenovirus, strain-specific lethal effect on yeast, **170**, 470
early glycation products, free radical generation: mechanism for accelerated atherogenesis in diabetes, **173**, 932
encoded by
  cysB gene, analysis by gene fusion method (*Escherichia coli*), **167**, 962
  cysX gene of chromosomal *cysE* locus, analysis (*Escherichia coli*), **167**, 948
endogenous cytosolic inhibitor of intestinal fucosyltransferase activities, detection (rat), **166**, 1024
engrailed, associated homeodomain and homeodomain/DNA complex, crystallization and X-ray diffraction study (*Drosophila melanogaster*), **171**, 257
epithelial scatter, detection in placenta (human), **168**, 1082
fatty acid-binding
  adipose, induction by insulin-like growth factor I (3T3-L1 preadipocytes), **173**, 87
  role in intestine as carriers of phenol and phthalate derivatives (rat), **168**, 1053
FK506-binding, proline isomerase activity, detection by 2D ^{1}H NMR exchange spectroscopy (human), **171**, 445
fourth subunit of cytochrome oxidase from thermophilic bacterium PS3, detection, **169**, 414
–fucose linkage, identification in recombinant pro-urokinase (human), **171**, 401
fusion
  containing epidermal growth factor receptor sequences, expression in *Escherichia coli* and application in study of tyrosine kinase function, **166**, 90
  protein A and photoprotein aequorin, in bioluminescent immunoassay, **171**, 169
G, *see* G proteins
GDP dissociation stimulator for *rho* proteins, partial purification from brain cytosol and characterization (bovine), **169**, 652
glial fibrillary acidic, phosphorylation by Ca^{2+}-calmodulin-dependent protein kinase II, analysis (rat brain), **169**, 896
glucose-transporting, *see* Glucose transporters
–glutathione mixed disulfide, formation in mitochondria after oxidative stress (rat brain), **169**, 1075
glycation, relationship to red blood cell membrane fluidity (human), **170**, 1107

glycosylation site binding and thyroid hormone-binding, identical activity, evidence (*Escherichia coli*, 3T3 cells), **170**, 1319

granular-membrane, *see* Granular-membrane protein

guanine nucleotide-binding, *see* G proteins

heat shock, *see* Heat shock proteins

helical, growth hormone-related, synthesis and effect of secondary structure rearrangement on structure formation (human), **170**, 104

heme-binding, effect on heme efflux from isolated mitochondria (rat liver), **167**, 528

heme, subunit of alkaline low spin form of sulfite reductase, analysis (*Escherichia coli*), **169**, 39

heparin-binding, secretion, induction by retinoic acid-responsive gene MK (embryonal carcinoma, L cells), **171**, 603

high-mobility-group I

  acetylated and nonacetylated forms, properties (rat liver), **166**, 819

  high-affinity binding site on DNA, differential interaction with netropsin, distamycin, and berenil, **166**, 1110

  metaphase-specific phosphorylation (HeLa cells), **171**, 342

HNF1-like transcription activators, different forms in liver, binding to same region of aldolase B promoter (rat), **173**, 1337

homologous to proteolipid of chromaffin granule proton-ATPase, structure and role in cell growth (yeast), **168**, 574

Ig-binding glucose-regulated, BiP/GRP78, and glyceraldehyde-3-phosphate dehydrogenase, coordinated gene induction by A23187 (human), **171**, 431

insecticidal, *Bacillus thuringiensis* var. *tenebrionis*, produced in *Escherichia coli*, purification and characterization, **170**, 665

insulin enhancer-binding, identification of helix–loop–helix structure (rat), **170**, 314

insulin-like growth factor-binding

  IGFBP-1, differential effects on IGF-I cell surface binding and DNA synthesis stimulation in fetal skin fibroblasts (human), **173**, 408

  IGFBP-3, growth hormone-dependent, cloning and characterization (rat), **166**, 892

  in serum, molecular forms, pregnancy-associated changes (human), **170**, 1157

interacting with thyrotropin in FRTL-5 thyroid cells, identification by microsequencing (rat), **170**, 351

intracellular, phosphorylation in protoplasts by phytochrome action, role of protein kinase C (*Avena sativa*), **169**, 1185

junctional sarcoplasmic reticulum-associated, interactions with calsequestrin (porcine, rabbit muscle), **172**, 1253

Ku autoantigen 70-kDa component expressed in insect cells with recombinant baculovirus vector, characterization (human), **168**, 747

and lipids, HIV, reconstitution into virosomes, **167**, 222

low-mobility-group, from chromatin, binding with histones, analysis by chemical cross-linking (rat liver), **166**, 11

low-molecular-weight, mitochondrial ATP synthetase complex, characterization with monoclonal antibody (bovine heart, rat liver), **169**, 339

MEKA, retina-specific, isolation and analysis of encoding gene (human), **170**, 951

membrane

  25-kDa, myristoylation, inhibition by retinoic acid (HL-60 cells), **172**, 877

  300-kDa, detection in adriamycin-resistant tumor cells by monoclonal antibody MRK18 (human), **169**, 686

microtubule-associated, MAP1A, identification as 350-kDa species undergoing mitogen-stimulated serine phosphorylation (murine 3T3-L1 cells), **166**, 827

minor nucleocapsid, of human papillomavirus types 6b, 16, and 18: evolutionary differences between conserved epitopes, **172**, 1378

mitochondrial uncoupling, of brown fat, expression in oocytes and import into mitochondrial membranes (*Xenopus laevis*), **167**, 784

MK, sequence homology with rat heparin-binding neurotrophic factor (mouse), **172**, 850

monocyte chemotactic, *see* Monocyte chemotactic protein

myelin basic, *see* Myelin basic protein

myelin proteolipid, identification of cysteine-108 as acylation site (bovine), **170**, 375

Na$^+$/H$^+$-antiporter, induction by serum growth factors, relationship to simultaneous mobilization of intracellular Ca^{2+} (NIH 3T3 fibroblasts), **167**, 1206

neurofilament, phosphorylation by

  Ca^{2+}-calmodulin-dependent protein kinase II, analysis (rat brain), **169**, 896

  protein kinase C, role in regulation of neurofilament assembly–disassembly *in vitro* (porcine brain), **167**, 1316

neurofilament subunit, 68-kDa, assembly *in vitro*, effect of phosphorylation by cAMP-dependent protein kinase, **169**, 744

neuron-specific F1/GAP-43, substrate specificity for protein kinase C β subtype (rat), **171**, 1236

neutrophil-activating, *see* Interleukin-8

neutrophil granule-derived, interference with NADPH oxidase activation in cell-free system (human), **169**, 198

non-heme iron-containing, complexes with L-arginine-derived nitric oxide in interferon-γ-activated macrophages, EPR detection (mouse), **166**, 119

nonspecific lipid transfer, *see* Sterol carrier protein 2

nuclear, *see* Nucleoproteins

oncogenic, E7 of human papillomavirus type 16, hyperphosphorylation in epidermal keratinocytes, relationship to casein kinase II activities (human, mouse), **172**, 958

osteoblast-specific, OSF-1, cDNA isolation and sequence analysis (human, mouse), **173**, 246

outer membrane, regulation by iron (*Bacteroides gingivalis*), **166**, 1146

p9Ka, isolation and analysis of calcium ion binding (rat), **169**, 660

p47-*phox* and p67-*phox*, neutrophil NADPH oxidase cytosolic components, characterization (human), **173**, 376 p53, primate-derived, inhibition of simian virus 40 DNA replication *in vitro*, **168**, 604

p60$^{v\text{-}src}$, residues 137–157, corresponding synthetic peptide, inhibition of tyrosine-specific protein kinases, **171**, 1152

p120, cell proliferation-associated nucleolar, phosphorylation (human), **173**, 423

parathyroid hormone-related, role as autocrine growth inhibitor for lymphocytes (human), **166**, 1088

penicillin-binding, identification in *Vibrio cholerae*, **171**, 1175

and phospholipids, composition in microvillus membrane vesicles, effect of preparation method (rat intestine), **170**, 433

phosphorylation in
  interleukin-5-dependent murine cell line, induction by IL-5 and IL-3, **173**, 1102
  nuclei isolated from mitogen-treated Swiss 3T3 cells, stimulation by calcium-free inositol 1,4,5-trisphosphate, **173**, 149

phosphorylcholine-binding, interaction with platelet activating factor (rat serum), **167**, 444

pituitary adenylate cyclase-activating polypeptide precursor, cDNA cloning and characterization (rat), **173**, 1271

placental anticoagulant, identification of histidine residue as functional site (human), **168**, 125

plasma, interaction with
  azidothymidine-monophosphate-diglyceride (bovine, human), **171**, 451
  disodium palmityl phosphonoformate (bovine, human), **171**, 458

post-translational myristoylation (human colon carcinoma cells), **172**, 905

pp60$^{c\text{-}src}$, myristoylated, identification in colon cancer cells: suppression of colony formation by blockage of myristoylation (human), **173**, 894

pp120/HA4, plasma membrane, identity with hepatic ecto-ATPase (rat), **166**, 562

proline-rich, synthesis by tracheal epithelial cells in primary culture (pig), **172**, 1304

prosaposin-derived, 60-kDa, identity with human placental neuraminidase, **173**, 449

protein kinase C-activating, identification in MEL cells: characterization of activation kinetics, **172**, 1006

purification with inositol 1,4,5-trisphosphate affinity chromatography (rat brain), **168**, 379

with pyrophosphatase activity, purification and characterization (*Desulfovibrio vulgaris*), **171**, 313

rap1-b, phosphorylation by protein kinase A in intact platelets (human), **170**, 944

rap-2B, platelet recombinant, exchange rate properties of guanine nucleotide binding, **171**, 319

ras p21, expression in gliomas, correlation with tumor severity, demonstration with automated image analysis (human), **169**, 482

RDC8, cDNA, coding for adenosine A2 receptor with physiological constitutive activity, **173**, 1169

recombinant, C1R, yield in baculovirus insect cell expression system, effects of ecdysteroids (human), **167**, 1154

retinoic acid-binding, cellular, quantitation in early limb bud (chicken embryo), **168**, 544

rho/*rac*, ADP-ribosylation, induction of growth inhibition, neurite outgrowth, and acetylcholine esterase (PC12 cells), **167**, 265

ribosomal
  L12
    autoantibodies, detection in sera from systemic lupus erythematosus patients, **172**, 496
    primary structure (rat), **172**, 35
  L35, primary structure (rat), **167**, 1377
  S6
    derived synthetic peptide, site-specific phosphorylation by human placental protein kinases, **173**, 673
    phosphorylation, stimulation by 12-*O*-tetradecanoylphorbol-13-acetate (Ehrlich cells), **166**, 1340
  S13, primary structure (rat), **171**, 519

ribosome-inactivating, *see* Ribosome-inactivating proteins

Rieske iron-sulfur, of cardiac mitochondrial ubiquinol–cytochrome-*c* reductase, encoding cDNA, cloning and sequencing (bovine), **167**, 575

rig-encoded, deduced amino acid sequences: conservation during vertebrate evolution (chicken, mouse, *Xenopus laevis*), **166**, 1501

SecA dimer, guanidine-denatured, quantitative renaturation (*Escherichia coli*), **172**, 1217

SecY, cleavage by *ompT* protease *in vitro* (*Escherichia coli*), **167**, 711

senescence marker, SMP-2, amino acid sequence homology with hydroxysteroid sulfotransferase a (rat liver), **166**, 1494

serine-rich neutrophil, cDNA clone, isolation and characterization (pig), **170**, 915

smg p21, purified from bovine brain and human platelet membranes, identification as *smg* p21B, **166**, 1010

smg p25A GDP dissociation inhibitor, recognition of small G protein in platelet membranes and related protein detection in platelet cytosol (human), **168**, 1244

sphingolipid activator, SAP-1, mRNA, detection of point mutation in patients with variant form of metachromatic leukodystrophy, **166**, 1017

src-encoded myristoylated, detection by monoclonal antibody to N-terminal myristoyl tetrapeptide (chicken, human), **170**, 657

Ssc, primary structure and expression (*Salmonella typhimurium*), **173**, 53

structural analysis with electrospray ionization mass spectrometric peptide mapping (human), **167**, 686

structural, hepatitis C virus, *Escherichia coli*-expressed, facilitation of viral detection in human serum, **172**, 511

surface, involved in adhesion to host cells, purification (*Trypanosoma cruzi*), **172**, 925

three disulfide bridges in, experimental determination of all possible arrangements, literature review, **172**, 1364

thyroid hormone-binding
  cytosolic, binding of triiodothyronine, regulation by L-α-alanine (human A431 cells), **167**, 587

    - and glycosylation site binding, identical activity, evidence (*Escherichia coli*, 3T3 cells), **170**, 1319
  - tightly bound to nuclear matrix DNA complexes, identification of specific small-size RNA (mouse), **169**, 95
  - tumor promoter-specific binding, cytosolic-nuclear, detection in HL-60 cells and translocation into nuclei, **166**, 1126
  - tyrosine phosphorylation
    - in *ras*-transformed fibroblasts, increase prior to appearance of transformed phenotype (mouse), **170**, 526
    - stimulation by vanadate with hydrogen peroxide (human), **170**, 259
  - ubiquitin carrier E2, rabbit reticulocyte, relationship to yeast RAD6-encoded 20-kDa E2, **171**, 705
  - uv crosslinking to PRDII domain of interferon-β promoter, analysis (human tumor cells), **167**, 1086
  - Yp20, *ras*-related
    - antibodies, reactivity with HeLa cell nuclear proteins (yeast), **168**, 580
    - chromatin-associated, DNA binding properties (yeast), **167**, 628
- Protein synthesis
  - in absence of transcriptional activation, role in induction of P450IIE1 by pyridine (rat liver), **166**, 1072
  - effect of 12-*O*-tetradecanoylphorbol-13-acetate (Ehrlich cells), **166**, 1340
  - role in platelet activating factor production in GM-CSF-primed neutrophils (human), **170**, 556
- Protein-tyrosine kinase
  - cytosolic, phosphorylation of tyrosine in erythrocyte cytosolic proteins (human), **166**, 1378
  - epidermal growth factor receptor-associated
    - alteration, role in 4-hydroxytamoxifen anti-growth factor activity in breast cancer cells (human), **173**, 919
    - antibody-induced activation, role of detergent (A431 cells), **171**, 882
  - functional analysis, application of epidermal growth factor receptor sequences expressed as fusion proteins in *Escherichia coli*, **166**, 90
  - hepatoma cell membrane, inhibition by staurosporine (human), **170**, 1191
  - inhibitor erbstatin, effect on EGF-induced phospholipase C activation (A431 cells), **173**, 208
  - inhibitor genistein, effect on interleukin-1-stimulated prostaglandin E_2 production in mesangial cells (rat), **173**, 718
  - insulin receptor-associated
    - analysis during HL-60 cell differentiation, **172**, 676
    - constitutive increase in fibroblasts cultured from patient with heritable insulin resistance, **167**, 1229
    - expression, purification, and characterization of 41-kDa cytoplasmic domain (*Spodoptera frugiperda* cells), **168**, 616
    - identification of hepatocyte plasma membrane ecto-ATPase as substrate (rat), **166**, 562
  - multiple types structurally related to $p56^{lck}$, down-regulation after mitogenic stimulation of T lymphocytes (human), **170**, 127
  - $p60^{v\text{-}src}$, *in vitro* effects of herbimycin A and various SH-reagents, **173**, 276
  - platelet-derived growth factor β-receptor-associated, characterization with synthetic peptides as substrates (human), **167**, 1333
- Protein Z
  - amino acid sequence (human), **172**, 1139
  - vitamin K-dependent, primary structure (human), **171**, 661
- Proteoglycans
  - core peptide, linkage with chondroitin sulfate chain, detection of linkage region-degrading endo-β-galactosidase (*Patnopecten*), **169**, 15
  - heparan sulfate, post-translational myristoylation (human colon carcinoma cells), **172**, 905
  - nonspecific interactions with surfaces and matrices (bovine, human), **167**, 81
  - synthesis in hepatic lipocytes, modulation by Kupffer cell-derived transforming growth factors β1 and α (rat), **171**, 1122
- Proteolipids
  - chromaffin granule proton-ATPase, homologous yeast protein, structure and role in cell growth (bovine), **168**, 574
- Proteolysis
  - associated processing of protein–polylysine conjugates in nonlysosomal compartment, role in transcytosis (MDCK cells), **166**, 316
  - and direct N-terminal sequence analysis, in study of interleukin-2–receptor interaction on solid support (human), **166**, 201
  - *gag* p17–p24 by HIV-1 protease, efficiency, effect of substitutions at p2′ site of junction, **167**, 554
  - limited, pituitary basic fibroblast growth factors by copurifying proteases, protective effects of calcium, **173**, 1116
  - porcine big endothelin-1 by cathepsin D, analysis, **173**, 1218
  - recombinant enkephalin precursor in chromaffin granules, *in vitro* studies (bovine), **167**, 722
  - related processing site in pro-ocytocin/neurophysin, model peptides reproducing, evidence for β-turn structure, **168**, 1066
- Proton gradient
  - role in glutathione transport across mitochondrial membranes (rat liver), **167**, 367
- Protons
  - amide, pancreatic RNase A, H/D exchange in thermal transition region (bovine), **172**, 800
- Proton transport
  - osteoclast, inhibition by bafilomycin A_1, associated abolition of bone resorption (rat), **168**, 309
- Protoplasts
  - apical protuberances, electrofusion of yeast cells through, **166**, 113
  - phosphorylation of intracellular proteins by phytochrome action, role of protein kinase C (*Avena sativa*), **169**, 1185
- Pseudogenes
  - lactate dehydrogenase-B, processed, nucleotide sequence and assignment to X chromosome (human), **171**, 67

Pseudomonas putida
  catabolite regulation of phenylacetyl-CoA ligase, analysis, **167**, 891
Pseudomonas stutzeri
  halophilic, nitrate transport, regulation and energization, **166**, 424; *erratum*, **169**, 323
Psychosine
  effect on cell growth, morphology, and lipid composition in neuroblastoma cell lines (mouse), **169**, 673
Pterins
  7-substituted, formation during phenylalanine hydroxylation in absence of hydratase, **172**, 1060
R(+)-Pulegone
  hepatic microsomal metabolism *in vitro*: chemical basis for toxicity (rat), **173**, 1086
Pulsed quench-flow apparatus
  in fast kinetic analysis of drug transport in multidrug-resistant CHO cells, **167**, 48
Purines
  preformed, active salvage by tumors, direct demonstration (mouse), **170**, 1164
Putidaredoxin
  2Fe–2S cysteine ligands, identification, **169**, 1016
Pyocin S2
  associated complex, purification: analysis of DNase activity (*Pseudomonas aeruginosa*), **172**, 455
N-(3-Pyrene) maleimide
  sulfhydryl-specific modification of catalytic subunits of protein phosphatases 1 and 2A, effect on enzyme interactions with inhibitors 1 and 2, **169**, 559
Pyridine
  induction of P450IIE1, role of
    increased translational efficiency: analysis of P450IIE1 mRNA polyribosomal distribution (rat), **172**, 767
    protein synthesis in absence of transcriptional activation (rat liver), **166**, 1072
Pyridinium
  haloperidol metabolite with potential neurotoxicity, identification (rat brain), **166**, 238
3-(2-Pyridyldithio)propionic acid
  N-hydroxy-succinimide ester, modification of recombinant human interferons αA and β in mapping of residues essential for antiviral activity, **167**, 74
Pyrocarbonic acid diethyl ester
  and *N*-bromosuccinimide, modification of purified ampicillin acylase (*Pseudomonas melanogenum*), **166**, 904
  modification of recombinant human interferons αA and β in mapping of residues essential for antiviral activity, **167**, 74
Pyrroloquinoline quinone
  content analysis in lipoxygenase isozymes 1, 2a, 2b, and 2c (soybean), **172**, 1122
Pyruvate
  spontaneous decarboxylation, role in experiments with peroxide (rat), **170**, 1281
Pyruvate kinase
  in recovering dauer larvae, induction by increased levels of food source in recovery medium (*Caenorhabditis elegans*), **172**, 1013
Pyruvate kinase L
  –chloramphenicol acetyltranferase fusion gene, tissue-specific expression in transgenic mice and regulation by diet and insulin, **171**, 243

Q

Queuine
  uptake in cultured fibroblasts
    interferon-induced inhibition (human), **171**, 384
    modulation by protein kinase C (human), **171**, 393
Quinacrine
  effect on cytomegalovirus-stimulated arachidonic acid metabolism (human), **166**, 953
Quinolone
  resistance in *Staphylococcus aureus*, role of point mutation in *norA* gene, **172**, 1028
Quinone
  mediation of ATP production in *Setaria digitata*, **167**, 568

R

Radiation
  ionizing, generated free radicals, protection by ascorbic acid metabolism, analysis (human colon), **169**, 430
  near-uv, *Escherichia coli* sensitivity to, effect of DNA adenine methylase, **169**, 64
Radioimmunoassay
  big endothelin-1 in porcine tissues, **170**, 497
  endothelin converting activity in cultured endothelial cells (bovine), **168**, 1128
  islet amyloid polypeptide: regional distribution and molecular forms (rat), **169**, 788
  tissue inhibitor of metalloproteases: matrix association in aortic tissue (human), **167**, 898
Radiolysis
  pulse, in analysis of intramolecular long-range electron transfer in hemerythrin monomer (sipunculid worm), **166**, 867
Raf kinase
  activation by human colony-stimulating factor-1 receptor, **172**, 154; *erratum*, **173**, 1382
Recombination
  geminate, methylisocyanide with hemoglobin, effect of quaternary structure (carp), **171**, 306
  homologous, presynapsis phase, interactions between phage T4 and *Escherichia coli* DNA-binding proteins, **172**, 804
Reconstitution
  functional, N,N′-dicyclohexylcarbodiimide-sensitive Na^+/H^+-antiporter (*Halobacterium halobium*), **170**, 1339
Red-pigment-concentrating hormone
  crustacean, isolation and characterization of related molluscan neuropeptide, **167**, 273
5α-Reductase
  in cultured immature Leydig cells, inhibition by platelet-derived growth factor (rat), **169**, 1229
Reduction
  enzymatic and chemical, extended biliverdins (rat liver), **171**, 465

  one-electron, chloroperoxidase by radiolytically generated electrons (*Caldariomyces fumago*), **168**, 1311

Refsum's disease
  role of peroxisomes, implications of mitochondrial oxidation of phytanic acid (human, monkey liver), **167**, 580

Relaxin
  recombinant, cyclic AMP response to: *in vitro* relaxin bioassay (human endometrial cells), **170**, 214

Relaxing factor
  arginine-derived, production in EMT 6 cells, induction by interferon-γ plus endotoxin, **173**, 1

Renaturation
  quantitative, guanidine-denatured SecA dimer (*Escherichia coli*), **172**, 1217

Renin
  genes, differential expression in peripheral subcutaneous tissue (mouse, rat), **173**, 218
  promotor-reporter gene construct, tissue- and cell-specific expression in transgenic mice, **170**, 344
  recombinant, expressed in human kidney cell line 293, purification and characterization (human), **171**, 375
  release in isolated glomeruli, suppression by atrial natriuretic peptide, role of calcium (rat), **168**, 37

Replica filter assay
  human β-adrenergic receptors expressed in *Escherichia coli*, **173**, 680

Replication
  amplified dihydrofolate reductase genes, timing (CHOC 400 cells), **170**, 134
  HIV-1, inhibition by
    RNA transcribed in sense and antisense orientation from 5′-leader/*gag* region, **169**, 643
    synthetic soluble catecholamine melanins *in vitro* (human lymphoblastoid cells), **168**, 200

Resistance
  adriamycin, HL-60 cells with, detection of protein kinase C-γ, **166**, 723
  cisplatin, phenotypic reversion, association with reduced host cell reactivation of damaged plasmid (HeLa cells), **170**, 851
  cis-diamminedichloroplatinum(II), analysis in CHO cell lines transfected with human glutathione *S*-transferase π gene, **166**, 1358
  multidrug
    Chinese hamster lung cells with, binding of α_1-adrenergic photoaffinity probe [^{125}I]arylazidoprazosin to specific peptide of P-glycoprotein, **166**, 259
    CHO cells with, drug transport, fast kinetic analysis with pulsed quench-flow apparatus, **167**, 48
    colonic cancer cell line with, increased *mdr* gene expression and decreased drug accumulation (human), **172**, 842
    human cells with, cross-resistance to anti-HIV nucleoside analogs (human), **169**, 986
    in KB carcinoma cells, associated correlation of protein kinase C translocation, P-glycoprotein phosphorylation, and reduced drug accumulation (human), **169**, 253
    leukemic cell lines with different patterns, *mdr*1/P-glycoprotein gene segments from, analysis (human), **169**, 796
  phorbol diester, in breast adenocarcinoma subline, reversal by transforming growth factor β (human), **166**, 687
  quinolone, in *Staphylococcus aureus*, role of point mutation in *norA* gene, **172**, 1028
  and sensitivity, to adriamycin in breast cancer cells, association with metabolic differences: combined ^{1}H and ^{31}P NMR of cell extracts, **169**, 383
  thyroid hormone, generalized, associated mutant c-erbAβ receptor, T_3- and DNA-binding properties (human placenta), **171**, 575

Resorption
  bone, inhibitory regulation, role of interleukin-4 (mouse), **172**, 1035

Respiration
  cells and mitochondria of porin-deficient yeast mutants, coupling status, **171**, 354
  cyanide-resistant, role in temperature rise in ripening mangoes, **168**, 818
  mitochondrial
    blockage by 1-methyl-4-phenylpyridinium, mechanism: evidence for binding at same site as rotenone, **169**, 123
    inhibition by 4′-alkylated analogs of 1-methyl-4-phenylpyridinium (murine liver), **169**, 758
    nuclear-coded subunits of associated complexes, expression and assembly, effects of ethidium bromide treatment (murine fibroblasts), **167**, 216

Respiratory burst
  neutrophil
    effects of selective inhibitors of protein kinse C (human), **171**, 1087
    N-formyl peptide- and platelet activating factor-stimulated, effects of staurosporine (human), **168**, 65

Restriction endonuclease
  *Eco*RI, reversible inhibition with elevated pressure, **170**, 775

Retina
  rod outer segments, detection of GTP-binding proteins (bovine), **170**, 719
  rod photoreceptors, metabolic adjustments upon illumination, control within glycolysis (toad), **168**, 155

Retinoic acid
  all-*trans*-form
    binding by retinoic acid receptors α and β, selectivity (human tumor cell lines), **166**, 1300
    effect on activin A/erythroid differentiation factor gene expression (human promyelocytic leukemia cells), **167**, 654
  binding protein, cellular, spatial and temporal expression along anteroposterior axis in embryonic central nervous system (mouse), **169**, 991
  induction of
    F9 cell differentiation after transient exposure, **170**, 147
    protein kinase-dependent differentiation-specific phosphorylation of cytosolic 44- and 32-kDa proteins in HL-60 cells, **168**, 1253

- inhibition of membrane protein myristoylation (HL-60 cells), **172**, 877
- and synthetic analogs, differential activation of retinoic acid receptor-dependent transcription (CV-1 cells), **173**, 339

Retinoic acid receptors
- dependent transcription, differential activation by retinoic acid and synthetic analogs (CV-1 cells), **173**, 339
- quantitation in early limb bud (chicken embryo), **168**, 544
- types α and β, ligand-binding selectivity and expression of encoding genes (human tumor cell lines), **166**, 1300

Retroviruses
- associated long terminal repeat sequence in lung cancer cell line, transcription (human), **166**, 1
- dimeric aspartyl protease, N-terminal domain of pepsin as model, analysis, **167**, 339
- inhibitory activity of hypericin and related analogs, **172**, 149
- vector with, mediated gene transfer of leukocyte integrin CD18 subunit (human), **171**, 787
- xenotropic and amphotropic pseudotyped recombinant, in transfer of genes into cells of various species, evaluation, **169**, 8

Reverse transcriptase, *see* RNA-directed DNA polymerase

Revertants
- Ha-*ras* oncogene-transformed NIH/3T3 cells, elevated gelsolin and α-actin expression (mouse), **171**, 852

Rhodopsin
- metarhodopsin I–metarhodopsin II equilibrium in recombinant membranes, effect of pH (bovine), **169**, 1028

RI-331, *see* (*S*)-2-Amino-4-oxo-5-hydroxypentanoic acid

Ribavirin
- stimulation of 2′,3′-dideoxyguanosine phosphorylation, **171**, 1297; *erratum*, **173**, 481

Ribonuclease A
- pancreatic, thermal transition, H/D exchange behavior (bovine), **172**, 800

Ribonuclease H
- associated activity of HIV-1 reverse transcriptase, endoribonucleolytic cleavage of RNA–oligodeoxynucleotide hybrids, **167**, 244

Ribonucleoproteins
- 16S complexes, α-ecdysone-induced, molecular analysis (*Drosophila melanogaster* S3 cells), **168**, 314
- heterogeneous nuclear, reconstituted, antigenic determinants, sharing with bacteriophage T_4 gene 32 protein (HeLa cells), **167**, 1196

Ribonucleotide reductase
- activation, role of high-valent iron-oxo complex: tyrosyl radical generation by single oxygen donors (*Escherichia coli*), **168**, 659
- iron-containing B2 protein, activation by hydrogen peroxide (*Escherichia coli*), **167**, 813
- in mitogen-stimulated mononuclear cells, dose-dependent effect of cAMP (human), **167**, 383
- subunits M1 and M2, gene amplification in hydroxyurea-resistant mammalian cells, **167**, 258

Ribosome-inactivating proteins
- fractionation with triazine dyes, **173**, 554

Ricin
- fluorescein isothiocyanate-labeled, binding and internalization (A431, CHO cells), **169**, 602

RNA
- antisense
  - reduction of N-myc expression, amplification by interferon: role of 2-5A system (human neuroblastoma cells), **170**, 1242
  - specific inhibition of growth hormone production in differentiated pituitary tumor cells (rat), **171**, 293
- associated with α-ecdysone-induced 16S ribonucleoprotein complexes, characterization (*Drosophila melanogaster* S3 cells), **168**, 314
- base stacking, role of electron donors and acceptors, **171**, 97
- cucumber mosaic virus, infected transformed tomato plants, expression of CMV satellite RNA and production of lethal necrosis, **170**, 548
- frog virus 3 and tobacco mosaic virus, translational efficiency: TMV outcompetition by FV3 *in vitro*, **172**, 1357
- HIV-1, transcribed in sense and antisense orientation from 5′-leader/*gag* region, specific inhibition of viral replication, **169**, 643
- incorporation of intrinisic photolabel 4-thiouridine *in vivo* (*Escherichia coli*), **166**, 29
- messenger
  - acidic and basic fibroblast growth factors, expression in skeletal muscle satellite cells (bovine), **166**, 1205
  - β_1- and β_2-adrenergic receptors, differential down-regulation in C_6 glioma cells, **170**, 46
  - amyloid A4 protein precursor, differential splicing: predominance of PreA4$_{695}$ mRNA expression in brain and detection of PreA4$_{714}$ mRNA (human, rat), **166**, 1192
  - amyloid β protein precursor
    - detection in platelets (human), **173**, 1292
    - expression in developing brain and in neuronal and glial cultures (mouse), **167**, 54
    - in glial and neuronal cells, effects of fibroblast growth factor (rat), **167**, 96
  - angiotensin II, derived peptides, binding and pharmacologic properties (human, rat), **170**, 462
  - α_1-antitrypsin, exon exclusion after stimulation of U937 cells by interleukin-6 (human), **172**, 1116
  - apolipoprotein B
    - editing in small intestine, developmental regulation (pig), **173**, 74
    - endogenous editing, quantitation (rat liver), **170**, 513; *erratum*, **173**, 480
  - brain-type glucose transporter, specific expression at blood–brain barrier (bovine), **166**, 174
  - calbindin D_{28K}, precursor sequences, identification by polymerase chain reaction (chicken), **168**, 430
  - calcitonin, increased levels in thyroid of rats at high risk of C-cell tumors, genetic determination, **167**, 232
  - calmodulin, identification of multiple species (human), **172**, 1145

cAMP-dependent protein kinase RIα subunit, stimulation by protein kinase C activation (HT-29 cells), **172**, 409
c-fos and c-myc, levels in aortic endothelial cells, effects of ATP (bovine), **172**, 306
cholesterol 7α-hydroxylase, LDL receptor, HMG-CoA reductase, farnesyl pyrophosphate synthetase, and apolipoprotein A-I, hepatic levels, effect of thyroid hormone in hypophysectomized rats, **172**, 1150
collagen type I, secondary structure, implications of codon usage pattern in α2(I) chain domain (chicken), **167**, 772
2′,3′-cyclic-nucleotide 3′-phosphodiesterase, alternative splicing (murine brain), **170**, 1074
cytochrome P450IIE1, polyribosomal distribution: evidence for increased translational efficiency after induction by solvents (rat), **172**, 767
detection of two kinds from single liver/bone/kidney alkaline phosphatase: evidence from characterization of 5′ flanking region (human), **168**, 993
different forms of cAMP-dependent protein kinase type I_α regulatory subunit, generation by different polyadenylation site signals (human testis), **167**, 323
1,25-dihydroxyvitamin D_3 receptor, translation *in vitro* (human), **173**, 1129
L-DOPA decarboxylase, in neuronal and non-neuronal tissues, comparative and quantitative study (rat), **170**, 1006
dystrophin, expression in developing heart (rat), **172**, 824
endothelin, induction in cultured vascular smooth muscle cells (human), **168**, 1303
Fc receptor $Fc_\gamma R$-I, expression in macrophages and neutrophils, induction by interferon-γ (human), **170**, 582
ferritin heavy chain, transcriptional regulation, role of thyroid hormone (rat), **167**, 1279
gastrin, from carcinoma cell lines, polymerase chain reaction cloning and sequencing (human), **170**, 691
glucose transporter
  increase associated with liver regeneration (rat), **168**, 1274
  stabilization by insulin/insulin growth factor 1 and glucose deprivation (L6 myocytes), **171**, 210
glutathione *S*-transferase, induction (*Issatchenkia orientalis*), **172**, 669
G_s protein α subunit, unique species, identification in haploid germ cells (rat), **168**, 91
HTLV-I *gag-pol*, unspliced, accumulation in human T cells, blockage by H-7, **169**, 469
human papillomavirus type 18, levels in HeLa cells, selective suppression by interferon, **170**, 793
immediate-early differentiation, isolation by enzymatic amplification of subtracted cDNA from endothelial cells (human), **167**, 637
insulin-like growth factor II/mannose 6-phosphate receptor, developmental regulation (rat), **172**, 775
insulin receptor, loss in transformed fetal fibroblast cell line, assessment (human), **169**, 978
interleukin-1β, induction in brain by convulsants (rat), **171**, 832
interleukin-6, expression in astrocytoma cell line, induction by interleukin-1: modulation by cholera toxin and cAMP (human), **167**, 1242
laminin receptor, 67-kDa high-affinity metastasis-associated, steady-state levels in cancer cells, increase by laminin and fibronectin (human), **168**, 1110
myosin heavy chain, distinct vascular and intestinal smooth muscle forms encoded by single-copy gene (chicken), **170**, 53
pancreatic colipase, nutritional regulation by lipidic diet (rat), **167**, 130
peptidylarginine deiminase, pituitary levels, estrous cycle-dependent regulation (rat), **172**, 28
peptidylglycine α-amidating enzyme: encoding of two enzyme components by single mRNA, **172**, 197
phosphofructokinase
  with heterogeneous 5′ untranslated sequences, identification: evidence for alternative splicing and alternative promoters (human muscle), **166**, 637
  5′ untranslated region, sequence diversity (rabbit muscle), **170**, 1056
preproglucagon, levels in isolated islets and associated glucagon synthesis and release, effects of glucagon-like peptide-1 (rat), **167**, 431
proenkephalin A, expression in cultured fibroblasts (rat), **171**, 722
protein phosphatase 2Aβ, shorter form, production by alternative poly(A) addition (rat testis), **170**, 169
proto-oncogenes, differential induction by peroxisome proliferators (rat), **173**, 855
serine dehydratase, developmental and growth-related regulation of expression (rat liver), **168**, 335
serine/threonine protein phosphatase isoenzymes, tissue-specific expression: possible role in spermatogenesis (rat), **171**, 230
sphingolipid activator protein-1, point mutation, detection in patients with variant form of metachromatic leukodystrophy, **166**, 1017
thrombin receptor, functional expression after injection in *Xenopus* oocytes (human), **171**, 913
thyroperoxidase, from Graves' disease patients, evidence for alternative splicing, **170**, 735
tissue inhibitor of metalloproteinase: nucleotide sequence and expression in ovarian tissue (bovine), **171**, 250
β-tubulin, expression during neuritic processes of neuroblastoma cell line, differential effects of concanavalin A and colchicine (mouse), **167**, 1348
tyrosine hydroxylase, multiplicity (insectivore, monkey, rat), **173**, 1331
variant surface glycoprotein, expressed in mixed population of *Trypanosoma brucei rhodesiense*, sequences, **169**, 730
–oligodeoxynucleotide hybrids, endoribonucleolytic cleavage by ribonuclease H activity of HIV-1 reverse transcriptase, **167**, 244
phosphofructokinase-M and -L, alternative splicing, tissue specificity (human), **173**, 1317
ribosomal, 5S, helices I and II, dynamic structure (*Bacillus megaterium*), **169**, 1068

  - sequences related to intracisternal A-particles, detection in normal and transformed cells (rat), **169**, 222
  - specific small-size, identification in nuclear matrix DNA complexes tightly bound to proteins (mouse), **169**, 95
  - transfer
    - encoding gene, specific interaction with partially purified *Xenopus* transcription factor IIIC, **172**, 692
    - encoding mitochondrial tRNA^{Leu}(UUR) gene from MELAS group mitochondrial encephalomyopathy patients, detection of point mutation, **173**, 816
- RNA-directed DNA polymerase
  - HIV-1-associated
    - 66-kDa subunit
      - identification of HIV-1 protease cleavage site (*Escherichia coli*), **168**, 30
      - recombinant, stabilization and activation (yeast), **167**, 673
    - expressed in yeast, characterization, **171**, 589
    - ribonuclease H activity, endoribonucleolytic cleavage of RNA–oligodeoxynucleotide hybrids, **167**, 244
- RNA polymerase
  - bacterial, transcription promoter regions from rat mtDNA utilized by, identification, **172**, 1282
  - induced transcription initiation intermediates, detection by chemical nuclease activity of 5-phenyl-1,10-phenanthroline–copper ion (*Escherichia coli*), **168**, 756
  - inhibition by phaseolinone (rat liver), **168**, 51
- RNA synthesis
  - in neonatal liver, effect of gastric distension (chicken), **166**, 973
- RO 20-1724
  - and isobutylmethylxanthine, differential effects on basal force of contraction and β-adrenoceptor-mediated response in ventricular myocardium (rat), **167**, 123
- Ro 31-7549
  - inhibition of interleukin-8-induced lymphocyte migration *in vitro* (human), **169**, 1099
- Ro 31-8220
  - inhibition of interleukin-8-induced lymphocyte migration *in vitro* (human), **169**, 1099
- Rolipram
  - sensitive isoforms of cyclic nucleotide phosphodiesterase, stimulation by concanavalin A in thymic lymphocytes (rat), **169**, 864
- Rosette inhibition assay
  - early pregnancy factor effects, mimicry by leukotrienes (murine spleen cells), **167**, 535
- Rotenone
  - and 1-methyl-4-phenylpyridinium, binding to same site in blockade of mitochondrial respiration, evidence, **169**, 123
  - sensitive NADH-cytochrome-*c* reductase, assay in skeletal muscle mitochondria (human), **173**, 26
- RU 38486, *see* Mifepristone
- Ruberythrin
  - with pyrophosphatase activity, purification and characterization (*Desulfovibrio vulgaris*), **171**, 313
- Rubidium
  - uptake by cerebral membrane vesicles, regulation by thiamine compounds (rat), **171**, 1137
- Ruthenium red
  - effects on activation of Ca^{2+}-dependent cyclic nucleotide phosphodiesterase, **169**, 315

S

- *Saccharomyces cerevisiae*
  - antifungal action of (*S*)-2-amino-4-oxo-5-hydroxypentanoic acid, mechanism, **168**, 837
  - *CDC4* gene product, association with nuclear skeleton, **172**, 1324
  - constitutive and inducible expression of human cytochrome P450IA1, **172**, 737
  - expression of
    - catalytically active human hepatic monoamine oxidase type A: detection of covalently bound FAD, **173**, 1205
    - human lysosomal β-hexosaminidase in vacuoles, **170**, 383
    - rabbit cytochrome P450IIE2, **172**, 1331
    - rat liver c-*erbA* β thyroid hormone receptor, **171**, 138
    - and secretion of caprine α-lactalbumin as active protein, **173**, 741
  - strain-specific lethal effect of adenovirus E1a protein, **170**, 470
- Salicylate hydroxylase, *see* Salicylate 1-monooxygenase
- Salicylate 1-monooxygenase
  - purification and characterization from *Pseudomonas putida* PpG7, **169**, 1049
- Saliva
  - from cystic fibrosis patients, detection of epidermal growth factor eluted as polydisperse macromolecular moiety, **170**, 1144
- Salivary gland
  - submandibular, expression of pregnancy-specific glycoproteins, analysis by cDNA cloning and sequencing (human), **169**, 203
- Salts
  - concentration, dependence of histone–chromatin binding stoichiometry, analysis (rat liver), **172**, 1129
- Sarafotoxins
  - induction of phosphoinositide turnover, effects of pertussis and cholera toxins and phorbol ester (rat cardiac myocytes), **171**, 949
- Sarcolemma
  - cardiac, lipid methylation, alteration by oleic acid (rat), **170**, 810
  - ventricular, atrial natriuretic peptide receptors, characterization (bovine), **167**, 1361
  - vesicles, cation transporter activities, effects of phospholipid fatty acyl composition (dog), **168**, 917
- Sarcoplasmic reticulum
  - Ca^{2+}-ATPase activity, effect of phospholipid fatty acyl composition (rabbit), **168**, 917
  - –endoplasmic reticulum, associated Ca^{2+}-ATPase, cDNA cloning and chromosomal location (*Drosophila melanogaster*), **173**, 872
  - heavy, Ca^{2+} uptake, initial fast phase, improved resolution by Ca^{2+}–antipyrylazo III dual-wavelength spectroscopy (rabbit muscle), **168**, 364

  junctional
    associated proteins, interactions with calsequestrin (porcine, rabbit muscle), **172**, 1253
    face membrane, region of calsequestrin binding, identification (rabbit muscle), **167**, 189
Sarmesin
  binding to angiotensin II receptors and functional effects on aortic rings, analysis (rabbit, rat), **169**, 636
Satellite cells
  skeletal muscle, expression of acidic and basic fibroblast growth factor mRNAs (bovine), **166**, 1205
Schizosaccharomyces pombe
  cdc25$^+$ gene product, identification as cell cycle regulated protein, **167**, 301
  oriented cells, electrofusion through apical protoplast protuberances, **166**, 113
(−)Secoisolariciresinol
  formation by cell-free extract of *Forsythia intermedia*, **171**, 1008
Second messengers
  transforming growth factor α-induced, inhibition by anti-epidermal growth factor receptor antibody 425 (human), **172**, 471
Sepharose
  –carboxypeptidase B, in specific adsorption of peptides (porcine pancreas), **166**, 330
Sepiapterin reductase
  mature form, complete amino acid sequence (rat), **173**, 627
Serine
  inhibition of *Escherichia coli* growth: identification of inhibition target, **168**, 1211
  phosphorylation, activation of manganese-dependent membrane protein kinase (rat liver), **171**, 75
  replacement of single aspartate in lactate dehydrogenase, improvement of catalytic efficiency with NADPH (*Bacillus stearothermophilus*), **166**, 667
  –threonine, phosphorylation of nuclear pp64 on, regulation by phorbol ester and platelet-derived growth factor (NRK cells), **167**, 918
Serine dehydratase
  D- and L-forms, and tryptophan synthase β subunit, sequence similarities, **171**, 1319
  L-form, gene expression regulation in kidney and liver (rat), **170**, 892
  mRNA, developmental and growth-related regulation of expression (rat liver), **168**, 335
Serine proteinase inhibitors
  isolated from squash family, inhibition of human β-factor XII$_A$, **166**, 1406
Serotonin
  nocturnal pineal metabolism, effects of weak intermittent magnetic fields (mouse, rat), **169**, 102
Serum, *see also* Blood, Plasma
  addition to hematopoietic cells after electroporation, improvement of survival and transfection efficiency, **171**, 752
  depletion, induced inhibition of HL-60 cell growth, effects on cell differentiation, interleukin-1 receptor expression, and IL-1 responsiveness, **168**, 959
  fetal calf
    heparin-binding erythroid cell-stimulating factor, N-terminal sequence, identity with insulin-like growth factor II sequence, **166**, 557
    mitogenic response of vascular smooth muscle cells from genetically hypertensive rat strains, analysis, **170**, 1249
  growth factors, induction of Na$^+$/H$^+$ antiporter and mobilization of intracellular Ca^{2+} in NIH 3T3 fibroblasts interrelationship, **167**, 1206
  hepatitis C virus detection, facilitation by *Escherichia coli*-expressed viral structural protein (human), **172**, 511
  insulin-like growth factor circulating levels and molecular forms of IGF-binding proteins, pregnancy-associated changes (human), **170**, 1157
  lipid-soluble and hydrophilic components, inhibition of lipoprotein lipase gene expression in Ob 1771 cells upon stimulation by growth hormone, **166**, 1118
  stimulation of
    endothelin release in aortic endothelial cells (bovine), **173**, 807
    serine phosphorylation of fibroblast 350-kDa microtubule-associated protein MAP1A (mouse), **166**, 827
  from systemic lupus erythematosus patients, detection of autoantibodies to 20-kDa ribosomal large subunit protein L12, **172**, 496
  tissue inhibitor of metalloproteases, radioimmunoassay (human), **167**, 898
Serum albumin
  bovine, primary structure, rapid confirmation and revision by ESIMS and Frit-FAB LC/MS, **173**, 639
Setaria digitata
  ATP production, role of quinone, **167**, 568
Shock
  endotoxin-mediated, reversal by N^G-methyl-L-arginine (dog), **172**, 1132
Sialic acid
  dependent cell adhesion of colon carcinoma sublines to collagen IV, correlation with *in vivo* tumorigenicity (human), **171**, 860
  on neutrophils, requirement for GMP-140-mediated adhesive interaction with activated platelets (human), **172**, 1349
Sialyltransferase
  in cultured hepatocytes, responses to various hormones (rat), **171**, 132
Sigma receptors
  ligand [^{3}H]-1,3-di-*o*-tolylguanidine, characterization of binding sites in pineal gland (sheep), **171**, 875
Signaling
  mitogenic, decrease, relationship to heparin inhibition of BC3H-1 cell growth, **170**, 89
Signal transduction
  associated system of isolated pancreatic acini, stimulation by deoxycholate, mechanism (rat), **170**, 111
  implications of cGMP-stimulated inositol phosphate production in cultured pituitary cells (rat), **167**, 982
  intracellular, pathways for activation and adaptation of adenylate cyclase, role of protein kinases (*Dictyostelium discoideum*), **167**, 767

  membrane sites, differential localization of GTP-binding proteins (*Torpedo* electric organ), **173**, 388
  TRH-stimulated, role of Ca^{2+}-independent protein kinase C isozyme nPKC ε (GH_4C_1 cells), **172**, 184
Silica gels
  immobilized interleukin-2 receptor, ligand–receptor interactions on, analysis with proteolysis and direct N-terminal sequence analysis (human), **166**, 201
Simian virus 40
  DNA replication *in vitro*, inhibition by primate p53, **168**, 604
  exposure to camptothecin, associated breakage in leading and lagging strand of viral DNA replication forks, **168**, 135
  large T antigen, expression in *Escherichia coli* with vectors based on regulatable *rac* promoter, **169**, 1129
Simvastatin
  analogs inhibiting hydroxymethylglutaryl-CoA reductase (NADPH), biotransformation: regioselectivity and stereoselectivity (rat liver microsomes), **166**, 1155
Skin
  effects of microcystins and nodularin (mouse), **171**, 867
  epidermis, lipokeratinogenoside as marker in studies of sphingolipid effects on keratinocyte differentiation (fetal rat), **170**, 162
SMS 201-995, *see* Octreotide
Sodium
  –calcium exchange
    effects of calpactins purified from cardiac muscle (bovine), **172**, 1067
    sarcolemmal, effect of phospholipid fatty acyl composition (dog), **168**, 917
  conductance and Na^+/H^+ exchange in apical plasma membrane vesicles formed from colon, demonstration (human), **167**, 438
  cytochrome *o*-mediated pumping in *Vitreoscilla*, **173**, 370
  deficient diet, associated attenuation of glomerular responses to atrial natriuretic factor, prevention by theophylline (rat), **170**, 596
  dependent binding of phosphonoformic acid in renal brush border membranes, effect of X-linked *Hyp* mutation (mouse), **170**, 1288
  dependent Ca^{2+} efflux in chromaffin cells, inhibition of stimulus-induced secretion (bovine), **166**, 1346
  –hydrogen antiporter, N,N′-dicyclohexylcarbodiimide-sensitive, solubilization and functional reconstitution (*Halobacterium halobium*), **170**, 1339
  –hydrogen exchange in pituitary cells, TRH-induced, priming effect of hyperosmotic stress (rat), **172**, 913
  kinetics in vascular smooth muscle cells, effect of arginine vasopressin (rat), **173**, 224
  –phosphate cotransporter, molecular size in renal brush border membranes, effect of X-linked *Hyp* mutation (mouse), **170**, 1288
  –potassium–chloride cotransport, role of atrial natriuretic peptide receptors (HeLa cells), **168**, 148
  uptake by cerebral membrane vesicles, regulation by thiamine compounds (rat), **171**, 1137
Sodium azide
  effect on oocyte sodium channel (*Xenopus laevis*), **172**, 300
Sodium channels
  oocyte, effect of sodium azide (*Xenopus laevis*), **172**, 300
Sodium chloride
  –deoxycorticosterone acetate-induced hypertension, associated plasma levels of endothelin-1 (rat), **167**, 941
Sodium fluoride
  effect on type-1 phosphatase aggregation (rabbit muscle), **171**, 362
  unmasking of lysophosphatidylcholine accumulation in pretreatment of intact pancreatic islet cells (rat), **167**, 61
Sodium nitrite
  effects on ultraviolet light-induced relaxation and uv-dependent activation of guanylate cyclase in mesenteric arteries (bovine), **169**, 129
Sodium nitroprusside
  activation of soluble guanylate cyclase, inhibition by oxidized low-density lipoproteins, **172**, 614
Sodium pump, *see* ATPase, Na^+,K^+-
Solubilization
  calpain II-dependent, nuclear protein kinase at micromolar Ca^{2+} concentrations (rat liver), **168**, 589
  N,N′-dicyclohexylcarbodiimide-sensitive Na^+/H^+-antiporter (*Halobacterium halobium*), **170**, 1339
  plasma membrane endothelin receptors in non-aggregated state, and size estimation (bovine lung), **172**, 576
  plasmin receptors from human carcinoma cells, **170**, 748
Solution conformation
  Icaria chemotactic peptide and $[Lys^7]$ analog, ^1H NMR analysis, **168**, 596
  neuropeptide galanin, ^1H NMR study (rat), **166**, 1102
Solutions
  low-populated peptide helical structures, characterization by ^1H NMR conformational shifts, **167**, 1009
Solvents
  organic, phospholipid synthesis by extracellular phospholipase A_2 in (bacteria, insect, mammals, snake), **168**, 644
Somatostatin
  analog SMS 201-995, inhibition of basal and angiotensin II-stimulated $[^3H]$thymidine uptake by adrenal gland (rat), **166**, 1171
  pretreatment of dispersed pituitary cells, facilitation of GRF-induced growth hormone release and $(Ca^{2+})_i$ increase (rat), **172**, 276
  secretion from isolated pancreas, effect of islet amyloid polypeptide (rat), **167**, 1102
Somatotropin, *see* Growth hormone
Sorbitol
  release from inner medullary collecting duct cells under hypoosmotic stress, role of Ca^{2+} (rat), **170**, 563
Sparsomycin
  electron-rich phenolic sulfoxide analogs, chiral synthesis and biochemical properties, **166**, 673
Species differences
  nuclear poly(A) polymerase: relationships to hepatic and tumor-type enzymes (human tumor cells, porcine

    brain, rat tissues, yeast), **169**, 325
Spectrin
  erythrocyte ghosts containing only, stomatocytic or discoidal, isolation (human), **168**, 1318
Spectrophotometry
  in detection of 5′-fluorouracil in plasma, **169**, 1153
  HIV-1 protease, chromophoric peptide substrates for, characterization (*Escherichia coli*), **168**, 274
Spectroscopy
  Ca^{2+}–antipyrylazo III dual-wavelength, improved resolution of Ca^{2+} uptake by heavy sarcoplasmic reticulum (rabbit muscle), **168**, 364
  uv–visible, hyperporphyrin spectrum for bis(glutathione dimethyl ester)–hemin complex as model for cytochrome P450–thiolate complexes, **169**, 22
Spermatids
  acrosin biosynthesis, analysis (mouse), **173**, 240
  expressed *hsp70*-related gene, cloning (mouse), **166**, 43
Spermatocytes
  acrosin biosynthesis, analysis (mouse), **173**, 240
Spermatogenesis
  role of protein phosphatases, evidence from mRNA expression studies (rat), **171**, 230
Spermatozoa
  acrosomal exocytosis, associated production of diacylglycerol and phosphatidate, analysis (sheep), **172**, 8
  calcium levels, changes during incubation in capacitating medium and seminal plasma (pig), **172**, 47
  high concentration of inositol 1,4,5-trisphosphate (sea urchin), **172**, 932
  nuclear matrix, genes in relation to, specific organization (hamster), **173**, 20
Spermidine
  induction of angiogenesis in yolk-sac membrane (chicken), **171**, 1264
  mediated decay of ornithine decarboxylase in erythroleukemia cells, effects of ATP depletion and phenanthroline, **172**, 939
Spermine
  induction of angiogenesis in yolk-sac membrane (chicken), **171**, 1264
  related functions of N^1,N^{12}-bis(ethyl)spermine, analysis: effects on protein synthesis, cell growth, gastric ulceration (bovine, rat), **172**, 715
Sphingolipids
  effects on keratinocyte differentiation, lipokeratinogenoside as epidermal marker (fetal rat), **170**, 162
Sphingomyelin phosphodiesterase
  effect of dexamethasone (3T3-L1 fibroblasts), **167**, 607
Sphingosine
  commercial, and D-erythro-sphingosine and dimethylsphingosine, effects on protein kinase C and platelets, comparison, **172**, 683
  inhibition of
    dexamethasone induction of tyrosine aminotransferase and tryptophan oxygenase (rat hepatocytes), **168**, 823
    interleukin-8-induced lymphocyte migration *in vitro* (human), **169**, 1099
  levels in 3T3-L1 fibroblasts, effect of dexamethasone, **167**, 607
Sphingosylphosphocholine
  effect on cell growth, morphology, and lipid composition in neuroblastoma cell lines (mouse), **169**, 673
Spinal cord
  cultured neural cells, mono- and diacylglycerol lipase activities, stimulation by bradykinin (fetal mouse), **166**, 1001
Spin probes
  EPR, in detection of local Z-DNA conformations, **166** 1435
Spin trapping
  in detection of receptor-mediated generation of endothelium-derived relaxing factor-like intermediate (N1E-115 cells), **170**, 1177
  hydroxyl radicals with 5,5-dimethyl-1-pyrroline-*N*-oxide in presence of ferric ion, cautionary note, **172**, 1073
Spleen
  and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377
Staphylococcus aureus
  quinolone resistance, role of point mutation in *norA* gene, **172**, 1028
Starvation
  associated transcriptional control of *CYP2E1* gene (rat), **173**, 331
Staurosporine
  blockade of phorbol ester-mediated induction of HIV-1 from chronically infected promonocyte clone, relationship to *tat*-directed *trans*-activation (human), **166**, 349; *erratum*, **167**, 382
  effects on N-formyl peptide and platelet activating factor stimulation of neutrophil respiratory burst (human), **168**, 65
  enhancement of drug accumulation in multidrug-resistant tumor cells (human), **173**, 1252
  ^{3}H-labeled, specific binding sites on various protein kinases, characterization, **171**, 189
  inhibition of
    phosphorylase kinase, analysis, **171**, 148
    tyrosine protein kinase in hepatoma cell membranes (human), **170**, 1191
Stem cells
  pluripotent hematopoietic, proliferation, negative regulator, enzyme immunoassay in white blood cells and plasma (human), **170**, 986
Stereochemistry
  lipase-catalyzed hydrolysis of achiral triacylglycerols, CD determination: lipase-produced chiral diglycerides, **168**, 506
  products of linoleic acid oxidation catalyzed by potato and soybean lipoxygenases, comparison, **170**, 491
  soybean peroxygenase-catalyzed epoxidation of fatty acids, **173**, 1354
Stern–Volmer method
  modified, in determination of mercury interaction sites in photosystem II (alga), **166**, 873
Steroidogenesis
  in Leydig cells

    differential effects of recombinant interleukin-1α and -1β (rat), **167**, 548
    inhibition by interleukin-1β, enhancement by tumor necrosis factor α (rat), **166**, 1313
  pathways in cultured luteal cells, inhibition by gossypol (bovine), **169**, 455
  testicular, in mammals, superoxide dismutase as regulatory switch in alternate pathway, **173**, 302
Sterol carrier protein 2
  amino acid sequence, identification in high-molecular-weight protein (rat), **168**, 631
Sterols
  biosynthesis, inhibition by lovastatin (*Trypanosoma cruzi*), **166**, 1441
Stomach
  detection of pro-dermorphin processing products (rat), **170**, 30
  distension, effect on RNA synthesis in neonatal liver (chicken), **166**, 973
  isolated parietal cells, [^{14}C]aminopyrine uptake, effect of platelet-activating factor (guinea pig), **168**, 1047
  pepsin secretion, inhibition by peripherally or centrally injected interleukin-1 (rat), **167**, 956
  secretory activity and ulcer formation, inhibition by interleukin-1 via central nervous system (rat), **173**, 585
  ulceration, inhibition by N^1,N^{12}-bis(ethyl)spermine (rat), **172**, 715
Streptavidin
  identification of RYD sequence mimicking RGD receptor domain of fibronectin (CHO cells), **170**, 1236
Streptococcus gordonii
  binding sites in human salivary α-amylase, structural relationship to enzymatic sites, **173**, 1109
Streptomyces griseus
  containing cytochrome P450$_{\mathrm{SOY}}$, activation of promutagenic chemicals, **166**, 743
  cytochrome P450$_{\mathrm{soy}}$-enriched, oxidation of (+)camphor, lack of regio- and stereospecificity, **170**, 456
Stress
  chemical, induction of
    40-kDa protein in avian and mammalian cells, **166**, 642
    heme oxygenase and hsp 70 gene activation in hepatoma cells (human), **166**, 1429
  heat shock, *see* Heat shock
  hyperosmotic, priming effect on TRH-induced activation of Na$^+$/H$^+$ exchange (rat pituitary cells), **172**, 913
  hypo-osmotic, associated sorbitol release from inner medullary collecting duct cells, role of Ca^{2+} (rat), **170**, 563
  oxidative, *see* Oxidative stress
  shear, induced increase in inositol-1,4,5-trisphosphate levels (human endothelial cells), **170**, 281
Stretching
  vascular, effect on release of endothelium-derived relaxing factor (rabbit aorta), **173**, 1038
Stromelysin
  production by fibroblasts, effect of interleukin-6 (human), **170**, 824
Structure–function relationships
  reactivity of human thioredoxin, **173**, 1375
Submandibular gland
  detection of arginine esterases I and II: activation of tissue prokallikrein (rat), **166**, 231
Substance P
  binding polypeptide, isolation and identification as member of heat shock protein 70 family (horse salivary glands), **166**, 978
  effect on striatal adenylate cyclase, regulation by guanine nucleotides (rat), **167**, 211
Subtilisin
  immobilized, in analysis of accessibility and role of histone tails in chromatin structure (rat liver), **168**, 637
Succinate dehydrogenase (ubiquinone)
  iron–sulfur subunit of hepatic mitochondria, cDNA cloning (human), **166**, 101
Succinate:ubiquinone oxidoreductase, *see* Succinate dehydrogenase (ubiquinone)
Sucrase-isomaltase
  gene expression along crypt–villus axis of small intestine, regulation (rat), **173**, 765
Sucrose
  effects on lysozyme catalytic activity in aqueous solution: reevaluation of hydration memory (chicken egg), **166**, 1039
Sugars
  modification of oligonucleotides: synthesis, nuclease resistance, and base pairing properties of α- and β-L-octathymidylates, **172**, 537
  role in catabolite regulation of phenylacetyl-CoA ligase (*Pseudomonas putida*), **167**, 891
Sulfated glycoprotein-2
  encoding human gene, chromosomal assignment, **172**, 160
Sulfation
  gastrin in gastric mucosa, identification of catalyzing enzyme (rat), **170**, 1170
  tyrosine in type III procollagen, inhibition by chlorate, effect on protein secretion and processing (human fibroblasts), **170**, 264
Sulfhydryl groups
  blocking, effect on thermal unfolding of αα tropomyosin coiled coils (rabbit heart), **166**, 1279
Sulfite reductase
  hemeprotein subunit, alkaline low spin form, analysis (*Escherichia coli*), **169**, 39
Sulfolobus acidocaldarius
  liposomal-forming tetraether lipid fraction, purification and characterization, **167**, 238
2,2′-Sulfonylbis[3-methoxy-(*E*,*E*)-2-propenenitrile
  aqueous stability and crosslinking ability, **166**, 567
6-Sulfooxymethylbenzo[*a*]pyrene
  carcinogenicity and mutagenicity in murine liver, evaluation, **172**, 85
Sulfotransferase
  cerebral activity, enhancing effects of vitamin K and/or phosphate (mouse), **169**, 927
Sulfur
  –iron center in putidaredoxin, identification of coordinating cysteine residues, **169**, 1016
  –iron subunit of complex II of hepatic mitochondria, cDNA cloning (human), **166**, 101

- Superoxide dismutase
  - Cu,Zn-containing, purification and characterization of isozymes (*Xenopus laevis*), **173**, 1186
  - in hydrogen peroxide generation machinery modulating tyrosine iodination, analysis (mouse), **169**, 1
  - mitochondrial, induction by 1,25-dihydroxyvitamin D_3, analysis (U-937 cells), **170**, 73
  - Mn-containing, expression stimulation by tumor necrosis factor-α: assay of dismutase levels by ELISA in TNF-resistant and -sensitive cell lines (human), **171**, 1378
  - as regulatory switch in alternate pathway of mammalian testicular steroidogenesis, **173**, 302
- Superoxide radicals
  - activation of
    - class μ glutathione transferases (rat), **171**, 845; *erratum*, **173**, 1382
    - iodine into free radical intermediate, role in iodination of tyrosine (rabbit thyroid gland), **170**, 1026
  - detection in adriamycin-perfused heart, reappraisal (rat), **169**, 30
  - formed by penicillamine autoxidation, reaction with myeloperoxidase, **169**, 1158
  - generating responses in electropermeabilized neutrophils, effect of Mg.ATP (guinea pig), **170**, 194
  - generating system of neutrophils, activation by tumor necrosis factor α, role of phosphoinositide hydrolysis and arachidonic acid release (human), **166**, 308
  - generation by
    - early glycation products: mechanism for accelerated atherogenesis in diabetes, **173**, 932
    - leukocytes, calmodulin-dependent stimulation by various agents (human), **167**, 1030
    - neutrophils
      - activation by polymeric analogs of *N*-formyl peptides (human), **171**, 266
      - effect of cholesterol loading (human), **173**, 438
      - priming effect of 2,3-dibenzylbutane-1,4-diol (human), **168**, 194
      - stimulated by *N*-formyl-methionyl-leucyl-phenylalanine, enhancement by endothelin-1 (human), **173**, 496
    - submitochondrial particles, NADH-dependent, induction by 1-methyl-4-phenylpyridinium (bovine heart), **170**, 1049
  - in hydrogen peroxide generation machinery modulating tyrosine iodination, analysis (mouse), **169**, 1
  - –hydrogen peroxide production ratio, alteration by neutrophils primed *in vitro* and *in vivo* (human), **167**, 970
  - induction of lipid phase transitions in membranes similar to temperature effects (rabbit erythrocytes), **172**, 601
  - mediated release of iron from ferritin by flavoenzymes, analysis, **168**, 389
  - role as electron donor for oxidative phosphorylation of ADP (rat cardiac mitochondria), **170**, 59
  - spin trapping by 3,5-dibromo-4-nitrosobenzene sulfonate, analysis, **166**, 807
- Survival
  - electroporated cells, improvement by serum addition, **171**, 752
- Symbiosis
  - soybean–*Rhizobium*, nitrogen flow model, role of malonamate, **169**, 692
- Systemic lupus erythematosus
  - sera from patients, detection of autoantibodies to 20-kDa ribosomal large subunit protein L12, **172**, 496

T

- Talin
  - direct interaction with actin (chicken gizzard), **171**, 1217
- Taq polymerase
  - in genomic sequencing of Alzheimer's A4 precursor gene promotor region for study of methylation status (human), **169**, 46
- Tartrate
  - resistant acid phosphatase, from osteoclastomas, N-terminal amino acid sequence (human), **168**, 792
  - sensitive lysosomal acid phosphatase, deficiency in cells with lysosomal high-uptake enzyme forms (bovine, human), **167**, 520
- Tauroursodeoxycholic acid
  - inhibition of cytosolic Ca^{2+} increase in neurotrophils stimulated by formyl-methionyl-leucyl-phenylalanine (human), **171**, 1115
- TCDD, *see* 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin
- T cells
  - autocrine growth inhibition, role of parathyroid hormone-related protein (human), **166**, 1088
  - H9, HIV-1-induced expression of P-glycoprotein, **171**, 1002
  - intrathymic, stage-specific phosphoinositide turnover capacity after CD2 triggering (human), **168**, 665
  - mitogenic stimulation, subsequent down-regulation of multiple tyrosine protein kinases structurally related to $p56^{lck}$ (human), **170**, 127
  - mitogen-stimulated, ribonucleotide reductase activity, dose-dependent effect of cAMP (human), **167**, 383
  - neonatal, interleukin-4-induced CD4+/CD8− to CD8+/CD4− transformation via CD4+/CD8+ intermediate (human), **168**, 830
  - synthesis of molecule with biological characteristics of nitric oxide (mouse), **173**, 660
- T-cell suppressor factor
  - glioblastoma-derived, *see* Transforming growth factor β2
- Temperature
  - effects on
    - fluorescent calcium indicators, determination with Chelex-100 and EDTA buffer systems, **171**, 102
    - low-temperature EPR spectra of ferric cytochromes *c′* (*Achromobacter xylosoxidans* strains), **169**, 1235
    - release of atrial natriuretic peptide (rat atria), **167**, 1001
    - transcriptional activity of yeast 3-phosphoglycerokinase promoter in *Escherichia coli*, **170**, 1
  - induced phase transitions in membrane lipids, induction of related phenomena by superoxide radical (rabbit erythrocytes), **172**, 601
  - low, membrane potential changes in exposed porcine oocytes, effects of antifreeze glycopeptides from Antarctic fish, **173**, 1369

- and volatile anesthetic, equivalence in effects on spontaneous electrical oscillation of artificial membrane, **167**, 450

Terbium
- Tb^{3+}, fluorescence, effect of phosphotyrosine, **168**, 267

Testis
- expression of pregnancy-specific β1 glycoprotein genes (human), **166**, 622
- gonadotropin-releasing hormone binding sites, characterization (frog), **168**, 923
- and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377

Testosterone
- activation of G$_{D3}$ synthase in cultured hepatocytes (rat), **171**, 1188
- biosynthesis, superoxide dismutase as regulatory switch in alternate pathway, **173**, 302
- formation in Leydig cells, inhibition by interleukin-1β, enhancement by tumor necrosis factor α (rat), **166**, 1313
- modulation of hepatocyte membrane potential (human, rat), **172**, 1163
- production decline in Leydig cells, role of basic fibroblast growth factor inhibition of Δ^5-3β-hydroxysteroid dehydrogenase-isomerase activity (rat), **168**, 248

Tetracaine
- effect on cytomegalovirus-stimulated arachidonic acid metabolism (human), **166**, 953

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin
- ^{3}H-labeled, photoaffinity labeling of cytosolic and nuclear Ah receptors for molecular mass determination (murine hepatoma cells), **172**, 698
- induced cytochrome P450, metabolism of arachidonic acid: role of P450 in dioxin toxicity (chicken embryo), **172**, 1180

12-*O*-Tetradecanoylphorbol-13-acetate
- effects on
  - activin A/erythroid differentiation factor gene expression (human promyelocytic leukemia cells), **167**, 654
  - hepatoma cell growth inhibition by transforming growth factor β_1 (human), **171**, 91
  - phosphoinositide turnover induced by endothelin/sarafotoxin receptors (rat cardiac myocytes), **171**, 949
- induction of translocation of insulin-sensitive glucose carrier in fat cells (rat), **168**, 1089
- inhibition of insulin-stimulated phosphatidylinositol monophosphate hydrolysis in fat cell membranes (rat), **172**, 446
- mitogenic response of vascular smooth muscle cells from genetically hypertensive rat strains, analysis, **170**, 1249
- potentiation of cAMP action in inducing DNA cleavage in thymocytes (mouse), **171**, 827
- regulation of
  - monocyte chemotactic protein gene expression in endothelium (human), **169**, 346
  - phosphorylation of nuclear pp64 on serine/threonine and tyrosine residues (NRK cells), **167**, 918
- resistance in breast adenocarcinoma subline, reversal by transforming growth factor β (human), **166**, 687
- responsive element, role in
  - angiotensin II regulation of gene expression via protein kinase C-dependent pathway (human, rat), **172**, 1189
  - transcriptional activation by transforming growth factor β1 in cultured cells (mink, mouse), **168**, 1074
- specific cytosolic-nuclear binding proteins, detection in HL-60 cells and translocation into nuclei, **166**, 1126
- stimulation of
  - endothelin-1 release from renal epithelial cells (pig), **169**, 578
  - S6 phosphorylation and effect on protein synthesis (Ehrlich cells), **166**, 1340

1,1,1,2-Tetrafluoroethane
- defluorination by hepatocytes, role of cytochrome P450 (rat), **166**, 1390

C$_1$-Tetrahydrofolate synthase
- immunolocalization (rat kidney), **168**, 625

Tetrahymena pyriformis
- insulin binding and insulin-induced receptor formation, effect of 5-azacytidine, **168**, 709

2,2,5,5-Tetramethylpyrrolidine-1-oxyl-3-carboxylic acid
- free radicals, whole mouse pharmacokinetics by low-frequency electron paramagnetic resonance, **166**, 168

β-Thalassemia
- HbE-related, molecular basis and origin of HbE in northeast Thailand: identification of mutation (human), **170**, 698

Thapsigargin
- and inositol trisphosphate, selective effects on cerebral endoplasmic reticulum calcium stores (rat), **172**, 811

Theophylline
- prevention of attenuated glomerular responses to atrial natriuretic factor in low-sodium rats, **170**, 596

Thermogenesis
- in ripening mangoes, role of cyanide-resistant respiration, **168**, 818

Thiamine
- derivatives, regulation of ion uptake by cerebral membrane vesicles (rat), **171**, 1137

2*H*-1,4-Thiazine-5,6-dihydro-3-carboxylic acid
- detection in brain (bovine), **166**, 1251

Thioglycollate
- elicited peritoneal macrophages, enhanced leukotriene C$_4$ synthase activity, analysis (rat), **171**, 1344

Thiolate
- –cytochrome P450 complexes, bis(glutathione dimethyl ester)–hemin complex as model for, hyperporphyrin spectrum, **169**, 22

Thiol reagents
- effects on p60$^{v\text{-}src}$ kinase *in vitro*, comparison with herbimycin A, **173**, 276

Thioltransferase
- amino acid sequence in yeast, comparison with porcine form and *Escherichia coli* glutaredoxin, **168**, 944

Thiopental
- inhibition of human placental Na$^+$,K$^+$-ATPase, **173**, 1248

Thioredoxin
- reactivity, structure–function relationship (human), **173**, 1375

4-Thiouridine
  incorporation into RNAs *in vivo* (*Escherichia coli*), **166**, 29
Threonine
  –serine, phosphorylation of nuclear pp64 on, regulation by phorbol ester and platelet-derived growth factor (NRK cells), **167**, 918
Threonine dehydratase
  and tryptophan synthase β subunit, sequence similarities, **171**, 1319
Threonine synthase
  and tryptophan synthase β subunit, sequence similarities, **171**, 1319
Thrombin
  affinity of human endothelial cell-surface thrombomodulin, decrease after treatment with β-D-xyloside (bovine), **169**, 177
  clotting activity, inhibition by synthetic peptide segments of inhibitors and substrates, **169**, 437
  stimulated tyrosine phosphorylation, effects of elevation of cAMP and cGMP (human platelets), **171**, 738
  stimulation of
    amyloid β-protein precursor release by platelets (human), **170**, 288
    endothelin-1 release from renal epithelial cells (pig), **169**, 578
Thrombin receptors
  functional, expression in oocytes injected with human endothelial cell mRNA (*Xenopus laevis*), **171**, 913
Thrombomodulin
  cell-surface, affinity for thrombin, decrease after treatment of cultured human endothelial cells with β-D-xyloside, **169**, 177
  human recombinant, soluble, presence and function of chondroitin-4-sulfate on, **171**, 729
  synthetic peptide segments, inhibition of thrombin clotting activity, **169**, 437
Thrombospondin
  specific inhibition of endothelial cell proliferation (bovine, human, rabbit), **170**, 867
Thylakoids
  bound DNA, enrichment for replication forks (spinach chloroplasts), **172**, 204
Thymidine
  ^{3}H-labeled, basal and angiotensin II-stimulated uptake by adrenal gland, inhibition by somatostatin analog SMS 210-995 (rat), **166**, 1171
Thymidine kinase
  gene expression, post-transcriptional regulation during monocyte differentiation of HL-60 cells, **169**, 780
  vaccinia virus, quaternary structure, **169**, 1080
Thymidylate synthase
  site-directed mutagenesis: effects of alteration of Arg^{44} to Val^{44} on catalysis and nucleotide binding (mouse), **167**, 869
Thymus
  identification of DNA ligase I-related polypeptides (human), **169**, 888
  and other organs, distribution patterns of poly(ADP-ribose) polymerase and DNA polymerase β, comparison (mouse), **172**, 377
Thyroglobulin
  preferential hormonogenic domain, associated oligosaccharides, characterization (human), **166**, 937
Thyroid
  FRTL-5 and PC-CI-3 cells, oncogene transformation, associated loss of thyrotropin receptor gene expression, **173**, 172
  hydrogen peroxide generation machinery: identification of tyrosine iodination-modulating system involving superoxide dismutase and superoxide radical (mouse), **169**, 1
Thyroid hormone receptors
  c-erbA β,
    in vivo expression in yeast (rat liver), **171**, 138
    mutant associated with generalized thyroid hormone resistance, T_3- and DNA-binding properties (human placenta), **171**, 575
Thyroperoxidase
  gene promoter
    conferral of thyrotropin responsiveness to heterologous reporter genes in transfection experiments (canine thyrocytes), **166**, 1257
    functional activity studies (rat thyroid cells, NIH-3T3 fibroblasts), **168**, 281
  mRNA, evidence for alternative splicing in Graves' disease (human), **170**, 735
Thyrotropin
  binding site on TSH receptor, binding site for thyrotropin binding inhibitor immunoglobulin distinct from, detection (human), **172**, 529
  interacting proteins in FRTL-5 thyroid cells, identification by microsequencing (rat), **170**, 351
  interaction with thyrotropin receptor, analysis (rat), **169**, 947
  responsiveness to heterologous reporter genes in transfection experiments, conferral by thyroid peroxidase gene promoter (canine thyrocytes), **166**, 1257
  secretion from dispersed pituitary cells, differential effects of oligosaccharide-processing inhibitors (rat), **165**, 788; *erratum*, **167**, 381
Thyrotropin receptors
  cloning, sequencing, and expression in COS-7 cells (human), **166**, 394
  extracellular domain mid-region, essential role in receptor function, **173**, 1150
  gene expression in oncogene-transfected thyroid cells, analysis (rat), **173**, 172
  immunogenic regions for IgG of patients with Graves' disease, identification, **171**, 512
  possible binding site for thyrotropin binding inhibitor immunoglobulin different from TSH binding site, **172**, 529
  processing and interaction with thyrotropin, analysis (rat), **169**, 947
  stable expression in CHO cells and characterization of differentially expressing clones (human), **171**, 1044
Thyrotropin-releasing hormone
  Ca^{2+}-independent secretory mechanism, role of protein kinase C (rat pituitary cells), **173**, 571

  induced activation of Na^+/H^+ exchange in pituitary cells, priming effect of hyperosmotic stress (rat), **172**, 913
  prohormone, gene expression by fetal pancreatic islets in culture (rat), **168**, 952
  stimulated signal transduction, role of Ca^{2+}-independent protein kinase C isozyme nPKC ε (GH_4C_1 cells), **172**, 184
Thyroxine
  binding globulin, hepatic biosynthesis, analysis (rat), **167**, 317
  effects on 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase mRNA in hepatocyte primary cultures (rat), **169**, 406
  synthesis, preferential domain of thyroglobulin, characterization of associated oligosaccharides (human), **166**, 937
Tiazofurin
  stimulation of phosphorylation of 2′,3′-dideoxyguanosine, **171**, 1297; *erratum*, **173**, 481
TIMP, *see* Tissue inhibitor of metalloproteinase
Tissue cultures
  calvaria, experimental conditions during long-term incubation, effects on prostaglandin measurement (neonatal mouse), **169**, 545
Tissue inhibitor of metalloproteinase
  production by osteopetrotic bone in organ culture, regulation by vitamin A (mouse), **168**, 1171
Tissues
  detection of intracisternal A-particle related transcripts (rat), **169**, 222
  erythrocyte-associated S-(2,4-dinitrophenyl)glutathione ATPase expression, analysis (human), **171**, 155
  H_3 histamine receptor distribution, determination by N^{α}-methylhistamine (guinea pig), **168**, 979
  ^{125}I-endothelin distribution, role of pulmonary clearance (rat), **167**, 1191
  immunoreactive big endothelin-1 distribution and molecular form (pig), **170**, 497
  nuclear poly(A) polymerases, relationships to hepatic and tumor-type enzymes (pig, rat), **169**, 325
  peripheral subcutaneous, differential expression of renin genes (mouse, rat), **173**, 218
  phosphofructokinase-M and -L genes, specificity of expression and alternative RNA splicing (human), **173**, 1317
  pyruvate kinase L–chloramphenicol acetyltransferase fusion gene expression in transgenic mice, effects of diet and insulin, **171**, 243
Tobacco mosaic virus
  RNA translational efficiency: outcompetition by frog virus 3 RNA *in vitro*, **172**, 1357
Tocopherol, *see* Vitamin E
Toluene
  with/without methanol, extracellular phospholipase A_2 in, phospholipid synthesis (bacteria, insect, mammals, snake), **168**, 644
*N*α-Tosyl-L-lysyl chloromethylketone
  modification of recombinant human interferons αA and β in mapping of residues essential for antiviral activity, **167**, 74
*N*α-Tosyl-L-phenylalanyl chloromethylketone
  modification of recombinant human interferons αA and β in mapping of residues essential for antiviral activity, **167**, 74
Toxicity
  R(+)-pulegone-mediated, implications of biotransformations *in vitro*, **173**, 1086
α-Toxin
  permeabilized arterial smooth muscle, myofilament Ca^{2+} sensitivity, augmentation by norepinephrine and GTP-γ-S (rabbit), **157**, 677; *erratum*, **166**, 1061, 1508
Toxins
  TGFα–anti-Tac(Fv)–PE40, cytotoxicity for cells with epidermal growth factor or interleukin-2 receptors, **171**, 1
Trace elements
  biomineralization-associated, quantification in tissue culture system by total reflection x-ray fluorescence (chicken), **170**, 1216
Transamination
  cytosine, in biotinylation of double-stranded DNA, **170**, 243
Transcortin
  effect on transmembrane transfer of cortisol (human placental syncytiotrophoblasts), **173**, 961
Transcription
  activating c-jun and jun B genes, induction by transforming growth factor β in cultured cells, role of dyad symmetry and TPA-responsive elements (mink, mouse), **168**, 1074
  associated activation of c-*fos* protooncogene, induction by heat shock (murine 3T3 fibroblasts), **168**, 1013
  associated activity of yeast 3-phosphoglycerokinase promoter in *Escherichia coli*, temperature dependence, **170**, 1
  brain-specific, myelin basic protein gene, regulatory role of nuclear factor I-binding site in distal promotor (mouse), **167**, 648
  CYP2E1 gene, control in perivenous liver region and during starvation (rat), **173**, 331
  different HNF1-like activators in liver, binding to same region of aldolase B promoter (rat), **173**, 1337
  1,25-dihydroxyvitamin D_3 receptor cDNA *in vitro* (human), **173**, 1129
  endogenous retroviral long terminal repeat sequence (human lung cancer cells), **166**, 1
  glucocorticoid-responsive genes, differential induction in cultured hepatocytes (rat), **166**, 133
  glucose-6-phosphate dehydrogenase gene, promoting DNA elements, analysis (human), **170**, 1203
  HIV-1, inhibition by DNA methylation, **168**, 141
  initiation by RNA polymerase, intermediates, detection by chemical nuclease activity of 5-phenyl-1,10-phenanthroline–copper ion (*Escherichia coli*), **168**, 756
  initiation site of plasminogen gene, definition in liver and nonhepatic cell lines (human), **173**, 1013
  regulation of ferritin heavy chain mRNA expression, role of thyroid hormone (rat), **167**, 1279
  retinoic acid receptor-dependent, differential activation by retinoic acid and synthetic analogs (CV-1 cells), **173**, 339

  role in lipid-rich diet modulation of pancreatic lipase gene expression (rat), **166**, 358
  thyroid peroxidase gene, regulation: promoter conferral of thyrotropin responsiveness to heterologous reporter genes in transfection experiments (canine thyrocytes), **166**, 1257
Transcription antitermination complex
  bacteriophage ϕ80, molecular mechanism: interaction of 15-kDa host-coded protein with gene N transcription antitermination protein, **168**, 972
Transcription factors
  IIA, human and wheat, similarity of interaction with adenovirus-2 major late promoter, **168**, 498
  IIIC, partially purified, specific interaction with tRNA gene (*Xenopus laevis*), **172**, 692
  c-jun, increase in medullary thyroid carcinoma cells differentiated by Harvey *ras* oncogene (human), **170**, 140
Transcytosis
  protein–polylysine conjugates, role of proteolytic processing in nonlysosomal compartment (MDCK cells), **166**, 316
Transducin
  βγ subunit, stimulation of ADP-ribosylation of α subunit by pertussis toxin (bovine), **167**, 1235
Transfection
  cDNA, with G→T point mutation at cleavage site of insulin receptors, effects in COS 7 cells, **167**, 1073
  efficiency in electroporated cells, improvement by serum addition, **171**, 752
  HeLa cells with estrogen receptor cDNA, effects on cell growth and estrogen responsiveness of endogenous cathepsin D gene, **169**, 109
  thyroid peroxidase gene 5′-region into canine thyrocytes, conferral of thyrotropin- and cAMP-dependent promoter activity (human), **166**, 1257
Transferrin
  and lactoferrin, translocation on HT29-D4 cells, evidence for different mechanisms, **170**, 837
Transferrin receptors
  in oviducts and embryonic erythrocytes, comparison (chicken), **171**, 26
Transformation
  BPNi hamster embryo cells, effects of okadaic acid, **167**, 1302
  fibroblasts by
    membrane-associated and cytoplasmic oncogenes, intracellular glycerophosphoinositol increase as biological marker (mouse, rat), **171**, 14
    ras oncogene
      associated phenotype manifestation, prior increase in tyrosine phosphorylation (mouse), **170**, 526
      effects on cytosolic and nuclear protein kinase C activities (mouse), **173**, 528
  malignant, rat cells by human *rho* gene, **168**, 114
  thyroid cells by oncogenes, associated loss of thyrotropin receptor gene expression (rat), **173**, 172
  tomato plants with cucumber mosaic virus satellite RNA, subsequent satellite RNA expression and lethal necrosis, **170**, 548
Transforming growth factor α
  chemical synthesis, characterization, and biological activity (bovine), **167**, 484
  detection in urine and plasma (human), **167**, 1065
  and epidermal growth factor, induction of differential processing of EGF receptor (NIH-3T3 cells), **166**, 615
  gene expression in cancer cells, analysis by intron-differential RNA/polymerase chain reaction method (human), **170**, 569; *erratum*, **172**, 1407
  induced second messengers, inhibition by anti-epidermal growth factor receptor antibody 425 (human), **172**, 471
  Kupffer cell-derived, modulation of hepatic lipocyte proteoglycan synthesis and proliferation (rat), **171**, 1122
Transforming growth factor β
  bifunctional effects on migration of cultured aortic smooth muscle cells (rat), **169**, 725
  bound to soluble derivatives of Alzheimer β amyloid precursor, isolation (human glioblastoma cells), **171**, 890
  effects on malignant and nonmalignant human mammary epithelial cells cultured in collagen gel matrix, **173**, 1239
  inhibition of albumin synthesis in hepatocytes and hepatoma cells (human), **171**, 647
  production by AT-3 metastatic cell line established from Dunning rat prostatic adenocarcinoma, **166**, 840
  regulation of cystatin C in serum-free mouse embryo cells, **172**, 945
  related activity, detection in KCo cell extracts (*Drosophila* sp.), **169**, 1178
  reversal of phorbol diester resistance of breast adenocarcinoma subline (human), **166**, 687
  stimulation of endothelin-1 release from renal epithelial cells (pig), **169**, 578
  type 1
    gene expression in cancer cells, analysis by intron-differential RNA/polymerase chain reaction method (human), **170**, 569; *erratum*, **172**, 1407
    inhibition of hepatoma cell growth, effects of phorbol ester (human), **171**, 91
    Kupffer cell-derived, modulation of hepatic lipocyte proteoglycan synthesis and proliferation (rat), **171**, 1122
    latent form, role as growth inhibitor on erythroleukemia cell line (human), **167**, 27
    persistent effect on extracellular matrix gene expression in dermal fibroblasts (human), **169**, 232
    transcriptional activation of c-jun and jun B genes in cultured cells, role of dyad symmetry and TPA-responsive element (mink, mouse), **168**, 1074
  type 2, promoter region of encoding gene, sequence analysis: comparison with TGF-β1 and TGF-β3 genes (human), **171**, 1145
Transgenes
  constitutive and inducible expression in trout liver cell line directed by heterologous promoters, **173**, 1311
Transglutaminase, *see* Protein-glutamine γ-glutamyltransferase
Trans-Golgi network
  in pancreatic cells, identification as site of initiation of prosomatostatin II processing (anglerfish), **170**, 1263

Transketolase
  in cultured fibroblasts, analysis: detection of abnormalities in Alzheimer patients, **172**, 396
Translation
  1,25-dihydroxyvitamin D_3 receptor mRNA *in vitro* (human), **173**, 1129
  frog virus 3 and tobacco mosaic virus RNAs, efficiency: TMV outcompetition by FV3 *in vitro*, **172**, 1357
  increased efficiency, role in P450IIE1 induction by solvents: analysis of P450IIE1 mRNA polyribosomal distribution (rat), **172**, 767
  related regulation of chloroplast gene expression during light–dark cell cycle, role of ATP/energy supply (*Chlamydomonas reinhardtii*), **170**, 1082
Translocation
  Ca^{2+}-induced, phospholipase A_2 from cytosol to membranes (rat brain), **170**, 484
  chromosomes 16 and 18 in oxygen radical-transformed pulmonary fibroblasts, analysis (human), **169**, 70
  lactoferrin and transferrin translocation on HT29-D4 cells, evidence for different mechanisms, **170**, 837
Transthyretin
  gene, cloning and dual promoter region analysis (rat), **173**, 323
  Glu^{42} to Gly and Ser^{50} to Arg variants, identification in Japanese kindreds with familial amyloidotic polyneuropathy, **169**, 1117
  variant deduced from nucleotide sequence of gene fragments from familial amyloidotic polyneuropathy, identification in siblings, **169**, 143
Trehalose
  inhibition of diacylglycerol loading from fat body by lipophorin (locust), **172**, 588
TRH, *see* Thyrotropin-releasing hormone
Triacylglycerol lipase
  catalyzed hydrolysis of achiral triacylglycerols, stereospecificity, CD-based determination, **168**, 506
  gene expression, modulation by lipid-rich diet at transcriptional level (rat), **166**, 358
Triazine dyes
  fractionation of ribosome-inactivating proteins with, **173**, 554
Tri-*O*-benzoyl glycerol
  achiral, lipase-catalyzed hydrolysis, stereospecificity, CD determination: lipase-produced chiral diglycerides, **168**, 506
Trifluoperazine
  inhibition of contraction in permeabilized skeletal, cardiac, and smooth muscles (guinea pig, hamster, rabbit), **166**, 1421
3α,7α,12α-Trihydroxy-5β-cholestanoic acid
  formation by 5β-cholestane-3α,7α,12α-triol oxidation by mitochondrial cytochrome $P450_{26}$ (rabbit liver), **167**, 391
Triiodothyronine
  binding to cytosolic thyroid hormone-binding protein, regulation by L-α-alanine (human A431 cells), **167**, 587
  binding properties of mutant c-erbAβ receptor associated with generalized thyroid hormone resistance (human placenta), **171**, 575
  effects on hepatic mRNA levels of cholesterol 7α-hydroxylase, LDL receptor, HMG-CoA reductase, farnesyl pyrophosphate synthetase, and apo A-I in hypophysectomized rats, **172**, 1150
  role in transcriptional regulation of ferritin heavy chain mRNA expression (rat), **167**, 1279
Triose-phosphate isomerase
  chloroacetol phosphate-bound, two conformational forms revealed by ^{31}P NMR spectroscopy (chicken muscle), **173**, 736
Tripalmitin
  achiral, lipase-catalyzed hydrolysis, stereospecificity, CD determination: lipase-produced chiral diglycerides, **168**, 506
Trophoblast protein-1
  N-glycosylated and unglycosylated forms, secretion by preimplantation caprine conceptuses, **172**, 16
Tropomyosin
  and filamin, divergent effects on actin filament bundling (rabbit muscle), **167**, 1109
  type αα, coiled coils, thermal unfolding, effect of sulfhydryl blocking groups (rabbit heart), **166**, 1279
Trypanosoma brucei
  subsp. *rhodesiense*, variant surface glycoprotein mRNAs expressed in mixed population, nucleotide sequences, **169**, 730
Trypanosoma cruzi
  excreted glycoprotein with capacity to increase host-cell membrane permeability, purification, **166**, 736
  sterol biosynthesis and growth in culture, inhibition by lovastatin, **166**, 1441
  surface proteins involved in adhesion to host cells, purification, **172**, 925
Trypanosomes
  lysis by peptidyl fluoromethyl ketones, **170**, 923
Trypsin
  α, β, and ψ, electrospray ionization mass spectrometric resolution by charge state distributions (bovine), **173**, 927
  activation of latent neutrophil collagenase (human), **171**, 979
  immobilization on calibrated nylon spheres: application to selective trypsinization of histones in chromatin (rat liver), **167**, 9
  inhibition by amyloid peptide precusor containing Kunitz protease inhibitor domain, enhancement by precursor glycosylation (COS-1 cells), **171**, 1015
Trypsin inhibitor
  soybean-derived, stimulation of macrophages, **173**, 296
Tryptase
  effect on extracellular matrix derived from rat cardiac smooth muscle cells: role of mast cells as effectors of connective tissue degradation (human), **171**, 1272
Tryptophan
  in recombinant interferon-αA and interferon-β1, intrinsic fluorescence (human), **169**, 282
  residue 140 of aspartate aminotransferase, functional effects of replacement by phenylalanine or glycine (*Escherichia coli*), **167**, 407

residue 248 in tryptophanase, role in enzyme active site (*Escherichia coli*), **173**, 756
Tryptophanase
active site, role of tryptophan 248 (*Escherichia coli*), **173**, 756
Tryptophan 2,3-dioxygenase
deduced primary structure (rat), **170**, 176
induction by dexamethasone in hepatocytes, inhibition by sphingosine (rat), **168**, 823
Tryptophan oxygenase, *see* Tryptophan 2,3-dioxygenase
Tryptophan synthase
β subunit, and other pyridoxal-phosphate-dependent enzymes, sequence similarities, **171**, 1319
β-Tubulin
mRNA expression during neuritic processes of neuroblastoma cell line, differential effects of concanavalin A and colchicine (mouse), **167**, 1348
Tumor cells
adenocarcinoma HT29-D4, lactoferrin and transferrin translocation on, evidence for different mechanisms (human), **170**, 837
adrenal, SW-13, identification of ANP-specific natriuretic peptide receptor system (human), **173**, 886
astrocytoma
cultured, inhibition of platelet aggregation by release of nitric oxide-like factor, **172**, 564
U373, proliferation and interleukin-6 mRNA expression, induction by IL-1: modulation by cholera toxin and cAMP (human), **167**, 1242
basophilic leukemia
RBL, exocytosis rate, regulation by microfilaments (rat), **171**, 222
RBL-1, produced monohydroxyeicosatetraenoic acids, chirality (rat), **169**, 332
bladder cancer UCRU-BL28, derived from high-grade invasive tumor, surface expression of active plasminogen activator and pro-PA (human), **172**, 870
B-lymphoma A20, staphylococcal enterotoxin A binding, inhibition by I-A^{b}_{β} region (mouse), **168**, 696
breast
estrogen receptor-positive and -negative, identification of expressed protein kinase C subspecies (human), **171**, 1071
mucinous, BT549, associated epithelial membrane antigen, multiple protein forms, generation by alternative splicing and induction by hormonal stimulation (human), **170**, 1331
breast adenocarcinoma MCF-7:RPh-4, phorbol diester resistance, reversal by transforming growth factor β (human), **166**, 687
breast cancer
4-hydroxytamoxifen anti-growth factor activity, mechanisms (human), **173**, 919
MCF-7
28-kDa protein kinase C substrate, relationship to heat shock protein family (human), **168**, 527
drug-sensitive and -resistant, metabolic differences: combined ^{1}H and ^{31}P NMR of cell extracts, **169**, 383
multidrug-resistant, cross-resistance to anti-HIV nucleoside analogs (human), **169**, 986
secretion of lysosomal pro-enzymes, effect of estradiol (human), **171**, 972
breast carcinoma
DU4475, specific binding sites, identification of carrier-immobilized derivatized lysoganglioside GM$_1$ as ligand (human), **169**, 239
T47D, 67-kDa high-affinity metastasis-associated laminin receptor mRNA, steady-state levels, increase by laminin and fibronectin (human), **168**, 1110
colon adenocarcinoma
COLO205, specific binding sites, identification of carrier-immobilized derivatized lysoganglioside GM$_1$ as ligand (human), **169**, 239
identification of myristoylated pp60$^{c\text{-}src}$: suppression of colony formation by blockage of myristoylation (human), **173**, 894
WiDr
altered methylation of versican proteoglycan gene (human), **171**, 1402
myristoylation of heparan sulfate proteoglycan and proteins, post-translational occurrence (human), **172**, 905
colon carcinoma
gastrin mRNA, polymerase chain reaction cloning and sequencing (human), **170**, 691
HCT116 sublines, sialic acid-dependent adhesion to collagen IV, correlation with *in vivo* tumorigenicity (human), **171**, 860
SW480, anti-*ras* p21 antibody specificity and cellular oncoprotein levels, measurement with quantitative immunofluorescence, **167**, 464
SW1116, solubilization of plasmin receptors (human), **170**, 748
colonic cancer
HT-29, cAMP-dependent protein kinase RIα subunit mRNA levels, stimulation by protein kinase C activation (human), **172**, 409
SW620, hydrophobic drug-resistant, increased *mdr* gene expression and decreased drug accumulation (human), **172**, 842
cytotoxicity of bifunctional toxin TGFα–anti-Tac(Fv)–PE40, **171**, 1
Ehrlich ascites, S6 phosphorylation and protein synthesis, effects of 12-*O*-tetradecanoylphorbol-13-acetate, **166**, 1340
embryonal carcinoma
HM-1, secretion of heparin-binding protein, induction by retinoic acid-responsive gene MK, **171**, 603
P19, neural differentiation
associated increase in expression of Alzheimer amyloid β-protein precursor gene (mouse), **171**, 204
inhibition by activin (mouse), **173**, 193
embryonal teratocarcinoma F9, differentiation, induction by transient exposure to retinoic acid (mouse), **170**, 147
epidermoid carcinoma A431
epidermal growth factor-induced phospholipase C activation, inhibition by erbstatin (human), **173**, 208

  - epidermal growth factor receptor tyrosine kinase, antibody-induced activation, role of detergent (human), **171**, 882
  - fluorescein isothiocyanate-labeled ricin binding and internalization (human), **169**, 602
  - GM3-dependent inhibition of epidermal growth factor receptor autophosphorylation in plasma membranes, role of lysophosphatidylcholine (human), **172**, 77
- erythroleukemia
  - Friend virus-induced, genes highly expressed in early and late stages, isolation (mouse), **170**, 39
  - HEL, growth inhibition by latent form of transforming growth factor $\beta 1$ (human), **167**, 27
  - HEL 92.1.7, specific binding sites, identification of carrier-immobilized derivatized lysoganglioside GM_1 as ligand (human), **169**, 239
  - K562
    - adriamycin-resistant, 300-kDa membrane protein, detection by monoclonal antibody MRK18 (human), **169**, 686
    - cultured at limiting dilution, NAD$^+$ and NADH depletion, prevention by glyoxylic acid (human), **173**, 179
    - growth and erythroid differentiation, effect of erythroid differentiation factor (human), **168**, 1149
    - multidrug-resistant, cross-resistance to anti-HIV nucleoside analogs (human), **169**, 986
    - retrovirus-mediated gene transfer of leukocyte integrin CD18 subunit (human), **171**, 787
  - MEL
    - identification of protein kinase C activating factor: characterization of activation kinetics (mouse), **172**, 1006
    - spermidine-mediated decay of ornithine decarboxylase, effects of ATP depletion and phenanthroline, **172**, 939
  - vincristine-resistant, secretion of differentiation-enhancing factor (mouse), **173**, 156
- expression of
  - c-*myc* oncogene and growth factor/receptor genes, survey by intron-differential RNA/PCR method (human), **170**, 569; *erratum*, **172**, 1407
  - low levels of oncomodulin (human), **169**, 905
  - retinoic acid receptor genes and ligand-binding selectivity of encoded receptors (human), **166**, 1300
- fibrosarcoma
  - HT 1080, 92-kDa gelatinase–type IV collagenase, induction and stimulation by tumor necrosis factor α, **171**, 610
  - T-10, derived metastatic cells, H-2D^k gene, role of coding sequence changes in immunogenic abnormality of encoded antigen (mouse), **171**, 1395
- gastric carcinoma
  - gastrin mRNA, polymerase chain reaction cloning and sequencing (human), **170**, 691
  - native, release of T-antigen by *Alcaligenes* endo-α-*N*-acetylgalactosaminidase (human), **172**, 341
- glioma
  - BT5C, metalloproteinase secreted in serum-free culture, isolation and characterization (rat), **172**, 544
  - C6
    - and cerebellar astrocytes and granule cells, comparative phosphoinositide hydrolysis induced by endothelin-related peptides (rat), **168**, 512
    - differential down-regulation of β_1- and β_2-adrenergic receptor mRNA (rat), **170**, 46
    - ferritin heavy chain mRNA expression, transcriptional regulation, role of thryoid hormone (rat), **167**, 1279
    - stimulation of γ-glutamyl-transpeptidase and N$^+$,K$^+$-ATPase in different subpopulations of cerebral endothelial cells, analysis (rat), **168**, 358
- HeLa, *see* HeLa cells
- hepatoma
  - growth inhibition by transforming growth factor β_1, effects of phorbol ester (human), **171**, 91
  - H4, DNA synthesis regulation, interactive effects of insulin and phorbol esters (rat), **172**, 759
  - Hepa-1 and 7777, expression of chloramphenicol acetyltransferase reporter gene by *Cyp1a-2* promoter (mouse, rat), **172**, 1109
  - Hepa-1c1c9, cytosolic and nuclear Ah receptors, photoaffinity labeling and molecular mass determination (mouse), **172**, 698
  - HepG2
    - albumin synthesis, inhibition by transforming growth factor β (human), **171**, 647
    - insulin receptor gene expression, effects of glucose starvation and mechanism (human), **169**, 397
    - membrane tyrosine protein kinase, inhibition by staurosporine (human), **170**, 1191
    - and primary rat hepatocytes, differential responses to 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitors (human), **170**, 726
    - stress-induced activation of heme oxygenase and hsp 70 genes (human), **166**, 1429
- insulinoma
  - RINm5F, galanin binding and biological activity, structural requirements, **172**, 268
- KB
  - multidrug-resistant, correlation of protein kinase C translocation, P-glycoprotein phosphorylation, and reduced drug accumulation (human), **169**, 253
  - nuclear poly(A) polymerases, relationships to hepatic and tumor-type enzymes (human), **169**, 325
  - subcellular distribution of nitroxide spin-labeled netropsin-acridine hybrid, ESR study, **167**, 798
- laryngeal carcinoma HEp2, insulin receptor gene expression, effects of glucose starvation and mechanism (human), **169**, 397
- leukemia
  - KU812, terminal differentiation, autocrine regulation by interleukin-6 (human), **169**, 184
  - L-1210, γ-glutamylcysteine synthetase synthesis, induction by prostaglandin A$_2$ (mouse), **168**, 551
  - U-937, 1,25-dihydroxyvitamin D$_3$ induction of mitochondrial superoxide dismutase and resistance to tumor necrosis factor cytotoxicity (human), **170**, 73
- Lewis lung carcinoma 3LL, laminin surface binding sites and metastatic potential, effects of indomethacin (mouse), **167**, 731

lung cancer, endogenous retroviral long terminal repeat sequence, transcription (human), **166**, 1
lymph node carcinoma of prostate, LNCaP, androgen receptor heterogeneity and phosphorylation (human), **166**, 193
lymphoblastic leukemia CCRF-CEM
  metabolism of 3′-azido-2′,3′-dideoxyguanosine (human), **166**, 273
  multidrug-resistant, cross-resistance to anti-HIV nucleoside analogs (human), **169**, 986
  sublines with different multidrug resistance patterns, *mdr*1/P-glycoprotein gene segments from, analysis (human), **169**, 796
lymphoblastoid MT-2, CD4$^+$, HIV-1 replication and cytopathogenicity, inhibition by synthetic soluble catecholamine melanins (human), **168**, 200
lymphoma Nb2, prolactin receptor crosslinking to G proteins (rat), **173**, 48
mammary adenocarcinoma EMT 6, production of arginine-derived relaxing factor, induction by interferon-γ plus endotoxin (mouse), **173**, 1
mammary carcinoma FM3A, CDC2 kinase activity during cell cycle, differences between cytoplasmic and nuclear fractions (mouse), **172**, 371
mastocytoma FMA1, 40-KDa protein, induction by heat shock and other stresses (mouse), **166**, 642
melanoma
  A375, antiproliferative effect of interleukin-1 (human), **173**, 186
  A2058
    67-kDa high-affinity metastasis-associated laminin receptor mRNA, steady-state levels, increase by laminin and fibronectin (human), **168**, 1110
    haptotactic migration, induction by interleukin-8 (human), **169**, 165
    inositol trisphosphate, stimulation by autocrine motility factor (human), **166**, 757
  B16, isolated hypersensitive DNA, c-*myc* sequence enrichment and greater reactivity with malignant genomic DNA (mouse), **169**, 352
  B16-BL6, differentiation and macromolecular interactions with tyrosinase gene 3′ region, regulation by cell adhesion, **172**, 638
monocytic leukemia
  differentiation, induction by monoclonal antibodies to antigen 710F (human), **168**, 898
  U937
    differentiation by granulocyte-macrophage colony-stimulating factor, effects on expression of elastase and cathepsin B (human), **167**, 659
    endothelial cell-dependent adhesion, effect of 14,15-epoxyeicosatrienoic acid (human), **167**, 137
    stimulation by interleukin-6, subsequent exon exclusion in α_1-antitrypsin mRNA (human), **172**, 1116
    uv crosslinking of proteins to PRDII domain of interferon-β promoter, analysis (human), **167**, 1086
multidrug-resistant, drug accumulation, enhancement by staurosporine (human), **173**, 1252
myeloid leukemia, differentiation, induction by camptothecin (human, mouse), **166**, 160
myeloma
  MM-S1, expression of erythropoietin receptors, demonstration (human), **170**, 1128
  OPM-1, *N*-acetylglucosaminyltransferase III, IV, and V activities and surface oligosaccharide structure, effects of interleukin-6 (human), **172**, 1260
myelomonocytic leukemia WEHI-3B, survival and transfection efficiency after electroporation, improvement by serum addition (mouse), **171**, 752
myristoylated *src*-oncogene products, detection by monoclonal antibody to N-terminal myristoyl tetrapeptide (human), **170**, 657
neuroblastoma
  growth, morphology, and lipid composition, effects of lysosphingolipids (mouse), **169**, 673
  LS, N-myc expression, reduction by antisense RNA, amplification by interferon: role of 2-5A system (human), **170**, 1242
  NIE-115
    mitogenic effects of extracellular ATP combined with growth factors or neurotransmitters (mouse), **166**, 251
    mono- and diacylglycerol lipase activities, bradykinin effects (mouse), **166**, 1001
    receptor-mediated generation of endothelium-derived relaxing factor-like intermediate, detection by spin trapping (mouse), **170**, 1177
  N18TG2, β-tubulin mRNA expression during neuritic processes, differential effects of concanavalin A and colchicine (mouse), **167**, 1348
  SH-EP, susceptibility to growth inhibition by tumor necrosis factor α, effect of enhanced MYCN oncogene expression (human), **170**, 1301
  SK-N-MC, identification and characterization of functional D_1 dopamine receptors (human), **166**, 574
neuroblastoma × glioma NG108-15, differentiated
  angiotensin receptors, covalent crosslinking analysis, **170**, 1096
  inositol polyphosphate production, effects of angiotensins II and III, **167**, 1200
osteosarcoma
  MG-63
    identification of monocyte chemotactic protein (human), **167**, 904
    22-oxa-1,25-dihydroxyvitamin D_3 binding to $1,25(OH)_2D_3$ receptors and effects on osteocalcin synthesis (human), **169**, 629
  OST, 92-kDa gelatinase–type IV collagenase, induction and stimulation by tumor necrosis factor α, **171**, 610
  osteoblast-like SaOS-2, response to parathyroid hormone, effect of 1,25-dihydroxyvitamin D_3 (human), **168**, 889
  ROS 17/2, protein kinase C stimulation by parathyroid hormone (rat), **171**, 1105
ovarian carcinoma IGROV-1, cell membrane, binding of CA-MOv18 molecule by phosphatidylcholine (human), **171**, 1051
pancreatic islet cell, derived pancreastatin-producing cell line QGP-1, characterization (human), **168**, 741

  - pheochromocytoma
    - PC12
      - β-amyloid precursor expression, effect of fibroblast growth factor (rat), **167**, 96
      - attachment promoting site, identification in laminin A chain 43-kDa fragment (rat), **170**, 1314
      - induction of neurite outgrowth, growth inhibition, and acetylchoine esterase by ADP-ribosylation of *rho/rac* proteins (rat), **167**, 265
      - microtubule-associated protein kinase, stimulation by okadaic acid (rat), **168**, 1237
    - PC12h, adrenal, response to pituitary adenylate cyclase-activating polypeptide (rat), **173**, 252
  - pituitary
    - AtT-20, glucocorticoid receptor DNA-binding domain, absence of phosphorylation *in vivo* (mouse), **166**, 931
    - GH, differentiated, growth hormone production, specific antisense RNA inhibition (rat), **171**, 293
    - GH_4C_1, prolactin secretion induced by depolarizing K^+ or hyposmolarity, effects of $[Ca^{2+}]_i$ dynamics, **170**, 968
  - promyelocytic leukemia HL-60
    - activin A/erythroid differentiation factor, inducible gene expression, **167**, 654
    - adriamycin-resistant, detection of protein kinase C-γ (human), **166**, 723
    - cytosolic-nuclear tumor promoter-specific binding protein, detection and translocation into nuclei, **166**, 1126
    - differentiation
      - associated alterations in insulin receptor kinase activity, **172**, 676
      - induction by protein kinase C inhibitor K252a, **170**, 1151
      - and interleukin-1 receptor expression and IL-1 responsiveness, induction by growth inhibition caused by serum depletion, **168**, 959
      - monocytic, associated thymidine kinase gene expression, post-transcriptional regulation, **169**, 780
    - etoposide-induced DNA fragmentation and poly(ADP-ribose) synthesis, inhibition by zinc ion (human), **169**, 1172
    - membrane protein myristoylation, inhibition by retinoic acid, **172**, 877
    - PAF-acether transfer activity, induction during differentiation, **171**, 548
    - protein kinase-dependent differentiation-specific phosphorylation of cytosolic 44- and 32-kDa proteins, induction by retinoic acid, **168**, 1253
  - prostate adenocarcinoma, derived metastatic cell line AT-3, production of transforming growth factor β (rat), **166**, 840
  - prostate cancer PC-3, isolation of urokinase amino-terminal fragment mitogenic for osteoblast-like cells (human), **173**, 1058
  - Raji
    - adsorbed 20-kDa homologous restriction factor, effect against LAK cell cytotoxicity (human), **171**, 717
    - expression of leukotriene A_4 hydrolase and 5-lipoxygenase genes, analysis (human), **161**, 740; *erratum*, **167**, 1413
    - staphylococcal enterotoxin A binding, inhibition by I-A^b_β region (human), **168**, 696
  - renal cell carcinoma SKRC-1, autocrine regulation of growth, role of parathyroid hormone-related peptide (human), **167**, 1134
  - small cell lung carcinoma Lu-143, point mutation in *p53* gene resulting in splicing inhibition, **173**, 697
  - squamous carcinoma SCC25, expressed cell adhesion protein, cDNA cloning (human), **166**, 984
  - squamous cell carcinoma, overexpressing epidermal growth factor receptors, anchorage-independent growth, stimulation by EGF (human), **168**, 905
  - T-cell leukemia Jurkat
    - CD3-mediated Ca^{2+} mobilization, inhibition by phorbol ester independently of protein kinase C activation (human), **173**, 396
    - uv crosslinking of proteins to PRDII domain of interferon-β promoter, analysis (human), **167**, 1086
  - thyroid carcinoma
    - TPC-1, papillary, activated *ret*, cDNA cloning and characterization (human), **168**, 402
    - TT, medullary, differentiated by Harvey *ras* oncogene, increase in transcription factor c-jun levels (human), **170**, 140
  - T-lymphoma
    - HUT-102, accumulation of HTLV-I *gag-pol* unspliced mRNA, blockage by H-7 (human), **169**, 469
    - S49
      - lysis by phytohemagglutinin, role of cAMP generation and of increase in cytosolic calcium (mouse), **170**, 1035
      - protein kinase C stimulation by parathyroid hormone (rat), **171**, 1105
  - transforming growth factor α-induced second messengers, inhibition by anti-epidermal growth factor receptor antibody 425 (human), **172**, 471
  - uterine carcinoma HeLaP3, long-term growth in cytosol-type electrolyte medium, assessment (human), **169**, 1217

- Tumor cytotoxic factor
  - fibroblast, identification as hepatocyte growth factor (human), **170**, 397

- Tumorigenicity
  - colon carcinoma HCT116 sublines, correlation with sialic acid-dependent cell adhesion to collagen IV (human), **171**, 860

- Tumor necrosis factor
  - cytotoxicity, resistance, induction by 1,25-dihydroxyvitamin D_3 (U-937 cells), **170**, 73
  - effect on low-density lipoprotein binding to dermal fibroblasts (human), **172**, 1022
  - high-molecular-weight glycosylated forms, characterization (mouse), **173**, 1072
  - induction of protein kinase C translocation to membranes and inhibition of epidermal growth factor binding, relationship (human WISH cells), **168**, 690

  potentiation of angiotensin II- and A23187-stimulated prostaglandin E_2 synthesis in renal mesangial cells (rat), **169**, 585
 type α
  activated vascular endothelial cells, enhanced expression of intercellular adhesion molecule-1, effects of protein kinase C inhibitors (human), **172**, 1273
  activation of O_2^--generating system of neutrophils, role of phosphoinositide hydrolysis and arachidonic acid release (human), **166**, 308
  antagonism of azidothymidine inhibition of HIV replication *in vitro* (MOLT-4 cells), **166**, 1095
  enhancement of interleukin-1β inhibitory effects on Leydig cell steroidogenesis (rat), **166**, 1313
  induced prostaglandin E_2 synthesis, role in inhibition of osteocalcin synthesis by human osteoblast-like cells, **167**, 194
  induction of
   endothelin-1 release from renal epithelial cells (pig), **169**, 578
   and stimulation of 92-kDa gelatinase–type IV collagenase in tumor cells, **171**, 610
  inhibition of neuroblastoma cell growth, effect of enhanced MYCN oncogene expression (human), **170**, 1301
  role in mononuclear cell enhancement of prostaglandin E_2 production by neutrophils (human), **168**, 857
  stimulated neutrophils, selective synthesis and secretion of 23-kDa protein (human), **172**, 1209
  stimulation of Mn-superoxide dismutase expression: assay of dismutase levels by ELISA in TNF-resistant and -sensitive cell lines (human), **171**, 1378
 type 1α, calmodulin-dependent stimulation of free radical generation in leukocytes (human), **167**, 1030
Tumor necrosis factor receptors
 55-kDa, constitutive gene expression in hematopoietic cells, modulation (human), **172**, 557
Tumors
 breast, estrogen receptor-positive, detection of estrogen receptor gene amplification (human), **166**, 601
 C-cell, rats with high risk for, increased thyroid levels of calcitonin mRNA, genetic determination, **167**, 232
 colon adenocarcinoma, active salvage of preformed purines, direct demonstration (mouse), **170**, 1164
 digestive system cancer, associated over-expression of facilitative glucose transporter genes (human), **170**, 223
 epidermal carcinoma, β-carotene selective cytotoxicity, associated induction of 70-kDa protein (human), **169**, 941
 glioma, severity and ras p21 expression, correlation using automated image analysis (human), **169**, 482
 hepatic
  adenoma and carcinoma, associated alterations of glycosaminoglycan composition, comparison with normal tissue and reactive lesions (human), **167**, 883
  diethylnitrosamine-induced neoplastic, enhanced expression of 27-kDa protein (rat), **170**, 908
 hepatoma
  3924A, detection of high concentration of neutral endopeptidase (rat), **169**, 81
  plasma and internal membranes, ganglioside localization: evidence for glycolipid sorting defect in hepatocarcinogenesis (rat), **169**, 192
 induction in athymic mice by human *rho* gene, **168**, 114
 localization of monoclonal antibody A7, enhancement by polyethylene glycol-modified A7 (mouse), **171**, 1387
 mammary, susceptible mouse strain SHN, genome, identification of mouse mammary tumor virus loci, **166**, 336
 melanoma
  active salvage of preformed purines, direct demonstration (mouse), **170**, 1164
  grown as solid xenografts in mice, phosphatidylinositol phospholipase C activity, analysis (human), **166**, 715
 osteoclastoma, derived tartrate-resistant acid phosphatase, N-terminal amino acid sequence (human), **168**, 792
 pheochromocytoma PC12, and other neuronal and nonneuronal tissues, L-DOPA decarboxylase mRNA, comparative and quantitative study (rat), **170**, 1006
Tunicamycin
 treated kidney cells, transport and expression of HSV-1 glycoproteins, role of glycosylation (monkey), **167**, 1139
Tyrosinase
 gene 3′ region, macromolecular interactions, regulation by cell adhesion: correlation with pigmentation (B16-BL6 melanoma cells), **172**, 638
Tyrosinate
 fluorescence lifetimes for oxytocin and vasopressin in receptor-simulating environments, relationship to biological activity and ^{1}H NMR data, **171**, 996
Tyrosine
 in erythrocyte cytosolic proteins, phosphorylation by cytosolic tyrosine kinase (human), **166**, 1378
 iodination
  modulating hydrogen peroxide generation machinery in thyroid: identification of system involving superoxide dismutase and superoxide radical (mouse), **169**, 1
  role of iodine activation into free radical intermediate by superoxide, **170**, 1026
 phosphorylation
  activation of manganese-dependent membrane protein kinase (rat liver), **171**, 75
  of nuclear pp64 on, regulation by phorbol ester and platelet-derived growth factor (NRK cells), **167**, 918
  in platelets, thrombin-stimulated, effects of elevation of cAMP and cGMP (human), **171**, 738
 residues, aromatic rings at adenine nucleotide binding sites of F_1-ATPase β subunits, role in ATPase activity, **168**, 372
 in type III procollagen, sulfation, inhibition by chlorate, effect on protein secretion and processing (human fibroblasts), **170**, 264
 uptake into cultured adrenal chromaffin cells, stimulation by bioflavonoids (bovine), **171**, 1199
 vasopressin-dependent phosphorylation on 38-kDa protein (human platelets), **168**, 566
Tyrosine aminotransferase
 induction by dexamethasone in cultured hepatocytes

inhibition by sphingosine (rat), **168**, 823
modulation by metyrapone (rat), **166**, 801
Tyrosine hydroxylase, *see* Tyrosine 3-monooxygenase
Tyrosine kinase, *see* Protein-tyrosine kinase
Tyrosine 3-monooxygenase
  mRNA multiplicity, analysis (insectivore, monkey, rat), **173**, 1331
Tyrosyl radicals
  generation by
    incubation of iron-containing B2 protein of ribonucleotide reductase with hydrogen peroxide (*Escherichia coli*), **167**, 813
    single oxygen atom donors in ribonucleotide reductase activation: role of high-valent iron-oxo complex (*Escherichia coli*), **168**, 659

U

U46619
  induced phosphoinositide phosphorylation in platelets, effect of genistein (human), **170**, 238
  potentiation of venous responses to nerve stimulation in perfused superior mesenteric vascular bed (rat), **172**, 745
U-57908
  effect on cytomegalovirus-stimulated arachidonic acid metabolism (human), **166**, 953
Ubiquinol–cytochrome-*c* reductase
  mitochondrial, derived Rieske iron-sulfur protein, encoding cDNA, cloning and sequencing (bovine heart), **167**, 575
Ubiquinones
  antioxidant effects in microsomes and mitochondria, mediation by tocopherol recycling (rat), **169**, 851
Ubiquitin
  multiple ubiquitin carrier proteins of rabbit reticulocytes, relationship to yeast RAD6-encoded 20-kDa E2, **171**, 705
UDP glucuronosyltransferase
  forms 2 and 4, substrate preferences, effect of N-linked glycosylation (COS cells), **166**, 1293
Ulceration
  gastric, inhibition by
    N^1,N^{12}-bis(ethyl)spermine (rat), **172**, 715
    interleukin-1 via central nervous system (rat), **173**, 585
Ultraviolet light
  induced crosslinking of proteins to PRDII domain of interferon-β promoter, analysis (human tumor cells), **167**, 1086
  induced relaxation and dependent activation of guanylate cyclase in mesenteric arteries, effects of sodium nitrite (bovine), **169**, 129
Urate oxidase
  gene cloning and partial sequence analysis: stop codon within fifth exon (human), **171**, 641
Urea
  high levels, effect on capacity of stable DNA-binding proteins for locating specific binding sites (*Drosophila melanogaster*), **169**, 840
  synthesis, enhancement by small initial dose of ammonium acetate: protective effect on subsequent lethal doses (mouse), **167**, 1263
Urethan
  identification of vinyl carbamate epoxide as possible electrophilic and carcinogenic metabolite, **169**, 1094
Urine
  detection of
    atrial natriuretic factor prohormone C- and N-terminal and vessel dilator peptides (dog), **173**, 1030
    transforming growth factor α (human), **167**, 1065
  identification of pro-epidermal growth factor and high-molecular-weight EGF (adult mouse), **173**, 902
Urokinase, *see* Plasminogen activator, urokinase-type
Uterus
  DNA synthesis, stimulation, role of immediate-early gene activation by estrogen (rat), **171**, 287
  mature and immature, estrogen-induced expression of c-*jun* proto-oncogene (rat), **168**, 721

V

Vaccinia virus
  thymidine kinase, quaternary structure, **169**, 1080
Vacuoles
  Neurospora crassa, Ca^{2+} release, effects of inositol 1,4,5-trisphosphate analogs: receptor specificity for 1,5-bisphosphate position, **166**, 1319
  yeast, expression of human lysosomal β-hexosaminidase, **170**, 383
Valine
  substitution for Arg^{44} of thymidylate synthase, effects on catalysis and nucleotide binding (mouse), **167**, 869
Vanadate
  and hydrogen peroxide, stimulation of platelet aggregation and protein-tyrosine phosphorylation (human), **170**, 259
  promotion of photooxidative cleavage and inactivation of muscle phosphofructokinase, **172**, 919
Vapor diffusion
  crystallization of cytochrome-*c* oxidase, preliminary studies (bovine heart), **169**, 1105
Vascular responses
  to big endothelin-1, inhibition by phosphoramidon (guinea pig, pig, rat), **172**, 390
  perfused mesenteric veins to nerve stimulation, potentiation by endothelin-1 and U46619 (rat), **172**, 745
Vasocontraction
  related effects of endothelin-1 in spontaneously and deoxycorticosterone acetate-salt hypertensive rats, **167**, 941
Vasodepression
  induced by BNP-like peptide from eel brain, analysis in eel, quail, and rat, **170**, 883
Vasodilation
  cholinergic, associated effects of imidazoindole in hypertensive nephrosclerosis (rat), **170**, 448
  mesenteric arterial bed, periarterial nerve stimulation-induced, inhibition by calcitonin gene-related peptide and CGRP receptor desensitization (rat), **168**, 786

  mesenteric artery, induced by low-dose endothelin-3, inhibition by L-N^G-monomethyl arginine (rat), **167**, 739
Vasodilators
  nitric oxide-generating, inhibition of mitogenesis and proliferation, role of cGMP (BALB/c 3T3 cells), **171**, 474
Vasopressin
  arginine, *see* Arginine vasopressin
  in receptor-simulating environments, tyrosinate fluorescence lifetimes, relationship to biological activity and ^1H NMR data, **171**, 996
Vasorelaxation
  Larginine-mediated endothelium-dependent, in isolated arterial rings, antagonism by N^G-amino-L-arginine (bovine), **168**, 458
  endothelium-dependent, inhibition by oxidized low-density lipoproteins, role of lysosphosphatidylcholine (rabbit aorta), **168**, 301
  role of hydrophobic residues in human α-atrial natriuretic peptide, **172**, 971
Vectors
  baculovirus, –insect cells, production of recombinant proteins, effects of ecdysteroids (*Spodoptera frugiperda*), **167**, 1154
  containing phage λ P_L promoter and *N* gene untranslated region, expression of porcine growth hormone in *Escherichia coli*, **173**, 711
  recombinant baculovirus, expressed human Ku autoantigen 70-kDa component in insect cells, characterization, **168**, 747
  regulatable *rac* promoter-based, in expression of simian virus 40 large T antigens in *Escherichia coli*, **169**, 1129
  retroviral
    mediated gene transfer of leukocyte integrin CD18 subunit (human), **171**, 787
    transduced endothelial cells, expression of recombinant gene (human umbilical vein), **170**, 209
Venom
  paralytic acylpolyamines, structures (spider), **169**, 51
Verapamil
  effect on intracellular calcium control of osteoclast function (rat), **167**, 807
  inhibition of secretory chloride channels in intestinal epithelial cells (human), **171**, 1022
Vertebrate collagenase
  production by fibroblasts, effect of interleukin-6 (human), **170**, 824
Vesicles
  apical plasma membrane, formed from colon, demonstration of Na^+ and H^+ conductances and Na^+/H^+ exchange (human), **167**, 438
  brush border membrane, Ca^{2+} uptake kinetics, effect of hypertension (rat), **170**, 742
  coated, isolated from brain, coupling of adenosine A_1 receptors to G protein: presence of pertussis and cholera toxin substrates (bovine), **171**, 770
  microvillus membrane, composition and fluidity, effect of preparation method (rat intestine), **170**, 433
  movement in cytoplasmic streaming in plasmodium, velocity measurement, **172**, 1236
  phospholipid, chloride conductivity, reconstitution by stilbene-sensitive chloride channel (chicken), **171**, 920
  sarcolemmal
    cardiac, identification of dystrophin (bovine, dog), **169**, 565
    cation-transporter activities, effects of phospholipid fatty acyl composition (dog), **168**, 917
  synaptic, H^+-ATPase identification as major constituent and primary pump for neurotransmitter accumulation (rat brain), **173**, 443
Vicilin
  denaturation properties (*Cajanus cajan*), **166**, 1446
Vimentin
  phosphorylation by Ca^{2+}-calmodulin-dependent protein kinase II, analysis (rat brain), **169**, 896
Vincristine
  accumulation in multidrug-resistant tumor cells, enhancement by staurosporine (human), **173**, 1252
Vinyl carbamate
  identification of vinyl carbamate epoxide as possible electrophilic and carcinogenic metabolite, **169**, 1094
Vinyl carbamate epoxide
  synthesis and properties, **169**, 1094
Virosomes
  reconstitution from HIV proteins and lipids, **167**, 222
Viruses, *see also specific types*
  derived promoters and enhancers, constitutive activities in trout liver cell line, **173**, 1311
Vitamin A
  regulation of collagenase and TIMP production by osteopetrotic bone in organ culture (mouse), **168**, 1171
Vitamin D_2
  and vitamin D_3, dietary excess, comparative effects on up-regulation of intestinal 1,25-dihydroxyvitamin D receptor (rat), **169**, 910
Vitamin D_3
  and vitamin D_2, dietary excess, comparative effects on up-regulation of intestinal 1,25-dihydroxyvitamin D receptor (rat), **169**, 910
Vitamin E
  protective effect on magnesium deficiency-induced cardiomyopathy (hamster), **170**, 1102
  recycling, role in antioxidant effects of ubiquinones in microsomes and mitochondria (rat), **169**, 851
Vitamin K
  dependent protein Z, primary structure (human), **171**, 661
  and/or phosphate, effects on enhancement on sulfotransferase activity (murine brain), **169**, 927
Vitellogenins
  invertebrate and vertebrate, amino-terminal sequence, alignment with lobster fibrinogen sequence, **167**, 16
Vitronectin
  gene polymorphism, correlation with vitronectin blood type (human), **167**, 1355
  specific binding of plasminogen: evidence for role in fibrin(ogen)-induced plasmin formation by tissue plasminogen activator, **168**, 966
Voltage
  and calcium, sensitive ATP-modulated potassium channel

in coronary artery smooth muscle cells, description (pig), **172**, 517
dependent calcium currents in trigeminal ganglion neurons, analysis (chicken), **167**, 1015
membrane, associated insensitivity of intracellular calcium control of osteoclast function (rat), **167**, 183
Voltage gating
Ca^{2+}-activated potassium channels, analysis (human lymphocytes), **171**, 325

W

Water
systems with limiting amounts, lactate dehydrogenase activation by high concentrations of guanidine chloride, **172**, 830
WL-19
in detection of two angiotensin II binding sites in brain (rat), **171**, 813
Wound assays
endothelial cell migration in, stimulation by tissue plasminogen activator (human umbilical vein), **171**, 1326
Wound healing
initiation by soluble factors and proteinases released by damaged cells (rat), **168**, 1163
Wounding factors
and proteinases, release from damaged cells, role in initiation of wound healing process (rat), **168**, 1163

X

Xanthine
–xanthine oxidase, generated superoxide, activation of class μ glutathione transferases (rat), **171**, 845; *erratum*, **173**, 1382

Xanthine oxidase
superoxide-dependent mobilization of iron from ferritin, **168**, 389

–xanthine, generated superoxide, activation of class μ glutathione transferases (rat), **171**, 845; *erratum*, **173**, 1382

Xylan
degradation enzymes from *Clostridium stercorarium*, gene cloning and expression in *Escherichia coli*, **170**, 368
Xylanase, *see* Xylan endo-1,3-β-xylosidase
Xylan endo-1,3-β-xylosidase
encoding gene, cloning and expression in *Escherichia coli* (*Clostridium stercorarium*), **170**, 368
β-D-Xylosidase
encoding gene, cloning and expression in *Escherichia coli* (*Clostridium stercorarium*), **170**, 368
β-D-Xyloside
effect on cell-surface thrombomodulin affinity for thrombin in cultured endothelial cells (human), **169**, 177

Y

Yeast, *see also specific types*
cellular growth, role of protein homologous to proteolipid of chromaffin granule proton-ATPase, **168**, 574
expression of silkworm eclosion hormone gene, **173**, 1065
nuclear poly(A) polymerase, relationships to hepatic and tumor-type enzymes, **169**, 325
porin-deficient mutants, coupling of cell and mitochondrial respiration, status, **171**, 354

Z

Zellweger syndrome
affected liver, detection of pristanoyl-CoA oxidase deficiency (human), **172**, 490
Zidovudine
cross-resistance of multidrug-resistant cells, analysis (human), **169**, 986
inhibition of HIV replication *in vitro*, antagonism by tumor necrosis factor (MOLT-4 cells), **166**, 1095
phosphonoformate esters, inhibition of HIV-1 replication, **172**, 288
Zinc
binding motif, detection in human leukotriene A_4 hydrolase, **171**, 216
detection in leukotriene A_4 hydrolase (human), **172**, 965
inhibition of etoposide-induced DNA fragmentation and activation of poly(ADP-ribose) synthesis (HL-60 cells), **169**, 1172
ZPACK, *see* Benzyloxycarbonyl-L-phenylalanyl-L-alanine chloromethylketone

10 001407515
UNIVERSITY OF HAWAII

LIBRARY USE ONLY